Eagle Fortune Investment cc

Environmental Management Plan (EMP) to support the Application for Environmental Clearance Certificate (ECC) for the Proposed Exploration Activities in the Exclusive Prospecting License (EPL) No 8354,

Outjo and Otjiwarongo Districts,

Kunene and Otjozondjupa Regions

PROPONENT, LISTED ACTIVITIES AND RELATED INFORMATION SUMMARY

MEFT ECC APPLICATION REFERENCE No.

APP-0010345

TYPE OF AUTHORISATIONS REQUIRING ECC

Exclusive Prospecting License (EPL) No. 8354

NAME OF THE PROPONENT

Eagle Fortune Investment cc

COMPETENT AUTHORITY

Ministry of Mines and Energy (MME)

ADDRESS OF THE PROPONENT AND CONTACT PERSON

Eagle Fortune Investment CC 13 Edelvalk Street, HochlandParkk P. O. Box 22686, WINDHOEK, NAMIBIA

Contact Person: Dr Sindila Mwiya Projects Director / International Resources Consultant Mobile: + 264-811413229 Email: smwiya@rbs.com.na

PROPOSED PROJECT

Proposed Minerals Exploration / Prospecting in the Exclusive Prospecting License No. 8354, Outjo District Kunene Region

PROJECT LOCATION

Kunene Region, Outjo District (-20.026667, 16.478889)

ENVIRONMENTAL CONSULTANTS



👺 Risk-Based Solutions (RBS) CC

(Consulting arm of Sivieda Group Namibia) 10 Schützen Street, Erf No. 7382, Sivieda House Windhoek Central Business District (CBD) P. O. Box 1839, WINDHOEK, NAMIBIA

Tel: +264-61-306058 / 224780 / 236598 Fax: +264-061-245001. Mobile: +264-811413229

Email: smwiya@rbs.com.na Global Office / URL: www.rbs.com.na

ENVIRONMENTAL ASSESSMENT PRACTITIONER (EAP)

Ms. Emerita Ashipala (MSc Env. Mag, BSc (Hons) Envi Bio)

Contents List

N	ON-TECH	NICAL SUMMARY	- 1 -
1.	BACK	GROUND	- 7 -
	1.1. 1.2. 1.3. 1.4. 1.5.	INTRODUCTION	7 - 7 - 7 -
2.	SUMM	ARY OF THE RECEIVING ENVIRONMENT	12 -
	2.1. 2.2. 2.3. 2.3.1. 2.3.1.1. 2.3.1.2. 2.3.1.3. 2.3.1.4. 2.3.1.5. 2.3.1.6. 2.3.1.7. 2.3.1.8. 2.3.1.9. 2.4. 2.5. 2.6. 2.6.1. 2.6.2. 2.6.3. 2.6.3.1. 2.6.3.2.	Local Archaeological Setting and Recommendation	13 - 13 - 13 - 14 - 15 - 15 - 16 - 16 - 18 - 19 - 19 - 19 - 19 - 19 - 19 - 19
3.	OBJE	CTIVES OF THE EMP	
	3.1. 3.2. 3.3. 3.3.1. 3.3.2. 3.4. 3.4.1. 3.4.2. 3.4.3. 3.4.4.	SUMMARY OBJECTIVES	24 - 24 - 24 - 24 - 43 - 43 - 43 -
4.	EMP N	MITIGATION MEASURES	46 -
_	4.1. 4.2.	HIERARCHY OF MITIGATION MEASURES IMPLEMENTATION	46 -
5.		BILITATION COMMITMENTS	
	5.1. 5.2. 5.2.1. 5.2.2.	REHABILITATION PROCESS	66 - 66 -
6.	CONC	LUSION AND RECOMMENDATION	68 -
	6.1. 6.2. 6.3.	CONCLUSIONS	68 - 70 -
7.	REFE	RENCES	72 -

List of Figures

Figure 1:1:	Detailed regional location of the EPL 8354 and related infrastructure	9 -
Figure 1:2:	Detailed regional location of the EPL 8354 and related infrastructure and	
	commercial farms surrounding the EPL area	10 -
Figure 1:3:	Various land use in and around EPL 8354	11 -
Figure 2:1:	Average rainfall graph of Outjo https://www.worldweatheronline.com/outjo-	
-	weather	12 -
Figure 2:2:	Average temperature in Outjo	12 -
Figure 2:3:	Average wind direction and speed (IEM: WINDROSE, 2022)	12 -
Figure 2:4:	Vegetation map of the EPL 8354	20 -
Figure 2:5:	Simplified soil type map of the EPL 8354.	21 -
Figure 2:6		
Figure 2:7		
Figure 3:1:		
J	·	26 -
	22: Detailed regional location of the EPL 8354 and related infrastructure and commercial farms surrounding the EPL area	
Table 2.1:	Endemic and protected species found in EPL 8354	14 -
Table 3.1:	·	
	during the Environmental Assessment (EA) process covering Scoping, EIA	
	and EMP Processes.	27 -
Table 3.2:	Results of the sensitivity assessment of the receptors (Physical,	
	exploration / prospecting activities.	28 -
Table 3.3:		
	expected to last	31 -
Table 3.4:	Results of the scored geographical extent of the induced change	34 -
Table 3.5:		
Table 3.6:	· · · · · · · · · · · · · · · · · · ·	
Table 4.1:		

NON-TECHNICAL SUMMARY

Eagle Fortune Investment cc (the **Proponent)** the Proponent, holds mineral rights under Exclusive Prospecting License (EPL) No. 8354. The Application was submitted on the 07/09/2020. Eagle Fortune Investment cc is locally owned Namibian company focused on the acquisition and development of mining projects in Namibia. The EPL is granted for base and rare metals, dimension stone, industrial minerals, non-nuclear fuels minerals, precious metals, and precious stones.

The proposed and ongoing exploration / prospecting activities as assessed in this updated Scoping and Environmental Management Plan (EMP) Report covers the following phases:

- (i) Initial desktop exploration activities (no fieldwork undertaken).
- (ii) Regional reconnaissance field-based mapping and sampling activities (Subject to the positive results of (i).
- (iii) Initial local field-based mapping and sampling activities (Subject to the positive results of (ii) above).
- (iv) Detailed local field-based activities such as local geological mapping, geochemical mapping, and sampling, trenching, and drilling of closely spaced boreholes and bulk sampling (Subject to the positive results of (iii) above), and.
- (v) Prefeasibility and feasibility studies (Subject to the positive results of (iv) above.

The scope of the field-based support and logistical activities will be dependent on the scale of proposed exploration activities to be undertaken at any given phase / stage. The proposed / ongoing exploration activities will be supported by existing tracks and campsites / farmstead as well as existing accommodation in the local area as may be applicable. In the absences of existing tracks and depending on the scale of exploration activities being undertaken, the field team will create such new tracks with the permission of the landowner/s and in compliance with the provisions of the EMP and all applicable regulations and standards. In the absences of existing suitable campsite / farmstead, a temporary camp site will be setup at suitable location with the permission of the landowner and in line with the provisions of the EMP. The size of the exploration camp will be of very limited footprint during the initial and detailed field-based exploration phases. In an event of a discovery of economic minerals resources, the exploration campsite may be expanded for the subsequent exploration phases such as prefeasibility and feasibility studies.

The proposed exploration activities are listed in the Environmental Management Act, 2007, (Act No. 7 of 2007) and cannot be undertaken without an Environmental Clearance Certificate (ECC). An application for ECC together with the supporting updated Environmental Scoping and Impact assessment and Environmental Management Plan (EMP) Report was prepared by the Risk-Based Solutions (RBS) CC on behalf of the Proponent and submitted to the Environmental Commissioner in the Ministry of Environment, Forestry and Tourism (MEFT).

The Exclusive Prospecting License (EPL) No 8354 is located in the Outjo and Otjiwarongo Districts, Kunene and Otjozondjupa Regions. The license covers portions of the following privately owned commercial farmland: Pforte, National, Sophienhof, Soly-Sobra, Petersburg, Glucksburg, Palafontein, Grootpoort, Kameelfeld, Glenvale Middlesex, Okakewa, Kameelfeld Annex, Friedenstal, Friedenstal, Friedenstal Townlands Poortjie, Randte, Hoffnung, Magdalena, Outjo Townlands, Outjo Townlands, Outjo Townlands, Hoffnung, Hoffnung Ekotoweni, Mountbatten, Dagbreek, Lindehof, Lindehof, and Glocke.

Central Namibia (which includes the Outjo district) is regarded as "average to high" in overall (all terrestrial species) diversity while the overall terrestrial endemism is "high" (Mendelsohn et al. 2002). Central Namibia has between 161-200 endemic vertebrates (all vertebrates included). The overall diversity and abundance of large herbivorous mammals (big game) is viewed as "high" with 7-8 species

while the overall diversity of large carnivorous mammals (large predators) is determined at 3 species with Leopard and Cheetah being the most important with "high" densities (Mendelsohn et al. 2002).

Mountainous and rocky features in the Savannah are viewed as unique and often critical habitat to a variety of vertebrate fauna of concern – e.g., *Python anchietae*. Such habitats should be protected, especially isolated patches thereof, as these often have an "island" effect with a variety of rock and crevasse dwelling species dependent on these areas.

Ephemeral drainage lines with associated riparian habitat, especially bigger trees, and temporary pools (and/or perennial springs and seeps) are also viewed as important habitat for a variety of vertebrate fauna – e.g. bark roosting bats; South African Gallago; cavity nesting birds (Monteiros & Damara Hornbills and Rüppells Parrot), etc.

The Otjou area generally demonstrates high plant diversity. Plant diversity in the area is recorded to be between 300-399 species (Mendelsohn et al., 2002). Bird diversity is recorded to be between 201-230 species, mammal diversity between 76-90 species and reptile diversity between 81-85 species (Mendelsohn et al., 2002).

The environmental consequence that the proposed exploration and associated infrastructure such as access and campsite would have on the receiving environment will depend on the extent of the proposed activities over the development area, management of the area and how the Proponent eventually implements the proposed mitigation measures. Avoiding sensitive habitats such as Ephemeral River channels, rock heads, mountainous terrains, granite features that might hold archaeological resources as well as track discipline (including no killing/poaching of fauna and unnecessarily cutting down of trees) must be adhered to and/or always enforced. The following is the assessment summary of the likely environmental impacts that the proposed exploration prospecting activities will have on the receiving environment (physical, biological, socioeconomic environments and ecosystem functions, services, use and non-use values or passive uses) without mitigations:

- (i) Initial desktop exploration activities: Overall likely negative impact on the receiving environment will be negligible with extremely unlikely probability of occurrence without mitigations. Overall significant impacts will be negligible, and no field work will take place.
- (ii) Regional reconnaissance field-based activities: Overall likely negative impact on the receiving environment will be negligible with extremely unlikely probability of occurrence without mitigations. Overall significant impacts will be negligible. Some field-based activities will have localised low impacts with low probability of occurrence without mitigations and negligible with mitigations. Overall significant impacts will be negligible.
- (iii) Initial local field-based activities: Initial field-based activities will have localised low impacts with low probability of occurrence without mitigations and negligible with mitigations. Overall significant impacts will be negligible. All desktop related activities and laboratory assessments will have negligible impacts with extremely unlikely probability of occurrence without mitigations. Overall significant impacts will be negligible.
- (iv) Detailed local field-based activities: Overall likely negative impact on the receiving environment will be high and localised impacts without mitigations and localised low impacts with mitigations. Overall significant impacts will be medium without mitigations and low with mitigations, and.
- (v) Prefeasibility and feasibility studies to be implemented on a site-specific area if the local field-based studies prove positive: Overall likely negative impact on the receiving environment will be high and localised impacts without mitigations and localised medium impacts with mitigations. Overall significant impacts will be high without mitigations and low with mitigations for bulk sampling, and field coordination including exploration camp.

The overall severity of potential environmental impacts of the proposed / ongoing project activities on the receiving environment (physical, biological, socioeconomic environments and ecosystem functions, services, use and non-use values or passive uses) will be of low magnitude, temporally duration,

localised extent, and low probability of occurrence. Mitigation measures as detailed in Section 6 of the Updated Scoping and EMP Report attached to this application must be implemented and monitored by the Proponent. The proponent shall obtain permission / consent from landowners (surface rights holders) before exercising their subsurface rights for all areas covered by the EPL 8354.

Based on the findings of this updated Scoping and EMP Report, it is hereby recommended that the proposed / ongoing exploration activities by the Proponent be issued with a renewed Environmental Clearance Certificate (ECC) with the following key conditions:

- (i) The Proponent shall negotiate Access Agreements with the landowners as may be applicable.
- (ii) In consultation with the landowners and where possible and if key and core conservation, tourism or archaeological resources areas are identified within the EPL area, such areas shall be excluded from the proposed minerals exploration activities.
- (iii) The Proponent shall adhere to all the provisions of the EMP and conditions of the Access Agreement to be entered between the Proponent and the landowner/s in line with all applicable national legislations and regulations.
- (iv) Before entering any private property such as private farms or communal areas, the Proponent shall give advance notices to the surface land rights holders and always obtain permission to access the land to undertake prospecting activities in any given area.
- (v) Mitigation measures shall be implemented as detailed in Section 6 (EMP) of this updated Scoping and EMP report, and.
- (vi) Where possible, and if good quality freshwater is found during the detailed exploration borehole drilling operations, the Proponent shall support other land users in the area in terms of access to good quality freshwater resources for both human consumption, wildlife management and agricultural uses as may be requested by the local community / landowner/s. With permission from the Department of Water Affairs in the Ministry of Agriculture, Water and Land Reform (MAWLR), the abstraction of the groundwater resources shall include water levels monitoring, sampling and quality testing on a biannual basis, and that the affected landowner/s must have access to the results of the water monitoring analyses as part of the ongoing stakeholder disclosure requirements on shared water resources as may be applicable.

Once economic resources are discovered for possible mining operations, a separate field-based and site-specific Environmental Impact Assessment (EIA) and Environmental Management Plan (EMP) shall be undertaken as part of the prefeasibility and feasibility studies. The site-specific EIA and EMP shall cover the area/s identified to have potential economic minerals resources and the assessment shall include the entire planned mine layout areas such as local land uses, pit / shaft, waste rock, tailings dump, access, office blocks, mechanical workshop, water, and energy infrastructure support areas (water, energy, and road / access).

In addition to the site-specific possible mining EIA and EMP Terms of Reference (ToR) to be developed during the prefeasibility study phase, the following field-based and site-specific specialist studies shall be undertaken in an event of a discovery of economic minerals resources that can support the development of a mining project within the EPL No. 8354 area:

- (i) Groundwater studies including modelling as may be applicable.
- (ii) Field-based flora and fauna assessments.
- (iii) Dusts, noise and sound assessments and modelling linked to engineering studies.
- (iv) Socioeconomic assessment, and.

(v) Others as may be identified / recommended by the stakeholders/ landowners/ Environmental Commissioner or specialists during the prefeasibility and feasibility phases.

2. Summary of the Proposed Mitigation Measures

Avoiding sensitive habitats such as Ephemeral River channels, rock heads and mountainous terrains as well as track discipline (including not killing/poaching of fauna and unnecessarily cutting down of trees) must be adhered to and/or enforced at all times. Mitigation measures shall be implemented as detailed in this EMP report and includes the following:

- 1. Project planning and implementation.
- 2. Implementation of the EMP.
- 3. Public and stakeholders relations.
- 4. Measures to enhance positive socioeconomic impacts.
- 5. Environmental awareness briefing and training.
- 6. Erection of supporting exploration infrastructure.
- 7. Use of existing access roads, tracks and general vehicle movements.
- 8. Mitigation measures for preventing flora destruction.
- 9. Mitigation measures for preventing faunal destruction.
- 10. Mitigation measures to be implemented with respect to the exploration camps and exploration sites.
- 11. Mitigation measures for surface and groundwater protection as well as general water usage.
- 12. Mitigation measures to minimise negative socioeconomic impacts.
- 13. Mitigation measures to minimise health and safety impacts.
- 14. Mitigation measures to minimise visual impacts.
- 15. Mitigation measures to minimise vibration, noise and air quality.
- 16. Mitigation measures for waste (solid and liquid) management.
- 17. Rehabilitation plan, and.
- 18. Environmental data collection.

3. Conclusions and Recommendations of the EMP

Based on the findings of the EIA and the mitigation measures provided in this EMP Report, it is hereby recommended that the proposed exploration activities be issued with an Environmental Clearance Certificate (ECC). The following is the summary of the key conditions that shall be implemented by the Proponent for the proposed project activities:

- (i) The Proponent will undertake to implement the conditions of the land lease agreements to be concluded with the owners of the land as may be required to support the proposed exploration activities.
- (ii) The proponent shall implement and adhere to all the provisions of this EMP report.
- (iii) Mitigation measures shall be implemented as detailed in this EMP report.
- (iv) Rehabilitation must be undertaken at all times.
- (v) The Proponent shall adhere to all the applicable national regulations and standards as well as Good International Industry Practice (GIIP) that defines leading industry best practices as provided for in the Equator Principles and International Finance Corporation (IFC) environmental management guidelines and frameworks, and.
- (vi) The Proponent shall adopt the precautionary approach / principles in instances where baseline information, national or international guidelines or mitigation measures have not been provided or do not sufficiently address the site-specific project impact.

The following are the recommended actions (roles and responsibility) to be implemented by the Proponent as a part of the management of the impacts through implementations of this EMP Report:

- (i) Appoint an Environmental Control Officer to lead and further develop, implement and promote environmental culture through awareness raising of the workforce, contractors and sub-contractors in the field during the whole duration of the proposed project.
- (ii) Provide with other support, human and financial resources, for the implementation of the proposed mitigations, rehabilitation plans and effective environmental management during the planned mine project life cycle.
- (iii) Develop a simplified environmental induction and awareness programme for all the workforce, contractors and sub-contractors.
- (iv) Where contracted service providers are likely to cause environmental impacts, these will need to identify and contract agreements need to be developed with costing provisions for environmental liabilities.
- (v) Implement internal and external monitoring of the actions and management strategies developed during the project duration and a final Environmental Monitoring report to be prepared by the Environmental Control Officer and to be submitted to the regulators, and.
- (vi) Develop and implement a monitoring programme that will fit into the overall company's Environmental Management Systems (EMS) as well as for any future EIA related to the expansion of the current delineated resources or development of completely new mine site within the EPL area.

All the responsibilities to ensure that the recommendations and provisions of this EMP Report are executed accordingly, rest with the Proponent. The Proponent shall provide all appropriate resource requirements for the implementation of this EMP as well as an independently managed (not directly controlled by the company) funding instrument for rehabilitation and associated environmental liabilities.

It is the responsibility of the Proponent to make sure that all members of the workforce including contractors and subcontractors are aware of the provisions of this EMP and its objectives. It is hereby recommended that the Proponent take all the necessary steps to implement all the recommendations of this EMP for the successful execution of the proposed exploration programme.

1. BACKGROUND

1.1. Introduction

Eagle Fortune Investment cc (the **Proponent**) hold minerals rights under the Exclusive Prospecting License (EPL) No. 8354. The following is the summary of the EPL 8354

❖ Type of License: Exclusive Prospecting License (EPL) No. 8354.

EPL Holder: Eagle Fortune Investment cc.

❖ Application Date: 07/09/2020.

Commodities: Base and rare metals, dimension stone, industrial minerals, and precious

metals.

❖ Size of the EPL: 48079.8227 Ha

Eagle Fortune Investment cc intend to undertake exploration activities covering desktop studies, followed by field-based regional and detailed site-specific explorations activities using techniques such as desktop studies, geophysical surveys, geological mapping, trenching, drilling and bulk sampling.

1.2. Proposed Scope of Work

The Proponent intends undertake exploration activities covering desktop studies: the purchase and interpretation of the existing Government high resolution airborne geophysical data sets, regional reconnaissance assessment covering field-based activities such as regional mapping and sampling to identify and verify potential targeted areas as delineated during the desktop stage, geological mapping, sampling, surveying and possible widely spaced trenching and drilling to test the viability of any delineated local target based on the regional data collected under localised site-specific detailed geological mapping, trenching, bulk sampling, surveying, and detailed drilling to determine the feasibility of the delineated local targets. If the detailed exploration activities lead to positive results, the exploration data collected will then be put together into a prefeasibility report and if the prefeasibility results prove positive, a detailed feasibility study supported by detailed site-specific drilling, bulk sampling and laboratory testing / test mining will be undertaken on the identified site-specific area.

1.3. Regulatory Requirements

The proposed prospecting activities are listed in the Environmental Management Act, 2007, (Act No. 7 of 2007) and the EIA Regulations, 2012 and cannot be undertaken without an Environmental Clearance Certificate (ECC). The Proponent is required to have undertaken Environmental Assessment comprising this Environmental Impact Assessment (EIA) and Environmental Management Plan (EMP) reports for the proposed minerals prospecting activities.

In fulfilment of the environmental requirements, the Proponent appointed Earth Environmental Services (EES) CC as the Environmental Consultants led by Ms Emerita Ashipala as the Environmental Assessment Practitioner in the preparation of the EIA and EMP Reports in order to support the application for ECC.

1.4. Location, Land Use, Infrastructure and Services

The Exclusive Prospecting License (EPL) No 8354 is located in the Outjo and Otjiwarongo Districts, Kunene and Otjozondjupa Regions (Figs.: 1.1 and 1.2). The license covers portions of the following

privately owned commercial farmland: Pforte, National, Sophienhof, Soly-Sobra, Petersburg, Glucksburg, Palafontein, Grootpoort, Kameelfeld, Glenvale Middlesex, Okakewa, Kameelfeld Annex, Friedenstal, Friedenstal Townlands Poortjie, Randte, Hoffnung, Magdalena, Outjo Townlands, Outjo Townlands, Hoffnung, Hoffnung Ekotoweni, Mountbatten, Dagbreek, Lindehof, Lindehof, and Glocke. The land use of the area consists on agriculture and tourism on freehold land (Fig. 1.3).

1.5. Supporting Infrastructure and Services

The EPL area is accessible along the B1 Road from Otjiwarongo to Outjo and the main road C38, C39 and M26 to Kamanjab (Figs. 1.1 -1.2). Within the EPL 8354 area, a network of local tracks and private farm roads linked to the B1, D2773, D2780, and D2761 roads may be used to access the EPL area. Private minor roads may require high clearance 4 x 4 vehicles and may only be used with permission from the landowners (Fig. 1.1-1.2).

The following supporting infrastructures and services will be required if detailed field-based studies such as geological mapping, trenching, or drilling need to be conducted following the delineation of potential targets requiring field verifications and / or investigations:

- (i) External and internal roads network: The Proponent will use the already existing external and internal road networks during the exploration phase (Fig 1.1 and 1.2).
- (ii) Water supply: Raw water will be sourced from local groundwater resources (Fig. 1.6). The Proponent will utilise the existing boreholes with permission from the landowners. The exploration activities such as drilling operations will require limited water resources which could also be supplied by a tanker truck.
- (iii) Energy: The proposed exploration operations will use diesels and solar energy as may be required for exploration equipment and lighting, respectively, and.
- (iv) Accommodation and other supporting facilities and services: The exploration team will utilise the exiting accommodation facilities and services in the area. In absence of such facilities and services, the Proponent will provide onsite camping accommodation and supporting portable infrastructures such as chemical toilets as well as other requirements as may be applicable. The establishment of an exploration camp will only be done with thepermission of the landowner.

If, required, field-based exploration activities will only be conducted once an Access Agreement has been concluded with the affected landowner/s.




Figure 1:1: Detailed regional location of the EPL 8354 and related infrastructure.




Figure 1:2: Detailed regional location of the EPL 8354 and related infrastructure and commercial farms surrounding the EPL area




Figure 1:3: Various land use in and around EPL 8354

2. Summary of the Receiving Environment

2.1. Climate

The EPL 8354 is located in the Outjo District, North-West of Namibia in the Kunene Region. The climate here is a local steppe climate.

- ❖ There is little rainfall throughout the year with an average precipitation of approximately 513 mm. The driest month is June August, and the most precipitation falls in January (Fig 4.1).
- ❖ October to December is the warmest month of the year with up to 35°C and the average annual temperature is 22.3 °C (Fig 4.2).
- ❖ The project area does not have a weather station with reliable records. However, based on the regional wind patterns, the prevailing wind in the area seems to be dominated by winds from the northeastern and east quadrants. Locally, the situation may be different due to various influences including topographic effects (Fig 4.3).




Figure 2:1: Average rainfall graph of Outjo https://www.worldweatheronline.com/outjo-weather




Figure 2:2: Average temperature in Outjo https://www.worldweatheronline.com/outjo-weather




Figure 2:3: Average wind direction and speed (IEM: WINDROSE, 2022)

2.2. Topography

The Outjo town is situated on a cluster of low hills at an elevation of 1,260 metres. The regional terrain around the EPL 8354 is rocky and rugged in nature with steep slopes characterising the mountainous sections whilst the foothills of the mountains are flat and gently undulating. Within the EPL area, the drainage is dendritic in nature with ephemeral streams, often steeply incised, forming small early-stage tributaries of the Urundu Ephemeral Rivers systems.

2.3. Habitat and ecosystem

2.3.1. Overview of the Biological diversity

Central Namibia (which includes the Outjo district) is regarded as "average to high" in overall (all terrestrial species) diversity while the overall terrestrial endemism is "high" (Mendelsohn et al. 2002). Central Namibia has between 161-200 endemic vertebrates (all vertebrates included). The overall diversity and abundance of large herbivorous mammals (big game) is viewed as "high" with 7-8 species while the overall diversity of large carnivorous mammals (large predators) is determined at 3 species with Leopard and Cheetah being the most important with "high" densities (Mendelsohn et al. 2002).

Mountainous and rocky features in the Savannah are viewed as unique and often critical habitat to a variety of vertebrate fauna of concern – e.g., *Python anchietae*. Such habitats should be protected, especially isolated patches thereof, as these often have an "island" effect with a variety of rock and crevasse dwelling species dependent on these areas.

Ephemeral drainage lines with associated riparian habitat, especially bigger trees, and temporary pools (and/or perennial springs and seeps) are also viewed as important habitat for a variety of vertebrate fauna – e.g., bark roosting bats; South African Gallago; cavity nesting birds (Monteiros & Damara Hornbills and Rüppells Parrot), etc.

The Outjo area generally demonstrates high plant diversity. Plant diversity in the area is recorded to be between 300-399 species (Mendelsohn et al., 2002). Bird diversity is recorded to be between 201-230 species, mammal diversity between 76-90 species and reptile diversity between 81-85 species (Mendelsohn et al., 2002).

2.3.1.1. Vegetation

The Outjo area belongs to the Acacia Tree and Shrub Savanna Biome which is characterized by dolomite karstveld type vegetation (Mendelsohn, Jarvis, Roberts & Roberston, 2002). The vegetation type for Outjo is described as Thornbush Shrubland which comprises of various soils and dominated by Acacia shrublands. Trees expected to be found within the three EPLs area are Black Thorn (*Acacia mellifera*), Camel Thorn (*Acacia erioloba*) and Shepherds Tree (*Boscia albitrunca*).

The most important tree/shrub species expected from the general area are the various protected species and species of conservation concern and include *Commiphora dinteri* (endemic), *Aloe zebrina Baker* (protected), *Barleria kaloxytona Lindau* (endemic), *Cleome suffruticosa Schinz* (endemic), *Crassocephalum coeruleum* (O.Hoffm.) R.E.Fr (endemic) and *Euphorbia otavimontana Swanepoel* (endemic). Other endemic species in the area includes: *Cleome suffruticosa Schinz*, *Jamesbrittenia fragilis* (Pilg.), *Antiphiona pinnatisecta* (S.Moore) *Merxm*, *Barleria kaloxytona Lindau*, *Barleria violacea Hainz*, *Boerhavia deserticola Codd*, *Ceropegia dinteri Schltr* and *Cleome suffruticosa Schinz*.

All aloe species are protected in Namibia and other species potentially occurring in the general area are *Aloe hereroensis* and *Aloe zebrina* (Rothmann 2004). None of the species are exclusively associated with the area.

Table 2.1: Endemic and protected species found in EPL 8354

SPECIES	ENDEMISM	PROTECTED
Aloe zebrina Baker		Protected
Barleria kaloxytona Lindau	Endemic	
Cleome suffruticosa Schinz	Endemic	
Crassocephalum coeruleum (O.Hoffm.) R.E.Fr.	Endemic	
Euphorbia otavimontana Swanepoel	Endemic	
Huernia oculata Hook.f.	Near Endemic	Protected
Jamesbrittenia fragilis (Pilg.) Hilliard	Endemic	
Kohautia azurea (Dinter & K.Krause) Bremek.	Endemic	
Maerua schinzii Pax		Forestry Protected
Orbea lugardii (N.E.Br.) Bruyns	Near Endemic	Protected
Pteronia eenii S.Moore	Endemic	
Stapelia kwebensis N.E.Br.		Protected
Stigmatorhynchus hereroensis Schltr.	Endemic	

Up to 101 grasses are expected in the area of which 4 species are viewed as endemic (*Eragrostis omahekensis*, *Eragrostis scopelophila*, *Pennisetum foermeranum* and *Setaria finite*). *Pennisetum foermeranum* is associated with rocky mountainous terrain and consequently only expected is such suitable habitat. *Eragrostis omahekensis* is virtually only found on disturbed soils – e.g., close to watering points – while *Eragrostis scopelophila* is associated with mountainous areas under trees and shrubs. The endemic *Setaria finita* is associated with drainage lines in the general area; never very common and probably the grass species most likely to be affected most by development in the area. None of the species are exclusively associated with the area.

2.3.1.2. Reptile Diversity

Approximately 261 species of reptiles are known or expected to occur in Namibia thus supporting approximately 30% of the continent's species diversity (Griffin 1998a). At least 22% or 55 species of Namibian lizards are classified as endemic. The occurrence of reptiles of "conservation concern" includes about 67% of Namibian reptiles (Griffin 1998a). Emergency grazing and large-scale mineral extraction in critical habitats are some of the biggest problems facing reptiles in Namibia (Griffin 1998a).

Namibia with approximately 129 species of lizards (*Lacertilia*) has one of the continents richest lizard fauna (Griffin 1998a). It is estimated that at least 78 reptiles occur in the study area, 4 are endemic to Namibia – the Namibian Dwarf Gecko (*Lygodactylus bradfieldi*), Kahalari Whip Snake (*Psammophis trinasalis*), Leopard Whip Snake (*Psammophis leopardinus*), and Zebra Snake (*Naja nigricincta*). Pythons, tortoises and the leguaan are all protected species under the Nature Conservation Ordinance No.4 of 1975.

2.3.1.3. Amphibian Diversity

Amphibians are declining throughout the world due to various factors of which much has been ascribed to habitat destruction. Basic species lists for various habitats are not always available with Namibia being no exception in this regard while the basic ecology of most species is also unknown. Approximately 4,000 species of amphibians are known worldwide with just over 200 species known from southern Africa and at least 57 species expected to occur in Namibia. Griffin (1998b) puts this figure at 50 recorded species and a final species richness of approximately 65 species, 6 of which are endemic to Namibia. This "low" number of amphibians from Namibia is not only as a result of the generally marginal desert habitat, but also due to Namibia being under studied and under collected. Most amphibians require water to breed and are therefore associated with the permanent water bodies, mainly in northeast Namibia.

There is no permanent surface water in the study area. Any frog species present would be adapted to opportunistic breeding in ephemeral pools after rains. The loss of habitat would be limited to the actual footprint of the exploration. Of the 14 species of frogs that may occur in the study area, two are of conservation interest – the Dombe Dwarf Toad (*Poyntonophrynus dombensis*) and the Spotted Rubber Frog (*Phrynomantis affinis*). They may be rare and seasonal in the area.

2.3.1.4. Mammal Diversity

Namibia is well endowed with mammal diversity with at least 250 species occurring in the country. These include the well-known big and hairy as well as a legion of smaller and lesser-known species. Currently 14 mammal species are considered endemic to Namibia of which 11 species are rodents and small carnivores of which very little is known. Most endemic mammals are associated with the Namib and escarpment with 60% of these rock dwelling (Griffin 1998c).

About 76-90 species of mammals likely occurs in the study area, although many of the larger species are less likely because the dense stands of thorny bush make the habitat unsuitable for grazing (e.g. Wildebeest) and hunting (e.g. Cheetah).

Sixteen species are listed as Protected Game under the Nature Conservation Ordinance No.4 of 1975 – Aardwolf (*Proteles cristatus*), Bat-eared Fox (*Otocyon megalotis*), Blue Wildebeest (*Connochaetes taurinus*), Dik-Dik (*Madoqua damarensis*), Duiker (*Sylvicapra grimmea*), Aardvark (*Orycteropus afer*), Pangolin (*Manis temminckii*), Cheetah (*Acinonyx jubatus*), Southern African Hedgehog (*Atelerix frontalis*), Leopard (*Panthera pardus*), Southern African Bushbaby (*Galago maholi*), Honey Badger (*Mellivora capensis*), Red Hartebeest (*Alcelaphus caama*), Cape Fox (*Vulpes chama*), Steenbok (*raphicerus campestris*), and Eland (*Taurotragus oryx*).

The small mammals previously reported to occur in the tree and shrub savannah include: large-eared mouse (*Malacothrix typica*), pouched mouse (*Saccostomus campestris*), bushveld gerbil (*Gebilliscus leucogaster*), hairly-footed gerbil (*Gerbilliscus paeba*.), red 21 veld rat (*Aethomys chrysophilus*), Namaqua rock mouse (*Micaelamys namaquensis*), tree mouse (*Thallomys paedulcus*), multimammate mouse (*Mastomys natalensis*), stripped mouse (*Rhabdomys pumilio*), bushveld sengi (*Elephantulus intufi*), lesser red musk shrew (*Crocidura hirta*) and dent's houses bat (*Phinolophus denti*) (Stuart & Stuart, 2007).

2.3.1.5. Avian Diversity

Although Namibia's avifauna is comparatively sparse compared to the high rainfall equatorial areas elsewhere in Africa, approximately 658 species have already been recorded with a diverse and unique group of arid endemics (Brown *et al.* 1998, Maclean 1985). Fourteen species of birds are endemic or near endemic to Namibia with the majority of Namibian endemics occurring in the savannas (30%) of which ten species occur in a north-south belt of dry savannah in central Namibia (Brown *et al.* 1998).

About 200 bird species are expected to occur within the EPL area, which represents a high diversity by Namibian standards. Six endemic species are known to occur in the area: Hartlaub's Francolin (rocky hillsides), Rüppell's Parrot (large trees), Monteiro's Hornbill (bushveld), Carp's Black Tit (bushveld), and Rockrunner (rocky hillsides). Thirteen Red Data Species of Birds are known to occur in the area; Cape Vulture (*Gyps coprotheres*), Tawny Eagle (*Aquila rapax*), Booted Eagle (*Hieraaetus pennatus*), Martial Eagle (*Polemaetus bellicosus*), Bateleur (*Terathopius ecaudatus*), Lappetfaced Vulture (*Torgos tracheliotos*), White headed Vulture (*Trigonoceps occipitalis*), Black Stork (*Ciconia nigra*), White backed Vulture (*Gyps africanus*), Peregrine Falcon (*Falco peregrinus*), Lesser Kestrel (*Falco naumanni*), and Rüppell's Parrot (*Poicephalus rueppellii*).

2.3.1.6. Important habitat areas and Species

As all development have potential negative environmental consequences, identifying the most important faunal species including high risk habitats beforehand, coupled with environmentally acceptable mitigating factors, lessens the overall impact of such development.

2.3.1.7. Protected and endemic species

As shown in Section above there are quite a number of protected and endemic species within the EPL. Care should be undertaken to minimize impacts of the proposed prospecting on protected and endemic species. Detailed site assessment results should be used to identify existing avoidance and mitigation strategies and to prioritise local-scale assessment, mitigation, and monitoring of endemic and protected species. There is also a high occurrence of *Commiphora* species within the the EPL, although not protected they are regarded as a species under observation because of their slow growth. Special care should be taken with excavation processes as to not destroy these slow growing species. Some recommended practices for limiting impacts on protected and endemic species during exploration include:

- Limiting land clearing by using technologies and mining practices that minimize habitat disturbance;
- Avoiding construction of new roads wherever possible by using existing tracks if roads are to be constructed, use existing corridors and build away from steep slopes or waterways;
- Using lighter and more efficient equipment to reduce impacts on biodiversity;
- Positioning drill holes and trenches away from sensitive areas;
- Capping or plugging of drill holes to prevent small mammals from becoming trapped;
- · Removing and reclaiming roads and tracks that are no longer needed; and
- Using native vegetation to revegetate land cleared during exploration.

2.3.1.8. Ephemeral drainage lines

The ephemeral drainage lines are important habitats within the the EPL area for larger trees, especially *Acacia erioloba*, *Euclea pseudebenus*, *Faidherbia albida* and *Ziziphus mucronata*. The most important drainage line is the Ugab River and its tributaries running through the EPL area. If there are any ephemeral ground dams, albeit artificial, and pans within the exploration area these will be important habitats, mainly for amphibians, and the larger trees associated with such features serve as habitat to a variety of vertebrate fauna.

2.3.1.9. Vertebrate fauna species

Vertebrate fauna species most likely to be adversely affected by the proposed prospecting in the EPL project area would be sedentary species (i.e. species with limited mobility) such as reptiles. Amphibians are not viewed as important in the area and mammals are more mobile and although important species are known to occur and/or pass through the area none are expected to be specifically associated and/or expected to be negatively affected by the exploration activities. Although general disturbances could affect bird species of concern – i.e. species classified as endangered (white-backed vulture, tawny eagle, booted eagle, martial eagle, black stork), vulnerable (lappet-faced vulture, secretary bird) and near threatened (kori bustard, peregrine falcon) – birds are also mobile and not limited to the area.

2.4. Soils and Geology

The surficial geology is dominated by a variety of soils as shown in Fig 2.6 consisting of calcisol to the left and cambrisols dominating the EPL. Some rocky outcrops are visible within the EPL area. The EPL 8354 is dominated by the in Swakop Group of the Central Zone of the Damara Sequence which underlies most of Namibia. With the Otavi damara subgroup consisting of limestone and dolomite falling in the north and Epupa oldest rock types in the south of the EPL area Fig 4.6. The oldest rocks within the Central Zone are the pre-Damaran basement that consists of gneiss and granite lithologies found in different parts of the zone (Miller, 1992). According to Miller, (1983a), the sequence was deposited during successive phases of rifting, spreading, subduction and continental collision. Much of the basal succession (Nosib Group), laid down in or marginal to intracontinental rifts, consists of quartzite, arkose, conglomerate, phyllite, calc-silicate, subordinate, limestone, and evaporitic rocks.

Local alkaline ignimbrites with associated subvolcanic intrusions ranging from 840 to 720 million years in age also form part of the regional geology (Miller, 1992).

2.5. Water

According to the Department of Water Affairs and Forestry, (2001) and the geology of the EPL area, the EPL 8354 falls within an area with moderately productive aquifer ((Mendelsohn, Jarvis, Roberts & Roberston, 2002). The EPL 8353 falls within the Kunene south basin and the owambo basin in the north, with several boreholes available in and around the EPL.

The source of water supply for the proposed exploration and in particular the proposed drilling of exploration boreholes if need arises to drill, will be from existing groundwater resources. The proponent must obtain permission from the landowner before using water from any existing local boreholes and infrastructures. If there is a need to drilling a water borehole to support the proposed / exploration programme, the proponent must obtain permission from the landowner and Department of Water Affairs in the Ministry Agriculture, Water Land Reform (MAWRL).

2.6. Socioeconomic

2.6.1. Overview

It is also surrounded by various tourism attractions such as the Ugab Terraces, the Rock finger, the volcanic mountain area, the rock engravings at Twyfelfontein, the Petrified Forest and the Epupa Waterfalls in the northwestern of Namibia. The nearest Town to the EPL 8354 is the Town of Outjo.

The EPL and surrounding areas are an important cattle, game, and small stock (goats and sheep) farming areas (and consequently a source of employment). The EPL area falls within the long established private commercial farming communities.

2.6.2. Overall Socioeconomic Summary

The 2011 Namibia Population and Housing Census results show that, Kunene had a population of 86,856 people of which 43,253 were women and 43,603 were men. The population was growing at an annual rate of 2.3 percent. About 74 percent of the population lived in rural areas, while about 26 percent of the population lived in urban areas. The population consisted of 18,495 households, with an average household size of 4.2 persons. Population density is the average number of persons per square kilometer (sq km). The main industries of employed population aged 15 years and above in Kunene Region are agriculture, forestry, and fishing (53.3), followed by administrative and support service activities(7.8), then education (5.3).

The following is the summary of the local socioeconomic environment of the area linked to the population and housing census, basic analysis with highlights about the Outjo Constituency in which the EPL falls:

- ❖ The Outjo constituency covers a total area of 48 642 km² and a population density of 0.5 persons per km².
- ❖ The total population of about 13 859 people was recorded in 2011 and shows to have declined from 21.0% in 2001 to 17.9% in 2011.
- ❖ The Outjo Constituency adult literacy rate was 98.4 %, consisting of 10.6% of children attending Early Childhood Development Programmes (ECD) whereby 10.0% are female and 11.1% are males.
- The unemployment rates in Outjo constituency are considerably lower, amounting to 23.0% for population aged 15.
- Out of 3279 households in Outjo Constituency, 64.4% are headed by male and 35.6% are headed by female.
- ❖ Wages and salaries (66%) are the main source of income in Outjo Constituency, while the lowestsource was the orphan and disability grants (1.0%).
- Detached houses are most common dwellings, making 33.7% of all households in Outjo constituency.
- ❖ 70.6% of households in Outjo constituency relied on wood/charcoal from wood as the main source of energy for cooking, 45.9% rely on electricity from mains and only 4.0% from wood.
- ❖ The most common source of energy for lighting in Outjo constituency was electricity from the main grids (46.4%) and candles (42.8%).
- ❖ 47.3% of households in Outjo constituency do not have toilet facilities, 1.7% use bucket toilets and 29% of households have private flush connected to sewer.

- ❖ Detached houses are most common dwellings, making 33.7% of all households in Outjo constituency.70.6% of households in Outjo constituency relied on wood/charcoal from wood as the main source of energy for cooking, 45.9% rely on electricity from mains and only 4.0% from wood.
- ❖ The most common source of energy for lighting in Outjo constituency was electricity from the main grids (46.4%) and candles (42.8%).
- ❖ 47.3% of households in Outjo constituency do not have toilet facilities, 1.7% use bucket toilets and 29% of households have private flush connected to sewer.

2.6.3. Archaeology, Historical and Cultural Resources

2.6.3.1. Regional Archaeological Setting

Modern humans and their ancestors have lived in Namibia for more than one million years, and there are fossil remains of lineal hominin ancestors as early as the Miocene Epoch (Kinahan, 2017). Namibia has a relatively complete sequence covering the mid-Pleistocene to Recent Holocene period, represented by thousands of archaeological sites mainly concentrated in the central highlands, escarpment, and Namib Desert. According to Kinahan, (2017), the Recent Holocene archaeological sequence in Namibia, i.e., the last 5 000 years, is of particular importance because it provides the background evidence for the development and recent history of the indigenous peoples of Namibia before the advent of written historical records during the colonial era. Many archaeological sites from this period are of great significance to the understanding of Namibian history, and some are of global importance.

2.6.3.2. Local Archaeological Setting and Recommendation

In the absence of field-based assessment being undertaken, it is likely that the general area around the EPL area may have archaeological resources that are protected by the National Heritage Act, 2004 (Act No. 27 of 2004) under the National Heritage Council of Namibia. The EPL area is likely to have evidence from the early colonial period related to a combination of mining, trade, missionary, and indigenous tribes' activities. The expectation is therefore:

- (i) A high likelihood of Holocene age archaeological sites, including rock art, associated with outcropping granite in the EPL area, and.
- (ii) A high likelihood of late precolonial and colonial settlement sites.

The following are the key recommended actions related to archaeology in the EPL Area:

- (i) The exploration team should be made aware that under the National Heritage Act, 2004 (Act No. 27 of 2004) any items protected under the definition of heritage found in the course of the prospecting process should be reported to the National Heritage Council.
- (ii) The chance finds procedure as outlined in the EMP must be always implemented, and.
- (iii) Detailed field survey should be carried out if suspected archaeological resources or major natural cavities / shelters have been unearthed during the prospecting process.

The Proponent must not disturb major natural shelters or cavities that may be unearthed because they could hold some highly significant historical or cultural sites that would require detailed documentation and possibly mitigation measures to be adopted in the event of encroachment by the proposed exploration activities.




Figure 2:4: Vegetation map of the EPL 8354




Figure 2:5: Simplified soil type map of the EPL 8354.




Figure 2:6 Simplified rock/geology map of the EPL 8354




Figure 2:7 Simplified hydrogeological map of the EPL 8354

3. OBJECTIVES OF THE EMP

3.1. Summary Objectives

This EMP provides a detailed plan of actions required in the implementation of the mitigation measures for minimising and maximising the identified negative and positive impacts respectively. The EMP also provides the management actions with roles and responsibilities requirements for the successful implementation of environmental management strategies by Proponent.

3.2. EMP Management Linkages

The mitigation measures described in this EMP report are based on the impacts assessment results detailed in the EIA Report. The EMP must be continuously updated during the implementation of the proposed project activities and throughout the project lifecycle. This EMP Reports incorporates the provisions of the Namibian Environmental regulations and policies as well as international environmental best practices in mining development, operational, rehabilitation, and closure and aftercare activities.

3.3. Summary of Impact Assessment Results

3.3.1. Summary of Impacts Assessment Methodology

The EIA and EMP process used for this project took into considerations the provisions of the Environmental Impact Assessment (EIA) Regulations, 2012 and the Environmental Management Act (EMA), 2007, (Act No. 7 of 2007) as outlined in Figure 3:1.

The Proponent intends undertake exploration activities covering desktop studies, followed by site-specific activities on targets that may be delineated and using exploration techniques/ methods such as geophysical surveys, geological mapping, trenching, drilling, bulk sampling and test mining. The detailed outline of all the activities associated with each of the exploration stages as sources of potential environmental impacts are outlined in Table 3.1. The impact assessment methodology adopted a two-dimensional matrix approach in predicting the potential impacts of the proposed project on the receiving environment. The two-dimensional matrix consisted of the following cross-referencing (Table 3.3 - Table 3.4):

- The activities linked to the project that could have an impact on the receiving environment, and.
- The existing environmental and social conditions that could possibly be affected by the project.

The impact assessment considerations included land disturbance/land use impacts. potential impacts to specially designated areas. impacts to soil, water and air resources. impacts to vegetation, wildlife, wildlife habitat, and sensitive species. Visual, cultural, paleontological, socioeconomic and potential impacts from hazardous materials are provided in the EIA Report.

3.3.2. Summary of Impact Assessment Results

In order to determine the likely environmental impacts as well as the overall significant impacts of individual sources associated with the proposed exploration activities within the EPL area (Table 3.6), an impact identification and assessment process was undertaken as detailed in this report. Details of the impact assessment results, definitions, methodology as well as the baseline \ receiving environment are provided in the EIA Report.

As detailed in the EIA Report, the significant impact identification and assessment processes focused on the evaluation of the influences of the proposed project activities pathways and the likely targets or receptor (receiving environment). In this process, components of the project activities that are likely to impact the natural environment (physical, biological and socioeconomic) were broken down into individual development stages and activities.

The summary of the overall impact and significant impact assessment results as detailed in the EIA Report associated with the proposed activities / sources of potential impacts with respect to the receiving environment that could potentially be affected are presented in Table 3.2 -Table 3.5.




Figure 3:1: RBS Schematic presentation of Namibia's Environmental Assessment Procedure

Table 3.1: Summary of the proposed activities, alternatives and key issues considered during the Environmental Assessment (EA) process covering Scoping, EIA and EMP Processes.

				Koy legues to be Eve	aluated and Assessed
		ACTIVITIES	ALTERNATIVES CONSIDERED	with Environmenta (EMP) / Mitigation I	al Management Plan Measures Developed
2.	Project Implementation and Initial Desktop Exploration Activities Regional	Review of existing information and all previous activities in order identify any potential target/s in within the EPL Area Reginal mapping and sampling to identify and verify potential targeted areas based	(i) Location for Minerals Occurrence: A number of economic deposits are known to exist in different parts of Namibia and some have been explored by different companies over the years. The proponent intends to explore / prospect for possible	coexistence between	nflicts / opportunities for proposed exploration land uses such as and agriculture Water Quality Physical infrastructure and Resources Air quality, Noise and dust
	Reconnaissance Field-Based	on the recommendations of the desktop work undertaken under (1) above May include: Widely spaced geological	economic minerals occurrence in the EPL area as licensed. Minerals occurrence is linked to the geology or local rock outcrops and site-specific.	PHYSICAL ENVIRONMENT	 Landscape and topography value Soil quality Climate Change Influences
3.	Initial Local Field-Based Activities	mapping, sampling, surveying and possible trenching and drilling in order to determine the viability of any delineated local target/s Following the	(ii) Other Alternative Land Uses: Game farming, tourism and agriculture (iii) Ecosystem Function (What the Ecosystem Does.	BIOLOGICAL ENVIRONMENT	 Habitat Protected Areas Flora Fauna Ecosystem functions, services, use values and non-
4.	Detailed Local Field-Based Activities on Delineated Targets If Any	delineation of potential target/s, conduct detailed mapping, trenching, sampling, surveying and drilling in order to determine the viability of the project.	 (iv) Ecosystem Services. (v) Use Values. (vi) Non-Use, or Passive Use. (vii) The No-Action Alternative 	SOCIOECONOMIC, CULTURAL AND	Use or passive use Local, regional and national socioeconomic settings Commercial Agriculture Community Protected Areas
5.	Prefeasibility and Feasibility Studies	Assess the viability of any delineated local target/s and more detailed mapping, trenching, bulk sampling, drilling and test mining activities where applicable. If the project proves viable, a feasibility report and application for Mining License will be undertaken.	(viii) Others to be identified during the public consultation process and preparation of the EIA and EMP Reports	ARCHAEOLOGICAL ENVIRONMENT	Tourism and Recreation Cultural, Biological and Archaeological Resources

Table 3.2: Results of the sensitivity assessment of the receptors (Physical, Socioeconomic and Biological environments) with respect to the

proposed exploration / prospecting activities.

RECEPTOR SENSITIVITY					IENT				BIOL	.OGIC/	AL ENV	/IRONN	MENT	SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT					
3 4 5	is of low environmental or social value, or is of local importance. The receptor or resource has low capacity to absorb change without fundamentally altering its present character, is of high environmental or social value, or is of national importance The receptor or resource has moderate capacity to absorb change without significantly altering its present character, has some environmental or social value, or is of district/regional importance. The receptor or resource has little or no capacity to absorb change		Water Quality	Physical infrastructure and Resources	Air Quality, Noise and Dust	Landscape Topography	Soil Quality	Climate Change Influences	Habitat	Protected Areas	Flora	Fauna	Ecosystem functions, services, use values and non-Use or passive use	nal and na nomic setti	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	, Biolog	
Initial D	esktop	General evaluation of satellite, topographic, land tenure, accessibility, supporting infrastructures and socioeconomic environment data	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Explora Activitie		Purchase and analysis of existing Government high resolution magnetics and radiometric geophysical data	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Purchase and analysis of existing Government aerial hyperspectral	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Data interpretation and delineating of potential targets for future reconnaissance regional field-based activities for delineated targets	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Regional geological, geochemical, topographical and remote sensing mapping and data analysis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Field-B	naissance ased	Regional geochemical sampling aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Activitie	Activities	Regional geological mapping aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Limited field-based support and logistical activities including exploration camp site lasting between one (1) to two (2) days	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets for future detailed site-specific exploration if the results are positive and supports further exploration of the delineated targets	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	

RECEPT	OR SENSITI		SICAL IRONM	ENT				BIOL	.OGIC/	AL ENV	/IRONI	MENT	SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT					
SENSI 1	TIVITY RATING	CRITERIA The receptor or resource is resistant to change or is of little environmental value.		<u> </u>	st			S					s, use	ıal		as		Š
2	Low	The receptor or resource is tolerant of change without detriment to its character, is of low environmental or social value, or is of local importance.		re an	d Du	aphy		ience		S			, services, or passive	ation tings	lture	Areas		and
3	Medium	The receptor or resource has low capacity to absorb change without fundamentally altering its present character, is of high environmental or social value, or is of national importance	Water Quality	Physical infrastructure and Resources	Air Quality, Noise and Dust	Landscape Topography	Soil Quality	nge Influ	Habitat	Protected Areas	Flora	Fauna	ions, sei Jse or p	Local, regional and national socioeconomic settings	Commercial Agriculture	Community Protected	Tourism and Recreation	Cultural, Biological and Archaeological Resources
4	High	The receptor or resource has moderate capacity to absorb change without significantly altering its present character, has some environmental or social value, or is of district/regional importance.		sical infra Resc	tuality, Ν	ndscape	Soil	Soli Quality Climate Change Influences	Ha	Protect	E	Fa	em functions nd non-Use	l, region cioecono	mmercia	nunity P	Touris	Itural, Bi iaeologi
5 Very High		The receptor or resource has little or no capacity to absorb change without fundamentally altering its present character, is of very high environmental or social value, or is of international importance.		Phys	Air G	Lar		Clin					Ecosystem functions, services, values and non-Use or passive	Loca	ပိ	Comr		Cu Arch
	-																	
		Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during regional reconnaissance field activities	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
Initial Lo	cal Field-	Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
Based A		Ground geophysical survey (Subject to the positive outcomes of i and ii above)	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
		Possible Trenching (Subject to the outcomes of i - iii above)	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
		Field-based support and logistical activities will be very limited focus on a site-specific area for a very short time (maximum five (5) days)		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
		Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
Detailed		Access preparation and related logistics to support activities	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
Field-Bas Activities		Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during the initial field-based activities	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
Activities		Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
		Ground geophysical survey, trenching, drilling and sampling (Subject to the positive outcomes of i and ii above).	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
Prefeasil Feasibilit		Detailed site-specific field-based support and logistical activities, surveys, detailed geological mapping	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
Feasibility Studies		Detailed drilling and bulk sampling and testing for ore reserve calculations	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
Geotechnical studies for mine		Geotechnical studies for mine design	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

				PHYSICAL ENVIRONMENT							AL ENV	/IRONN	MENT	SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT					
3 4	Negligible Low Medium High	CRITERIA The receptor or resource is resistant to change or is of little environmental value. The receptor or resource is tolerant of change without detriment to its character, is of low environmental or social value, or is of local importance. The receptor or resource has low capacity to absorb change without fundamentally altering its present character, is of high environmental or social value, or is of national importance The receptor or resource has moderate capacity to absorb change without significantly altering its present character, has some environmental or social value, or is of district/regional importance. The receptor or resource has little or no capacity to absorb change without fundamentally altering its present character, is of very high environmental or social value, or is of international importance.	Water Quality	Physical infrastructure and Resources	Air Quality, Noise and Dust	Landscape Topography	Soil Quality	Climate Change Influences	Habitat	Protected Areas	Flora	Fauna	Ecosystem functions, services, use values and non-Use or passive use	ocal, re	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	Cultural, Biological and Archaeological Resources	
		Mine planning and designs including all supporting infrastructures (water, energy and access) and test mining activities	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		EIA and EMP to support the ECC for mining operations	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		Preparation of feasibility report and application for Mining License	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	

Table 3.3: Results of the scored time period (duration) over which the impact is expected to last.

RECEPTOR SENSITIVITY					ENT				BIOL	.OGIC/	AL ENV	/IRONI	MENT	SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT					
SCALE	DESCRIPTION]		and	Dust	hy		Seou					ces, use	ional gs	ıre	Areas		nd rces	
Т	Temporary	1	ity	ture	and	grap	>	ıfluei		eas			servi r pas	d nat	icult	ted /	р _с	cal a	
Р	Permanent		Water Quality	Physical infrastructure Resources	Air Quality, Noise and Dust	Landscape Topography	Soil Quality	Climate Change Influences	Habitat	Protected Areas	Flora	Fauna	Ecosystem functions, services, use values and non-Use or passive use	Local, regional and national socioeconomic settings	Commercial Agriculture	Community Protected	Tourism and Recreation	Cultural, Biological and Archaeological Resources	
				Physic	Air Qu	Land		Climat					Ecosysterr values and	Local, socid	Com	Comm		Cultı Archa	
Initial Desktop	General evaluation of satellite, topographic, land tenure, accessibility, supporting infrastructures and socioeconomic environment data		Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
Exploration Activities	Purchase and analysis of existing G magnetics and radiometric geophysics		Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
	Purchase and analysis of existing Government aerial hyperspectral		Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
	Data interpretation and delineating or reconnaissance regional field-based targets		Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
	Regional geological, geochemical, to sensing mapping and data analysis	ppographical and remote	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
Regional Reconnaissance Field-Based	Regional geochemical sampling aim targeted based on the results of the regional geological, topographical are and analysis undertaken	initial exploration and	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
Activities	Regional geological mapping aimed targeted based on the results of the regional geological, topographical arand analysis undertaken	initial exploration and nd remote sensing mapping	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
	Limited field-based support and logic exploration camp site lasting between	en one (1) to two (2) days	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
	Laboratory analysis of the samples collected and interpretation of		Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	

RECEPTOR SENSIT	RECEPTOR SENSITIVITY								BIOL	.OGIC/	AL ENV	/IRONN	MENT	SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT					
		ı		ס	st			S					s, use e use	al		as		S	
SCALE				e an	and Dust	phy		ence					services, r passive	nd nation. settings	ture	Areas		and	
Т	Temporary		lity	ctur	anc	ogra		uflue		reas	eas			d na setti	ricul	ted	and tion	ical	
Р	Permanent		Water Quality	stru	oise	T Qo	uali	ge l	Habitat	A be	Flora	Fauna	ons, se c	ll an nic	Ag	otec	m a atio	al R	
Permanent				Physical infrastructure and Resources	Air Quality, Noise	Landscape Topography	Soil Quality	Climate Change Influences	Hak	Protected Areas	NH FIGURE	Fai	Ecosystem functions, values and non-Use c	Local, regional and national socioeconomic settings	Commercial Agriculture	Community Protected	Tourism and Recreation	Cultural, Biological and Archaeological Resources	
Initial Local Field- Based Activities	Local geochemical sampling aimed a of the target/s delineated during region activities	onal reconnaissance field	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
	Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken		Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
	Ground geophysical survey (Subject to the positive outcomes of i and ii above)			Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
	Possible Trenching (Subject to the outcomes of i - iii above)			Т	Т	Т	Т	T	Т	Т	Т	Т	T	Т	Т	Т	Т	Т	
	Field-based support and logistical activities will be very limited focus on a site-specific area for a very short time (maximum five (5) days)			Т	т	Т	т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
	Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets		Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
5	Access preparation and related logist		Т	Т	Т	Т	Т	Т	Т	Т	Т	T	Т	T	T	T	Т	Т	
Detailed Local Field-Based	Local geochemical sampling aimed a of the target/s delineated during the in		Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
Activities	Local geological mapping aimed at identifying possible based on the results of the regional geological and anal undertaken		Т	Т	Т	Т	Т	Т	Т	т	Т	Т	Т	Т	Т	Т	Т	Т	
	Ground geophysical survey, trenching, drilling and sampling (Subject to the positive outcomes of i and ii above).		Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
	Detailed site-specific field-based sup- surveys, detailed geological mapping		Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
Prefeasibility and Feasibility Studies	Detailed drilling and bulk sampling and testing for ore reserve calculations		Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
	Geotechnical studies for mine design		Т	Т	Т	Т	Τ	T	Т	Т	Т	Τ	T	Т	Т	Т	T	Т	

RECEPTOR SENSIT	TIVITY		SICAL IRONM	ENT				BIOL	.OGIC/	AL ENV	/IRONI	MENT	CULT ARCI	URAL	OGIC		
SCALE T P	DESCRIPTION Temporary Permanent	Water Quality	Physical infrastructure and Resources	Air Quality, Noise and Dust	Landscape Topography	Soil Quality	Climate Change Influences	Habitat	Protected Areas	Flora	Fauna	Ecosystem functions, services, use values and non-Use or passive use	Local, regional and national socioeconomic settings	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	Cultural, Biological and Archaeological Resources
	Mine planning and designs including all suppor infrastructures (water, energy and access) and activities		Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
	EIA and EMP to support the ECC for mining op	perations T	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
	Preparation of feasibility report and application License	for Mining T	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т

Table 3.4: Results of the scored geographical extent of the induced change.

GEOGRAPHICAL EX	KTENT OF IMPACT		SICAL IRONM	1ENT				BIOL	OGICA	L ENV	IRONI	MENT	CUL ¹ ARCI	TURAL	.OGIC	•	
		Water Quality	Physical infrastructure and	Air Quality, Noise and Dust	Landscape	Soil Quality	Climate Change	Habitat	Protected	Flora	Fauna	Ecosystem functions, services, values and non-Use or passive	Local, regional and national socioeconomic settings	Commercial Agriculture	Community Protected	Tourism and Recreation	Cultural, Biological Resources
SCALE	DESCRIPTION	Qual	al inf	ality,	ape	ality) Ch		ed A			tem and	egic cono	ercia	nity	n an tion	il, Bi
L	limited impact on location	iŧy	rast	NO.			ange		Areas			func	onal mic	ıl Ag	Pro	۵	olog
0	impact of importance for municipality		ructu	se a	Topography		e Infl		0,			tion -Use	and setti	ricul	tecte		ical
R	impact of regional character		ire a	Jd D	ıphy		Influences					s, se or p	natic ngs	ture	ed A		and
N	impact of national character		nd R	ust			ces					rvice	onal		Areas		Arch
M	impact of cross-border character		Resource									es, u					aeol
			urces									use use					Archaeological
Initial Desktop	General evaluation of satellite, topographic, land tenure, accessibility, supporting infrastructures and socioeconomic environment data	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
Exploration Activities	Purchase and analysis of existing Government high resolution magnetics and radiometric geophysical data	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	Purchase and analysis of existing Government aerial hyperspectral	L	L	L	L	L	L	L	Ы	L	L	L	L	Ы	Ы	L	L
	Data interpretation and delineating of potential targets for future reconnaissance regional field-based activities for delineated targets	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	Regional geological, geochemical, topographical and remote sensing mapping and data analysis	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
Regional Reconnaissance Field-Based	Regional geochemical sampling aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
Activities	Regional geological mapping aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	Limited field-based support and logistical activities including exploration camp site lasting between one (1) to two (2) days	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets for future detailed site-specific exploration if the results are positive and supports further exploration of the delineated targets	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L

- 34 -

GEOGRAPHICAL EX	TENT OF IMPACT		SICAL IRONM	IENT				BIOL	OGICA	L ENV	'IRONI	MENT	CULT ARCI	URAL	OGIC	,	
		Water Quality	Physical infrastructure	Air Quality, Noise and Dust	Landscape Topography	Soil Quality	Climate Change Influences	Habitat	Protected	Flora	Fauna	Ecosystem functions, services, use values and non-Use or passive use	Local, regional and national socioeconomic settings	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	Cultural, Biological and Resources
SCALE	DESCRIPTION	Qua	in:	ılity,	аре	ality) Ch		ed /			tem and	egic onc	ercia	tinity	າ an tion	I, Bi ces
L	limited impact on location	Ϊŧ	frast	No.	Top		ang		Areas			funa	onal omic	al Aç	Prc	۵	olog
0	impact of importance for municipality		ruct	se a	ogra		e Inf		S			ction -Use	and sett	ricu	tect		ical
R	impact of regional character		ure a	nd [aphy		luen					ıs, sı e or	nati ings	lture	ed A		and
N	impact of national character		and I)ust			ces					ervic pass	onal		reas		Arch
М	impact of cross-border character		Reso									es, u					ıaeo
			and Resources									ise esi					Archaeologica
	Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during regional reconnaissance field activities	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
Initial Local Field- Based Activities	Ground geophysical survey (Subject to the positive outcomes of i and ii above)	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	Possible Trenching (Subject to the outcomes of i - iii above)	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	Field-based support and logistical activities will be very limited focus on a site-specific area for a very short time (maximum five (5) days)	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	Access preparation and related logistics to support activities	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
Detailed Local	Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during the initial field-based activities	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
Field-Based Activities	Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	Ground geophysical survey, trenching, drilling and sampling (Subject to the positive outcomes of i and ii above).	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	Access preparation and related logistics to support activities	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
Detailed Local	Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during the initial field-based activities	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
Field-Based Activities	Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L

GEOGRAPHICAL EX	CTENT OF IMPACT		SICAL	IENT				BIOL	.OGIC	AL ENV	′IRONI	MENT	CULT ARCI	URAL	OGIC	,	
		Water	Physical infrastructure	Air Quality,	Lands	Soil Quality	Climate	Habitat	Protected	Flora	Fauna	Ecosystem functions, values and non-Use o	Local, regional and national socioeconomic settings	Commercial Agriculture	Community Protected	Tourism and Recreation	Cultural, Bi Resources
SCALE	DESCRIPTION	Quality	cal in	ality	andscape	ualit	te C	at	cted			stem	regi	nerci	nunit	sm ar	al, B
L	limited impact on location	ality	ıfrası	, Noise		~	Change		Areas			n fun	onal omic	al Aç	y Pro) JG	, Biological ces
0	impact of importance for municipality		ructi	se a	Topography		e Inf		S			ction 1-Use	and nati	gricul	otect		jical
R	impact of regional character			and D	aphy		Influences					ıs, se e or p	natio ings	lture	ed A		and
N	impact of national character		and R	Dust			ces					stem functions, services, use and non-Use or passive use	onal		Areas		Arch
M	impact of cross-border character		esou									es, u					aeol
			Resources									se se					Archaeological
	Ground geophysical survey, trenching, drilling and sampling (Subject to the positive outcomes of i and ii above).	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	Detailed site-specific field-based support and logistical activities, surveys, detailed geological mapping	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
Prefeasibility and Feasibility Studies	Detailed drilling and bulk sampling and testing for ore reserve calculations	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	Geotechnical studies for mine design	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	Mine planning and designs including all supporting infrastructures (water, energy and access) and test mining activities	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	EIA and EMP to support the ECC for mining operations	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	Preparation of feasibility report and application for Mining License	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L

Table 3.5: Results of the qualitative scale of probability occurrence.

IMPACT PROBABILI	TY OCCURRENCE		SICAL RONM	IENT				BIOL	.OGICA	L ENV	IRONN	MENT	CULT ARCI	OECO URAL HAEOL RONM	AND OGIC	•	
SCALE	DESCRIPTION	Water Quality	Physical infrastructure	Air Quality, Noise and	Landscape	Soil Quality	Climate Change Influences	Habitat	Protected	Flora	Fauna	Ecosystem functions, services, values and non-Use or passive	Local, regional and national socioeconomic settings	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	Cultural, Resourc
A	Extremely unlikely (e.g. never heard of in the industry)	uali	infr	₹, <u>, , , , , , , , , , , , , , , , , , </u>	pe -	lity	Cha		ρ			nd r	gior onor	cial	ıi t y	anc	Bio
В	Unlikely (e.g. heard of in the industry but considered unlikely)	⋖	astr	lois	Гор		ınge		Areas			non-	nal a	Agı	Pro	_	logi
С	Low likelihood (egg such incidents/impacts have occurred but are uncommon)		ucture	se and	Topography		Influe					stem functions, services, use and non-Use or passive use	and nat setting:	icultur	tected		cal and
D	Medium likelihood (e.g. such incidents/impacts occur several times per year within the industry)		and R	Dust	~		nces					service passi	ional s	Ð	Areas		Archa
Е	High likelihood (e.g. such incidents/impacts occurs several times per year at each location where such works are undertaken)		Resources									s, use ve use					Cultural, Biological and Archaeological Resources
Initial Desktop	General evaluation of satellite, topographic, land tenure, accessibility, supporting infrastructures and socioeconomic environment data	А	А	А	Α	А	Α	Α	Α	Α	Α	А	Α	Α	А	А	A
Exploration Activities	Purchase and analysis of existing Government high resolution magnetics and radiometric geophysical data	Α	Α	Α	Α	А	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
	Purchase and analysis of existing Government aerial hyperspectral	А	А	А	Α	Α	Α	Α	А	Α	Α	Α	Α	А	Α	А	Α
	Data interpretation and delineating of potential targets for future reconnaissance regional field-based activities for delineated targets	Α	А	A	Α	А	Α	А	Α	Α	Α	А	Α	Α	А	A	А
	Regional geological, geochemical, topographical and remote sensing mapping and data analysis	А	Α	А	А	Α	А	Α	Α	Α	Α	Α	Α	А	Α	А	А
Regional Reconnaissance Field-Based	Regional geochemical sampling aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken	A	A	A	A	A	A	Α	A	A	A	A	Α	Α	A	A	A
Activities	Regional geological mapping aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken	Α	A	A	A	Α	A	A	A	A	A	A	Α	A	A	A	A
	Limited field-based support and logistical activities including exploration camp site lasting between one (1) to two (2) days	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В
	Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets for future detailed	А	Α	А	А	А	Α	Α	Α	Α	Α	Α	Α	Α	Α	А	Α

IMPACT PROBABILI	TY OCCURRENCE		SICAL	IENT				BIOL	.OGICA	L ENV	'IRONI	MENT	CUL ⁻ ARCI	ΓURAL	OGIC	,	
		Water Quality	Physic	Air Qu	Landscape	Soil Quality	Climate Change Influences	Habitat	Protected	Flora	Fauna	Ecosy values	Local, regional and nati socioeconomic settings	Commercial Agriculture	Comm	Tourism and Recreation	Cultural, Biological and Resources
SCALE	DESCRIPTION	ည	<u>ä</u>	lali i	сар	uali	te C	~	ted			ster 3 an	reg cor	nerc	un.	m a atio	al, E
Α	Extremely unlikely (e.g. never heard of in the industry)	ali t y	nfra	, <u> </u>	e T	ţ	har		Areas			n fc	ion	ia /	ţ√ F	nd	3iolo S
В	Unlikely (e.g. heard of in the industry but considered unlikely)	`	ıstrı	oise	opo		ıge		as			inct	al a ic s	Agri	rote		ogic
С	Low likelihood (egg such incidents/impacts have occurred but are uncommon)		ıcture	Air Quality, Noise and Dust	Topography		Influe					ions, s Jse or	ocal, regional and nationa socioeconomic settings	cultur	Community Protected Areas		al and
D	Medium likelihood (e.g. such incidents/impacts occur several times per year within the industry)		and R	Dust	<		nces					service passi	ional	Ф	Areas		Arch
Е	High likelihood (e.g. such incidents/impacts occurs several times per year at each location where such works are undertaken)		Physical infrastructure and Resources									Ecosystem functions, services, use values and non-Use or passive use					Archaeologica
			Ses														ical
	site-specific exploration if the results are positive and supports further exploration of the delineated targets																
	Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during regional reconnaissance field activities	Α	Α	A	Α	Α	Α	Α	А	Α	А	А	А	Α	А	А	А
Initial Local Field- Based Activities	Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В
	Ground geophysical survey (Subject to the positive outcomes of i and ii above)	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В
	Possible Trenching (Subject to the outcomes of i - iii above)	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В
	Field-based support and logistical activities will be very limited focus on a site-specific area for a very short time (maximum five (5) days)	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В
	Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets	Α	А	А	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	А	А
	Access preparation and related logistics to support activities	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
Detailed Local	Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during the initial field-based activities	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
Field-Based Activities	Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
	Ground geophysical survey, trenching, drilling and sampling (Subject to the positive outcomes of i and ii above).	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
	Detailed site-specific field-based support and logistical activities, surveys, detailed geological mapping	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
Prefeasibility and Feasibility Studies	Detailed drilling and bulk sampling and testing for ore reserve calculations	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С

IMP	ACT PROBABI	LITY OCCURRENCE		SICAL	ENT				BIOL	.OGIC	AL ENV	'IRONI	MENT	CULT ARCI	URAL	OGIC	•	
	SCALE A B C	DESCRIPTION Extremely unlikely (e.g. never heard of in the industry) Unlikely (e.g. heard of in the industry but considered unlikely) Low likelihood (egg such incidents/impacts have occurred but are uncommon) Medium likelihood (e.g. such incidents/impacts occur several	Water Quality	Physical infrastructure and	Air Quality, Noise and Dust	Landscape Topography	Soil Quality	Climate Change Influences	Habitat	Protected Areas	Flora	Fauna	ction:	Local, regional and national socioeconomic settings	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	Cultural, Biological and Ard Resources
	E	times per year within the industry) High likelihood (e.g. such incidents/impacts occurs several times per year at each location where such works are undertaken)		Resources	, t			0,					s, services, use or passive use	ม		35		Archaeological
		Geotechnical studies for mine design	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
		Mine planning and designs including all supporting infrastructures (water, energy and access) and test mining activities	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
		EIA and EMP to support the ECC for mining operations	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
		Preparation of feasibility report and application for Mining License	Α	А	A	А	А	A	A	А	Α	A	А	А	A	A	A	А

Table 3.6: Significant impact assessment matrix for the proposed exploration activities.

				SIGNIFICANT	IMPACT						SICAL DNMEN	т		ВІС	DLOGIC	AL ENVI	RONM	ENT		ND AF	NOMIC, RCHAEC /IRONIV	LOGICA	
l	IMPACT SEVERITY		R	ECEPTOR CH	ARACTERISTIC	S (SENSITIVITY	')		Ses									lues	omic				ical
		/ery Hi	gh (5)	High(4)	Medium (3)	Low (2)	Negligible (1)	ality	Physical infrastructure and Resources	Air Quality, Noise and Dust	Landscape Topography	lity	Climate Change Influences	ıt.	Areas			Ecosystem functions, services, use values and non-Use or passive use	regional and national socioeconomic settings	Commercial Agriculture	Community Protected Areas	and ion	Cultural, Biological and Archaeological Resources
	Very High (5)	Major	[5/5]	Major [4/5[Moderate [3/5]	Moderate [2 /5]	Minor 1/5	Water Quality	uctur	, Nois	эе Тоқ	Soil Quality	lange	Habitat	Protected Ar	Flora	Fauna	ons, se	d nation settings	cial Ag	/ Prot	Tourism and Recreation	gical and . Resources
	High (4)	Major	[5/4]	Major [4/4]	Moderate [3/4]	Moderate [2/4]	Minor[1/4]	Wat	frastr	uality	ndscap	So	ate Ch	_	Prote			functions non-Use	al and	nmer	nunit)	Tot.	iologic Re
	Medium (3)	Major	[5/3]	Moderate[4/3]	Moderate[3/3]	Minor[2/3]	None[1/3]		ical in	Air Q	Lar		Clim					tem f and r	egion	Cor	Comn		ıral, B
	Low (2) Negligible (1)	Moderat		Moderate[4/2]	Minor[3/2]	None[2/2]	None[1/2] None [1/1]		Phys									cosys	Local, r				Cultu
	Negligible (1)	Minor		Minor [4/1]	None [3/1]	None [2/1]												ш	Plo				
	Initial Desktop	(i)			f satellite, topogr ures and socioecor	• •	• • • • • • • • • • • • • • • • • • • •	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
1.	Exploration Activities	(ii)		se and analysis liometric geoph	of existing Gover nysical data	nment high reso	lution magnetics	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
		(iii)	Purchas	se and analysis	of existing Govern	ment aerial hype	rspectral	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
		(iv)		•	and delineating al field-based activ	•	•	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
		(i)	-	al geological, in grand data ana	geochemical, top lysis	ographical and	remote sensing	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
2.	Regional Reconnaissance Field-Based	(ii)	based	on the results	sampling aimed of the initial exp note sensing mapp	loration and reg	ional geological,	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
	Activities	(iii)	on the	results of t	apping aimed at id the initial explor note sensing mapp	ration and regi	onal geological,	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
		(iv)			pport and logistic een one (1) to two		ding exploration	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1

	SIGNIFICANT IMPACT					SICAL SIMEN	Г		ВІС	DLOGIC	AL ENVI	RONM	ENT		ND AF		, CULTU DLOGIC <i>A</i> IENT	
IMPACT SEVERITY	RECEPTOR CHARACTERISTICS (SENSITIVITY)			səɔ.									alues	nomic				gical
Magnitude, Duration, Extent, Probability	Very High (5) High(4) Medium (3) Low (2) Neglig	le (1)	Quality	Physical infrastructure and Resources	Air Quality, Noise and Dust	Landscape Topography	ılity	Climate Change Influences	at	Protected Areas		a	Ecosystem functions, services, use values and non-Use or passive use	regional and national socioeconomic settings	Commercial Agriculture	Community Protected Areas	and	Cultural, Biological and Archaeological Resources
Very High (5)	Major [5/5] Major [4/5[Moderate [3/5] Moderate [2 /5] Mino	1/5	ter Qu	uctur.	, Nois	ре То	Soil Quality	nange	Habitat	ected	Flora	Fauna	ons, s se or	d nation settings	cial A	/ Prot	Tourism and Recreation	gical and / Resources
High (4)	Major [5/4] Major [4/4] Moderate [3/4] Moderate [2/4] Mino	1/4]	Water	ıfrastr	uality	ıdscap	So	ate Cł	_	Prote			functions non-Use	al and	nmer	nunity	Tou	iologi Re
Medium (3)	Major [5/3] Moderate[4/3] Moderate[3/3] Minor[2/3] None			ical in	Air Q	Lar		Clim					tem f and r	egion	Co	Comn		ral, B
Low (2)	Moderate [5/2] Moderate Minor Mone Mone			Physi									sksos	Local, re				Cultu
Negligible (1)	Minor [5/1] Minor [4/1] None [3/1] None [2/1] None	1/1]											ŭ	Го				
	 (v) Laboratory analysis of the samples collected and interpretation results and delineating of potential targets for future detailed site- exploration if the results are positive and supports further explor the delineated targets 	pecific	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
	(i) Local geochemical sampling aimed at verifying the prospectivity target/s delineated during regional reconnaissance field activities	of the	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
3. Initial Loca	(ii) Local geological mapping aimed at identifying possible targeted b the results of the regional geological and analysis undertaken	sed on	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
Field-Based Activities	(iii) Ground geophysical survey (Subject to the positive outcomes of above)	and ii	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2
	(iv) Possible Trenching (Subject to the outcomes of i - iii above)		2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2
	(v) Field-based support and logistical activities will be very limited for site-specific area for a very short time (maximum five (5) days)	s on a	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2
	(vi) Laboratory analysis of the samples collected and interpretation results and delineating of potential targets	of the	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
	(i) Access preparation and related logistics to support activities		2\2	2\2	2\2	2\2	2\2	2\2	3/2	1/1	3/2	3/2	3/2	2\2	2\2	2\2	2\2	2\2
	(ii) Local geochemical sampling aimed at verifying the prospectivity target/s delineated during the initial field-based activities	of the	2\2	2\2	2\2	2\2	2\2	2\2	3/2	1/1	3/2	3/2	3/2	2\2	2\2	2\2	2\2	2\2

			SIGNIFICANT	ІМРАСТ					PHY: ENVIRC	SICAL NMEN	Т		ВІС	DLOGIC	AL ENVI	RONMI	ENT		ND AF	•	, CULTU DLOGIC <i>A</i> IENT	
	IMPACT SEVERITY	R Very High (5)	ECEPTOR CH	ARACTERISTICS Medium (3)	S (SENSITIVITY) Negligible (1)		esources	ust	^		ces					Ecosystem functions, services, use values and non-Use or passive use	Local, regional and national socioeconomic settings	ō	Areas		eological
	Duration, Extent, Probability						Quality	Physical infrastructure and Resources	Air Quality, Noise and Dust	Landscape Topography	ality	Climate Change Influences	tat	d Areas	ē.	ы	functions, services, non-Use or passive	ional soci ngs	Commercial Agriculture	tected A	n and Ition	Cultural, Biological and Archaeological Resources
$ \cdot $	Very High (5) High (4)	Major [5/5] Major [5/4]	Major [4/5[Major [4/4]	Moderate [3/5] Moderate [3/4]	Moderate [2 /5] Moderate [2/4]	Minor 1/5 Minor[1/4]	Water C	astructı	ality, No	scape T	Soil Quality	e Chang	Habitat	Protected Areas	Flora	Fauna	nctions, n-Use o	and nation	mercial	Community Protected	Tourism and Recreation	logical a Resou
	Medium (3)	Major [5/3]	Moderate[4/3]	Moderate[3/3]	Minor[2/3]	None[1/3]		sical infr	Air Qu	Land		Climat		Δ.			stem fur and no	egional	Comi	Commu		ıral, Bio
$ \cdot $	Low (2) Negligible (1)	Moderate [5/2] Minor [5/1]	Moderate[4/2] Minor [4/1]	Minor[3/2] None [3/1]	None[2/2] None [2/1]	None[1/2] None [1/1]		Phys									Ecosy	Local, r				Cultı
4.	Detailed Local Field-Based Activities			ing aimed at ident onal geological and			2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2
	Activities		d geophysical su e outcomes of i	rvey, trenching, dr and ii above).	illing and samplir	ng (Subject to the	2\2	2\2	2\2	2\2	2\2	2\2	3/2	3/2	3/2	3/2	3/2	2\2	2\2	2\2	3\2	3\2
			d site-specific f d geological ma	ield-based support	and logistical ac	ctivities, surveys,	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2
5.	Prefeasibility and Feasibility		d drilling and bu	ulk sampling and te	esting for ore res	erve calculations	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3
	Studies	(iii) Geotec	hnical studies fo	or mine design			2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2
			_	signs including all s d test mining activi		tructures (water,	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3
		(v) EIA and	d EMP to suppor	rt the ECC for mini	ng operations		1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
		(vi) Prepar	ation of feasibili	ity report and appl	ication for Minin	g License	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1

- 42 -

3.4. Implementation of the EMP

3.4.1. Roles and Responsibilities

Management of the environmental elements that may be affected by the different activities of the proposed / ongoing exploration is an important element of the proposed / ongoing exploration activities. The EMP also identifies the activity groups / environmental elements, the aspects / targets, the indicators, the schedule for implementation and who should be responsible for the management to prevent major impacts that the different exploration activities may have on the receiving environment (physical and biological environments).

3.4.2. Proponent's Representative (PR) / Project Manager (PM)

The Proponent is to appoint a **Proponent's Representative (PR) / Project Manager (PM)** with the following responsibilities with respect to the EMP implementation:

- ❖ Act as the site project manager and implementing agent.
- ❖ Ensure that the Proponent's responsibilities are executed in compliance with the relevant legislation.
- Ensure that all the necessary environmental authorizations and permits have been obtained.
- Assist the exploration contractor/s in finding environmentally responsible solutions to challenges that may arise.
- Should the PR be of the opinion that a serious threat to, or impact on the environment may be caused by the exploration activities, he/she may stop work. the Proponent must be informed of the reasons for the stoppage as soon as possible.
- The PR has the authority to conduct disciplinary proceedings in accordance with the company policies and national legislation requirements and provisions for transgressions of basic conduct rules and/or contravention of the EMP.
- Should the Contractor or his/her employees fail to show adequate consideration for the environmental aspects related to the EMP, the PR can have person(s) and/or equipment removed from the site or work suspended until the matter is remedied.
- Maintain open and direct lines of communication between the landowners and Proponent, as well as any other identified Interested and Affected Parties (I&APs) with regards to environmental matters, and.
- Attend regular site meetings and inspections as may be required for the proposed / ongoing exploration programme.

3.4.3. Project Health, Safety and Environment (Project HSE)

The Proponent is to appoint a Project Health, Safety and Environment (Project HSE) with the following responsibilities with respect to the EMP implementation:

- Assist the PR in ensuring that the necessary environmental authorizations and permits have been obtained.
- Assist the PR and Contractor in finding environmentally responsible solutions to challenges that may arise.
- Conduct environmental monitoring as per EMP requirements.
- Carry out regular site inspections (on average once per week) of all exploration areas with regards to compliance with the EMP. report any non-compliance(s) to the PR as soon as possible.
- Organize for an independent internal audit on the implementation of and compliance to the EMP to be carried out half way through each field-based exploration activity. audit reports to be submitted to the PR.
- Continuously review the EMP and recommend additions and/or changes to the EMP document.
- Monitor the Contractor's environmental awareness training.
- Keep records of all activities related to environmental control and monitoring, the latter to include a photographic record of the exploration activities, rehabilitation process, and a register of all major incidents, and.
- Attend regular site meetings.

3.4.4. Contractors and Subcontractors

The responsibilities of the **Contractors and Subcontractors** that may be appointed by the Proponent to undertake certain field-based activities of the proposed / ongoing exploration programme include:

- Comply with the relevant legislation and the EMP provision.
- Preparation and submission to the Proponent through the Project HSE of the following Management Plans:
 - Environmental awareness training and inductions.
 - o Emergency preparedness and response.
 - Waste management, and.
 - Health and safety.
- Ensure adequate environmental awareness training for senior site personnel.
- Environmental awareness presentations (inductions) to be given to all site personnel prior to work commencement. the Project HSE is to provide the course content and the following topics, at least but not limited to, should be covered:
 - The importance of complying with the EMP provisions.

- Roles and responsibilities, including emergency preparedness.
- Basic rules of conduct (do's and don'ts).
- EMP: aspects, impacts and mitigation.
- Conduct disciplinary proceedings in accordance with the company policies and national legislation requirements and provisions for transgressions for failure to adhere to the EMP, and.
- Health and safety requirements.
- * Record keeping of all environmental awareness training and induction presentations, and.
- Attend regular site meetings and environmental inspections.

- 45 -

4. EMP MITIGATION MEASURES

4.1. Hierarchy of Mitigation Measures Implementation

A hierarchy of methods for mitigating significant adverse effects has been adopted in order of preference and as follows:

- (i) Enhancement, e.g. provision of new habitats.
- (ii) Avoidance, e.g. sensitive design to avoid effects on ecological receptors.
- (iii) Reduction, e.g. limitation of effects on receptors through design changes, and.
- (iv) Compensation, e.g. community benefits.

4.2. Mitigation Measures Implementation

The Environmental Management Plan (EMP) provides a detailed plan of action required in the implementation of the mitigation measures for minimising and maximising the identified negative and positive impacts respectively.

The EMP also provides the management actions with roles and responsibilities requirements for implementation of environmental management strategies by the Proponent through the Contractors and Subcontractors who will be undertaking the exploration activities.

The EMP gives commitments including financial and human resources provisions for effective management of the likely environmental liabilities during and after the implementation of the proposed / ongoing exploration programme.

Based on the findings of the EIA, key mitigation measures as detailed in Table **4.1**: Key areas of the migration measures have been prepared to be implemented by the Proponent with respect to the proposed / ongoing exploration programme activities and in particular for the field-based exploration activities. The following is the summary of the key areas of the migration measures provided in Tables Table **4.1**:

- 1. Project planning and implementation.
- 2. Implementation of the EMP.
- 3. Public and stakeholders relations.
- 4. Measures to enhance positive socioeconomic impacts.
- 5. Environmental awareness briefing and training.
- 6. Erection of supporting exploration infrastructure.
- 7. Use of existing access roads, tracks and general vehicle movements.
- 8. Mitigation measures for preventing flora destruction.

- 9. Mitigation measures for preventing faunal destruction.
- 10. Mitigation measures to be implemented with respect to the exploration camps and exploration sites.
- 11. Mitigation measures for surface and groundwater protection as well as general water usage.
- 12. Mitigation measures to minimise negative socioeconomic impacts.
- 13. Mitigation measures to minimise health and safety impacts.
- 14. Mitigation measures to minimise visual impacts.
- 15. Mitigation measures to minimise vibration, noise and air quality.
- 16. Mitigation measures for waste (solid and liquid) management.
- 17. Rehabilitation plan, and.
- 18. Environmental data collection.

Table 4.1: Key areas of the migration measures

OBJECTIVES	INDICATOR	SCHEDULE	RESPONSIBILITY
	Project planning and imp	lementation	
Establish a strong environmental awareness protocol from project implementation to final closure in order to ensure the least possible impact to the environment.	 Resources (Human and Financial) are provided for the Environmental Awareness and Training, Regular Safety, Health and Environment meetings and for internal and external Environmental Monitoring Costs as well as for any rehabilitation costs that may arise. Appointment of senior and experienced persons as Proponent's Representative (PR), Project Manager (PM) and Project HSE to assume responsibility for environmental issues. All individuals including sub-contractors who work on, or visit, the sites are aware of the contents of the Environmental Policy and the EMP. The EMP and Environmental Policy will be included in Tender Documents. Field visit will take place during which main access tracks will be discussed in cooperation with the land owner/s 	 Regional reconnaissance field-based mapping and sampling activities. Initial local field-based mapping and sampling activities. Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. Prefeasibility and feasibility studies. 	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor Subcontractors
	Implementation of the	he EMP	
 Define roles and responsibilities in terms of the EMP. To make all personnel, contractors and subcontractors aware of these roles and responsibilities to ensure compliance with the EMP provisions. Implement environmental management that is preventative and proactive. Establish the resources, skills, etc. required for effective environmental management. 	 Senior staff and senior contractors are aware of, and practice the EMP requirements. These persons shall be expected to know and understand the objectives of the EMP and will, by example, encourage suitable environmentally friendly behaviour to be adopted during the exploration Recognition will be given to appropriate environmentally acceptable behaviour. Inappropriate behaviour will be corrected. An explanation to why the behaviour is unacceptable must be given, and, if necessary, the person will be disciplined. e.g. fees set out for non-compliance 	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies. 	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor Subcontractors

OBJECTIVES	INDICATOR	SCHEDULE	RESPONSIBILITY
	Public and stakeholders	s relations.	
Maintain sound relationships with the Other land users/ land owner/s and another stakeholders / public	No littering or any other activity prohibited Permission to utilise water as well as all applicable permits are obtained.	 Regional reconnaissance field-based mapping and sampling activities. Initial local field-based mapping and sampling activities. Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. Prefeasibility and feasibility studies. 	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor Subcontractors
	Measures to enhance positive soc	cioeconomic impacts.	
Measures to enhance positive socioeconomic impacts in order to: 1. Avoid exacerbating the influx of unemployed people to the area. 2. Develop a standardised recruitment method for subcontractor and field workers.	 Stipulate a preference for local contractors in its tender policy. Preference to local contractors should still be based on competitive business principles and salaries and payment to local service providers should still be competitive. Develop a database of local businesses that qualify as potential service providers and invite them to the tender process. Scrutinise tender proposals to ensure that minimum wages were included in the costing. Stipulate that local residents should be employed for temporary unskilled/skilled and where possible in permanent unskilled/skilled positions as they would reinvest in the local economy. Must ensure that potential employees are from the area, they need submit proof of having lived in the area for a minimum of 5 years. Must ensure that contractors adhere to Namibian Affirmative Action, Labour and Social Security, Health and Safety laws. This could be accomplished with a contractual requirement stipulating that monthly proof should be submitted indicating payment of minimum wages to workers, against their ID numbers, 	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies. 	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor Subcontractors

OBJECTIVES	INDICATOR	SCHEDULE	RESPONSIBILITY
	payment of social security and submission of affirmative action data. Encouraged to cater for the needs of employees to increase the spending of wages locally.		
	Environmental awareness brid	efing and training.	
Implement environmental awareness briefing / training for individuals who visit, or work, on site.	 Every senior/supervisory member of the team shall familiarise themselves with the contents of the EMP. They shall understand their roles and responsibilities with regard to personnel and project compliance with the EMP. Subject to agreement of the parties, the Environmental Coordinator will hold an Environmental Awareness Briefing meeting, which shall be attended by all contractors before the start of the mineral exploration activities. Briefings on the EMP and Environmental Policy shall discuss the potential dangers to the environment of the following activities: public relations, littering, off-road driving, waste management, poaching and plant theft etc. The need to preserve soil, conserve water and implement water saving measures shall be presented. Individuals can be questioned on the Environmental Philosophy and EMP and can 	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies. 	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor Subcontractors
	recall contents.		
	Erection of supporting explora		
 Get Environmental Clearance before implementation Establishment of the supporting exploration infrastructure done on an area with the least disturbance to the environment and within the non-sensitive areas 	 Documented Environmental Clearance from MET. All on site exploration infrastructure (e.g. water tanks, sewage tanks, waste disposal) are not situated on environmental sensitive area and have disturbed as less as possible. No littering. 	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. 	 (i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

OBJECTIVES	INDICATOR	SCHEDULE	RESPONSIBILITY
		(iv) Prefeasibility and feasibility studies.	
		Studies.	
	Use of existing access roads, tracks and	general vehicle movements.	
 Plan a road/track network that considers the environmental sensitivity of the area and a long-term tourism potential, and which is constructed in a technically and environmentally sound manner. Stick to the recommended track and sensitivity management zones. 	 Avoid unnecessary affecting areas viewed as important habitat – i.e. Ephemeral River and its network of tributaries of ephemeral rivers. rocky outcrops. clumps of protected tree species. Make use of existing tracks/roads as much as possible throughout the area. Do not drive randomly throughout the area (could cause mortalities to vertebrate fauna and unique flora. accidental fires. erosion related problems, etc.). Avoid off-road driving at night as this increases mortality of nocturnal species. Implement and maintain off-road track discipline with maximum speed limits (e.g.30km/h) as this would result in fewer faunal mortalities and limit dust pollution. Use of "3-point-turns" rather than "U-turns". Where tracks have to be made to potential exploration sites off the main routes, the routes should be selected causing minimal damage to the environment – e.g. use the same tracks. cross drainage lines at right angles. avoid placing tracks within drainage lines. avoid collateral damage (i.e. select routes that do not require the unnecessary removal of trees/shrubs, especially protected species). Leave vehicles on tracks and walk to point of interest, when possible. Rehabilitate all new tracks created. 	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies. 	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors
Mitigation r	neasures for preventing flora and ecosystem 1. Limit the development and avoid rocky	destruction and promotion of co	onservation.
	outcrops throughout the entire area. 2. Avoid development and associated infrastructure in sensitive areas – e.g. Ephemeral River, in/close to drainage lines,	(i) Regional reconnaissance field-	
	cliffs, boulder and rocky outcrops in the area, etc. This would minimise the negative effect on	based mapping and sampling activities.	

feature 3. Avoid trough outcrowould potent 4. Avoid "track perma during phase localis area. 5. Stick this we could Speed speed 6. Remo Aloe develoes sensit 7. Preve firewo ecolog develot firewo often live a	ve unique and sensitive flora (e.g. all sp.) before commencing with the opment activities and relocate to a less	and sampling activities. (iii) Detailed local field-base activities such as geological mapping sampling, trenching and drof closely spaced borehand bulk sampling. (iv) Prefeasibility and feasions studies.	ased local ping, and (i) Proponent's Representative (PR) (ii) Project Manager (PM)
8. Attem during with these	ive/disturbed site if possible. Int and discourage the collecting of od as dead wood has an important gical role — especially during the opment phase(s). Such collecting of od, especially for economic reasons, leads to abuses — e.g. chopping down of Ind/or protected tree species such as a erioloba which is a good quality wood. In the development phase(s) — especially the development of access routes — as serve as habitat for a myriad of fauna. Int and discourage fires — especially	of int int interest in the continue of int interest in the continue of interest in the	
during	nt and discourage fires – especially the development phase(s) – as this easily cause runaway veld fires causing	is g ic	

OBJECTIVES	INDICATOR	SCHEDULE	RESPONSIBILITY
	associated tracks as well as temporary accommodation sites. Preferably workers should be transported in/out to the EPL area on a daily basis to avoid excess damage to the local environment (e.g. fires, wood collection, poaching, etc.). Such rehabilitation would not only confirm the company's environmental integrity, but also show true local commitment to the environment. 11. Implement erosion control. The area(s) towards and adjacent the drainage line(s) are easily eroded and further development may exacerbate this problem. Avoid undertaking any exploration activities including supporting activities such as camping within 20m of the main drainage line(s) to minimise erosion problems as well as preserving the riparian associated fauna. 12. Conduct a thorough investigation on the flora associated with the proposed exploration site(s). 13. Prevent the introduction of potentially invasive alien plant species (e.g. Tecoma stans, Pennisetum setaceum, etc.) for ornamental purposes as part of the landscaping should mining activities eventually commence. Alien species often "escape" and become invasive causing further ecological damage. A thorough investigation of water use and ground water extraction should take place before actual mining activities commence as this would affect the local flora, especially the ephemeral riparian vegetation, not only locally, but downstream as		
Mitigation	well.	destruction and promotion of a	
wiitigation	Limit the development and avoid rocky outcrops throughout the entire area. Avoid development & associated infrastructure in sensitive areas – e.g. in/close to drainage lines, cliffs, boulder and rocky outcrops in the area, etc. This would minimise the negative effect on the local environment especially	i destruction and promotion of d	conservation

OBJECTIVES	INDICATOR	SCHEDULE	RESPONSIBILITY
Prevent faunal and ecosystem destruction and promote conservation	unique features serving as habitat to various species. 3. Avoid placing access routes (roads & tracks) trough sensitive areas — e.g. over rocky outcrops/ridges and along drainage lines. This would minimise the effect on localised potentially sensitive habitats in the area. 4. Avoid driving randomly through the area (i.e. "track discipline"), but rather stick to permanently placed roads/tracks — especially during the detailed field-based exploration phase. This would minimise the effect on localised potentially sensitive habitats in the	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility 	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors
	area. 5. Stick to speed limits of maximum 30km/h as this would result in fewer faunal road mortalities. Speed humps could also be used to ensure the speed limit.	studies.	(v) Subcontractors
	 6. Remove (e.g. capture) unique fauna and sensitive fauna before commencing with the development activities and relocate to a less sensitive/disturbed site if possible. 7. Prevent and discourage the setting of snares 		
	(poaching), illegal collecting of veld foods (e.g. tortoises, etc.), indiscriminate killing of perceived dangerous species (e.g. snakes, etc.) and collecting of wood as this would diminish and negatively affect the local fauna – especially during the development phase(s).		
	8. Attempt to avoid the removal of bigger trees during the development phase(s) – especially with the development of access routes – as these serve as habitat for a myriad of fauna.		
	9. Prevent and discourage fires — especially during the development phase(s) — as this could easily cause runaway veld fires affecting the local fauna, but also causing problems (e.g. loss of grazing & domestic stock mortalities, etc.) for the poighbouring formers.		
	etc.) for the neighbouring farmers. 10. Rehabilitation of the disturbed areas – i.e. initial development access route "scars" and associated tracks as well as temporary accommodation sites. Preferably workers		

OBJECTIVES	INDICATOR	SCHEDULE	RESPONSIBILITY
	should be transported in/out to the EPL area on		
	a daily basis to avoid excess damage to the		
	local environment (e.g. fires, wood collection,		
	poaching, etc.). Such rehabilitation would not		
	only confirm the company's environmental		
	integrity, but also show true local commitment		
	to the environment.		
	11. Implement erosion control. The area(s)		
	towards & adjacent the drainage line(s) are easily eroded and further development may		
	exacerbate this problem. Avoid undertaking		
	exploration activities including supporting		
	activities such as camping within 20m of the		
	main drainage line(s) to minimise erosion		
	problems as well as preserving the riparian		
	associated fauna.		
	12. Conduct a thorough investigation on the fauna		
	associated with the proposed exploration		
	site(s).		
	13. Prevent the number of domestic pets – e.g. cats & dogs – accompanying the workers		
	during the field-based exploration activities as		
	cats decimate the local fauna and interbreed &		
	transmit diseases to the indigenous African		
	Wildcat found in the area. Dogs often cause		
	problems when bonding on hunting expeditions		
	thus negatively affecting the local fauna. The		
	indiscriminate and wanton killing of the local		
	fauna by such pets should be avoided at all		
	costs.		
Mitigation	ecourse to be implemented with respect to t	he exploration compound explo	ration sites
	neasures to be implemented with respect to to 1. Select camp sites and other temporary lay over	lie exploration camps and explo	ration Siles.
	sites with care – i.e. avoid important habitats.		
	 Use portable toilets to avoid faecal pollution 		
	around camp and exploration sites.		
	3. Initiate a suitable and appropriate refuse	(i) Regional reconnaissance field-	
	removal policy as littering could result in certain	based mapping and sampling	
	animals becoming accustomed to humans and	activities.	
	associated activity and result in typical	(ii) Initial local field-based mapping	
Promotion of conservation through	problem animal scenarios – e.g. baboon, black-	and sampling activities.	
preservation of flora, fauna and	backed jackal, etc		

OBJECTIVES	INDICATOR	SCHEDULE	RESPONSIBILITY
ecosystem around the exploration	4. Avoid and/or limit the use of lights during	` '	
camps and exploration sites	nocturnal exploration activities as this could	activities such as local	(i) Proponent's Representative
	influence and/or affect various nocturnal		(PR) (ii) Project Manager (PM)
	species – e.g. bats and owls, etc. Use focused lighting for least effect.	geochemical mapping and sampling, trenching and drilling	(iii) Project Manager (PM)
	5. Prevent the killing of species viewed as		(iv) Contractor
	dangerous – e.g. various snakes – when on	· ·	(v) Subcontractors
	site.	(iv) Prefeasibility and feasibility	
	6. Prevent the setting of snares for ungulates (i.e.	studies.	
	poaching) or collection of veld foods (e.g.		
	tortoises) and unique plants (e.g. various Aloe		
	and Lithop) or any form of illegal hunting		
	activities.		
	7. Avoid introducing dogs and cats as pets to camp sites as these can cause significant		
	mortalities to local fauna (cats) and even stock		
	losses (dogs).		
	8. Remove and relocate slow moving vertebrate		
	fauna (e.g. tortoises, chameleon, snakes, etc.)		
	to suitable habitat elsewhere on property.		
	9. Avoid the removal and/or damaging of		
	protected flora potentially occurring in the		
	general area – e.g. various Aloe, Commiphora and Lithop species.		
	10. Avoid introducing ornamental plants, especially		
	potential invasive alien species, as part of the		
	landscaping of the camp site, etc., but rather		
	use localised indigenous species, should		
	landscaping be attempted, which would also		
	require less maintenance (e.g. water).		
	11. Remove all invasive alien species on site,		
	especially Prosopis sp., which is already		
	becoming a major ecological problem along various water courses throughout Central		
	Namibia. This would not only indicate		
	environmental commitment, but actively		
	contribute to a better landscape.		
	12. Inform contractors/workers regarding the		
	above-mentioned issues prior to exploration		
	activities and monitor for compliance thereof		
	throughout.		

OBJECTIVES	INDICATOR	SCHEDULE	RESPONSIBILITY
	 Rehabilitate all areas disturbed by the exploration activities – i.e. camp sites, exploration sites, etc Implement a policy of replacing 2 tree species (preferably the same species) for every 1 protected tree species having to be removed (if necessary). Although fires are not expected to be a major issue in the general area due to the overall lack of grass cover, some years it may be necessary to consider fire prevention. Ensure that adequate firefighting equipment (e.g. fire beaters. extinguishers, etc.) is available at camp sites and clear kitchen areas to avoid accidental fires. Employ an independent environmental auditor to ensure compliance, especially of the rehabilitation of all the affected areas. 		
	Mitigation measures to minimise negative	ve socioeconomic impacts.	
Effective management of socioeconomic benefits of the proposed / ongoing project activities	 The employment of local residents and local companies should be a priority. To ensure that potential employees are from the area, they need submit proof of having lived in the area for a minimum of 5 years. Providing information such as the number and types of jobs available, availability of accommodation facilities and rental costs and living expenses, could make potential job seekers wary of moving to the area. Addressing unrealistic expectations about large numbers of jobs would be created. Exploration camp if required should be established in close consultation with the land owners. Exploration camp should consider provision of basic services. When the contracts an employee is terminated or not renewed, contractors should transport the employee out of the area to their hometowns within two days of their contracts coming to an end. 	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies. 	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

OBJECTIVES	INDICATOR	SCHEDULE	RESPONSIBILITY
OBJECTIVES	 Tender documents could stipulate that contractors have HIV/Aids workplace policies and programmes in place and proof of implementation should be submitted with invoicing. Develop strategies in coordination with local health officers and NGO's to protect the local communities, especially young girls. Contract companies could submit a code of conduct, stipulating disciplinary actions where employees are guilty of criminal activities in and around the vicinity of the EPL. Disciplinary actions should be in accordance with Namibian legislation. Contract companies could implement a notolerance policy regarding the use of alcohol and workers should submit to a breathalyser test upon reporting for duty daily. Request that the Roads Authority erect warning signs of heavy exploration vehicles on affected public roads. Ensure that drivers adhere to speed limits and that speed limits are strictly enforced. Ensure that vehicles are road worthy and drivers are qualified. Train drivers in potential safety issues. 	SCHEDULE	RESPONSIBILITY
	Mitigation measures to minimise he	alth and safety impacts	
Promotion of health and safe working environment in line with national Labour Laws	1. Physical hazards: Follow national and international regulatory and guidelines provisions, use of correct Personal Proactive Clothing at all times, training programme, as well as the implementation of a fall protection program in accordance with the Labour Act. 2. Some of the public access management measures that may be considered in an event of vandalism occurring are: • All exploration equipment must be in good working condition and services accordingly.	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. 	(i) Proponent's Representative (PR)

OBJECTIVES	INDICATOR	SCHEDULE	RESPONSIBILITY
Preserve the landscape character in the development of supporting infrastructure and choice of visual screening	 Consider the landscape character and the visual impacts of the exploration area including camp site from all relevant viewing angles, particularly from public roads. Use vegetation screening where applicable. Do not cut down vegetation unnecessary around the site and use it for site screening. Avoid the use of very high fencing. Minimise access roads and no off-road that could result in land scarring is allowed. Minimise the presence of secondary structures: remove inoperative support structures. Remove all infrastructure and reclaim, or rehabilitate the project site after exploration activities are completed. 	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies. 	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors
	Mitigation measures to minimise vibra	tion noise and air quality	
Promote of effective management of vehicle movement, drilling and blasting operations and use of Personal Protective Equipment (PPE) in mitigating air quality and vibrations impacts in line with national laws	 Limit vehicle movements and adhere to the speed of 60 km/h. Vehicles and all equipment must be properly serviced to minimise noise pollution. Use of Personal Protective Equipment (PPE) to minimise Occupational Health Safety impacts dues to noise pollution around the site. National or international acoustic design standards must be followed. Drilling and blasting operations can major sources of vibration, noise and dust and where required the following mitigation measure shall be implemented. Drilling and blasting operations shall only be done by a qualified person who must at all times adhere to the required blasting protocol. Prior warning shall be given to all persons, neighbour and visitors before the blasting takes place. 	(i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies.	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

OBJECTIVES	INDICATOR	SCHEDULE	RESPONSIBILITY
	 Careful planning and timing of the blast 		
	program to minimise the size of the charge.		
	Where practicable, use of explosive products		
	with lower detonation velocities, but noting		
	that this would require more explosives to		
	achieve the same blast result.		
	Use of detonating caps with built-in time		
	delays, as this effectively reduces each		
	detonation into a series of small explosions.		
	 Use of a procedure ("decking the charge") 		
	which subdivides the charge in one blast hole		
	into a series of smaller explosions, with drill		
	patterns restricted to a minimum separation		
	from any other loaded hole.		
	 Over-drilling the holes to ensure fracturing of 		
	the rock.		
	Staggering the detonation for each blast hole		
	in order to spread the explosive's total		
	overpressure over time.		
	Matching, to the extent possible, the energy		
	needed in the "work effort" of the borehole to the		
	rock mass to minimise excess energy vented into		
	the receiving environment.		
	Mitigation measures for waste (solid	and liquid) management.	
	1. Burial of waste on anywhere within the EPL		
	area is not allowed and all generated solid		
	waste must be disposed at the at an approved		
	municipal waste disposal site.		
	2. Toilet and ablution facilities must be provided		
	on site and should not be located close to		
	Ephemeral Rivers or visible discontinuities		
	(fractures, joints or faults).	(i) Regional reconnaissance field-	
	3. Provide site information on the difference	based mapping and sampling	
Decreation of affective weets	between the two main types of waste, namely:	activities.	
Promotion of effective waste	General Waste. and	(ii) Initial local field-based mapping	
(solid and liquid) management	Hazardous Waste.	and sampling activities.	
through the adoption of sound	4. Sealed containers, bins, drums or bags for the	(iii) Detailed local field-based	(i) Proponent's Representative
and hierarchical approach to	different types of wastes must be provided.	activities such as local	(PR)
waste management, which would	Never dispose of hazardous waste in the bins	geological mapping,	(ii) Project Manager (PM)
include waste minimisation, re-	or skips intended for general waste.		(iii) Project Manager (FM)
use, recovery, recycling,			(iii) Project HSE (iv) Contractor
treatment, and proper disposal.	5. All solid and liquid wastes generated from the	sampling, trenching and drilling	
	proposed / ongoing project activities shall be		(v) Subcontractors

OBJECTIVES	INDICATOR	SCHEDULE	RESPONSIBILITY
	reduced, reused, or recycled to the maximum extent practicable. 6. Trash may not be burned or buried, except at approved sites under controlled conditions in accordance with the municipal regulations. 7. Never overfill any waste container, drum, bin or bag. Inform your Contractor or the Environmental Control Officer / Site Manager if the containers, drums, bins or skips are nearly full. 8. Never litter or throwaway any waste on the site, in the field or along any road. No illegal dumping. 9. Littering is prohibited. 10. Latrines and French drains built >100m from watercourses or pans to avoid pollution of primary and secondary aquifers. 11. Chemical toilets or suitable waste water management system shall be provided on site and around the camp as may be required.	of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies.	
	Rehabilitation p	lan	
Contributions toward environmental preservation and sustainability through rehabilitation of disturbed areas such as exploration sites and remove all unwanted part of the fixtures and restore the sites to close an approximation of the pristine state as is technically, financially and reasonably possible.	 The following rehabilitation actions are practiced: Small samples are preferably removed from site to avoid additional scars in the landscape. Litter from the site has been taken to the appropriate disposal site. Debris, scrap metal, etc is removed before moving to a new site or closure of the mine. Water tanks are dismantled and removed if not need for after use. Tracks on site and the access road are rehabilitated by smoothing the 'middle mannetjie' (middle ridge between the tracks) and raking the surface. The following should be undertaken at all disturbed areas that require further 	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies. 	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

OBJECTIVES	INDICATOR	SCHEDULE	RESPONSIBILITY
	rehabilitation: • if applicable the stockpiled subsoil to be replaced (spread) and/or the site is neatly contoured to establish effective wind supported landscape patterns. • Replace the stored topsoil seed bank layer. Five (5) years after rehabilitation the sites are not visible from 500 m away. Environmental data c	ollection	
	1. Environmental Monitoring Report Compiled		
 Collect data that will add value to environmental monitoring and reporting to the regulators Collect data that will add to the general scientific and geographic knowledge of the environment in which the exploration process takes place. Acknowledged that the required skills and knowledge to collect all the suggested data may not be available within the mine /exploration team, however, as much data as is practical should be collected. 	and submitted by the Environmental Coordinator to the regulators 2. The following types of information should be gathered: • Fauna. What tracks or signs of animal activity have been seen? (photographs and GPS recording) What animals, birds etc were identified? Alternatively provide a description and/ or photo if unidentified. • Unusual weather conditions, e.g. records of the prevailing wind direction and the direction from which storm events come. Was there fog or rain, frost overnight or intense heat? Preferably have a thermometer and rain gauge on site. • Vegetation. Record trees, shrubs, grass, etc. that are found in the vicinity along each of the profiles. Some plants do only occur after rainfall and might not have been seen for decades. • Any archaeological, cultural or historical sites that may be found. GPS coordinates, photograph and plot the position on a 1: 50 000 maps. • other including surface water, spring, large scale geological features etc	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies. 	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

5. REHABILITATION COMMITMENTS

5.1. Rehabilitation Process

The following is the summary of key rehabilitation process to be implemented by the proponent:

Step 1: Backfilling excavated or disturbed areas:

- Transporting all stockpiled overburden back to the excavated voids.
- o Backfilling the trenches, pits and quarries using original excavated and stockpiled materials.
- If applicable, backfill the various layers of overburden in the reverse order in which they were removed, i.e. Last out should be first in as far as possible, and.
- When backfilling, bear in mind that some space must be left for the backfilling of the soil on top of the overburden.

❖ Step 2: Remove all waste and unwanted materials:

- Once the drilling slimes ponds have dried sufficiently, scrape out the slimes and transporting back to an exploration excavated voids during the overburden backfilling stage.
- Allow the pollution control dam to evaporate completely, scrape all waste that has collected in the pond and dispose of these and the pond lining at a suitable site.
- Bulldoze the walls of the pollution control pond over and contour.
- Collect remaining domestic waste on site and transport to an approved municipal waste disposal site.
- Clean out the oil traps, collect the waste material in drums and transport to a suitable site for disposal, and.
- Manually remove all weedy species that are present at the site (the entire plant can easily be removed because the plants tend not to root deeply).

Step 3: Remove all structures:

- o Remove all building materials from the exploration / test mining site and either:
 - Transporting to a new site if it is to be used or stored elsewhere. or
 - Disposing at a suitable approved municipal waste disposal site. or
 - Making them available to the farmer or local persons, or,
 - Selling at an auction.

- Remove all machinery from the site and transport to a new site where it is to be used or stored or sell at an auction.
- Remove all fences that have been constructed and either make the material available to the local persons/farmer, dispose at a suitable site or sell at an auction.
- Remove the generators from the sites from site and either transport to a new site for storage or sell it to the farmer or an Auction.
- Seal all petrol, diesel, oil and grease containers and remove from the site to a storage facility or make it available to the farmer.
- o Collect all scrap metal and dispose at a suitable site or sell at an auction, and.
- Break up all concrete slabs and structures on-site and transport the fragments to a suitable site for disposal.

Step 4: Rehabilitate the excavated voids:

- Replace the subsoil layer by backfilling the soil on top of the overburden and contour cap the subsoil with a topsoil layer about 10cm deep, and.
- Cap the topsoil containing the seed bank with a layer of gravel by manually spreading the fragments across the surface using a rake.

Step 5: Rehabilitate site-specific storm-water channel:

- o Remove all the site structures created.
- Dispose of the plastic/wire and use the fill material to backfill the storm-water channel.
- Cap with a layer of topsoil to a depth of about 10cm, and.
- Cap the topsoil containing the seedbank with a gravel layer by manually spreading the fragments across the surface using a rake.

❖ Step 6: Rehabilitate all adjacent exploration / test mining sites affected:

- o Rip the surfaces to a depth of 40 cm to 50 cm using a multi-toothed ripper and tractor.
- o Cover with a layer of topsoil to a depth of about 10 cm, and.
- Cap the topsoil containing the seedbank with a layer of gravel by manually spreading the fragments across the surface using a rake.

❖ Step 7: Rehabilitate all unwanted access roads created:

- Rip the road surface to a depth of at least 50 cm using a multi-toothed ripper and tractor.
- Disk the ripped surface to break up the clods.

- o Cover with a layer of topsoil to a depth of about 10 cm, and.
- Cap the topsoil containing the seed bank with a gravel layer by manually spreading the fragments across the surface using a rake.

5.2. Monitoring of the Environmental Performance

5.2.1. Rehabilitation Evaluation and Performance Monitoring

The following is the summary of key rehabilitation evaluation and performance monitoring to be implemented by the proponent:

- Monitoring: A monitoring program is instituted to ensure that the requirements of the mining site rehabilitation program are met. A rehabilitation program may be subjected to various natural or man-made forces that can hinder progress and lead to problems or failure of the rehabilitation program. Regular monitoring will ensure that these factors are identified early so they may be resolved through appropriate recommendations.
- ❖ Frequency: All rehabilitated areas should be monitored over a three (3) years period from the onset of the rehabilitation procedures. The frequency of monitoring suggested above is dependent on satisfactory performance. If, however, the requirements are not being met, the frequency of monitoring can be increased. It is suggested that the monitoring be conducted once a year around September when the grasses and forbs are flowering.
- Methods: The rehabilitated areas might be monitored by the sampling randomly located 1m² quadrates. Approximately 10 quadrates per hectare (or a minimum of 3) should be sampled per plant community. The factors that will be examined in each quadrate include:
 - Percentage basal cover.
 - Percentage aerial cover.
 - Species composition and diversity.
 - Vigor and health of plants.
 - o Presence of and evidence of fauna, and.
 - Nature of the substrate.
- ❖ Controls: To enable a comparison, control plots located within the surrounding un-mining areas should also be monitored. This will give an indication of the progress of rehabilitated areas versus the natural vegetation and will set the goals, which ultimately should be achieved. By monitoring the natural vegetation annually, it will also be possible to assess the natural changes that are taking place. These findings can then be applied to the rehabilitated areas so as to account for the changes, which may have resulted from natural events. Approximately 5 to 10 quadrates of 1m² should be sampled per community type to set the controls.
- Maintenance: Maintenance requirements may include seeding (if there is poor germination of the seedbank), fertiliser applications, correcting erosion problems, removing weeds, etc.

Maintenance of the rehabilitated areas will be necessary periodically. The need for and extent of maintenance activities will be determined during the regular monitoring of the site, and.

Qualified Personnel: The rehabilitation procedures from implementation to monitoring should be overseen by qualified personnel. Any persons involved in the rehabilitation of the mining site should be trained in the techniques involved.

5.2.2. Overall Environmental Performance Monitoring and Reporting

The monitoring of the environmental performances for the proposed / ongoing exploration project can be divided into two (2) parts and these are:

- (i) Routine / ongoing daily monitoring activities to be undertaken by the Project HSE Officer with the support of the external specialist consultants as maybe required, and.
- (ii) Preparation of annual Environmental Monitoring Report and Environmental Closure covering all activities related to the Environmental Management Plan during exploration / prospecting stages and at the closure of the proposed / ongoing exploration to be undertaken by the Project HSE Officer with the support of the external specialist consultants as may be required.

The proponent will be required to report regularly (twice a year or as the case may be) to the Environmental Commissioner in the Ministry of Environment, Forestry, and Tourism (MEFT), the environmental performances as part of the ongoing environmental monitoring programme. An environmental monitoring programme is part of the EMP performance assessments and will need to be compiled and submitted as determined by the Environmental Commissioner. The process of undertaking appropriate monitoring as per specific topics (such as fauna and flora) and tracking performances against the objectives and documenting all environmental activities is part of internal and external auditing to be coordinated by the Project HSE Officer.

The second part of the monitoring of the EMP performance will require a report outlining all the activities related to the effectiveness of the EMP at the end of the planned mineral exploration to be undertaken by the Project HSE Officer with the support of the external specialist consultants as may be required. The objective will be to ensure that corrective actions are reviewed, and steps are taken to ensure compliance for future EIA and EMP implementation.

The report shall outline the status of the environment and any likely environmental liability after the completion of the proposed / ongoing project activities. The report shall be submitted to the Environmental Commissioner in the Ministry of Environment and Tourism and will represent the final closure and fulfilment of the conditions of the Environmental Clearance Certificate (ECC) issued by the Environmental Commissioner and the conditions of the Pro-Forma Environmental Contract signed by the Proponent, Environmental Commissioner and the Mining Commissioner.

6. CONCLUSION AND RECOMMENDATION

6.1. Conclusions

Eagle Fortune Investment cc (**the Proponent**) intends to undertake exploration activities in the Exclusive Prospecting Licence (EPL) No. 8354 covering base and rare metals, dimension stone, industrial minerals, non-nuclear fuels minerals, precious metals, and precious stones. The exploration activities to be undertaken as assessed in this environmental assessment are as follows:

- (i) Initial desktop exploration activities.
- (ii) Regional reconnaissance field-based activities.
- (iii) Initial local field-based activities including detailed mapping, sampling and drilling operations.
- (iv) Detailed local field-based activities including detailed mapping, sampling and drilling operations, and.
- (v) Prefeasibility and feasibility studies including possible test mining.

The overall severity of potential environmental impacts of the proposed / ongoing project activities on the receiving environment (physical, biological, socioeconomic environments and ecosystem functions, services, use and non-use values or passive uses) will be of low magnitude, temporally duration, localised extent and low probability of occurrence.

6.2. Recommendations

Based on the findings of the EIA, it is hereby recommended that the proposed / ongoing exploration activities be issued with an Environmental Clearance Certificate (ECC). It's hereby recommended that the proposed / ongoing exploration activities be issued with an Environmental Clearance Certificate (ECC). The Proponent shall implement precautionary measures / approach to environmental management.

The Proponent shall take into consideration the following key requirements for implementing the proposed exploration programme:

- (i) Mitigation measures must be implemented as detailed in this EMP report.
- (ii) Based on the findings of the EIA, it's hereby recommended that the proposed / ongoing exploration activities be issued with an Environmental Clearance Certificate (ECC). It's hereby recommended that the proposed / ongoing exploration activities be issued with an Environmental Clearance Certificate (ECC). The Proponent shall implement precautionary measures / approach to environmental management.
- (iii) The Proponent shall negotiate Access Agreements with the land owner/s as may be applicable.

- (iv) The Proponent shall adhere to all the provisions of the EMP and conditions of the Access Agreement to be entered between the Proponent and the land owner/s in line with all applicable national regulations.
- (v) Before entering any private or protected property/ area such as a private farm, the Proponent must give advance notices and obtain permission to always access the EPL area, and.
- (vi) Where possible, and if water is found during the detailed exploration boreholes drilling operations, the Proponent shall support other land uses in the area in terms of access to freshwater supply for both human consumption, wildlife, and agricultural support as may be requested by the local community / landowners/s. The abstraction of the groundwater resources shall include water levels monitoring, sampling, and quality testing on a bi-annual basis, and the affected landowners must have access to the results of the water monitoring analyses as part of the ongoing stakeholder disclosure requirements on shared water resources as may be applicable.

The Proponent must take all the necessary steps to implement all the recommendations of the EMP for the successful implementation and completion of the proposed / ongoing exploration programme covering the EPL 8354. Recommended actions to be implemented by the Proponent through implementations of the EMP are:

- (i) The Proponent must implement precautionary measures / approach to environmental management. Once a viable and potential economic resource have been identified, the Proponent must develop and implement a separate EIA and EMP inclusive of the specialist studies such as fauna and flora to be undertaken by specialist consultants as part of the feasibility study stage.
- (ii) Before detailed site-specific exploration activities such as extensive drilling operations and access routes are selected, the Project HSE Officer with the support of the external specialist consultants as may be required, should consider the flora, fauna and archaeological sensitivity of the area and commission a field survey in advance of any site development as may be required based on the assessment undertaken.
- (iii) The Project HSE Officer shall lead, implement, and promote environmental culture through awareness-raising of the workforce, contractors and sub-contractors in the field during the whole duration of the proposed / ongoing exploration period.
- (iv) The Proponent to provide all the necessary support including human and financial resources, for the implementation of the proposed / ongoing mitigations and effective environmental management during the planned exploration activities for the EPL 3963.
- (v) Project HSE Officer with the support of the external specialist consultants as may be required to develop a simplified environmental induction and awareness programme for all the workforce, contractors, and sub-contractors.
- (vi) Where contracted service providers are likely to cause environmental impacts, these will need to be identified and contract agreements need to be developed with costing provisions for environmental liabilities.
- (vii) Implement monitoring of the actions and management strategies developed during the mineral exploration process. Final Environmental Monitoring report shall be prepared by

the Project HSE Officer with the support of the external specialist consultants as maybe required to be submitted to the regulators and to mark the closure of the proposed / ongoing mineral exploration, and.

(viii) Develop and implement a monitoring programme that will fit into the overall company's Environmental Management Systems (EMS) as well as for any future EIA for possible mining projects.

6.3. Summary ToR for Test Mining and Mining Stages

In an even that economic minerals resources are discovered within the EPL 3963 area and could lead to the development of mining project, a new Environmental Clearance Certificate (ECC) for mining will be required. The ECC being supported by this EMP report only covers the exploration phase. A separate field-based and site-specific Environmental Impact Assessment (EIA) and Environmental Management Plan (EMP) reports supported by specialist studies as maybe applicable must be prepared in order to support the application for the new ECC for mining operations. The EIA and EMP studies shall form part of the prefeasibility and feasibility study with respect to the test mining or possible mining operations.

The site-specific EIA and EMP shall cover the area identified to have potential economic minerals resources as well as all areas to be used for infrastructural support areas such as pit / shaft area/s, waste rock, tailings dump, access, office blocks, water, and energy infrastructure support areas (water, energy and road / access). In addition to the Terms of Reference (ToR) to be developed during the Environmental Scoping study phase for the test mining / mining stages, the following field-based and site-specific specialist studies shall be undertaken as part of the EIA and EMP for possible test mining or mining operations in an event of a discovery of economic minerals resources and possible development of a mining project:

- (i) Groundwater studies including modelling as may be applicable.
- (ii) Field-based flora and fauna diversity.
- (iii) Archaeology.
- (iv) Noise and Sound modelling linked to engineering studies.
- (v) Socioeconomic assessment, and.
- (vi) Others as may be identified/recommended by the stakeholders/ landowners/ Environmental Commissioner or specialists.

The aims and objectives of the Environmental Assessment (EA) covering EIA and EMP to be implemented as part of the feasibility study if a variable resource is discovered are:

(i) To assess all the likely positive and negative short- and long-term impacts on the receiving environment (physical, biological, and socioeconomic environments) at local (EPL Area), regional, national (Namibia), and Global levels using appropriate assessment guidelines, methods and techniques covering the complete project lifecycle. The EIA and EMP to be undertaken shall be performed with reasonable skill, care, and diligence in accordance with professional standards and practices existing at the date of performance of the assessment and the guidelines, methods, and techniques shall conform to the national regulatory requirements, process, and specifications in Namibia and in particular as required by the Ministry of Mines and Energy, Ministry of Environment and Tourism and Ministry of Agriculture, Water Affairs and Forestry, and.

(ii) The development of appropriate mitigation measures that will enhance the positive impacts and reduce the likely negative influences of the negative impacts identified or anticipated. Such mitigation measures shall be contained in a detailed EMP report covering the entire project lifecycle.

7. REFERENCES

1 FURTHER GENERAL READING

Department of Water Affairs and Forestry, 2001. Groundwater in Namibia: An explanation to the hydrogeological map. *MAWRD*, Windhoek, 1, 128 pp.

Geological Survey of Namibia, 1999. Regional geological map of Namibia. Ministry of Mines and Energy, Windhoek, Namibia.

Miller, R.McG. 2008. The geology of Namibia. Geological Survey, Ministry of Mines and Energy, Windhoek, Vol. 3.

Lycia L. Stigall, D. I.-K. (2014). Evidence For A Dioecious Mating System In Early Jurassic Hardapestheria Maxwelli Gen. Et Sp. Nov. (Crustacea, Branchiopoda, Spinicaudata) From The Kalkrand Formation Of Namibia. Palaeontology, 127–140.

Miller, R. McG., 1992. Stratigraphy. *The mineral resource of Namibia, Geological Survey of Namibia, MME*, Windhoek, 1.2 .1 -1.2.13.

Miller, R. McG., 1983a. The Pan – African Damara Orogen of S.W.A. / Namibia, Special Publication of the Geological Society of South Africa, **11**, 431 - 515.

Miller, R. McG., 1983b. Economic implications of plate tectonic models of the Damara Orogen, Special Publication of the Geological Society of South Africa, **11**, 115 -138.

Ministry of Environment, Forestry and Tourism (MEFT), 2002. Atlas of Namibia. Comp. J. Mendelsohn, A. Jarvis, T. Roberts and C. Roberts, David Phillip Publishers, Cape Town.

Müller, M.A.N. 1984. Grasses of South West Africa/Namibia. John Meinert Publishers (Pty) Ltd, Windhoek, Namibia.

National Statistics Agency (NSA) 2011. Kuenen Region Census Regional Profiles: 2011 Population and Housing Census, Kunene Region Basic Analysis with Highlights, National Statistics Agency, Windhoek.

(n.d.). Retrieved from https://en.climate-data.org/africa/namibia/kunene-region/outjo-997549/ *climate data.org.* (n.d.). Retrieved April 25, 2022, from https://en.climate-data.org/africa/namibia/kunene-region/Outjo-997549/

Steven, N. M., 1993. A study of epigenetic mineralization in the Central Zone of the Damara Orogen, Namibia, with special reference to gold, tungsten, tin, and rare earth element. *Geological Survey of Namibia, Memoir* 16,166 pp.

Struckmeier, G. C. (2011). Groundwater in Namibia an explanation to the Hydrogeological Map. Windhoek: Ministry of Agriculture, Water, and rural development.

World Travel and Tourism Council, 2018, Travel and Tourism Economic impact 2018, Namibia, London, United Kingdom.

South African National Standards (SANS), 2005. South African National Standard, Ambient Air Quality – Limits for Common Pollutants. SANS 1929:2005. Standards South Africa, Pretoria.

2. REFERENCES AND FURTHER READING ON FAUNA AND FLORA

Alexander, G. and Marais, J. 2007. A guide to the reptiles of southern Africa. Struik Publishers, Cape Town, RSA.

Barnard, P. 1998. Under protected habitats. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Bester, B. 1996. Bush encroachment – A thorny problem. *Namibia Environment* 1: 175-177.

Branch, B. 1998. Field guide to snakes and other reptiles of southern Africa. Struik Publishers, Cape Town, RSA.

Branch, B. 2008. Tortoises, terrapins and turtles of Africa. Struik Publishers, Cape Town, RSA.

Boycott, R.C. and Bourquin, O. 2000. The Southern African Tortoise Book. O Bourquin, Hilton, RSA.

Broadley, D.G. 1983. Fitzsimons' Snakes of southern Africa. Jonathan Ball and AD. Donker Publishers, Parklands, RSA.

Brown, C.J., Jarvis, A., Robertson, T. and Simmons, R. 1998. Bird diversity. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Brown, I, Cunningham, P.L. and De Klerk, M. 2006. A comparative study of wetland birds at two dams in central Namibia. *Lanioturdus* 39(1): 2-9.

Buys, P.J. and Buys, P.J.C. 1983. Snakes of Namibia. Gamsberg Macmillan Publishers, Windhoek, Namibia.

Carruthers, V.C. 2001. Frogs and frogging in southern Africa. Struik Publishers, Cape Town, RSA.

Channing, A. 2001. Amphibians of Central and Southern Africa. Protea Bookhouse, Pretoria, RSA.

Channing, A. and Griffin, M. 1993. An annotated checklist of the frogs of Namibia. *Madoqua* 18(2): 101-116.

Coats Palgrave, K. 1983. Trees of Southern Africa. Struik Publishers, Cape Town, RSA.

Cole, D.T. and Cole, N.A. 2005. Lithops Flowering Stones. Cactus and Co. Libri

Craven, P. 1998. Lichen diversity in Namibia. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Craven, P. (ed.). 1999. A checklist of Namibian plant species. Southern African Botanical Diversity Network Report No. 7, SABONET, Windhoek.

Crouch, N.R., Klopper, R.R., Burrows, J.E. and Burrows, S. M. 2011. Ferns of southern Africa – a comprehensive guide. Struik Nature, Cape Town, RSA.

Cunningham, P.L. 1998. Potential wood biomass suitable for charcoal production in Namibia. *Agri-Info* 4(5): 4-8.

Cunningham, P.L. 2006. A guide to the tortoises of Namibia. Polytechnic of Namibia, Windhoek, Namibia.

Curtis, B. and Barnard, P. 1998. Sites and species of biological, economic or archaeological importance. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Curtis, B. and Mannheimer, C. 2005. Tree Atlas of Namibia. National Botanical Research Institute, Windhoek, Namibia.

De Graaff, G. 1981. The rodents of southern Africa. Buterworths, RSA.

Du Preez, L. and Carruthers, V. 2009. A complete guide to the frogs of southern Africa. Struik Publishers, Cape Town, RSA.

Estes, R.D. 1995. The behaviour guide to African mammals. Russel Friedman Books, Halfway House, RSA.

Giess, W. 1971. A preliminary vegetation map of South West Africa. *Dinteria* 4: 1 – 114.

Griffin, M. 1998a. Reptile diversity. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Griffin, M. 1998b. Amphibian diversity. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Griffin, M. 1998c. Mammal diversity. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Griffin, M. 2003. Annotated checklist and provisional national conservation status of Namibian reptiles. Ministry of Environment, Forestry and Tourism (MEFT), Windhoek.

Griffin, M. and Coetzee, C.G. 2005. Annotated checklist and provisional national conservation status of Namibian mammals. Ministry of Environment, Forestry and Tourism (MEFT), Windhoek.

Hardap Regional Council . (2018). Strategic plan 2018/19-2022-23.

Hebbard, S. n.d. A close-up view of the Namib and some of its fascinating reptiles. ST Promotions, Swakopmund, Namibia.

Hockey, P.A.R., Dean, W.R.J. and Ryan, P.G. 2006. Roberts Birds of Southern Africa VII Edition. John Voelcker Bird Book Fund.

IUCN, 2015. IUCN red list of threatened animals, IUCN, Gland, Switserland.

Joubert, E. and Mostert, P.M.K. 1975. Distribution patterns and status of some mammals in South West Africa. *Madoqua* 9(1): 5-44.

Komen, L. n.d. The Owls of Namibia – Identification and General Information. NARREC, Windhoek.

Maclean, G.L. 1985. Robert's birds of southern Africa. John Voelcker Bird Book Fund.

Maggs, G. 1998. Plant diversity in Namibia. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Mannheimer, C. and Curtis, B. (eds) 2009. Le Roux and Müller's field guide to the trees and shrubs of N amibia. Macmillan Education Namibia, Windhoek.

Marais, J. 1992. A complete guide to the snakes of southern Africa. Southern Book Publishers, Witwatersrand University Press, Johannesburg, RSA.

Mendelsohn, J., Jarvis, A., Roberts, A. and Robertson, T. 2002. Atlas of Namibia. A portrait of the land and its people. David Philip Publishers, Cape Town, RSA.

Monadjem, A., Taylor, P.J., F.P.D. Cotterill and M.C. Schoeman. 2010. Bats of southern and central Africa. Wits University press, Johannesburg, RSA.

Müller, M.A.N. 1984. Grasses of South West Africa/Namibia. John Meinert Publishers (Pty) Ltd, Windhoek, Namibia.

Müller, M.A.N. 2007. Grasses of Namibia. John Meinert Publishers (Pty) Ltd, Windhoek, Namibia.

NACSO, 2010. Namibia's communal conservancies: a review of progress and challenges in 2009. NACSO, Windhoek.

Passmore, N.I. and Carruthers, V.C. 1995. South African Frogs - A complete guide. Southern Book Publishers, Witwatersrand University Press, Johannesburg, RSA.

Rothmann, S. 2004. Aloes, aristocrats of Namibian flora. ST promotions, Swakopmund.

SARDB, 2004. CBSG Southern Africa. In: Griffin, M. 2005. Annotated checklist and provisional national conservation status of Namibian mammals. Ministry of Environment, Forestry and Tourism (MEFT), Windhoek.

Schultz, M. and Rambold, G. 2007. Diversity shifts and ecology of soil lichens in central Namibia. Talk, Ecological Society of Germany, Austria and Switzerland (GfÖ), 37th Annual Meeting, Marburg: 12/9/2007 to 15/9/2007.

Schultz, M., Zedda, L. and Rambold, G. 2009. New records of lichen taxa from Namibia and South Africa. *Bibliotheca Lichenologica* 99: 315-354.

Simmons, R.E. 1998a. Important Bird Areas (IBA's) in Namibia. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Simmons, R.E. 1998b. Areas of high species endemism. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Simmons R.E., Brown C.J. and Kemper J. 2015. Birds to watch in Namibia: red, rare and endemic species. Ministry of Environment, Forestry and Tourism (MEFT) and Namibia Nature Foundation, Windhoek.

Skinner, J.D. and Smithers, R.H.N. 1990. The mammals of the southern African subregion. University of Pretoria, RSA.

Skinner, J.D. and Chimimba, C.T. 2005. The mammals of the southern African subregion. Cambridge University Press, Cape Town, RSA.

Stander, P. and Hanssen, L. 2003. Namibia large carnivore atlas. Unpublished Report, Ministry of Environment, Forestry and Tourism (MEFT), Windhoek.

Steyn, M. 2003. Southern African Commiphora. United Litho, Arcadia.

Tarboton, W. 2001. A guide to the nests and eggs of southern African birds. Struik Publishers, Cape Town, RSA.

Taylor, P.J. 2000. Bats of southern Africa. University of Natal Press, RSA.

Tolley, K. and Burger, M. 2007. Chameleons of southern Africa. Struik Nature, Cape Town, RSA.

Van Oudtshoorn, F. 1999. Guide to grasses of southern Africa. Briza Publications, Pretoria, South Africa.

Van Wyk, B. and Van Wyk, P. 1997. Field guide to trees of Southern Africa. Cape Town: Struik Publishers.