

Environmental Management Plan (EMP):

PROPOSED PROSPECTING AND EXPLORATION ACTIVITIES ON EXCLUSIVE PROSPECTING LICENCE (EPL) NO. 6292 LOCATED NEAR BETHANIE IN THE //KARAS REGION, NAMIBIA

ECC APPLICATION NUMBER:00388

DOCUMENT VERSION: DRAFT

Author(s): Ms. Aili lipinge

Reviewer: Ms. Rose Mtuleni

Company: Excel Dynamic Solutions (Pty)

Ltd

Telephone: +264 (0) 61 259 530

Fax2email: +264 (0) 886 560 836

Email: info@edsnamibia.com

Client: Geo Experts Consulting Services

CC

Contact person: **Dr. Peter Shreck**

Cellphone: +264 81 3043685

Postal Address: P. O BOX 24551, Windhoek

Email: schreckpc@hotmail.com

Table of Contents

1	. INTRODUCTION	3
	1.1 Project Background	3
	1.2 Aim of the Draft Environmental Management (EMP)	6
	1.3 Appointed Environmental Assessment Practitioner	7
	1.4 Environmental Assessment Legal Requirements	8
	1.5 Draft EMP Limitations	10
2	. EMP ROLES AND RESPONSIBILITIES	11
	2.1 Competent Monitoring Authority: Department of Environmental Affairs and For (DEAF, MEFT))	
	2.2 The Proponent or Proponent's Representative (PR)	11
	2.3 Exploration Manager (as appropriate)	11
	2.4 Environmental Control Officer (ECO)	12
3	B. ENVIRONMENTAL MANAGEMENT & MITIGATION MEASURES	13
	3.1 Management of Key Potential Adverse Environmental Impacts	13
	3.2 Aim of the Environmental Management Plan Actions	13
	3.3 Planning, Prospecting and Exploration Phase Management Action Plans (Mitigation Plan)	14
	3.4 Monitoring Action Plan (Monitoring Plan)	47
	3.5 Decommissioning and Rehabilitation	52
4	. ENVIRONMENTAL MONITORING AND REPORTING	53
5	CONCLUSION AND RECOMMENDATION	52

1. INTRODUCTION

1.1 Project Background

Geo Experts Consulting Services CC (hereinafter referred to as The Proponent) has been granted an Exclusive Prospecting Licence (EPL) No. 6292 by the Ministry of Mines and Energy (MME). The tenure of the EPL is from 22 February 2017 to 10 September 2022. The EPL-6292 covers a surface area 48743.6915 of hectare (Ha) The EPL partially covers the town of Bethanie in the //Karas Region (Figure 1) . The EPL covers (Overlies) Farms Issaksbrunn no. 71, Soromas Reserve No. 40, Biessieputs No. 134, Buchholzbrunn No.142, Dorpsig No. 133 and Klipdrif No. 134 (Figure 2) . EPL 6292 has potential for Base & Rare Metals, Dimension Stone, Industrial Minerals, and Precious Metals. Thus, the Proponent intends to conduct mineral exploration activities within the EPL leading to the estimation and delineation of the target resources.

EMP: EPL 6292




Figure 1: Location of EPL6292




Figure 2: Land Use Map for EPL-6292

In terms of Section 27 (1) of the Environmental Management Act (EMA) (Act No. 7 of 2007) and in line with Sections 32-37 of the EMA, the proposed prospecting and exploration activities on EPL 7646 form part of the listed activities that may not be conducted without an EIA undertaken and an ECC granted. The relevant listed activities as per EIA regulations are:

3.1 The construction of facilities for any process or activities which requires a license, right of other forms of authorization, and the renewal of a license, right or other form of authorization, in terms of the Minerals (Prospecting and Mining Act, 1992).

EMP: EPL 6292

- 3.2 other forms of mining or extraction of any natural resources whether regulated by law or not.
- 3.3 Resource extraction, manipulation, conservation and related activities.

This document has been prepared as a legal requirement of Section 8 of the EMA (Act No. 7 of 2007). The compilation of this EMP is one of the outputs required of the Environmental Consultant by The Proponent. It is required of the Environmental Consultant to comply with the EMA and provide for the following:

- Prepare a detailed Environmental Management Plan to be used as a guideline to monitor compliance to the recommendations stipulated in the EIA, and to assist in managing and monitoring activities throughout the proposed exploration project on the EPL.
- The Environmental Consultant must clarify in the EMP, the roles and responsibilities of the Proponent, the contractors, and any other identified stakeholders.

1.2 Aim of the Draft Environmental Management (EMP)

Regulation 8(j) of the EIA Regulations (2012) requires that a draft Environmental Management Plan (EMP) shall be included as part of the Environmental Assessment (EA). A 'Management Plan' is defined as:

"...a plan that describes how activities that may have significant environments effects on the environment are to be mitigated, controlled and monitored."

An EMP is one of the most important outputs of the EA process. It synthesizes all the proposed management & mitigation and monitoring actions, set to a timeline and with specific assigned responsibilities. Additionally, it provides a link between the impacts identified in the EA process

and the required mitigation measures. It is important to note that an EMP is a statutory document and a person who contravenes the provisions of this EMP may face imprisonment and/or a fine. This EMP is a living document and can be amended to adapt to addressing project changes and/or environmental conditions and feedback from compliance monitoring.

EMP: EPL 6292

The purpose of this document is, therefore, to guide environmental management throughout the different phases of the proposed exploration activities, namely: planning, prospecting & exploration, and decommissioning & rehabilitation.

- Planning phase This is the stage of the proposed project during which the Proponent
 prepares all administrative and technical requirements needed for the actual works on the
 site. The planning phase includes obtaining of the necessary permits and authorizations
 from relevant national and local stakeholders, and facilitating the recruitment and
 procurement processes, in preparation for the exploration activities.
- Prospecting and Exploration phase This is the phase where the Proponent carries out
 prospecting and exploration activities for the target commodities, and undertakes related
 activities on site. It is also the phase during which maintenance of the area, equipment
 and machinery is done by The Proponent.
- Decommissioning and Rehabilitation This is the phase during which the exploration activities on the EPL cease. The decommissioning of exploration operations may be considered due to poor exploration results or a decline in the commodity market price.
 Before the decommissioning phase, The Proponent will need to put site rehabilitation measures in place.

Environmental Monitoring Requirements: To support and ensure that the proposed mitigation measures are achieving the desired results, a monitoring plan must be implemented alongside the mitigation plan.

This draft EMP is for use by The Proponent, employees and/or contractors, to provide management measures to be undertaken during exploration, to address the environmental impacts identified in the scoping report and ensure that the impacts on the environment are avoided, or limited if they cannot be avoided completely.

1.3 Appointed Environmental Assessment Practitioner

To fulfill the requirements of the EMA and its 2012 EIA Regulations, The Proponent appointed Excel Dynamic Solutions (Pty) Ltd (EDS), an independent environmental consulting company to

conduct the required EA process on their (Proponent's) behalf. This draft EMP will be submitted as part of an application for the proposed exploration method on the EPL to the Environmental Commissioner at the Department of Environmental Affairs and Forestry (DEAF), Ministry of Environment, Forestry and Tourism (MEFT).

EMP: EPL 6292

1.4 Environmental Assessment Legal Requirements

The content of the EMP must meet the requirements of Section 8 (j) of the EIA Regulations. The EMP must address the potential environmental impacts of the prospecting and exploration activities on the environment throughout the project life cycle. It must also include a system for assessment of the effectiveness of monitoring and management arrangements after project implementation.

The Proponent, therefore, has the responsibility to ensure that the exploration activities as well as the EA process conform to the principles of the EMA and must ensure that employees act in accordance with such principles. **Table 1** below lists the requirements of an EMP as stipulated by Section 8(e) of the EIA Regulations, primarily on specific approvals and permits that may be required for the activities required of the EPL.

Table 1: Applicable legal requirements and permits to the activities of the EPL 6292

Legislation/Policy/ Guideline	Relevant Provisions	Implications for this project
Environmental Management Act	Requires that projects with	The EMA and its regulations should inform
EMA (No 7 of 2007)	significant environmental	and guide this EA process.
	impacts are subject to an environmental assessment process (Section 27). Details principles which are to guide all EIAs.	Should the ECC be issued to the Proponent, it should be renewed every 3 years, counting from the date of issue. Contact details at the Department of Environmental Affairs and Forestry (DEAF),
Environmental Impact	Details requirements for public	Ministry of Environment, Forestry and
Assessment (EIA) Regulations	consultation within a given	Tourism (MEFT), Office of the
GN 28-30 (GG 4878)	environmental assessment	Environmental Commissioner
	process (GN 30 S21).	Mr. Timoteus Mufeti
	Details the requirements for what should be included in a Scoping Report (GN 30 S8) and an Assessment Report (GN 30 S15).	Tel: +264 61 284 2701

Geo Experts Consulting Services CC

Legislation/Policy/ Guideline	Relevant Provisions	Implications for this project
Minerals (Prospecting and	Section 48 (3): To enable the	The Proponent should ensure that all
Mining)	Minister to consider any	necessary permits/authorization for these
Act (No. 33 of 1992)	application referred to in section	EPL are obtained from the Ministry of Mines
,	47 the Minister may (b) require	and Energy (MME).
	the person concerned by notice	Contact person and details at the MME
	in writing to (i) carry out or cause	(Mining Commissioner)
	to be carried out such	
	environmental impact studies as	Mr. Erasmus Shivolo
	may be specified in the notice.	Tel: +264 61 284 8167
	Section 54(2): details provisions	
	pertaining to the	
	decommissioning or	
	abandonment of a mine.	
Petroleum Products and Energy	Regulation 3(2)(b) states that	The Proponent should obtain the necessary
Act (No. 13 of 1990) Regulations	"No person shall possess or store	authorisation form the MME for the storage
(2001)	any fuel except under authority of	of fuel on-site.
	a license or a certificate,	Mr. Carlo Mcleod (Ministry of Mines and
	excluding a person who	Energy: Acting Director – Petroleum Affairs)
	possesses or stores such fuel in	Tel: +264 61 284 8291
	a quantity of 600 litres or less in	
	any container kept at a place	
Forestry Act 12 of	outside a local authority area"	All protected plant anguing which are breasing
Forestry Act 12 of	Prohibits the removal of any vegetation within 100 m from a	All protected plant species, which are known
2001, Amended Act 13 of 2005	watercourse (Forestry Act S22	to occur within the project site, these are required to be removed and a permit should
	, , ,	
	(1)). The Act prohibits the removal of and transport of	be obtained from the nearest Forestry office (Ministry of Environment, Forestry and
	various protected plant species.	Tourism (MEFT)) prior to removing them.
	various protected plant species.	, , , , , , , , , , , , , , , , , , , ,
		Mr. Fillemon Kayofa (Acting Director of
		Forestry Division)
		Tel: +264 61 208 7320

EMP: EPL 6292

EMP: EPL 6292

1.5 Draft EMP Limitations

This EMP has been drafted with the acknowledgment of the following limitations:

- This EMP has been drafted based on the Environmental Assessment (EA) conducted for targeted prospecting and exploration activities on EPL 6292
- The mitigation measures recommended in this EMP document are based on the risks/impacts in the ESA Report which were identified based on the project description as provided by the Proponent, site investigation and public input. Should the scope of the proposed project change, the risks/impacts will have to be reassessed and mitigation measures provided accordingly.

2. EMP ROLES AND RESPONSIBILITIES

The Proponent is ultimately responsible for the implementation of the EMP. However, the Proponent may delegate this responsibility at any time, as they deem necessary during the project phases. The roles and responsibilities of all delegates/parties involved in the effective implementation of this EMP are set out below:

EMP: EPL 6292

2.1 Competent Monitoring Authority: Department of Environmental Affairs and Forestry (DEAF, MEFT))

The DEAF is responsible for enforcing compliance with the EMA, its regulations and full implementation of this EMP. The competent authority also reviews biannual reports and grant ECC renewal after 3 years.

2.2 The Proponent or Proponent's Representative (PR)

If the Proponent does not personally manage all aspects and phases' activities referred to in this EMP, they should assign this responsibility to a suitably qualified individual referred to in this plan as the Proponent's Representative (PR). The PR may be appointed to manage all phases of the project, or to manage only the EMP aspects for the project. The PR's responsibilities may include:

- Managing the implementation of this EMP and updating and maintaining it when necessary.
- Management and monitoring of individuals and/ or equipment on-site in terms of compliance with this EMP.
- Issuing fines for contravening EMP provisions.

2.3 Exploration Manager (as appropriate)

This individual will be responsible to ensure that the exploration activities of the project are completed on time. The Manager's duties and responsibilities include:

- Ensuring that relevant commitments contained in the EMP Action Plans are adhered to.
- Ensuring that relevant staff is trained in procedures entailed in their duties.
- Maintaining records of all relevant environmental documentation for the project.
- Reviewing the EMP annually and amending the document when necessary.
- Issuing fines to individuals who may be in breach of the EMP provision and if necessary, removing such individuals from the site.

- Cooperate with all relevant interested and affected parties/stakeholders.
- Development and management of schedules for daily activities.

2.4 Environmental Control Officer (ECO)

The Proponent may assign the responsibility of ensuring EMP compliance throughout the project life cycle to a designated member of staff or external qualified and experienced person, referred to in this EMP as the Environmental Control Officer (ECO). The ECO will have the following responsibilities:

EMP: EPL 6292

- Management and facilitation of communication between the Proponent, PR and Interested and Affected Parties (I&APs) regarding this EMP.
- Conducting site inspections (recommended frequency is monthly or weekly as recommended – please refer to Table 3) of all areas with respect to the implementation of this EMP (monitor and audit the implementation of the EMP).
- Advising the PR on the removal of person(s) and/or equipment not complying with the provisions of this EMP.
- Making recommendations to the PR with respect to the issuing of fines for contraventions of the EMP.
- Undertaking an annual review of the EMP and recommending additions and/or changes to this document.
- Ensuring that the exploration activities on site are conducted in accordance with the International System organization (ISO) standard 14001: 2015.

Archaeology: Chance Finds Procedure (CFP) Implementation Roles

The following personnel have been assigned responsibilities as per the Chance Finds procedure (Appendix 1):

- Operator: To exercise due caution if archaeology remains are found.
- **Foreman**: To secure site and advise management timeously.
- **Superintendent**: To determine safe working boundary and request inspection.
- Archaeologist: To inspect, identify, advise management, and recover remains.

The Proponent should assess these commitments in detail and should acknowledge their obligation to the specific management actions detailed in the Tables under the following sections.

3. ENVIRONMENTAL MANAGEMENT & MITIGATION MEASURES

EMP: EPL 6292

3.1 Management of Key Potential Adverse Environmental Impacts

From the assessment conducted, the following key potential negative impacts have been identified and are summarized below.

- Physical land / soil disturbance
- Impact on local biodiversity (fauna and flora) and habitat disturbance and potential illegal wildlife hunting (poaching) in the area.
- Potential impact on water resources and soils particularly due to pollution,
- Air quality issue: potential dust generated from the project.
- Potential occupational health and safety risks
- Vehicular traffic safety and impact on services infrastructure such as local roads
- Vibrations and noise associated with drilling activities may be a nuisance to locals
- Environmental pollution (solid waste and wastewater)
- Archaeological and heritage resources impact
- Potential social nuisance and conflicts (theft, damage to properties, etc.).

3.2 Aim of the Environmental Management Plan Actions

The aim of the management actions of the EMP is to avoid the above-listed potential negative impacts, where possible. Where impacts cannot be avoided, measures are provided to reduce the significance of these impacts.

Management actions recommended for the potential impacts rated in the ESA carried out for the prospecting and exploration activities were based on the following project stages (phases):

- Planning, Prospecting and Exploration (and site maintenance) phases (Error! Reference source not found.)
- Monitoring (Table 2)
- Decommissioning and Rehabilitation (section 0).

The responsible person(s) should assess these actions in detail and acknowledge their commitment to the specific management actions detailed in the phases given under the following subsections.

3.3 Planning, Prospecting and Exploration Phase Management Action Plans (Mitigation Plan)

The management action plans recommended for this phase are presented in Table 2 below.

Table 2: Management and mitigation action plans for the planning and exploration phases

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
			PLANNING PHAS	E		
EMP implementa tion and training	Lack of EMP awareness and implication s thereof	-A Comprehensive Health and Safety Plan for the project activities should be compiled. This will include all the necessary health, safety, and environmental considerations applicable to respective works on sites. An EMP non- compliance penalty system should be implemented on site. The Proponent should appoint an ECO to be responsible for managing the EMP implementation and monitoring.	-All required Plans and systems are compiled and in place. and Environmental Control Officer (ECO) is appointed	Proponent	EMP implementation Plans and Systems	Pre- exploration works

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
Authorizati	Lack of Agreement s, Permits/ Licenses	-All the required agreements and licenses or permits should be applied for and signed, respectively, before commencement of work on the EPL, or as required. -The permits, agreements referred to herein include: land access and land use agreements, compensation agreements (if necessary), rehabilitation commitment agreements, and petroleum storage permits (if necessary).	-Applicable permits and licenses to obtained from relevant authorities and kept on site for records keeping and future inspections. - Agreements/per mits signed and obtained from on time, min. 2 months prior to plan commencemen t date of works.	Proponent	Proponent Respective authorities and services provider(s)	Prior to exploration works

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
Communic ation between the Proponent and other neighbouri ng land users and custodians	Lack of communic ation (proper liaison) between other land users and Proponent with regards to land use	-The Proponent may appoint a Public Relation Officer (PRO)/represent ative to liaise with the land usersA clear communication procedure/plan which should include a grievance mechanism.	A PRO is appointed -Ongoing Farmers' Engagement & Consultation throughout the project cycles, when and as required. PRO contact details to be provided to the affected landowners	Proponent	PRO Complaint's logbook	PRO appointmen t (Prior to project activities) and their responsibilit ies throughout the project activities
Employme	Creation of employme nt opportuniti es	-Preference for employment of general and semi-skilled workers should be prioritized towards local residents Employment of non-residents, especially should be justified, -Equal opportunity should be provided for both men and women, when and where possible.	-Number of locals employed for exploration activities	Proponent in collaboratio n with the Exploration Manager (if necessary)	Record of employees	Pre-project activities and when necessary, throughout

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
Specialized procureme nt of services	Contractor s and services	-The Proponent should use locally derived services where practically possible	Number of hired contractors.	Proponent Exploration Manager	Record of hired or contracted companies or services providers	Pre-project activities and when necessary, throughout
		PROSPECTI	NG AND EXPLORA	ATION PHASE		
EMP						
EMP implementa tion and training	Lack of EMP awareness and implication s thereof	-EMP trainings should be provided to all new workers on site. -All site personnel should be aware of necessary health, safety, and environmental considerations applicable to their respective work. -The implementation of this EMP should be monitored.	Compliance monitoring conducted bi-annually and should be recorded.	ECO	Bi-annual reports Records of EMP training conducted.	Throughout the exploration phase and as required
		should be			training	

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
		done throughout the project cycle. An EMP non-compliance penalty system should be implemented on site.				
Communic ation between the Proponent and other neighbouri ng land users and custodians	Lack of communic ation (proper liaison) between farmers and Proponent with regards to land use	-The PRO/project representative contact details must be shared with all affected parties prior to undertaking activities, for easy communication during exploration activities.	PRO is part of the project personnel. Ongoing Farmers'/ affected parties' Engagement & Consultation throughout the project cycles, when and as required	PRO	Complaint's logbook PRO contact details to be provided to the affected land users.	Throughout the exploration activities
		The Proponent should compile a clear communication procedure / plan which should include a grievance and response mechanism.	- Community/farm ers' grievances addressed to their satisfaction		Records of farmers' consultation Land access agreement conditions	
Grazing land	Loss of grazing areas	-Any unnecessary removal or destruction of grazing land, due to exploration activities should be avoided.	-Limited cleared sites -Less access tracks -No complaints from farmers	Proponent / Exploration Manager ECO	Grievance logbook	Throughout the phases

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
		-Vegetation found on the site, but not in the targeted exploration areas should not be removed but left to preserve biodiversity and grazing land. -Workers should refrain from driving off-road and creating unnecessary tracks that may contribute to soil erosion and loss of grazing land. -Environmental awareness on the importance of the preservation of grazing land for local livestock should be provided to the workers.	regarding significant land/vegetation clearing			
Water Resources Use	Over- abstraction (water demand and availability)	The Proponent should be wateruse conscious and consider voluntary water use reduction by sticking to their proposed threshold volumes or less when possible. The Proponent should aim to	Water supply agreements Proof/ recording/ quantification of water saving efforts. Water supplier -Water permits	Proponent	Water supplier Water supplying agreements	Once off supply agreement

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
		use water efficiently, recycle and reuse where necessary and possible. Water used to cool off operational equipment may be captured and used for the cleaning of project equipment, if possible. Water conservation awareness and saving measures training should be provided to all the project workers to promote water conservation	-inspection of water storage tanks on site	Exploration Manager	Proponent	Throughout the exploration phase
Soils	Physical soil/land disturbanc e and loss of topsoil	-Overburden should be handled efficiently during operations to avoid erosion when subjected to erosional processesStockpiled topsoil and drill materials should be used to backfill the excavated and	No proliferation of informal vehicle tracks. No new erosion gullies.	ECO	Proponent All personnel Complaint's logbook	Throughout the exploration phase

		Management	Key	Implement		
Aspect	Impact	and Mitigation	Performance	ation	Resources	Timeline
	·	Measure(s)	Indicator (KPI)	Responsibi lity		
				nty .		
		disturbed site				
		areas/spots.				
		-Soils that are				
		not within the				
		intended and				
		targeted footprints of the				
		site should be				
		left undisturbed				
		and soil				
		conservation				
		implemented as				
		far as possible.				
		-Project vehicles				
		and machinery				
		should stick to				
		access roads				
		provided for the project				
		operations, and				
		avoid				
		unnecessary				
		creation of				
		further tracks on				
		site, resulting in				
		soil compaction.				
		-The project				
		footprint area				
		should not be				
		cleared entirely, and the				
		exploration				
		vehicles and				
		equipment must				
		have designated				
		sites for				
		parking/storage				
		in order to avoid soil disturbance				
		-Sites of				
		operations must				
		be rehabilitated				

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
		after completion of works onsite.				
Soils and water resources	Soils and water resources pollution	-Oil and wastewater spill control preventive measures should be in place on site to management soil contamination, preventing and minimizing the contamination from reaching water bodies. -All project employees should be sensitized to the impacts of soil pollution and advised to follow appropriate fuel delivery and handling procedures. -The Proponent should develop and prepare countermeasure s to contain, clean up, and mitigate the effects of oil spills. This includes keeping spill response procedures and a well-stocked cache of easily	activities No visible oil spills on the ground or pollution spots. -Waste containers	ECO	Complaint's logbook Non-permeable material to cover the ground surface at areas where hydrocarbons and potential pollutants are utilized.	Throughout exploration phase

		Management	Key	Implement ation		
Aspect	Impact	and Mitigation Measure(s)	Performance Indicator (KPI)	Responsibi lity	Resources	Timeline
		accessible				
		supplies.				
		-Ensure				
		employees				
		receive basic				
		Spill Prevention, Control, and				
		Countermeasur				
		e (SPCC)				
		training and				
		mentor new				
		workers as they get hired.				
		-Project machines and				
		equipment				
		should be				
		equipped with				
		drip trays to contain possible				
		oil spills when				
		operated on site.				
		-Polluted soils				
		must be				
		removed				
		immediately and put in a				
		designate waste				
		type container				
		for later				
		disposal.				
		-Drip trays must				
		be readily available to				
		ensure that				
		accidental fuel				
		spills along fuel				
		storage facilities or fuel-				
		consuming				
		equipment are				
		caught and				

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
		cleaned up on time -Heavily polluted soil must be collected and transported away from the site to an approved and appropriately classified hazardous waste treatment facility. -Washing and servicing of equipment contaminated by hydrocarbons should take place at a dedicated area, where contaminants are prevented from contaminating soil or water resources. -Sewage and ablution wastewater should be treated as according to the portable toilet manufacturer instructions.				
Biodiversity	Loss of Fauna and Flora	Flora: -The Proponent should avoid unnecessary	No disturbance to unmarked areas.	ECO	Barricading tape (to indicate working areas)	Throughout the exploration phase

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
		removal of vegetation, thus promoting a balance between biodiversity and their operations. -Vegetation found on the site, but not in the targeted exploration area should not be removed but left to preserve biodiversity on the site. -Movement of vehicle and machinery should be restricted to existing roads and tracks to prevent unnecessary damage to the vegetation. Onsite vegetation should not be cut, damaged, or used for any project related activities without prior approval. Plants found along the exploration site, should not be removed. Therefore, care should be taken when prospecting and exploration activities are	No complaints from locals regarding unauthorized vegetation removal or cutting down of trees. No complaints of wildlife hunting by the project personnel. No intentional disturbance and destruction of site vegetation and faunal species Visible preservation of onsite vegetation		Complaint logbook	

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
		implemented without destroying the site vegetation.				
		-Design access roads appropriately in a manner that disturbs minimal land areas as possible.				
		-Make use of the existing road network as much as possible and avoid off-road driving, to minimize onsite floral destruction.				
		-Vegetation clearing to be kept to a minimum. The vegetation of the site is largely low and open and therefore whole- sale vegetation clearing should only be applied where necessary and within the				
		development footprint. -Plants on sites should not be unnecessarily removed. Care should be taken when extracting mineral species without destroying the				

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
		vegetation and its surrounding. -Vegetation found on the site, but not in the targeted areas should not be removed but left to preserve biodiversity on the site. -No-go areas should be identified prior to operation to prevent disturbances in the current preserved ecosystems. Environmental awareness on the importance of floral biodiversity preservation should be provided to the workers Fauna: -Workers should refrain from disturbing, killing or stealing domestic and wild animals and killing small soil and rock outcrops' species found on site. -Poaching (illegal hunting)		lity		
		of wildlife from the area is strictly				

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
		prohibited Environmental awareness on the importance of biodiversity preservation should be provided to the workers.				
Illegal hunting	Illegal hunting of wildlife	-No wildlife hunting is permitted. -Site personnel should refrain from killing/poaching or intentionally disturbing wildlife, or any faunal species found on site and around the EPL site. -The No tolerance to Poaching Policy should be developed and applicable to all site personnel.	-Incident reports of illegal hunting of wildlife by the Project workers -Contact details of the Antipoaching Police Unit provided and visible onsite	ECO	Complaint's logbook -Anti-poaching Police Unit -ECO	During site set up, and throughout exploration phase
Land Use	Conflict between land uses and exploration activities	-Exploration activities should not in any way hinder the existing land uses within the EPL, but rather promote co- existence throughout the project operations while	Land access and use permits/authoriz ations. Compliance with conditions set within operational permits by relevant and	PRO Proponent ECO	Proponent Relevant authorities (MEFT, MME, etc.)	Throughout the exploration phase

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
		respecting other land users. -The project workers and vehicles should be limited to the actual EPL active sites, and not unnecessarily wander or loiter around other parts of the site. -The Proponent should ensure that their activities comply with the conditions set by the competent, regulatory, and affected authorities such that the proposed exploration activities do not severely impact the different existing activities around the EPL.	affected authorities. Little to no complaints of significant interference from the neighbouring land users			
Road use and safety	Increase in vehicular traffic flow	-Vehicles should be driven only on existing access roads and the temporary access roads created on site to facilitate operations; no new roads should be	No complaints from members of the public regarding vehicular traffic issues related to the project activities. All personnel operating the	Proponent	Number of project vehicles on site Names of drivers Frequency of water carting	Throughout exploration phase Site access permit (s) to be applied for and obtained prior to commence

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
		constructed, where possible. -The transportation of project materials, equipment and machinery should be kept at a minimum, to reduce pressure on local roads. -Heavy truck loads should comply with the maximum allowed limit while transporting materials and equipment/mach inery on the public and access roads. -Drivers of all project vehicles should be in possession of valid and appropriate driving licenses. Vehicle drivers should adhere to the road safety rules. -Drivers should drive slowly (40km/hour or less), and be on the lookout for livestock, wildlife and pedestrians.	project vehicles and machinery are appropriately licensed and possession of valid driving licenses. Demarcated areas for parking, offloading, and loading zones are on sites. If required, site access road permits obtained, and requirements fulfilled. No creation of unnecessary tracks on site.			ment of exploration works

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
Local	Overuse	-Project vehicles should be in a road worthy condition and serviced regularly to avoid accidents because of mechanical faults of vehicles.		Proponent		
services and infrastructu re	and maintenan ce	trucks transporting materials and services to site should be scheduled to travel minimally and at efficiently scheduled times to avoid daily travelling to site, unless on cases of emergencies. The heavy trucks transporting materials and services to site should be scheduled to travel at least twice or thrice a week to avoid daily travelling to site -The Proponent should consider frequent maintenance of local roads on the farms to	maintaining access and	Exploration Manager	Road clearing machinery (bull dozers)	Throughout the exploration phase, when necessary

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
		ensure that the roads are in a good condition for other roads users.				
Occupation al Health and safety	General health and safety associated with project activities in both phases	-The Proponent should commit to make provision for bi-annual full medical check-up for all the workers at site to monitor the impact of project related activities on them (workers). -As part of their induction, project workers should be provided with awareness training of the risks of mishandling equipment and materials on site, as well as health and safety risk associated with their respective jobs. -When working on site, employees should be properly equipped with adequate personal protective equipment	Comprehensive health and safety plan for all exploration activities compiled.	Exploration Manager ECO	Occupational Health and Safety Personnel Health and Safety Trainings First aid kits Trained worker to administer first aid	Throughout the exploration phase and trainings offered as and when required

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
		(PPE) such as coveralls, gloves, safety boots, earplugs, dust masks, safety glasses, etc.				
		-Heavy vehicle, equipment and fuel storage site should be properly secured, and appropriate warning signage placed where visible.				
		-Drilled boreholes no longer in use or to be used later after being drilled should be properly marked for visibility and capped/closed off.				
		-Ensure that after completion of drilling, the exploration drill cuttings are put back into the holes and the holes filled and levelled.				
		-An emergency preparedness plan should be compiled, and all personnel appropriately trained.				

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
		-Workers should not be allowed to consume intoxicants prior to and during working hours, or allowed on site when under the influence, as this may lead to mishandling of equipment, resulting in injuries and other health and safety risks. -The site is to be equipped with "danger" or "cautionary" signs at any potential danger or risk area identified on site.				
	Accidental fire outbreak	-Portable fire extinguishers should be provided on site. -No open fires to be created by project personnel on site. -Potential flammable areas and structures such as fuel storage tanks should be marked with clearly visible signage.	No wildfires recorded (due to presence of workers)	Proponent	Fire extinguishers (1 per vehicle) and 1 per working site	Throughout exploration phase

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
Archaeolog y and heritage	Accidental disturbanc e and destruction of archaeolog ical or heritage objects and sites	-A "No-Go-Area" should be put in place where there is evidence of archaeological site, historical, rock paintings, cave/rock shelter or past human dwellings. It can be a demarcation by fencing off or avoid the site completely by not working closely or near the known site. -On-site personnel (s) and contractor crews must be sensitized to exercise and recognize "chance finds heritage" in the course of their work. -During the prospecting and exploration works, it is important to take note and recognize any significant material being unearthed and making the correct judgment	Preservation of all artefacts and objects that are discovered on and around project site No-Go Areas avoided	Proponent ECO Operator Foreman Superintend ed Archaeologi st	Salvage equipment Archaeologist Flag tapes GPS (site marking)	As and when required, i.e., prior to site set up, and during exploration.

				Implement		
		Management	Key	ation		
Aspect	Impact	and Mitigation	Performance	Responsibi	Resources	Timeline
		Measure(s)	Indicator (KPI)	lity		
				,		
		on which actions				
		should be taken				
		(refer to CFP				
		Appendix				
		attached to the				
		EMP).				
		-The footprint				
		impact of the				
		proposed				
		prospecting and				
		exploration				
		activities should				
		be kept to				
		minimal to limit				
		the possibility of				
		encountering				
		chance finds				
		within the EPL				
		boundaries. The				
		Proponent				
		should keep a				
		buffer of 1.5 km				
		on all the				
		archaeological/c				
		ultural sites				
		observed within				
		the project site				
		and broader				
		area throughout				
		their stay				
		(duration of their				
		presence) in the				
		area.				
		-A landscape				
		approach of the				
		site				
		management				
		must consider				
		culture and				
		heritage features				
		in the overall				
		planning of				
		exploration				
		infrastructures				
	L	a madi adda co				

				Implement		
		Management	Key	ation	_	
Aspect	Impact	and Mitigation	Performance	Responsibi	Resources	Timeline
		Measure(s)	Indicator (KPI)	lity		
		within and				
		within and beyond the				
		license				
		boundaries.				
		-The Proponent				
		and Contractors				
		should adhere to				
		the provisions of				
		Section 55 of the				
		National				
		Heritage Act in				
		event significant heritage and				
		culture features				
		are discovered				
		while conducting				
		exploration				
		works.				
		-Subject to the				
		recommendatio				
		ns herein made and the				
		implementation				
		of the mitigation				
		measures and				
		adoption of the				
		project				
		Archaeological				
		Management				
		Plan				
		(AMP)/EMP				
		should be				
		complied.				
		-An				
		archaeologist or				
		Heritage				
		specialist should				
		be onsite to				
		monitor all				
		significant earth				
		moving activities				
		that may be				
		implemented as				

				Implement		
		Management	Key	ation		
Aspect	Impact	and Mitigation	Performance	Responsibi	Resources	Timeline
		Measure(s)	Indicator (KPI)	lity		
				,		
		part of the				
		proposed project				
		activities.				
		-When the				
		removal of				
		topsoil and				
		subsoil on the				
		site for				
		exploration				
		purposes, the				
		site should be				
		monitored for				
		subsurface				
		archaeological				
		materials by a				
		qualified				
		Archaeologist.				
		-Show overall				
		commitment and				
		compliance by				
		adapting				
		"minimalistic or				
		zero damage				
		approach".				
		-In addition to				
		these				
		recommendatio				
		ns above, there				
		should be a				
		controlled				
		movement of the				
		contractor,				
		exploration				
		crews,				
		equipment,				
		setting up of				
		camps and				
		everyone else				
		involved in the				
		prospecting and				
		exploration activities to limit				
		the proliferation				
		the promeration				

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
		of informal pathways, gully erosion and disturbance to surface and subsurface artefacts such as stone tools and other buried materials etc.				
Littering and waste manageme nt (general waste and sanitation)	Environme ntal Pollution	-Workers should be sensitized to dispose of waste in a responsible manner and not litter. -After each daily works, the Proponent should ensure that there is no waste left on the site. -All domestic and general project waste produced daily should be contained until such that time it will be transported to designated waste sites in nearby town. -No waste may be buried or burned on site or anywhere else. -The exploration site should be equipped with	No visible litter around the project area Provision of sufficient waste storage containers Waste management awareness	ECO	Waste disposal permits to municipalities Environmental, Health and Safety Statements and Policy	Throughout exploration phase

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
		separate waste bins for hazardous and general/domesti c waste.				
		-Sewage waste should be stored as per the available sewage system (long drop toilets) supplied on site and regularly disposed of at the nearest treatment facility				
		-Oil spills should be taken care of by removing and treating soils affected by the spill.				
		-A penalty system for irresponsible disposal of waste on site and anywhere in the area should be implemented.				
		-Careful storage and handling of hydrocarbons on site is essential, therefore should be enforced.				
		-Potential contaminants such as hydrocarbons and wastewater should be				

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
		contained on site and disposed of in accordance with municipal wastewater discharge standards so that they do not contaminate surrounding soils and eventually groundwater. -An emergency plan should be available for major/minor spills at the site during exploration (with consideration of air, groundwater, soil, and surface water) and during the transportation of the product(s) to the sites.				
	Wastewate r generated by exploration workers living on- site.	-Provision of toilet facilities for workers (mobile/portable chemical toilet if possible)Emptying of chemical toilets according to the manufacturer's specifications.	Adequate toilet and basic ablution facilities on site.	Proponent	Sewage removal operator waste treatment agents/chemical s	Throughout exploration phase

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
Air Quality	Dust generation	-Exploration vehicles should not drive at a speed more than 40 km/h to avoid dust generation around the area. -Dust control measures may be considered to suppress dust, in the event that there are local complaints of high levels of dust generation. -Dust masks, eye protective glasses and other respiratory personal protective equipment (PPE) such as face masks should be provided to the workers on site drilling areas, where they are exposed to dust. -Excavating equipment should be regularly maintained to ensure drilling and excavation efficiency and so to reduce dust generation and harmful gaseous emissions.	No complaints from the public about vehicle emissions and dust generation. Visible efforts to curb dust	ECO	Complaint's logbook Dust suppressant (Water)	Throughout exploration phase

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
Noise	Nuisance	-Noise from project vehicles and equipment on the working sites of the EPL should be at acceptable levels. - Exploration hours should be restricted to between 08h00 and 17h00, or at the times agreed upon in writing between the Proponent and land owners, in order to avoid noise pollution and vibrations generated by exploration equipment before or after hours, as agreed upon. -When operating the drilling machinery onsite, workers should be equipped with personal protective equipment (PPE) such as earplugs to reduce exposure to noise. -All drilling activity and noise-producing	Complaints from farmers and neighbouring land users about excessive noise.	ECO	Complaint's logbook Noise protective equipment for workers	Throughout exploration phase

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
Social	Local	activity on site must be schedule and conducted with consideration for the tranquility of any nearby residents.				
nuisance	properties disturbanc e and values	-The Proponent should inform their workers on the importance of respecting the farmers' properties by not intruding or damage their houses, fences or snaring and killing their livestock and wildlife. -Any workers or site employees that will be found guilty of intruding peoples 'privately owned properties should face disciplinary or be dealt with as per their employer' (Proponent)'s code of employment conduct -The project workers should be advised to respect the community and local's private	No complaints from farmers about property theft, disturbance, or intrusion	ECO	Grievance logbook Land access agreement conditions	Throughout the exploration phase

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
		properties, values, and norms. -No worker should be allowed to wander in private yards or fences without permission. -Workers are not allowed to kill or in any way disturb local livestock and wildlife on farms. No worker should be allowed to, without permission cut down or damage trees belonging to land owners				
	PROG	RESSIVE REHABI	LITATION AND DE	COMMISSION	NG PHASE	
Rehabilitati on	Disturbanc e and damaging of land	-All drilled boreholes and excavated pits related to the project activities should be capped and backfilled, respectively. -All waste generated and stored on site during exploration activities should be disposed of at	Capped boreholes and backfilled pits No sign of waste or littering seen on site and around site areas. Carrying away of waste, and removal of vehicles and	Proponent	Excavators and other backfilling/demol ishing machinery Record of pits excavated, and boreholes drilled (if any) Waste containers on sites	Progressive rehabilitatio n done throughout the exploration phase and complete decommissi on and rehabilitatio n done after completion of exploration works.

Aspect	Impact	Management and Mitigation Measure(s)	Key Performance Indicator (KPI)	Implement ation Responsibi lity	Resources	Timeline
		the respective nearest solid waste management sites. -The stockpiled topsoil should be levelled soon after completion of works at sites. -Any temporary setup on site should be dismantled, and the area rehabilitated as far as practicable, to their original state. -Explored areas on worksites should be progressively rehabilitated by stockpiling and backfilling. -Provision of	equipment from site No stockpiled topsoil (topsoil is levelled after completion of each work) Campsite dismantled and materials taken away from site. Visible signs of stockpiled topsoil	lity	Photo records of backfilled sites Records of finances set aside for decommissionin g activities	
		both financial and technical resources for progressive rehabilitation.				



3.4 Monitoring Action Plan (Monitoring Plan)

To support and ensure that the proposed mitigation measures are achieving the desired results, a monitoring plan must be implemented. The monitoring action plans recommended for planned exploration works are presented in **Table 2** below.

Table 2: Management action plans for Monitoring

Environmental Feature	Impact	Monitoring Actions	Implementation responsibility	Frequent	Threshold	Action if threshold is exceeded
Archaeology	Presence or	To prevent destruction of artefacts and	ECO	Daily	Unearthing of	Cease all activities on
and Heritage	unearthing of	sites. Preservation of all artefacts and	Archaeologist		archaeological or	site and wait for NHC
	archaeological	sites that are discovered within the site	Attoriacologist		cultural heritage	to inspect site and give
	or cultural	boundary or around the project site			resources	further instructions /
	heritage	area.				actions
	resources	No exploration activities at the outcrops				
		with rock art paintings				
		Implementing the CFP (Appendix 1				
		Inspection of records of findings.				
Soils	Loss of topsoil	All measures should be considered to	ECO and	weekly	Proliferation of	Rehabilitation of
		present the loss of topsoil	Exploration		new vehicle	affected areas
			Manager		tracks	
Monitoring	EMP non-	The ECO or the Proponent/Contractor	ECO	Daily	Increase in	Daily safety talks,
	compliance	should monitor the implementation of			health, safety and	Remedy the
		this EMP to ensure compliance.			environmental	consequences
					damage	
					incidence	



Environmental Feature	Impact	Monitoring Actions	Implementation responsibility	Frequent	Threshold	Action if threshold is exceeded
		The ECO(s) should inspect the site				
		throughout the exploration period and				
		after completion.				
Biodiversity	Loss of	Comply with any marked no-go areas	ECO	Weekly	Vegetation	Rehabilitation of
	biodiversity	and avoid areas sensitive to any type of			clearance outside	affected areas to the
		disturbance.	Workers involved in		of marked areas.	satisfaction of the ECO
		Clear only footprint areas to maintain as	this phase			
		much of the remaining natural				
		vegetation on site and to prevent loss of				
		habitat (if so, advised by MEFT).				
Health and	Health and	-Workers should be trained on how to	ECO	Daily/Weekly	Health and safety	Remedy the
Safety	safety of the	handle materials and equipment on site			incident	consequences
	workers	(if they do not already know how to) to				
		avoid injuries.				
		-Exploration equipment and materials				
		transported to site should be securely	Worker Involved in			
		·				
		fastened to the vehicles (trucks and	this phase			
		cars). This is to ensure that the				
		materials and equipment do not fall off				
		the vehicles and cause injuries to				
		anyone while transporting them.				



Environmental Feature	Impact	Monitoring Actions	Implementation responsibility	Frequent	Threshold	Action if threshold is exceeded
		 All personnel are to be provided with appropriate personal protective equipment (PPE), always during exploration hours on site to prevent serious injuries or loss of life. -Workers should not be allowed to consume intoxicants prior to and during working hours, as this may lead to mishandling of equipment, which may result in injuries and other health and safety risks. 				
Neighbouring land users to the site Waste	Disturbance Environmental Pollution	Exploration works schedule should be limited to normal working hours, between 08h00 and 17h00. This is to ensure generated noise does not become nuisance to the neighbors. -The site should be always kept tidy. All domestic and general construction waste produced daily should be	ECO Exploration Manager ECO	Weekly Daily	A logged complaint about excessive noise Visible litter around project site	Revision of site activities Clean-up of the affected areas and ensuring exploration
		cleaned and contained daily to prevent environmental pollution.			A logged complaint	workers utilise waste containers provided.



Environmental Feature	Impact	Monitoring Actions	Implementation responsibility	Frequent	Threshold	Action if threshold is exceeded
		-Separate waste containers (bins) for	All workers involved			
		hazardous and domestic / general	in this phase.			
		waste must be provided on site to avoid				
		mixing of waste.				
Transport	Transportation	-Project workers must be transported in	ECO	Daily	A logged	
	of workers to	suitable passenger vehicles to and from			complaint about	
	and from site	site to ensure workers safety.			bad form of	
					transport affecting	
		-No off-road driving			occupational	
					safety and health	
					of workers	
Vehicular traffic	Increase in	-All drivers of the project vehicles	ECO	Weekly	A logged	Find alternative
safety	local traffic	should be in possession of valid and			complaint about	access roads for the
	flow.	appropriate driving licenses to operate			traffic increase or	team. Rehabilitation of
		such vehicles.			damage to roads	affected roads
		-Project vehicles must be in a road				
		worthy condition and serviced regularly				
		to avoid accidents because of				
		mechanical faults of vehicles.				
		-Vehicle drivers should not be allowed				
		to operate vehicles while under the				
		influence of alcohol.				



Environmental Feature	Impact	Monitoring Actions	Implementation responsibility	Frequent	Threshold	Action if threshold is exceeded
		-No heavy trucks or project related				
		vehicles should be parked on				
		biologically sensitive areas.				



3.5 Decommissioning and Rehabilitation

Successful rehabilitation requires careful consideration of the local ecological context in combination with rehabilitation goals. The most important steps in undertaking a successful rehabilitation planning and environmental awareness (environmental education) on the importance of progressive rehabilitation (or post-activity rehabilitation) and its importance to the environment. Furthermore, to successfully implement the planned rehabilitation, practically, this will depend on a few factors, namely the rehabilitation program, characteristics of the site, nature of disturbance, rehabilitation methods, as well as resources availability.

Rehabilitation of the EPL 6292 site may include the re-vegetation of areas with species consistent with surrounding vegetation; refilling of trenches in such a way that subsoil is replaced first, and topsoil replaces last.

Any excavated pits should not only be filled with sand alone, as wind will scours the sand and re-establish the holes.

Site Specific Rehabilitation Plan

To ensure that they do their best to rehabilitate the disturbed areas, the Proponent intends to:

- Utilize stockpiled subsoil and topsoil to back fill the excavated pits/trenches.
- Make financial provision that will be used for post-exploration rehabilitation program.
- Backfilling of all pits and trenches with loose materials.
- Levelling of topsoil that was stockpiled for exploration purposes.
- Removal of project vehicles and equipment from the site and taken to designated parking facility off site.
- All project support structures such as ablution facility (toilet and washroom system), and storage containers/tanks shall be demolished, and the waste taken to designated sites. The site areas on which these structures were set up will be rehabilitated to preexploration state.
- All accumulated waste (hazardous, solid, and general) up until the cessation of exploration activities will be removed site and transported to designated off site waste management facilities.

Decommissioning and rehabilitation will involve the following:

Capping of drill holes and backfilling of all excavated pits with loose materials.



- Collecting and disposing domestic waste at the nearest landfill/ dumpsite.
- Leveling the stockpiled topsoil during exploration phase.
- Any temporary setup of camps should be dismantled, and the area should be rehabilitated as far as possible to its pre-exploration state.

4. ENVIRONMENTAL MONITORING AND REPORTING

To minimize the "medium" and uphold "low" significance ratings of impacts identified and assessed in the ESA report, monitoring reports are to be compiled and submitted to the DEAF for archiving on a bi-annual basis (every 6 months throughout the project operations) or as required by the Environmental Commissioner (as per the ECC conditions). This practice will make any considerations for ECC renewal easy as it nears expiration. Therefore, the Proponent should meritoriously monitor and submit the reports to the DEAF. The submission is not only done for record keeping purposes, but also in compliance with the environmental legislation.

5. CONCLUSION AND RECOMMENDATION

In the event that the Environmental Commissioner considers ECC issuance for EPL 6292 it is recommended that an ECC for EPL 6292 be granted, subject to the following recommendations:

- All mitigations provided in this Report and the management action plans in the EMP should be implemented and monitoring conducted as recommended.
- All the necessary environmental and social (occupational health and safety) precautions provided should be adhered to.
- Site areas where exploration activities such as excavated pits have ceased should be rehabilitated, as far as practicable, to their original state.
- The monitoring of the implementation of mitigation measures should be conducted, applicable impact's actions taken, reporting done and recorded as recommended in the Draft EMP.



The proposed area for prospecting and exploration works has some sensitive environmental and social components that may be potentially affected, and therefore potential negative impacts stemming from these activities were acknowledged, assessed and mitigation measures made thereof. The mitigation measures indorsed in the ESA report and management action plans provided in the draft Environmental Management Plan can be considered adequate to elude and/or reduce the risks to acceptable levels. Therefore, Excel Dynamic Solutions (Pty) Ltd assures that these measures are sufficient to enable environmentally sustainable and safe exploration works on the EPL. Therefore, it is recommended in the event of issuance of an ECC for EPL 6292, a written approval for the ECC may be issued on condition that the provided management measures and action plans are effectively implemented on site and monitored. Predominantly, monitoring of the environmental components described in the ESA should be conducted by the Proponent and applicable Competent Authorities. This is to ensure that all potential impacts identified in this study and other impacts that might arise during implementation are properly identified in time and addressed.



APPENDIX 1: CHANCE FINDS PROCEDURE (AFTER KINAHAN, 2020)

Areas of proposed development activity are subject to heritage survey and assessment at the planning stage. These surveys are based on surface indications alone, and it is therefore possible that sites or items of heritage significance will be found during development work. The procedure set out here covers the reporting and management of such finds.

Scope: The "chance finds" procedure covers the actions to be taken from the discovery of a heritage site or item to its investigation and assessment by a trained archaeologist or other appropriately qualified person.

Compliance: The "chance finds" procedure is intended to ensure compliance with relevant provisions of the National Heritage Act (27 of 2004), especially Section 55 (4): "a person who discovers any archaeological objectmust as soon as practicable report the discovery to the Council". The procedure of reporting set out below must be observed so that heritage remains reported to the NHC are correctly identified in the field.

Manager/Supervisor must report the finding to the following competent authorities:

- National Heritage Council of Namibia (061 244 375)
- National Museum (061 276800),
- National Forensic Laboratory (061 240461).

Archaeological material must NOT be touched. Tempering with the materials is an offence under the heritage act and punishable upon conviction by the law.

Responsibility:

Operator: To exercise due caution if archaeological remains are found

Foreman: To secure site and advise management timeously

Superintendent: To determine safe working boundary and request inspection

Archaeologist: To inspect, identify, advise management, and recover remains

Procedure:

Action by person identifying archaeological or heritage material:

a) If operating machinery or equipment stop work



- b) Identify the site with flag tape
- c) Determine GPS position if possible
- d) Report findings to foreman

Action by foreman:

- a) Report findings, site location and actions taken to superintendent
- b) Cease any works in immediate vicinity

Action by superintendent:

- a) Visit site and determine whether work can proceed without damage to findings
- b) Determine and mark exclusion boundary
- c) Site location and details to be added to project GIS for field confirmation by archaeologist

Action by Archaeologist:

- a) Inspect site and confirm addition to project GIS
- b) Advise NHC and request written permission to remove findings from work area
- c) Recovery, packaging and labelling of findings for transfer to National Museum

In the event of discovering human remains:

- a) Actions as above
- b) Field inspection by archaeologist to confirm that remains are human
- c) Advise and liaise with NHC and Police
- d) Recovery of remains and removal to National Museum or National Forensic Laboratory, as directed.