# Osino Prospect Holdings (Pty) Ltd (the Proponent)

MET ECC Application No. APP-001152

Final Environmental Impact Assessment (EIA) Report to Support the Application for Environmental Clearance Certificate (ECC) for the Proposed Minerals Exploration / Prospecting in the Exclusive Prospecting License (EPL) No. 7403 Outjo/Khorixas/Otjiwarongo Districts, KUNENE/ OTJOZONDJUPA REGIONS

March 2020

13 Feld Street, P. O. Box 3489 WINDHOEK, NAMIBIA

## PROPONENT, LISTED ACTIVITIES AND RELATED INFORMATION SUMMARY

TYPE OF AUTHORISATIONS REQUIRING ECC Exclusive Prospecting License (EPL) No. 7403 for ECC for Exploration

> NAME OF THE PROPONENT Osino Prospect Holdings (Pty) Ltd

**COMPETENT AUTHORITY** Ministry of Mines and Energy (MME)

ADDRESS OF THE PROPONENT AND CONTACT PERSON 13 Feld Street, PO Box 3489 WINDHOEK, NAMIBIA

#### CONTACT PERSON: Mr. Jon Andrew

Exploration Manager Phone: +264 61 435 8343 Fax: +264 61 435 8201 Mobile: + 264 81 770 9074 Email: jandrew@osinoresources.com

#### PROPOSED PROJECT

Proposed Minerals Exploration / Prospecting activities in the Exclusive Prospecting License (EPL) No. 7403, Omaruru District, Erongo Region, North-Central Namibia

#### **PROJECT LOCATION**

Omaruru District, Erongo Region, North-Central Namibia (Latitude: -20.285833, Longitude: 15.713889)

#### ENVIRONMENTAL CONSULTANTS *Risk-Based Solutions (RBS) CC*

(Consulting Arm of Foresight Group Namibia (FGN) (Pty) Ltd) 41 Feld Street Ausspannplatz Cnr of Lazarett and Feld Street P. O. Box 1839, **WINDHOEK, NAMIBIA** Tel: +264 - 61- 306058; Fax: +264 - 61- 306059 Mobile: + 264-811413229; Email: <u>smwiya@rbs.com.na</u> Global Office / URL: www.rbs.com.na

#### ENVIRONMENTAL ASSESSMENT PRACTITIONER (EAP) Dr. Sindila Mwiya PhD, PG Cert, MPhil, BEng (Hons), Pr Eng

Final EIA Report for Exploration-2020

#### Summary Profile and Qualification of the Environmental Assessment Practitioner (EAP) / International Consultant Projects Director – Dr Sindila Mwiya

Dr Sindila Mwiya has more than eighteen (18) years of practical field-based technical industry experience in Environmental Assessment (SEA, EIA, EMP, EMS), Energy (Renewable and Non-renewable energy sources), onshore and offshore resources (minerals, oil, gas and water) exploration / prospecting, operation and utilisation, covering general and specialist technical exploration and recovery support, Health, Safety and Environment (HSE) permitting for Geophysical Surveys such as 2D, 3D and 4D Seismic, Gravity and Electromagnetic Surveys for mining and petroleum (oil and gas) operations support, through to engineering planning, layout, designing, logistical support, recovery, production / operations, compliance monitoring, rehabilitation, closure and aftercare projects lifecycles. The great array of highly technical specialist knowledge and field-based practical experiences of Dr Sindila Mwiya has now been extended to supporting the development of Environmentally Sustainable, automated / smart and Climate Change resilient homes, towns and cities.

Through his companies, Risk-Based Solutions (RBS) CC and Foresight Group Namibia (FGN) (Ptv) Ltd which he founded, he has undertaken more than 200 projects for Local (Namibian), Continental (Africa) and International (Global) based clients. He has worked and continue to work for Global, Continental and Namibian based reputable resources (petroleum and mining / minerals) and energy companies such as EMGS (UK/ Norway), CGG (UK/ France/Namibia), BW Offshore (Norway/Singapore /Namibia), Shell Namibia B. V. Limited (Namibia/ the Netherlands), Tullow Oil (UK/Namibia), Debmarine (DBMN) (Namibia), Reconnaissance Energy Africa Ltd (ReconAfrica) (UK/Canada/Namibia), Osino Resource Corporation (Canada/Germany/Namibia), Desert Lion Energy Corporation (Canada/ Australia/ Namibia), Petrobras Oil and Gas (Brazil) / BP (UK)/ Namibia, REPSOL (Spain/ Namibia), ACREP (Namibia/Angola), Preview Energy Resources (UK), HRT Africa (Brazil / USA/ Namibia), Chariot Oil and Gas Exploration (UK/ Namibia), NABIRM (USA/ Namibia), Serica Energy (UK/ Namibia), Eco (Atlantic) Oil and Gas (Canada / USA/ Namibia), ION GeoVentures (USA), PGS UK Exploration (UK), TGS-Nopec (UK), Maurel & Prom (France/ Namibia), GeoPartners (UK), PetroSA Equatorial Guinea (South Africa / Equatorial Guinea/ Namibia), Preview Energy Resources (Namibia / UK), Sintezneftegaz Namibia Ltd (Russia/ Namibia), INA Namibia (INA INDUSTRIJA NAFTÉ d.d) (Croatia/ Namibia), Namibia Underwater Technologies (NUTAM) (South Africa/Namibia), InnoSun Holdings (Pty) Ltd and all its subsidiary renewable energy companies and projects in Namibia (Namibia / France), HopSol (Namibia/Switzerland), Momentous Solar One (Pty) Ltd (Namibia / Canada), OLC Northern Sun Energy (Pty) Ltd (Namibia) and more than 100 local companies. Dr Sindila Mwiya is highly qualified with extensive practical field-based experience in petroleum, mining, renewable energy (Solar, Wind, Biomass, Geothermal and Hydropower), Non Renewable energy (Coal, Petroleum, and Natural Gas), applied environmental assessment, management and monitoring (Scoping, EIA, EMP, EMP, EMS) and overall industry specific HSE, cleaner production programmes, Geoenvironmental, geological and geotechnical engineering specialist fields.

Dr Sindila Mwiya has undertaken and continue to undertake and manage high value projects on behalf of global and local resources and energy companies. Currently, (2020-2023) Dr Sindila Mwiya is responsible for permitting planning through to operational and completion compliance monitoring, HSE and engineering technical support for multiple major upstream onshore and offshore petroleum, minerals and mining projects, Solar and Wind Energy Projects, manufacturing and environmentally sustainable, automated / smart and Climate Change resilient homes developments in different parts of the World including Namibia. Currently, Dr Sindila Mwiya is developing a 16 Ha commercial and residential Mwale Mwiya Park in the Town of Katima Mulilo, Zambezi Region, Namibia as one of first advanced Environmentally Sustainable, automated / smart and Climate Change resilient development in Namibia. He continue to worked as an International Resources Consultant, national Environmental Assessment Practitioner (EAP) / Environmentally Sustainable, automated / smart and Climate Change resilient homes developer, Engineering / Technical Consultant (RBS / FGN), Project Manager, Programme Advisor for the Department of Natural and Applied Sciences, Namibia University of Science and Technology (NUST) and has worked as a Lecturer, University of Namibia (UNAM), External Examiner/ Moderator, NUST, National (Namibia) Technical Advisor (Directorate of Environmental Affairs, Ministry of Environment and Tourism / DANIDA -Cleaner Production Component) and Chief Geologist for Engineering and Environment Division, Geological Survey of Namibia, Ministry of Mines and Energy and a Field-Based Geotechnician (Specialised in Magnetics, Seismic, Gravity and Electromagnetics Exploration and Survey Methods) under the Federal Institute for Geoscience and Natural Resources (BGR) German Mineral Exploration Promotion Project to Namibia, Geophysics Division, Geological Survey of Namibia, Ministry of Mines and Energy.

He has supervised and continue to support a number of MScs and PhDs research programmes and has been a reviewer on international, national and regional researches, plans, programmes and projects with the objective to ensure substantial local skills development, pivotal to the national socioeconomic development through the promotion of sustainable natural resources coexistence, management, development, recovery, utilisation and for development policies, plans, programmes and projects financed by governments, private investors and donor organisations. Since 2006 until 2017, he has provided extensive technical support to the Department of Environmental Affairs (DEA), Ministry of Environment and Tourism (MET) through GIZ in the preparation and amendments of the Namibian Environmental Management Act, 2007, (Act No. 7 of 2007), new Strategic Environmental Assessment (SEA) Regulations, preparation of the updated Environmental Impact Assessment (EIA) Regulations as well as the preparation of the new SEA and EIA Guidelines and Procedures all aimed at promoting effective environmental assessment and management practices in Namibia.

Among his academic achievements, Dr Sindila Mwiya is a holder of a PhD (Engineering Geology/Geotechnical / Geoenvironmental / Environmental Engineering and Artificial Intelligence) – Research Thesis: Development of a Knowledge-Based System Methodology (KBSM) for the Design of Solid Waste Disposal Sites in Arid and Semiarid Environments, MPhil/PG Cert and BEng (Hons) (Engineering Geology and Geotechnics) qualifications from the University of Portsmouth, School of Earth and Environmental Sciences, United Kingdom. During the 2004 Namibia National Science Awards, organised by the Namibian Ministry of Education, and held in Windhoek, Dr Sindila Mwiya was awarded the Geologist of the Year for 2004, in the professional category. Furthermore, as part of his professional career recognition, Dr Sindila Mwiya is a life member of the Geological Society of Namibia, Consulting member of the Hydrogeological Society of Namibia and a Professional Engineer registered with the Engineering Council of Namibia.

#### Windhoek, Namibia March 2020

NON-TECHNICAL EXECUTIVE SUMMARY	VII
I. BACKGROUND	
1.1 INTRODUCTION	- 1 -
1.2 REGULATORY REQUIREMENTS	
1.3 LOCATION, LAND USE, INFRASTRUCTURE AND SERVICES	
1.3.1 Location and Land Use	
1.3.2 Supporting Infrastructure and Services	
1.4 PROJECT MOTIVATION	
1.5 APPROACH, ALTERNATIVES, KEY ISSUES AND METHODOLOGY	
1.5.1 Terms of Reference (ToR) and Approach	
1.5.2 Environmental Assessment Process and Steps	
1.5.3       Assumptions and Limitations         1.6       STRUCTURE OF THE REPORT	
1.6 STRUCTURE OF THE REPORT	- 0 -
2. DESCRIPTION OF THE EXPLORATION	9 -
2.1 GENERAL OVERVIEW	
2.2 INITIAL DESKTOP EXPLORATION ACTIVITIES	
2.3 REGIONAL RECONNAISSANCE FIELD-BASED ACTIVITIES	
2.4 INITIAL LOCAL FIELD-BASED ACTIVITIES	
2.5 DETAILED LOCAL FIELD-BASED ACTIVITIES	
2.6 PREFEASIBILITY AND FEASIBILITY STUDIES	11 -
3. REGULATORY FRAMEWORK	12 -
3.1 MINERALS EXPLORATION LEGISLATION AND REGULATIONS	12 -
3.2 Environmental Regulations	12 -
3.2.1 Environmental Assessment Requirements and Procedures	
3.2.2 Competent Authorities	
3.3 RECOMMENDATIONS ON PERMITTING REQUIREMENTS	
3.4 STANDARDS AND GUIDELINES	13 -
4. SUMMARY OF NATURAL ENVIRONMENT	15 -
4.1 CLIMATE	- 15 -
4.1 CLIMATE 4.2 TOPOGRAPHY	
4.2 TOPOGRAFHT 4.3 LIKELY FAUNA DIVERSITY	
4.3.1 Reptiles	
4.3.2 Amphibians	
4.3.3 Mammals	
4.3.4 Birds	
4.3.5 Sensitive Areas – Vertebrate Fauna	16 -
4.4 LIKELY FLORA DIVERSITY	16 -
4.4.1 Trees/shrubs	
4.4.2 Grass	
4.4.3 Other	
4.4.4 Protected Species / Sensitive Areas	
4.5 SUMMARY OF THE SOCIOECONOMIC SETTINGS	
4.5.1 Overview	
4.5.2 Agriculture, Conservation and Tourism	
4.6 GROUND COMPONENTS	
4.6.1 Regional and Local Geology	
4.6.2 Water	
4.6.2.1     Overview       4.6.2.2     Sources of Water Supply	
4.6.2.2 Sources of Water Supply	- 18 -
4.7 ARCHAEOLOGY	
4.7.1 Overview	
4.7.2 Recommendations	

4.8 <i>4.8.1</i>	PUBLIC CONSULTATIONS PROCESS	
5. IMPA	ACT ASSESSMENT AND RESULTS	27 -
	IMPACT ASSESSMENT PROCEDURE	
	ALTERNATIVES AND ECOSYSTEM ASSESSMENTS	
5.3	KEY ISSUES CONSIDERED IN THE ASSESSMENT PROCESS	
5.3.1		
5.3.2		
	IMPACT ASSESSMENT METHODOLOGY	
5.4.1		
5.4.3		
5.4.4		
	EVALUATION OF SIGNIFICANT IMPACTS	
5.5.1	••••	
5.5.2 5.5.3		
	Assessment Likely Significant Impacts	
5.6.1		
5.0.1	Summary of the Results of the impact Assessment	
6. CON	ICLUSION AND RECOMMENDATION	45 -
6.1	CONCLUSIONS	45 -
6.2	RECOMMENDATIONS	45 -
6.3	SUMMARY TOR FOR TEST MINING AND MINING STAGES	46 -

7.	BIBLIOGRAPHY / REFERENCES 47 -

# List of Figures

Figure 1.1: Figure 1.2:	Regional location of the EPL No 7403 Area Detailed regional location of the EPL 7403 Area	
Figure 1.3:	Commercial farmland covered by the EPL 7403	
Figure 1.4:	Schematic presentation of Namibia's Environmental Assessment procedure	
Figure 4.1:	Regional hydrogeology and groundwater potential around the EPL 7403	
	Area	- 20 -
Figure 4.2:	Regional groundwater vulnerability around the EPL 7403 (Source:	
	Department of Water Affairs and Forestry, 2001)	- 21 -
Figure 4.3:	Copy of the full-page advert of the 1 <sup>st</sup> Public Notice published in the New Era	
	Daily Newspaper dated Tuesday, 18 <sup>th</sup> February 2020	- 24 -
Figure 4.4:	Copy of the full-page advert of the 2 <sup>nd</sup> Public Notice published in the	
-	Confidente Weekly Newspaper dated 27 <sup>th</sup> February to 4 <sup>th</sup> March 2020	- 25 -
Figure 4.5:	Copy of the full-page advert of the 3 <sup>rd</sup> Public Notice published in the Windhoek Observer Daily Newspaper dated Wednesday, 23 <sup>rd</sup> October 2019	- 26 -

# List of Tables

Table 1.1:	Summary of the proposed / ongoing activities, alternatives and key issues considered during the Environmental Assessment (EA) process covering	
	Scoping, EIA and EMP reporting	6 -
Table 3.1:	Government agencies regulating environmental protection in Namibia	
Table 3.2:	R553 Regional Standards for Industrial Effluent, in Government Gazette No	
	217 dated 5 April 1962	13 -
Table 3.3:	Comparison of selected guideline values for drinking water quality	14 -
Table 5.1:	Definition of impact categories used in this report.	30 -
Table 5.2:	Definitions used for determining the sensitivity of receptors.	30 -
Table 5.3:	Scored on a scale from 0 to 5 for impact magnitude	31 -
Table 5.4:	Scored time period (duration) over which the impact is expected to last	31 -
Table 5.5:	Scored geographical extent of the induced change	
Table 5.6:	Summary of the qualitative scale of probability categories (in increasing order	
	of likelihood)	31 -
Table 5.7:	Results of the sensitivity assessment of the receptors (Physical,	
	Socioeconomic and Biological environments) with respect to the proposed	
	exploration / prospecting activities.	33 -
Table 5.8:	Results of the scored time period (duration) over which the impact is expected	
	to last	35 -
Table 5.9:	Results of the scored geographical extent of the induced change	37 -
Table 5.10:	Results of the qualitative scale of probability occurrence.	39 -
Table 5.11:	Scored impact significance criteria	41 -
Table 5.12:	Significant impact assessment matrix for the proposed / ongoing exploration	
	activities	42 -

# NON-TECHNICAL EXECUTIVE SUMMARY

Osino Prospect Holdings (Pty) Ltd (the Proponent) holds mineral rights under the Exclusive Prospecting License (EPL) No. 7403 for base, rare and precious metals groups. The EPL 7403 was granted on the 28/10/2019 and will expire 27/10/2022. Osino Prospect Holdings (Pty) Ltd is a subsidiary of Osino Resources Corporation, a Canadian Stock listed company (TSX.V: OSI, FSE: R2R1) focused on the acquisition and development of gold projects in Namibia.

The EPL No. 7403 is located in the Outjo/Khorixas/Otjiwarongo Districts, Kunene/ Otjozondjupa Regions, in the north-central Namibia. The EPL 7403 area totalling 45375.5446 Ha over the following private commercial farmlands: Fegenbaumwasser, Deurslag, Rasputin, Oszema, Geduld, Verdeel, Knapdaar, Steineck, Zuwitsaub, Suemary, Eureka, Tsuwandes, Okaua, Harmonie, Delhi, Okonguarri and Tiermelkorif.

The Proponent intends to conduct exploration / prospecting activities starting with desktop studies and aerial surveys, followed by regional field-based reconnaissance work and if the results are positive, implement detailed site-specific field-based activities over key site-specific localities using techniques such as geological mapping, geophysical surveys, trenching, drilling and sampling for laboratory tests.

The proposed / ongoing minerals exploration activities are listed in the Environmental Impact Assessment (EIA) Regulations, 2012 and the Environmental Management Act, 2007, (Act No. 7 of 2007) and cannot be undertaken without an Environmental Clearance Certificate (ECC).

This Environmental Impact Assessment (EIA) report has been prepared by Risk-Based Solutions (RBS) CC in order to support the application for ECC. Pubic consultation process was undertaken during the month of Months February and March 2020. In line with the provisions of the EIA Regulations, 2012 and in order to identify the key Interested and Affected Parties (I&APs), public notices were published in the following newspapers: New Era Daily Newspaper dated 18<sup>th</sup> February 2020, the Confidente Weekly Newspaper dated 27<sup>th</sup> February to 4<sup>th</sup> March 2020 and Windhoek Observer Weekly Newspapers dated 6<sup>th</sup> March 2020.

The closing date for registration and submission of written objections, comments or inputs to the environmental assessment process was Friday, 13<sup>th</sup> March 2020. During the public / stakeholder consultation period, no written comments / objections / inputs were received by Environmental Assessment Practitioner (EAP) specific for this EPL No. 7403.

The impacts that the proposed / ongoing exploration activities will have on the receiving environment (physical, biological, socioeconomic environments and ecosystem functions, services, use and non-use values or passive uses) will depend on the extent of the proposed / ongoing activities over the development area, management of the area and how the mitigations as detailed in the EMP report are eventually implemented and monitored by the Proponent to the satisfaction of the landowners and the Government regulators.

Based on the findings of this EIA Report, it's hereby recommended that the proposed / ongoing exploration activities be issued with an Environmental Clearance Certificate (ECC). The Proponent shall take into consideration the following key requirements for implementing the proposed exploration programme:

- (i) The Proponent shall negotiate Access Agreements with the land owner/s as may be applicable;
- The Proponent shall adhere to all the provisions of the EMP and conditions of the Access Agreement to be entered between the Proponent and the land owner/s in line with all applicable national regulations;
- (iii) Before entering any private or protected property/ area such as a private farm, the Proponent must give advance notices and obtain permission from the land owners to access the EPL area at all times, and;

(iv) Where possible, and if water is found during the detailed exploration boreholes drilling operations, the Proponent shall support other land uses in the area in terms of access to freshwater supply for both human consumption, wildlife and agricultural support as may be requested by the local community / land owner/s. The abstraction of fresh groundwater resources shall include water levels monitoring, sampling and quality testing on a bi-annual basis, and that the affected landowners must have access to the results of the water monitoring analyses as part of the ongoing stakeholder disclosure requirements on shared water resources as may be applicable.

Once and if economic minerals resources are discovered, a separate field-based and site-specific Environmental Impact Assessment (EIA) and Environmental Management Plan (EMP) reports shall be prepared as part of the feasibility study with respect to the test mining or possible mining operations. The site-specific EIA and EMP shall cover the area identified to have potential economic minerals resources including the pit area/s, waste rock, access, office blocks and all infrastructure support areas (water, energy and road / access).

In addition to the Terms of Reference (ToR) to be developed during the Environmental Scoping study phase for the test mining / mining stages, the following field-based and site-specific specialist studies shall be considered in the TOR for the EIA and EMP for possible test mining or mining operations in an event of a discovery of economic minerals resources and possible development of a mining project within the EPL No. 7403:

- (i) Groundwater studies including modelling as maybe applicable;
- (ii) Field-based flora and fauna diversity;
- (iii) Dust, noise and sound modelling linked to engineering studies;
- (iv) Socioeconomic assessment, and;
- (v) Others as may be identified / recommended by the stakeholders/ land owners/ Environmental Commissioner or specialists.

## 1. BACKGROUND

## 1.1 Introduction

Osino Prospect Holdings (Pty) Ltd (the **Proponent)** hold mineral rights under the Exclusive Prospecting License (EPL) No. 7403. The following is the summary of the EPL 7403:

- Type of License: Exclusive Prospecting License (EPL) No. 7403;
- EPL Holder: Osino Prospect Holdings (Pty) Ltd;
- ✤ Granted Date: 28/10/2019;
- **Expiry Date:** 27/10/2022;
- Commodities: base, rare and precious metals groups, and;
- ✤ Size of the EPL: 45375.5446 Ha.

The Proponent intends to undertake exploration activities covering desktop studies, followed by sitespecific activities using techniques such as geophysical surveys, geological mapping, trenching, drilling and bulk sampling.

#### **1.2 Regulatory Requirements**

The proposed prospecting activities are listed in the Environmental Management Act, 2007, (Act No. 7 of 2007) and the EIA Regulations, 2012 and cannot be undertaken without an Environmental Clearance Certificate (ECC).

The Proponent is required to have undertaken Environmental Assessment comprising this Environmental Impact Assessment (EIA) and Environmental Management Plan (EMP) reports for the proposed minerals prospecting activities in order to support the application for ECC.

In fulfilment of the environmental requirements, the Proponent appointed Risk-Based Solutions (RBS) CC as the Environmental Consultants led by Dr Sindila Mwiya as the Environmental Assessment Practitioner in the preparation of the EIA and EMP Reports in order to support the application for ECC.

#### **1.3** Location, Land Use, Infrastructure and Services

#### 1.3.1 Location and Land Use

The EPL No. 7403 is located in the Outjo/Khorixas/Otjiwarongo Districts, Kunene/ Otjozondjupa Regions, in the north-central Namibia (Figs 1.1 -1.3). The EPL 7403 area totalling 45375.5446 Ha over the following private commercial farmlands: Fegenbaumwasser, Deurslag, Rasputin, Oszema, Geduld, Verdeel, Knapdaar, Steineck, Zuwitsaub, Suemary, Eureka, Tsuwandes, Okaua, Harmonie, Delhi, Okonguarri and Tiermelkorif (Fig. 1.3).

The general land use of the area is mainly dominated by commercial agriculture (cattle and small stock), private tourism, hospitality and conservation initiatives by local farmers, minerals prospecting and mining activities especially small-scale mining of gemstones.

#### **1.3.2 Supporting Infrastructure and Services**

The EPL area is accessible through the D2752 gravel road which comes off the C39 connecting Outjo to Khorixas (Fig. 1.3). The C39 tarred road connects the project area to national road next. The project area is located approximately 350km from Windhoek via the D2752, C39 and B1, with the deepwater port of Walvis Bay located approximately 480 km via D2752, C39, C33 and B2 Roads (Figs. 1.1-1.3). A number of minor local private farm roads and tracks cut across the EPL Area and with permissions


from the landowners may be used to access exploration area/s of interest / targets that may be delineated within the EPL area (Fig. 1.3). The construction of any new access if really required shall only be done with strict permission from the landowners and shall be undertaken accordance with the provisions of the EMP in terms of environmental protection.

The EPL Area has no mobile services, national or local water and electricity infrastructure networks. However, the proposed minerals exploration activities will not require major water and energy supplies. Sources of water supply for exploration especially drilling will be obtained from local boreholes if available or supplied by a water tanker truck collecting water from nearby reliable supply. The EPL and surrounding areas have high groundwater potential with a number of springs known to exist in the area. Due to the presence of springs and high groundwater potential, water resources may be vulnerable to pollution in the local area and the EMP shall provide mitigation measures aimed at protection water resources during the exploration process. Electricity supply will be provided by diesel generators and solar as may be required.

## 1.4 **Project Motivation**

A number of minerals occurrences are known to exist in the general area linked to the regional geology of the EPL area. The proponent intends to explore / prospect for all licensed minerals groups with special focus on gold likely to be associated with the regional, local geology and geological structures. If economic minerals resources are discovered and can led to the development of mine, this will be of great benefits to the sustainability of the mining industry and growth of the economic landscape of Namibia. Minerals exploration is a key driver of the mining industry and without the discovery of new resources and research, the mining industry will eventually cease to exists in Namibia and by so doing will go with a big slice of the national economy and leave a major gap in State financing, export goods, forex earnings, employment and overall contribution to the Gross Domestic Products (GDP). It is highly important to support each and every exploration effort.

Minerals exploration is a long-term and high-risk process and to advance a mineral exploration project from exploration to the application of a ML can take up to ten (10) years or more and costing millions of dollars of high-risk capital with zero guarantee for recovering the cost of exploration or discovering a mineable and profitable minerals deposit. The chance or probability for discovering economic minerals that can become a mine in any EPL is as low as 0.001% while the cost of undertaking exploration can run into millions of Namibia Dollars. The high-risk capital nature of exploration with zero guarantee for recovering the cost of exploration makes it a no-go zone for Governments globally. It is for this reason that minerals exploration is mainly driven by few investors such as wealthy individuals with interest in resources and high appetite for risk financing as well as international corporations and public listed companies.






Figure 1.2: Detailed regional location of the EPL 7403 Area (Source: http://portals.flexicadastre.com/Namibia).

Osino Prospects Holdings EPL No. 7403




Figure 1.3: Commercial farmland covered by the EPL 7403 (Source: Namibia 1:1000000 Registration Divisions Extract).

- 5 -

Osino Prospects Holdings EPL No. 7403

Final EIA Report for Exploration-2020

## 1.5 Approach, Alternatives, Key Issues and Methodology

## 1.5.1 Terms of Reference (ToR) and Approach

Risk-Based Solutions (RBS) was appointed by the Proponent to prepare the EIA and EMP Reports in order to support the application for Environmental Clearance Certificate (ECC) for the EPL No. 7403 with respect to the proposed exploration activities. The EIA process reviewed the receiving environmental settings (physical, biological, socioeconomic and ecosystem services, function, use values and non-use) and proposed / ongoing exploration activities, identified the impacts and then assessed the likely impacts (positive and negative) on the receiving environment (Table 1.1).

The key deliverable comprised this EIA Report and a separate Environmental Management Plan (EMP) report detailing appropriate mitigation measures that will enhance the positive impacts and reduce the likely negative impacts identified. The EIA and EMP report and the completed Application for Environmental Clearance Certificate (ECC) shall be submitted to the client (Proponent) and the Office of the Environmental Commissioner, Department of Environmental Affairs (DEA), Ministry of Environment and Tourism (MET) through the Ministry of Mines and Energy (the Competent Authority) for review and issue of the Records of Decisions (RDs).

The EIA and EMP processes have been performed with reasonable skill, care and diligence in accordance with professional standards and practices existing at the date of performance of the assessment and that the guidelines, methods and techniques that have been applied are all in conformity to the national regulatory requirements, process and specifications in Namibia as required by Ministry of Mines and Energy (MME), Ministry of Environment and Tourism (MET) and the client (Proponent). Both the EIA and EMP Reports have been prepared in line with the January 2015 MET Environmental Assessment Reporting Guideline.

Table 1.1:	Summary of the proposed / ongoing activities, alternatives and key issues considered
	during the Environmental Assessment (EA) process covering Scoping, EIA and EMP
	reporting.

	PROPOSED / ONGOING PROJECT ACTIVITIES	ALTERNATIVES TO BE CONSIDERED	WITH MITIG	ASSESSED IN THIS EIA GATION MEASURES N THE EMP REPORT
(i)	Initial desktop exploration activities (review of existing information and all previous activities in order identify any potential target/s)	(i) Location for Minerals Occurrence: A number of	for coexistence ongoing explore	se conflicts / opportunities between proposed / ation and other existing as conservation, tourism
(ii)	Regional reconnaissance field-based activities such mapping and sampling to identify key targets	economic deposits are known to exist in different parts of Namibia and some have been explored by different companies over the years;	Impacts on the	Natural Environment such as air, noise, water, dust etc. Built Environment such as existing houses, roads, transport
(iii)	Initial local field-based activities such as widely spaced mapping, sampling, surveying and possible drilling in order to determine the viability of any delineated targets	<ul> <li>(ii) Other Alternative Land Uses: Game Farming, Tourism and Agriculture</li> <li>(iii) Ecosystem Function (What the Ecosystem Does;</li> </ul>	Physical Environment	systems, Buildings, energy and water and other supporting infrastructure Socioeconomic, archaeological and Cultural impacts on the local societies and
(iv)	Detailed local field-based activities such very detailed mapping, sampling, surveying and possible drilling in order to determine the feasibility of any delineated local target	<ul> <li>(iv) Ecosystem Services;</li> <li>(v) Use Values;</li> <li>(vi) Non-Use, or Passive Use;</li> </ul>	Impacts on the Biological Environment	communities Flora Fauna Habitat Ecosystem functions, services, use values
(v)	Prefeasibility and feasibility studies to be implemented on a site-specific area if the local field-based studies prove positive	(vii) The No-Action Alternative		and non-Use or passive use

#### 1.5.2 Environmental Assessment Process and Steps

The EIA and EMP process used for this project took into considerations the provisions of the Environmental Impact Assessment (EIA) Regulations, 2012 and the Environmental Management Act (EMA), 2007, (Act No. 7 of 2007) as outlined in Fig. 4.1. The environmental assessment steps undertaken or still to be taken are summarised as follows:

- (i) Project screening process was undertaken in January 2020;
- (ii) A Draft BID / Scoping Report prepared in February 2020;
- Public / stakeholders notices published in the local newspapers as well as via direct emails communications to key stakeholders undertake and to be undertaken between 18<sup>th</sup> February and 13<sup>th</sup> March 2020;
- (iv) Final BID / Scoping Report prepared in March 2020;
- (v) Prepared the Draft EIA and EMP Reports in February March 2020;
- (vi) Comments and inputs from the public and stakeholder consultations used to finalise the EIA and EMP Reports in March 2020, and;
- (vii) The Final EIA and EMP reports used to support the application for Environmental Clearance Certificate (ECC) for the proposed minerals exploration activities in the EPL 7403 area. The formal application for ECC is planned to be submitted to the Environmental Commissioner through the Ministry of Mines and Energy (Competent Authority) during the week starting 16<sup>th</sup> March 2020.




Figure 1.4: Schematic presentation of Namibia's Environmental Assessment procedure.

#### **1.5.3 Assumptions and Limitations**

The following assumptions and limitations underpin the approach adopted, overall outcomes and recommendations for this study:

- The proposed exploration activities as well as all the plans, maps, EPL Boundary / coordinates and appropriate data sets received from the Proponent, project partners, regulators, Competent Authorities and specialist assessments are assumed to be current and valid at the time of conducting the studies and compilation of this environmental report;
- The impact assessment outcomes, mitigation measures and recommendations provided in this report are valid for the entire duration of the proposed exploration / prospecting activities;
- A precautionary approach has been adopted in instances where baseline information was insufficient or unavailable or site-specific locations of the proposed project activities is not yet available, and;
- Mandatory timeframes as provided for in the Environmental Impact Assessment (EIA) Regulations No. 30 of 2012 and the Environmental Management Act, (EMA), 2007, (Act No. 7 of 2007) have been observed and will apply to the review and decision of this report by the Competent Authority and the Environmental Commissioner.

#### **1.6** Structure of the Report

The following is the summary structure outline of this EIA report.

- 1. **Section 1: Background** covering the proposed / ongoing project location with available infrastructure and services;
- 2. Section 2: Project Description covering the summary of the proposed / ongoing project exploration activities;
- 3. **Section 3: Regulatory Framework** covering the proposed / ongoing exploration with respect to relevant legislation, regulations and permitting requirements;
- 4. **Section 4: Receiving Environment** covering physical, biological and socioeconomic environments of the proposed / ongoing project area;
- 5. **Section 5: Impact Assessment** covering the likely positive and negative impacts the proposed / ongoing project activities are likely to have on the receiving environment;
- 6. Section 6: Conclusions and Recommendations- Summary of the findings and way forward.
- 7. SECTION 7: Annexes

# 2. DESCRIPTION OF THE EXPLORATION

## 2.1 General Overview

The overall aim of the proposed / ongoing project activities (exploration / prospecting programme) is to search for potential economic minerals resources covering base, rare and precious metals groups within the EPL area. The exploration activities to be undertaken as assessed in this environmental assessment are as follows:

- (i) Initial desktop exploration activities (no field-work undertaken);
- (ii) Regional reconnaissance field-based mapping and sampling activities (Subject to the positive results of (i);
- (iii) Initial local field-based mapping and sampling activities (Subject to the positive results of (i) and (ii) above),
- (iv) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling (Subject to the positive results of (i) - (iii) above), and;
- (v) Prefeasibility and feasibility studies (Subject to the positive results of (i) (iv) above).

The scope of the required field-based support and logistical activities will depend on the scale of proposed exploration activities to be undertaken.

The proposed exploration activities will be supported by existing tracks and campsites / farmstead as well as existing accommodation in the area. In the absences of existing tracks, the field team will create such new tracks with the permission of the land owner/s and depending on the scale of exploration.

In the absences of existing suitable campsite / farmstead, temporary camp will be setup at suitable locations within the EPL area in line with the EMP provisions. The size of the exploration camp will be of very limited footprints during the exploration phase but may be expanded for the test mining and mine development phases in an event of a discovery of economic minerals resources.

## 2.2 Initial Desktop Exploration Activities

The following is description of the proposed initial desktop exploration activities to be implemented by the Proponent as assessed in the EIA Report:

- (i) General evaluation of satellite, topographic, land tenure, accessibility, supporting infrastructures and socioeconomic environment data;
- (ii) Purchase and analysis of existing Government high resolution magnetics and radiometric geophysical data;
- (iii) Purchase and analysis of existing Government aerial hyperspectral, and;
- (iv) Data interpretation and delineating of potential targets for future reconnaissance regional fieldbased activities for delineated targets.

No field work is envisaged at this stage of the proposed exploration activities which can last between six (6) to twelve (12) months.

## 2.3 Regional Reconnaissance Field-Based Activities

The following is detailed outline of the proposed regional reconnaissance field-based exploration activities to be implemented by the Proponent as assessed in the EIA Report:

- (i) Regional geological, geochemical, topographical and remote sensing mapping and data analysis;
- (ii) Regional geochemical sampling aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken;
- (iii) Regional geological mapping aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken;
- (iv) Limited field-based support and logistical activities lasting between one (1) to two (2) days, and;
- (v) Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets for future detailed site-specific exploration if the results are positive and supports further exploration of the delineated targets.

Scope and scale of the possible field work is very limited to visiting specific delineated localities in order to validated the recommendations of the initial desktop activities.

## 2.4 Initial Local Field-Based Activities

The following is detailed outline of the proposed initial local field-based exploration activities to be implemented by the Proponent as assessed in the EIA Report:

- (i) Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during regional reconnaissance field activities;
- (ii) Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken;
- (iii) Ground geophysical survey (Subject to the positive outcomes of i and ii above);
- (iv) Possible Trenching (Subject to the outcomes of i iii above);
- (v) Field-based support and logistical activities will be very limited focus on a site-specific area for a very short time (maximum five (5) days), and;
- (vi) Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets

Scope and scale of the possible field work is very limited working on specific delineated localities in order to assess the economic viable of the target/s.

#### 2.5 Detailed Local Field-Based Activities

The following is detailed outline of the proposed detailed local field-based exploration activities to be implemented by the Proponent as assessed in the EIA Report if economic and viable targets are delineated within the EPL area:

(i) Access preparation and related logistics to support activities;

- (ii) Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during the initial field-based activities;
- (iii) Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken, and;
- (iv) Ground geophysical survey, trenching, drilling and sampling (Subject to the positive outcomes of i and ii above).

Scope and scale of the possible field work is likely to be extensive over a localised specific delineated locality in order to assess the economic viable of the target/s.

### 2.6 Prefeasibility and Feasibility Studies

The following is detailed outline of the proposed prefeasibility and feasibility studies related exploration activities to be implemented by the Proponent as assessed in the EIA Report if economic and viable targets are delineated within the EPL area:

- (i) Detailed site-specific field-based support and logistical activities, surveys, detailed geological mapping;
- (ii) Detailed drilling and bulk sampling and testing for ore reserve calculations;
- (iii) Geotechnical studies for mine design;
- (iv) Mine planning and designs including all supporting infrastructures (water, energy and access) and test mining activities;
- (v) EIA and EMP to support the ECC for mining operations, and;
- (vi) Preparation of feasibility report and application for Mining License

Field-based support and logistical activities will be very extensive because the local field-based activities will be undertaken on a specific area for a very long time (up to one year or more in some instances). The activities will be supported by existing tracks and campsites / lodging facilities available in the area.

## 3. **REGULATORY FRAMEWORK**

## 3.1 Minerals Exploration Legislation and Regulations

The Ministry of Mines and Energy (MME) is the competent authority with respect to minerals prospecting and mining activities in Namibia. The Minerals (Prospecting and Mining) Act (No 33 of 1992) is the most important legal instrument governing minerals prospecting / exploration and mining activities.

Several explicit references to the environment and its protection are contained in the Minerals Act, which provides for environmental impact assessments, rehabilitation of prospecting and mining areas and minimising or preventing pollution.

### 3.2 Environmental Regulations

#### 3.2.1 Environmental Assessment Requirements and Procedures

Environmental Assessment (EA) process in Namibia is governed by the Environmental Impact Assessment (EIA) Regulations No. 30 of 2012 gazetted under the Environmental Management Act, (EMA), 2007, (Act No. 7 of 2007).

The proposed / ongoing field–based exploration activities falls within the categories of listed activities that cannot be undertaken without an Environmental Clearance.

#### 3.2.2 Competent Authorities

The environmental regulatory authorities responsible for environmental protection and management in relation to the proposed / ongoing project including their role in regulating environmental protection are listed in Table 3.1.

AGENCY	RESPONSIBILITY
Ministry of Environment and Tourism (MET)	Issue of Environmental Clearance Certificate (ECC) based on the review and approval of the Environmental Assessments (EA) reports comprising Environmental Scoping, Environmental Impact Assessment (EIA) and Environmental Management Plan (EMP) prepared in accordance with the Environmental Management Act (2007) and the Environmental Impact Assessment Regulations, 2012
Ministry of Mines and Energy (MME)	The competent authority for minerals prospecting and mining activities in Namibia. Issues Exclusive prospecting License (EPL), Mining Licenses (ML) and Mining Claims (license) as well as all other minerals related permits for processing, trading and export of minerals resources
Ministry of Agriculture, Water and Forestry (MAWF)	The Directorate of Resource Management within the Department of Water Affairs (DWA) at the MAWF is currently the lead agency responsible for management of surface and groundwater utilisation through the issuing of abstraction permits and waste water disposal permits. DWA is also the Government agency responsible for water quality monitoring and reporting.
	The National Botanical Research Institute's (NBRI) mandate is to study the flora and vegetation of Namibia, in order to promote the understanding, conservation and sustainable use of Namibia's plants for the benefit of all. The Directorate of Forestry (DOF) is responsible for issuing of forestry permits with respect to harvest, transport, and export or market forest resources.

Table 3.1:	Government agencies regulating environmental protection in Namibia.
------------	---

## 3.3 Recommendations on Permitting Requirements

It is hereby recommended that the Proponent must follow the provisions of all relevant national regulatory throughout the proposed / ongoing project lifecycle and must obtain the following permits/ authorisations as maybe applicable / required as the proposed project develops:

- (i) Valid Exclusive Prospecting License (EPL) as maybe applicable from Department of Mines in the Ministry of Mines and Energy (MME);
- (ii) Valid Environmental Clearance Certificate (ECC) from the Department of Environmental Affairs in the Ministry of Environment and Tourism (MET);
- (iii) The Proponent shall apply for a fresh water abstraction and waste water discharge permits from the Department of Water Affairs (DWA) in the Ministry of Agriculture, Water and Forestry (MAWF) before drilling a water borehole and discharge wastewater into the environment respectively, and;
- (iv) All other permits as maybe become applicable during the proposed exploration operations.

#### 3.4 Standards and Guidelines

Industrial effluent likely to be generated by the proposed activities must comply with provisions of the Government Gazette No 217 dated 5 April 1962 (Table 3.2) while the drinking water quality comparative guideline values are shown in Table 3.3.

Table 3.2:	R553 Regional Standards for Industrial Effluent, in Government Gazette No 217 dated
	5 April 1962.

Colour, odour and	The effluent shall contain no substance	in concentrations capable of producing							
taste	colour, odour or taste								
рН	Between 5.5 and 9.5								
Dissolved oxygen	At least 75% saturation								
Typical faecal coli	No typical faecal coli per 100 ml								
Temperature	Not to exceed 35 °C								
Chemical demand oxygen	Not to exceed 75 mg/l after applying a	correction for chloride in the method							
Oxygen absorbed	Not to exceed 10 mg/l								
Total dissolved solids	The TDS shall not have been increased	d by more than 500 mg/l above that of the							
(TDS)	intake water								
Suspended solids	Not to exceed 25 mg/l								
Sodium (Na)	The Na level shall not have been increased by more than 50 mg/l above that of								
	the intake water								
Soap, oil and grease	Not to exceed 2.5 mg/l								
	Residual chlorine	0,1 mg/l as Cl							
	Free & saline ammonia	10 mg/l as N							
	Arsenic	0,5 mg/l as As							
	Boron	1,0 mg/l as B							
	Hexavalent Cr	0,05 mg/l as Cr							
Other constituents	Total chromium	0,5 mg/l as Cr							
	Copper	1,0 mg/l as Cu							
	Phenolic compounds	0,1 mg/l as phenol							
	Lead	1,0 mg/l as Pb							
	Cyanide and related compounds	0,5 mg/l as CN							
	Sulphides	1,0 mg/l as S							
	Fluorine	1,0 mg/l as F							
	Zinc	5,0 mg/l as Zn							

# Table 3.3:Comparison of selected guideline values for drinking water quality (after Department of<br/>Water Affairs, 2001).

Param and Expression of	s	WHO Guidelines for Drinking- edition 1993         Proposed Council Directive of 28         Council Directive of 28         Directive July 1980           Water Quality 2 <sup>nd</sup> edition 1993         April 95/C/13- 1/03)         quality consumption EEC         Mathematical Balance					Drin Star Healtl	<b>.S. EPA</b> king water idards and n Advisories December 1995	Namibia, Department of Water Affairs Guidelines for the evaluation of drinking-water for human consumption with reference to chemical, physical and bacteriological quality July 1991				
			Guideline Value (GV)		Proposed Parameter Value	Level (GL)	Admissible Concentrati on (MAC)	Contar	aximum ninant Level (MCL)	Group A Excellent Quality	Group B Good Quality	Group C Low Health Risk	Group D Unsuitable
Temperature Hydrogen ion	t pH, 25°	°C -	R	- <8.0	- 6.5 to 9.5	12 6.5 to	25 10		-	- 6.0 to 9.0	- 5.5 to 9.5	- 4.0 to 11.0	- <4.0 to
concentration	Ċ					8.5							>11.0
Electronic conductivity	EC, 25° C	mS/ m		-	280	45	-		-	150	300	400	>400
Total dissolved	TDS	mg/l	R	1000	-	-	1500		-	-	-	-	-
solids	_	Ŭ											
Total Hardness	CaCO <sub>3</sub>	mg/l	_	-	-	-	-		-	300	650	1300	>1300
Aluminium Ammonia	AI NH₄ <sup>+</sup>	µg/l mg/l	R R	200 1.5	200 0.5	50 0.05	200 0.5	S	50-200	150 1.5	500 2.5	1000 5.0	>1000 >5.0
Ammonia	NH4 <sup>*</sup>	mg/l	ĸ	1.0	0.5	0.05	0.5		-	1.5	2.5	5.0 4.0	>5.0
Antimony	Sb	µ q/l	Р	5	3	-	10	С	6	50	100	200	>200
Arsenic	As	μg/l	Ė	10	10	-	50	C	50	100	300	600	>600
Barium	Ва	μg/l	Р	700	-	100	-	С	2000	500	1000	2000	>2000
Berylium	Be	μg/l		-	-	-	-	С	4	2	5	10	>10
Bismuth	Bi	µg/l		-	-	-	-		-	250	500	1000	>1000
Boron	B BrO <sub>3</sub> -	µg/l		300	300	1000	-	Р	- 10	500	2000	4000	>4000
Bromate Bromine	BrO <sub>3</sub> -	μg/l μg/l		-	10	-	-	r	- 10	- 1000	- 3000	- 6000	
Cadmium	Cd	μg/i μg/i		3	5	-	5	С	5	1000	20	40	>0000
Calcium	Ca	mg/l		-	-	100	-	Ŭ	-	150	200	400	>400
	CaCO <sub>3</sub>	mg/l		-	-	250	-		-	375	500	1000	>1000
Cerium	Ce	μg/l		-	-	-	-		-	1000	2000	4000	>4000
Chloride	Cl	mg/l	R	250	-	25	-	S	250	250	600	1200	>1200
Chromium	Cr	μg/l	Р	50	50	-	50	С	100	100	200	400	>400
Cobalt	-	μg/l	_	-	-	-	-		-	250	500	1000	>1000
Copper after 12	Cu	µg/l	Р	2000	2	100	-	C S	TT##	500	1000	2000	>2000
hours in pipe Cyanide	CN-	μg/l μg/l		- 70	50	3000 <sup>1</sup>	- 50	C	1000 200	200	300	600	>600
Fluoride	F <sup>-</sup>	mg/l		1.5	1.5	-	at 8 to 12 °C:	C	4	1.5	2.0	3.0	>3.0
		mg/l		-	-	-	1.5 at 25 to 30	P,S	2	-	-	-	-
Cold	A			-		-	°C: 0.7			2	5	10	. 10
Gold Hydrogen	Au H₂S	μg/l μg/l	R	- 50	-	-	- undetectable		-	2 100	300	10 600	>10 >600
sulphide	1120	μg/i	IX.	50	_	-	undetectable		-	100	300	000	2000
lodine	1	μg/l		-	-	-	-		-	500	1000	2000	>2000
Iron	Fe	μg/l	R	300	200	50	200	S	300	100	1000	2000	>2000
Lead	Pb	μg/l		10	10	-	50	С	TT#	50	100	200	>200
Lithium	Li	μg/l		-	-	-	-		-	2500	5000	10000	>10000
Magnesium	Mg	mg/l		-	-	30	50		-	70	100	200	>200
Manganaga	CaCO <sub>3</sub>	mg/l	D	-	-	7	12	0	-	290	420	840	>840
Manganese Mercurv	Mn Hg	μg/l μg/l	Р	500 1	50 1	- 20	50 1	S C	50 2	50 5	1000 10	2000 20	>2000 >20
Molybdenum	Мо	μg/i μg/i		70	-	-	-		-	50	100	20	>20
Nickel	Ni	μg/l		20	20	-	50		-	250	500	1000	>1000
Nitrate*	NO <sub>3</sub> <sup>-</sup>	mg/l	Р	50	50	25	50		45	45	90	180	>180
	Ν	mg/l		-	-	5	11	С	10	10	20	40	>40
Nitrite*	NO <sub>2</sub> -	mg/l		3	0.1	-	0.1		3	-	-	-	-
Oxygen,	N O <sub>2</sub>	mg/l %		-	- 50	-	-	С	-	-	-	-	-
dissolved	<b>U</b> 2	sat.		-	50	-	-		-	-	-	-	-
Phosphorus	P <sub>2</sub> O <sub>5</sub>	µ g/l		-	-	400	5000		-	-	-	-	-
	PO4 <sup>3-</sup>	μg/l		-	-	300	3350		-	-	-	-	-
Potassium	K	mg/l		-	-	10	12		-	200	400	800	>800
Selenium	Se	μg/l		10	10	-	10	С	50	20	50	100	>100
Silver	Ag	μg/l	_	-	-	-	10	S	100	20	50	100	>100
Sodium Sulphoto	Na SO 2-	mg/l	R	200	-	20	175	0	-	100	400	800	>800
Sulphate Tellurium	SO4 <sup>2-</sup> Te	mg/l µg/l	R	250	250	25	250	S	250	200 2	600 5	1200 10	>1200 >10
Thallium	TI	μg/i μg/i		-	-	-	-	С	2	5	5 10	20	>10
Tin	Sn	μg/i μg/l		-	-	-	-		-	100	200	400	>400
Titanum	Ti	μg/l		-	-	-	-		-	100	500	1000	>1000
Tungsten	W	μg/l		-	-	-	-		-	100	500	1000	>1000
Uranium	U	μg/l		-	-	-	-	Р	20	1000	4000	8000	>8000
Vanadium	V	µg/l		-	-	-	-		-	250	500	1000	>1000
Zinc after 12 hours	Zn	μg/l	R	3000		100	-	S	5000	1000	5000	10000	>10000
in pipe	<u> </u>	μg/l	P: Prov R: May consum	give	- al reason to co	5000 omplair	- nts from	T#: Ti	reatment tech		- ndary; f numeric MCL; red at action lev		-

# 4. SUMMARY OF NATURAL ENVIRONMENT

## 4.1 Climate

Summer rainfall is brought by northeast winds, generally from October to April. The average rainfall varies considerably and ranges between 380 mm and 450 mm. The mean annual gross evaporation is between 3000 mm -3200 mm. The numbers of rainfall events expressed as an annual average in days as determined from the regional data is 10-30 days. The sun shines for an annual average of 10 hours a day. The annual mean temperature for Otjiwarongo area is around 24°C with the mean monthly temperatures ranging between 23°C to 14°C throughout the year. Based on regional data sets, temperatures at 08h00, 14h00 and 20h00 are estimated to be around 14°C, 24°C and 18°C respectively.

## 4.2 Topography

The regional terrain around the EPL 7403 is rocky and rugged in nature with steep slopes characterising the mountainous sections whilst the foothills of the mountains are flat and gently undulating. Within the EPL area, the drainage is dendritic in nature with ephemeral streams, often steeply incised, forming small early stage tributaries of the Ugab Ephemeral River and its tributaries of Omabakan, Erundu and Urundu Ephemeral Rivers.

## 4.3 Likely Fauna Diversity

## 4.3.1 Reptiles

According to Alexander and Marais (2007), Branch (1998), Branch (2008), Boycott and Bourquin 2000, Broadley (1983), Buys and Buys (1983), Cunningham (2006), Griffin (2003), Hebbard (n.d.), Marais (1992), Tolley and Burger (2007), endemic reptile species known and/or expected to occur in the general license area make up 35.1% of the reptiles from the general area and although not as high as endemism elsewhere for example the western escarpment areas of Namibia but still makes up a large portion of the reptiles. Reptiles of greatest concern are probably the tortoises – Stigmochelys pardalis and Psammobates oculiferus which are often consumed by humans; Python anchietae and P. natalensis which are indiscriminately killed throughout their range and Varanus albigularis as well as the various Pachydactylus species geckos of which 80% are viewed as endemic. Other important species would be the 3 Blind snakes (Rhinotyphlops species of which 2 species are endemic) and 2 Thread snakes (Leptotyphlops species of which 1 species is endemic) which could be associated with the sandier soils in the area.

## 4.3.2 Amphibians

According to Carruthers (2001), Channing (2001), Channing and Griffin (1993), Du Preez and Carruthers (2009), Passmore and Carruthers (1995), of the 9 species of amphibians are likely to occur in the general license area, 33.3% (3 species) are of conservation value with 2 species being endemic (Poyntonophrynus hoeschi and Phrynomantis annectens) (Griffin 1998b) and 1 species (Pyxicephalus adspersus) viewed as near threatened (Du Preez and Carruthers 2009). However, the area does not have unique amphibian habitat with potential habits being associated with the various ephemeral drainage lines within the license area.

#### 4.3.3 Mammals

According to De Graaff (1981), Griffin and Coetzee (2005), Estes (1995), Joubert and Mostert (1975), Monadjem et al. (2010), Skinner and Smithers (1990), Skinner and Chimimba (2005), Stander and Hanssen (2003) and Taylor (2000), of the 84 species of mammals expected to occur in the general license area, 4.8% are endemic and 35.7% are classified under international conservation legislation. The most important groups are rodents (29.8% - 12% endemic), bats (26.2% - 4.5% endemic) and carnivores (20.2% - 5.9% endemic). According to De Graaff (1981), Griffin and Coetzee (2005), Estes (1995), Joubert and Mostert (1975), Monadjem et al. (2010), Skinner and Smithers (1990), Skinner and Chimimba (2005), Stander and Hanssen (2003) and Taylor (2000), the most important species from the general area are probably all those classified as near threatened (*Eidolon helvum*, *Hipposideros vittatus*, *Rhinolophus blasii*, *Hyaena brunnea* and *Panthera pardus*) and vulnerable (*Acinonyx jubatus and Felis nigripes*) by the IUCN (2014) and rare (*Cistugo seabrai*, *Atelerix frontalis angolae* and *Felis nigripes*) under Namibian legislation.

## 4.3.4 Birds

The high proportion of endemics – 10 of the 14 endemics to Namibia (i.e. 71% of all endemics) – expected to occur in the general license area underscore the importance of this area. Furthermore 21.3% are classified as southern African endemics (or 6.3% of all the birds expected) and 78.7% are classified as southern African near-endemics (or 23.1% of all the birds expected). According to Brown *et al.* (1998), Brown et al. (2006), Hockey et al. (2006), Komen (n.d.), Maclean (1985), Simmons and Brown (In press) and Tarboton (2001), the most important "endemic" species known/expected to occur in the general area are viewed as Monteiro's Hornbill (*Tockus monteiri*), Damara Hornbill (*Tockus damarensis*), *Ammomanopsis grayi* (Gray's Lark), *Namibornis herero* (Herero Chat), *Eupodotis rueppellii* (Rüppell's Korhaan) and *Poicephalus rueppellii* (Rüppell's Parrot). The species listed by the IUCN (2014) as endangered are: (Ludwig's bustard and white-backed vulture), near threatened (kori bustard) and vulnerable (martial eagle and secretarybird) and are viewed as the most important.

## 4.3.5 Sensitive Areas – Vertebrate Fauna

The following sensitive areas are of most concern at the proposed / ongoing development site:

- (i) Ugab Ephemeral River and associated tributaries such as the Omabakan, Erundu and Urundu Ephemeral Rivers: Drainage lines, albeit ephemeral, are the lifelines in the drier parts of Namibia with a variety of vertebrate fauna attracted and/or associated with such features. Although not as important as perennial rivers, well vegetated ephemeral drainage lines are still viewed as important habitat for a variety of vertebrate fauna in the general area. It is recommended that development attempt to avoid these drainage lines as far as possible, and;
- (ii) Carbonate Terrain / Mountainous and rocky areas: Maybe biotic richness and endemism.

## 4.4 Likely Flora Diversity

#### 4.4.1 Trees/shrubs

It is estimated that at least 79-110 species of larger trees and shrubs (>1m) – Coats Palgrave 1983 [81 sp.], Curtis and Mannheimer 2005 [79 sp.], Mannheimer and Curtis 2009 [110 sp], Van Wyk and Van Wyk 1997 [60 sp.]), are found in the general area. The most important tree/shrub species occurring in the general area are probably *Cyphostemma bainesii* (endemic, NC), *Cyphostemma currorii* (NC), *Cyphostemma juttae* (endemic, NC), *Erythrina decora* (Forestry\*, endemic), *Heteromorpha papillosa* (endemic) and *Manuleopsis dinteri* (endemic species) (Craven, 1999; Curtis and Mannheimer, 2005 and Mannheimer and Curtis, 2009). The protected species are viewed as the most important tree/shrubs occurring in the area include: Acacia erioloba and *Boscia albitrunca*. However, these species are widespread throughout large parts of Namibia and are not exclusively associated with the ongoing / proposed development area, which minimises the overall effect on trees/shrubs.

## 4.4.2 Grass

It is estimated that up to 111 grasses – 73 to 88 species – (Müller 2007 [88 sp.], Müller 1984 [73 sp.], Van Oudshoorn 1999 [73 sp.]) occur in the general area. The most important grass expected in the area is the endemic *Setaria finite* associated with ephemeral drainage lines. Although the season (end of dry and beginning of wet) made the identification of grasses difficult, none off the grasses are exclusively associated with the proposed / ongoing developments area nor protected species, which minimises the overall effect on grasses.

### 4.4.3 Other

*Aloe litoralis* – scattered individuals – are viewed as another species of concern although occurs widespread throughout Namibia and not exclusively associated with the proposed / ongoing development area.

#### 4.4.4 Protected Species / Sensitive Areas

The following are the key likely protected species / sensitive areas that maybe found within the EPL area:

- (i) Protected species: The protected tree species along the Ugab Ephemeral River and associated tributaries such as the Omabakan, Erundu and Urundu Ephemeral Rivers: Drainage lines, albeit ephemeral, are the lifelines in the drier parts of Namibia with a variety of vertebrate fauna attracted and/or associated with such features. Although not as important as perennial rivers, well vegetated ephemeral drainage lines are still viewed as important habitat for a variety of vertebrate fauna in the general area. It is recommended that development attempt to avoid these drainage lines as far as possible, and;
- (ii) **Carbonate Terrain / Mountainous and rocky areas**: Maybe biotic richness and endemism.

#### 4.5 Summary of the Socioeconomic Settings

#### 4.5.1 Overview

Social impacts at the exploration stage are likely to be minimal and tend to be positive in an event of a discovery of economic minerals resources. A clear understanding of these impacts may help communities understand and anticipate the effects of exploration. One of the major possible impacts of the proposed / ongoing exploration activities include employment expectations and unrealistic expectations about the development of a mine and coexistence opportunity / conflicts associated with the current land uses such as conservation and tourism operations activities being undertaken by the local communities. It's important for local communities to bear in mind that 99.9% of the exploration projects will not advance to a mine development.

#### 4.5.2 Agriculture, Conservation and Tourism

The EPL area is within the private commercial farmland. As an important cattle, game and small stock (goats and sheep) farming area and consequently a source of employment and livelihood as well as renewed interest from a tourism point of view, the importance of the local area is invaluable. The surrounding EPL area falls within the long-established communal farming communities but highly venerable to climate change due to its arid environment, recurrent drought and desertification. According to the submission made by the local community, the situation has forced pastoral farmers to find temporary homage between these mountains as they still contain grazing grass during drought. The farmers are further even forced to climb between the rocks and hills to harvest grass for their animals if it becomes difficult for the animals to climb the mountains.

The carrying capacity for the general area is 10-20kg/ha (Mendelsohn et al. 2002) or 12-15LAU/ha (van der Merwe 1983) and the risk of farming is viewed as relatively high. Small stock farming is the dominant farming activity in the local area with between 70-80% of stock farmed with being sheep and 20-30% goats and cattle, respectively (van der Merwe 1983). The stock density is estimated at <3sheep/km<sup>2</sup> (1.5% of total sheep in Namibia) and <1cattle/km<sup>2</sup> (1.3% of total cattle in Namibia) (van der Merwe 1983).

There are numerous existing tourism ventures in the area with the tourism potential viewed as relatively high (Mendelsohn et al. 2002).

## 4.6 Ground Components

## 4.6.1 Regional and Local Geology

The EPL 7403 Area falls within the metasedimentary rocks of the Damara represented by the Kuiseb and Karibib Formations as well as sounding Damara Granites (Geological Survey of Namibia, 1999 and Miller, 2008, 1992, 1983a and 1983b). Schists and quartzites, together of iron ore lenses form the lower units of the stratigraphy.

According to Miller, (1992) it was deposited during successive phases of rifting, spreading, subduction and continental collision. Much of the basal succession (Nosib Group), laid down in or marginal to intracontinental rifts, consists of quartzite, arkose, conglomerate, phyllite, calc-silicate and subordinate limestone and evaporitic rocks. Local alkaline ignimbrite with associated subvolcanic intrusions range from 840 to 720 million years in age.

Widespread carbonate deposition followed and overlapped far beyond early rift shoulders (Kudis, Ugab and basal Khomas Subgroups); interbedded mica and graphitic schist, quartzite (some ferruginous), massflow deposits, iron-formation and local within-plate basic lava point to fairly variable depositional conditions south of a stable platform where only carbonates with very minor clastics occur (Otavi Group) (Geological Survey of Namibia, 1999 and Miller, 2008, 1992, 1983a and 1983b).

The Kalahari cover consisting of thin sand/silt/calcrete deposits; hence they are not major source of water supply in the area (Miller, 2008). Some of these deposits, such as the gravels, clays and calcretes, are also potential local materials that can be used in the various construction activities associated with different infrastructure development at various stages of the mine life cycle.

#### 4.6.2 Water

#### 4.6.2.1 Overview

According to the Department of Water Affairs and Forestry, (2001) and the geology of the EPL area falls within an area with very limited economic groundwater water resources (aquifers) as shown in Fig. 4.1. Water supply in the general area is from local groundwater resources (Department of Water Affairs, 2001). The local settlements get water supply from the limited groundwater resources associated with the local carbonates and fractured terrain in the general area. The proposed / ongoing project activities (exploration programme) will utilise limited local groundwater resources if available. No site-specific hydrogeological specialist study, groundwater modelling or water sampling and testing activities have been undertaken for this study.

#### 4.6.2.2 Sources of Water Supply

The source of water supply for the proposed / ongoing exploration and in particular drilling of exploration boreholes if need arises to drill, will be from existing groundwater resources. Alternatively, water will be trucked to an exploration as may be required. The proponent must obtain permission from the land owners before using water from any existing local boreholes and infrastructures. If there is a need to drilling a water borehole to support the proposed / ongoing exploration programme, the proponent must obtain permission from the land owner and Department of Water Affairs in the Ministry of Agriculture, Water and Forestry (MAWF). In an event of discovery of economic minerals resources, the sources of water supply for the mining related operations will be supplied through NamWater from groundwater resources if proven to be available following a detailed hydrogeological and groundwater modelling study that must be undertaken as part of the EIA supporting the feasibility study. Currently, potential available groundwater resources in the area will not be sufficient to support any new larger-scale mining related operation within the EPL 7403.

#### 4.6.2.3 Water Vulnerability Assessments and Recommendations

Possible targets for vulnerable groundwater resources in this area are the Ephemeral River Channels and fractured zones and faults that outcrop on the surface without impermeable infillings. Although the

general area does not have economic water resources some parts of the EPL area may hold localised potential groundwater resources (Fig. 4.1). The granite and the carbonate rocks both have very poor primary and secondary porosity, permeability and all associated hydraulic properties. The overall water be vulnerability to pollution as a result of the proposed / ongoing exploration as well as other existing activities is moderate as shown in Fig. 4.2.

The general area has a number of Ephemeral River Channels which could be potential pathways for pollution migration especially during the rainy season from November to March. Discharge of liquid or solid wastes including waste water, chemical, fuels or oils into any public stream is prohibited and the proponent must implement the provisions of the EMP on water and waste management as detailed in the EMP report.

It is hereby recommended that a detailed site-specific hydrogeological specialist study including groundwater modelling, water sampling and testing shall be undertaken as part of the EIA and EMP that may be implemented to support the feasibility study for any viable mining project that may be development within the EPL area, if economic resources are discovered.





Figure 4.1: Regional hydrogeology and groundwater potential around the EPL 7403 Area (Source: Department of Water Affairs, 2001).



# Figure 4.2: Regional groundwater vulnerability around the EPL 7403 (Source: Department of Water Affairs and Forestry, 2001).

## 4.7 Archaeology

#### 4.7.1 Overview

Indigenous communities, the descendants of people who lived in Damaraland over thousands of years, still maintain important cultural links with the areas generally covered by the EPL 7403. Archaeological remains in Namibia are protected under the National Heritage Act (27 of 2004) which makes provision for archaeological assessment of large projects including mineral exploration programmes.

Remains of indigenous settlements, wells, burial grounds and other sites are likely to be found in the general area and are all valuable material evidence of indigenous land ownership and can provide crucial support for land claims.

According to Kinahan (2011), modern humans and their ancestors have lived in Namibia for more than one million years. Namibia has a relatively complete sequence covering the mid-Pleistocene to Recent Holocene period, represented by thousands of archaeological sites mainly concentrated in the central highlands, escarpment and Namib Desert.

The Recent Holocene archaeological sequence in Namibia, i.e. the last 5 000 years, is of particular importance because it provides the background evidence for the development and recent history of the indigenous peoples of Namibia before the advent of written historical records during the colonial era. Many archaeological sites from this period are of great significance to the understanding of Namibian history, and some are considered to be of global importance to our understanding of the African past.

The EPL area falls within the former Damaraland with a rich legacy of archaeological remains which lie scattered over the landscape and especially in this various mountain. According to the local community, this is by far the longest archaeological record in the southern hemisphere, and it contains unique evidence of how humankind learned to cope with one of the most hostile environments on earth.

#### 4.7.2 Recommendations

It likely that the area covered by the EPL 7304 could hold archaeological potential as indicated by the local community. The expectation is therefore:

- (i) A high likelihood of Holocene age archaeological sites, including rock art, associated with outcropping granite;
- (ii) A high likelihood of late precolonial settlement sites throughout the entire tenement, especially in the vicinity of springs and seepages;
- (iii) A high likelihood of early colonial settlement remains relating to the historical occupation of the local areas.

The following is the summary of the recommended actions to be implemented by the Proponent:

- (i)Contractors working on the site should be made aware that under the National Heritage Act any items protected under the definition of heritage found in the course of development should be reported to the National Heritage Council;
- (ii) The provisions of the EMP must be implemented and monitored at all times in order to protected potential archaeological sites that may occur in the local area, and;
- (iii) Detailed field survey should be carried out when the Proponent / licence holder has identified specific targets for detailed exploration such trenching or drilling, or before any form of site-specific invasive exploration activities commences.

## 4.8 Public Consultations Process

## 4.8.1 Overview

Public and stakeholder consultation process was provided for in the environmental assessment process undertaken for the EPL 7403 (Fig. 4.3 - 4.5). According to the Environmental Impact Assessment (EIA) Regulations No. 30 of 2012 and the Environmental Management Act, (EMA), 2007, (Act No. 7 of 2007), a person conducting a public consultation process must give notice to all Interested and Affected Patties (I&AP) of the application which is subjected to public consultation.

The EIA Regulations clearly state that potential interested and affected parties must be provided with a reasonable opportunity (21 days) to comment on the application under Section 21(6) of the EIA Regulations.

Public consultation process was undertaken during the month of Months February and March 2020. In line with the provisions of the EIA Regulations, 2012 and in order to identify the key Interested and Affected Parties (I&APs), public notices were published in the following newspapers: New Era Daily Newspaper dated 18<sup>th</sup> February 2020 (fig. 4.3), the Confidente Weekly Newspaper dated 27<sup>th</sup> February to 4<sup>th</sup> March 2020 (Fig. 4.4) and Windhoek Observer Weekly Newspapers dated 6<sup>th</sup> March 2020 (Fig. 4.5).

The closing date for registration and submission of written objections, comments or inputs to the environmental assessment process was Friday, 13<sup>th</sup> March 2020. During the public / stakeholder consultation period, no written comments / objections / inputs were received by Environmental Assessment Practitioner (EAP) specific for this EPL No. 7403.

18 ADVERT






Figure 4.3: Copy of the full-page advert of the 1<sup>st</sup> Public Notice published in the New Era Daily Newspaper dated Tuesday, 18<sup>th</sup> February 2020.



Onternational Resources Factorical Spectrated Consultants (CA, Gas, Minarde & Energy Exploration, Production & Minard) and Emirormental Assessments (SEA, EIA, EMP; E)

Figure 4.4: Copy of the full-page advert of the 2<sup>nd</sup> Public Notice published in the Confidente Weekly Newspaper dated 27<sup>th</sup> February to 4<sup>th</sup> March 2020.

FRIDAY OS MARCH 2020 | 19



REGISTER BY EMAIL for exceeded the cost on or for more information contact by Sondia Merra (EAM Informational Resources Technical pectation Consellation, Small annexa (Charlottics, Medice 0811113229 DEACOLINE FOR WRITTEN SUBMISSION 318: FREDAY 13<sup>th</sup> MARCH 2020

APPEARIENT FOR EXERCISE EXPELIGRATION (Ptg) Ltd (Ins Proposed) mich manufacture Mentals, EXPLORATION (Ptg) Ltd (Ins Proposed) Notin manufacture for the Enclose Engagering linease (FB ) No. 7548 for mass, same and processe mainle. The ETL, 3744 was gottend on the EXMADD's and wagins on the 12000020 The ETL 3744 was before 20057 3020Hz cover parts of the following preses terrefarts Nain Ackas, forms Ackas, Nect Strekter, Suder, Nervice Medicals, Wageroods, Vehrose, Nect Strekter, Suder, Nervice Anderson, Wageroods, Vehrose, Nect Strekter, Suder, Nervice Anderson, Strekter, Wageroods docker, and aerial suscepts, followerd by registed febricsated micromatemore when the investment metalmotion, impermetils databased micromatemore when and aerial suscepts, followerd by registed febricsated micromatemore when all devid suscepts, followerd by registed febricsated micromatemore when all devid suscepts, followerd by registed febricsated micromatemore when all devid suscepts, followerd by registed febricsated micromatemore when all devid suscepts, followerd by registed febricsated micromatemore when all devid suscepts followerd by registed febricsated micromatemore when all devide suscepts followerd by registed febricsated micromatemore when all devide suscepts followerd by registed febricsated micromatemore and when all devide suscepts followerd by registed febricsated micromatemore and the suscepts febricsated micromatemore and and the subscience febricsated micromatemore and and the suscepts febricsated micromatemore and and the subscience febricsated micromatemore and and the suscepts febricsated micromatemore and and the subscience febricsated micromatemore and and the suscepts febricsated micromatemore and and the subscience febricsated micromatemore and and the suscepts febricsated micromatemore and and the subscience febricsated micromatemore and and the suscepts febricsated micromatemore and and the subscience febricsated micromatemore and and the subscience febricsated micromatemore and work and of the results are positive, impervent dataland data-specific feet/based activities using incrimants and positional mapping, appropriate inverse tending, dating and sampling for Mannahammer Ass. 2007. In the EAM Positions and activities are larger to the Environmental Mannahammer Ass. 2007. In the EAM Positions 20 of 2015 and the underhimter without are Environmental Descentions 20 of 2015 and parmet for combinities without are Environmental Descentions (EAM) in the AdMinistry of These environmental regimerents). The Properties Ass. appointed Field Review Statistics (EAM) of the Environmental Mannahammer Ass. 2007. In the tendence of the EAM Position of the Provide Constraint, the ty ID Sindle Mary Statistics (EAM) of the Environmental Constraint, the ty ID Sindle Mary and Environmental Mannapament Plant GAMP) Report to support the application for ECC. All International and Affected Purisis (EAM) on the Inter-tion of the Constraints and and Affected Purisis (EAM) on the Inter-tion of the Provide CCC. All International and Affected Purisis (EAM) and the originate and submit writes comments. A Background Hermitike Decement (BIC) is available to part regionalistic.

REGISTER BY EMAIL: Invester Brussen and or for more information contact Dr Sindia Mwya (SAP) Informational Resources Technical Bpecialist Desaultarity, Chail <u>amena Discources</u> Mobile: 00114130220. OctAULINE YOR WITTEN SUBMERSIONS IS FRIDAY 13<sup>th</sup> MARCH 2020

- Introduction Control of Control of Control of Control Contr

The Properties interests in consists and accounting activities in the FPL and and placable intergraduates in the MCs starting with devide interfere mode and startens. Alternat by regional field-based recommissions work. If the explanation results are passive, implanet, interests also packs, field-based activities on Initial case positive engineering theory of the second leaves the end of the second leaves the second



Copy of the full-page advert of the 3rd Public Notice published in the Windhoek Figure 4.5: Observer Daily Newspaper dated Wednesday, 23rd October 2019.

# 5. IMPACT ASSESSMENT AND RESULTS

## 5.1 Impact Assessment Procedure

The Environmental Assessment process that has been undertaken with respect to the proposed exploration programme for the EPL No. 7403 has been conducted in accordance with the provisions of the Environmental Impact Assessment (EIA) Regulations No. 30 of 2012 gazetted under the Environmental Management Act, (EMA), 2007, (Act No. 7 of 2007).

## 5.2 Alternatives and Ecosystem Assessments

The following alternatives have been considered:

- (i) EPL Location: A number of potential economic minerals deposits are known to exist in the general area and linked to the regional geology of the EPL area. The Proponent intend to explore / prospect for all the licensed minerals groups likely to be associated with the regional and local geology. The minerals occurrences are site-specific and related to the regional and local geology of a specific area to which there are no alternatives sites to consider with respect to the license location. The only other alternative is the no-action option (no exploration activities are implemented in a specific area);
- (ii) The No-Action Alternative A comparative assessment of the environmental impacts of the 'no-action' alternative (a future in which the proposed / ongoing exploration activities do not take place) has been undertake. An assessment of the environmental impacts of a future, in which the proposed / ongoing exploration and possible discovery of economic minerals resources does not take place, may be good for the receiving environment because there will be no negative environmental impacts due to the proposed minerals exploration or possible mining operation that may take place in the EPL area.

The environmental benefits will include:

- No negative impacts as a result of no mineral exploration taking place, and;
- Potential future mining related negative environmental impact on the receiving environment.

However, it is important to understand that even if the proposed / ongoing exploration activities do not take place, to which the likely negative environmental impacts are likely to be low and localised, the other current and future land uses such as agriculture and tourism will still have some negative impacts on the receiving environment. The likely negative environmental impacts of the other current and future land use that may still happen in the absence of the proposed / ongoing minerals exploration activities includes:

- Land degradation due to drought;
- Overgrazing / over stocking beyond the land carrying capacity;
- Poor land management practices, and;
- Erosion and overgrazing.

Furthermore, it's also important to understand what benefits might be lost if the proposed / ongoing exploration activities do not take place. Key loses that may never be realised if the proposed / ongoing project activities do not go-ahead include: Loss of potential added value to the unknown underground minerals resources that may occur within the EPL No. 7403, socioeconomic benefits derived from current and future exploration, direct and indirect contracts and employment opportunities, export earnings, foreign direct investments, license rental fees, royalties and various other taxes payable to the Government;

(iii) Other Alternative Land Uses: The EPL area fall within the well private farmland. The area is too dry to be able to conduct full scale commercial agriculture in the area. The local land owners have invested greatly in conservation and eco-tourism business. The growing game farming is also making tourism a vital socioeconomic opportunity in the general area. Minerals exploration and mining activities are well known land use options in Namibia and the and the general area but not necessary on the farm covered by the EPL 7403. Due to the limited

scope of the proposed / ongoing exploration and the implementation of the EMP, it's likely that the proposed / ongoing exploration can coexist with the current and potential future land uses options within the area. The Proponent shall focus the exploration activities on farms or parts of the farms thereof that are not participating in the eco-tourism initiative in area;

- (iv) Potential Land Use Conflicts: Considering the current land use practices (conservation and eco- tourism) as well as potential other land uses including minerals exploration, it's likely that potential economic derivatives from any positive exploration outcomes leading to the development of a mine in the general area can still co-exist with the existing and potential future land use options of the area especially on farms or parts of the farms thereof that are not participating on in the conservation and eco- tourism. However, much more detailed assessments of any likely visual and other socioeconomic impacts will need to be included in the EIA that must be undertaken as part of the prefeasibility and feasibility studies if economic minerals resources are discovered. The use of thematic mapping and delineation of various land use zones for specific uses such as conservation, eco-tourism, mining or adventure tourism etc, within the EPL area will greatly improve the multiple land use practices and promote coexistence for all the possible land use options in this area;
- (v) Ecosystem Function (What the Ecosystem Does): Ecosystem functions such as wildlife habitats, carbon cycling or the trapping of nutrients and characterised by the physical, chemical, and biological processes or attributes that contribute to the self-maintenance of an ecosystem in this area are vital components of the receiving environment. However, the proposed / ongoing exploration activities will not affect the ecosystem function due to the limited scope of the proposed / ongoing activities because the ecosystem of this EPL area is part of the larger local and regional ecosystems which are all interlinked;
- (vi) Ecosystem Services: Food chain, benefits of animals or plants values, and the provision of clean water or scenic views are some of the local ecosystem services associated with the EPL area. However, the proposed / ongoing exploration activities will not affect the ecosystem services due to the limited scope and area of coverage of the proposed / ongoing activities because the ecosystem of this EPL area is part of the larger local and regional ecosystems which are all interlinked;
- (vii) Use Values: The EPL area has direct values for other land uses such as conservation and eco-tourism as well as indirect values which includes: Watching a television show about the general area and its wildlife, food chain linkages that sustains the complex life within this area and bequest value for future generations to enjoy. The proposed / ongoing exploration activities will not destroy the current and future use values due to the limited scope of the proposed / ongoing activities as well as the adherence to the no-go zones that may be delineated in the area and the implementation of the EMP for the proposed exploration programme, and;
- (viii) **Non-Use or Passive Use**: The EPL area has an existence value that is not linked to the direct use / benefits to current or future generations. The proposed / ongoing exploration activities will not affect the ecosystem current or future none or passive uses due to the limited scope of the proposed / ongoing activities that will leave much of the EPL area untouched because the ecosystem of this EPL area is part of the larger local and regional ecosystems which are all interlinked.

## 5.3 Key Issues Considered in the Assessment Process

#### 5.3.1 Sources of Impacts (Proposed / Ongoing Project Activities)

The ongoing exploration activities being undertaken in the EPL 7403 and as assessed in this EIA Report with mitigation measures provided in the EMP Report are as follows:

- (i) Initial desktop exploration activities (no field-work undertaken);
- (ii) Regional reconnaissance field-based mapping and sampling activities;

- (iii) Initial local field-based mapping and sampling activities;
- (iv) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling, and;
- (v) Prefeasibility and feasibility studies leading to test mining and mining if proves positive.

#### 5.3.2 Summary of Receptors Likely to be Negative Impacted

Based on the finding of this EIA Report, the following is the summary of the key environmental receptors that are may be negatively impacted by the proposed activities:

- Physical environment: Water quality, physical infrastructure and resources, air quality, noise and dust, landscape and topography, soil quality and, Climate change influences;
- Biological environment: Habitat, protected areas and resources, flora, fauna, and ecosystem functions, services, use values and non-use or passive use, and;
- Socioeconomic, cultural and archaeological environment: Local, regional and national socioeconomic settings, agriculture, conservation, eco-tourism and recreation cultural, biological and archaeological resources.

## 5.4 Impact Assessment Methodology

#### 5.4.1 Impact Definition

In this EIA Report, a natural and/or human environmental impact is defined as: "Change to the environment, whether adverse or beneficial, wholly or partially resulting from an organisation's environmental aspects." (ISO 14001).

All proposed project activities (routine and non-routine) were considered during the Scoping, EIA and EMP Phases in terms of their potential to:

- Interact with the existing environment (physical, biological and social elements), and;
- Breach relevant national legislation, relevant international legislation, standards and guidelines, and corporate environmental policy and management systems.

Where a project activity and receptor were considered to have the potential to interact, the impact has been defined and ranked according to its significance. Table 5.1 provides the definition of different categories of impacts identified and used in this report.

This EIA Report has assessed the potential impacts resulting from routine Project activities, assuming that the Project activities that may cause an impact that will occur but the impact itself will be dependent on the likelihood (Probability) (Table 5.2).

Correct control measures through the implementation of the EMP and monitoring thereof, often reduce any negative significant impacts on the receiving environment as the results of the project activities. The assessment therefore, has focussed on the measures aimed at preventing the occurrence of an impact as well as mitigation measures that may be employed.

Table 5.1:	Definition of impact categories used in this report.
------------	--

	Adverse	Considered to represent an adverse change from the baseline, or to introduce a new undesirable factor.
Nature of Impact	Beneficial	Considered to represent an improvement to the baseline or to introduce a new desirable factor.
	Direct	Results from a direct interaction between a planned or unplanned Project activity and the receiving environment.
Type of	Indirect	Results from the Project but at a later time or at a removed distance or which may occur as a secondary effect of a direct impact.
Impact	Cumulative	Results from (i) interactions between separate Project-related residual impacts; and (ii) interactions between Project-related residual impacts in combination with impacts from other projects and their associated activities. Cumulative impacts can result from individually minor but collectively significant actions taking place over a period of time.
	Short-term	Predicted to last only for a limited period but will cease on completion of the activity, or as a result of mitigation/reinstatement measures and natural recovery typically within a year of the project completion.
	Medium-	Predicted to last only for a medium period after the Project finishing, typically one to five years.
Duration of Impact	Long-term	Continues over an extended period, typically more than five years after the Project's completion.
or impact	Permanent	Occurs during the development of the Project and causes a permanent change in the affected receptor or resource that endures substantially beyond the Project lifetime.
	Local	Affects locally important environmental resources or is restricted to a single habitat/biotope, a single community.
	Regional	Affects nationally important environmental resources, or an area that is nationally important/protected or has macro-economic consequences.
	National	Affects nationally important environmental resources, or an area that is nationally important/protected or has macro-economic consequences.
Scale of Impact	International	Affects internationally important resources such as areas protected by international Conventions
	Transboundary	Impacts experienced in one country as a result of activities in another.
	Negligible	Possibility negligible
	Improbable	Possibility very low
Probability	Probable	Distinct possibility
	Highly Probable	Most likely
	Definite	Impact will occur regardless of preventive measures

The overall impact severity has been categorised using a semi-quantitative subjective scale as shown in Table 5.2 for sensitivity of receptors, Table 5.3 for magnitude, Table 5.4 for duration, Table 5.5 for extent and Table 5.6 showing probability.

Table 5.2:	Definitions used for determining the sensitivity of receptors.
------------	--

SENS	TIVITY RATING	CRITERIA
1	Negligible	The receptor or resource is resistant to change or is of little environmental value.
2	Low	The receptor or resource is tolerant of change without detriment to its character, is of low environmental or social value, or is of local importance.
3	Medium	The receptor or resource has low capacity to absorb change without fundamentally altering its present character, is of high environmental or social value, or is of national importance
4	High	The receptor or resource has moderate capacity to absorb change without significantly altering its present character, has some environmental or social value, or is of district/regional importance.
5	Very High	The receptor or resource has little or no capacity to absorb change without fundamentally altering its present character, is of very high environmental or social value, or is of international importance.

#### Table 5.3:Scored on a scale from 0 to 5 for impact magnitude.

SCALE (-) o	or (+)	DESCRIPTION						
0		no observable effect						
1		low effect						
2		tolerable effect						
3		medium high effect						
4		high effect						
5		very high effect (devastation)						

Table 5.4: Scored time period (duration) over which the impact is expected to last.

SCALE (-) o	r (+)	DESCRIPTION
Т		Temporary
Р		Permanent

Table 5.5:Scored geographical extent of the induced change.

SCALE (-)	or (+)	DESCRIPTION
L		limited impact on location
0		impact of importance for municipality;
R		impact of regional character
N		impact of national character
М		impact of cross-border character

## 5.4.3 Likelihood (Probability) of Occurrence

The likelihood (probability) of the pre-identified events occurring has been ascribed using a qualitative scale of probability categories (in increasing order of likelihood) as shown in Table 5.6. Likelihood is estimated on the basis of experience and/ or evidence that such an outcome has previously occurred. Impacts resulting from routine/planned events (i.e., normal operations) are classified under category (E).

Table 5.6: Summary of the qualitative scale of probability categories (in increasing order of likelihood).

SCAL	E (-) or (+)	DESCRIPTION
А		Extremely unlikely (e.g. never heard of in the industry)
В		Unlikely (e.g. heard of in the industry but considered unlikely)
С		Low likelihood (egg such incidents/impacts have occurred but are uncommon)
D		Medium likelihood (e.g. such incidents/impacts occur several times per year within the industry)
E		High likelihood (e.g. such incidents/impacts occurs several times per year at each location where such works are undertaken)

## 5.4.4 Project Activities Summary of Impacts Results

The results of the impacts assessment and evaluation has adopted a matrix framework similar to the Leopold matrix. Assessment results of the magnitude, duration, extent and probability of the potential impacts due to the proposed / ongoing project activities interacting with the receiving environment are presented in form of a matrix table as shown in Tables 5.7-5.10.

The overall severity of potential environmental impacts of the proposed / ongoing project activities on the receiving environment will be of low magnitude (Table 5.7), temporally duration (Table 5.8), localised extent (Table 5.9) and low probability of occurrence (Table 5.10) due to the limited scope of the proposed activities and the use of step progression approach in advancing exploration.

The step progressional approach will allow the Proponent to the results of exploration success and the implementation of the next stage of exploration will be subject to the positive outcomes of previous activities as graded (Tables 5.7-5.10).

It is important to note that the assessment of the likely impacts as shown in Tables 5.7 - 5.10, have been considered without the implementation of mitigation measures detailed in the EMP Report.

The need for implementation of the appropriate mitigation measures as presented in the EMP Report have be determined on the results of the impact assessment (Tables 5.7 - 5.10) and the significant impacts as detailed in Tables 5.11 and 5.12.

 Table 5.7:
 Results of the sensitivity assessment of the receptors (Physical, Socioeconomic and Biological environments) with respect to the proposed exploration / prospecting activities.

			RECEPTOR SENSITIVITY		E		SICAL DNMEN	IT				DLOGIO IRONN			SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT				
	SENSITIVITY RATINGCRITERIA1NegligibleThe receptor or resource is resistant to change or is of little environmental value.2LowThe receptor or resource is tolerant of change without detriment to its character, is of low environmental or social value, or is of local importance.3MediumThe receptor or resource has low capacity to absorb change without fundamentally altering its present character, is of high environmental or social value, or is of national importance4HighThe receptor or resource has moderate capacity to absorb change without significantly altering its present character, has some environmental or social value, or is of district/regional importance.5Very HighThe receptor or resource has little or no capacity to absorb change without fundamentally altering its present character, is of very high environmental or social value, or is of district/regional importance.		Water Quality	Physical infrastructure and Resources	Air Quality, Noise and Dust	Landscape Topography	Soil Quality	Climate Change Influences	Habitat	Protected Areas	Flora	Fauna	Ecosystem functions, services, use values and non-Use or passive use	Local, regional and national socioeconomic settings	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	Cultural, Biological and Archaeological Resources	
			<ul> <li>General evaluation of satellite, topographic, land tenure, accessibility, supporting infrastructures and socioeconomic environment data</li> </ul>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1.	Initial Des Exploratio	Shiop	<ul> <li>Purchase and analysis of existing Government high resolution magnetics and radiometric geophysical data</li> </ul>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Activities	. L	ii) Purchase and analysis of existing Government aerial hyperspectral	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			<ul> <li>v) Data interpretation and delineating of potential targets for future reconnaissance regional field-based activities for delineated targets</li> </ul>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			<ul> <li>Regional geological, geochemical, topographical and remote sensing mapping and data analysis</li> </ul>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2.	2. Regional Reconnaissan ce Field- Based Activities		<ul> <li>Regional geochemical sampling aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken</li> </ul>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			<ul> <li>Regional geological mapping aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken</li> </ul>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			<ul> <li>v) Limited field-based support and logistical activities including exploration camp site lasting between one (1) to two (2) days</li> </ul>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			<ul> <li>Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets for future detailed site- specific exploration if the results are positive and supports further exploration of the delineated targets</li> </ul>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

				RECEPTOR SENSITIVITY		E		SICAL	IT				OLOGI IRONN	-		SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT					
F	SENSI 1	TIVITY RATII Negligibl		CRITERIA The receptor or resource is resistant to change or is of little environmental value.		ources	st			S					, use e use	le		St		logical	
	2	Low		The receptor or resource is tolerant of change without detriment to its character, is of low environmental or social value, or is of local importance.		I Res	d Dus	aphy		ience		S			vices assiv	nd nationa settings	lture	l Area		chaec	
	3	Medium	ı	The receptor or resource has low capacity to absorb change without fundamentally altering its present character, is of high environmental or social value, or is of national importance	er Quality	Physical infrastructure and Resources	Air Quality, Noise and Dust	e Topography	Soil Quality	inge Influ	Habitat	Protected Areas	Flora	Fauna	Ecosystem functions, services, values and non-Use or passive	regional and national occonomic settings	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	al and Archaeological sources	
	4	High	The receptor or resource has moderate capacity to absorb change without significantly altering its present character, has some environmental or social value, or is of district/regional importance.	Water	ıl infrastru	r Quality,	Landscape	Soil	Climate Change Influences	Ï	Protec		ш	stem fund	Local, regional an socioeconomic	Commerc	mmunity	Tou Rei	Cultural, Biological and A Resources		
	5 Very High		h	The receptor or resource has little or no capacity to absorb change without fundamentally altering its present character, is of very high environmental or social value, or is of international importance.		Physica	Ai			Ū					Ecosy values	Lo Lo	0	ပိ		Cultural	
			(i)	Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during regional reconnaissance field activities	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
		-		Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
3.	3. Initial Local		(iii)		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
		Based	(iv)		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
	Activi	ties	(v)	Field-based support and logistical activities will be very limited focus on a site-specific area for a very short time (maximum five (5) days)	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
			(vi)		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
			(i)	Access preparation and related logistics to support activities	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
4.	Detail	ed Local	(ii)	Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during the initial field-based activities	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
		Based ties	(iii)	Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
	5. Prefeasibility (		(iv)	Ground geophysical survey, trenching, drilling and sampling (Subject to the positive outcomes of i and ii above);	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
			(i)	Detailed site-specific field-based support and logistical activities, surveys, detailed geological mapping	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
5.			(ii)	Detailed drilling and bulk sampling and testing for ore reserve calculations	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
1		Ind Feasibility		8	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
				Mine planning and designs including all supporting infrastructures (water, energy and access) and test mining activities	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1			(v)	EIA and EMP to support the ECC for mining operations	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	(v (v			Preparation of feasibility report and application for Mining License	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	

Table 5.7: Cont.

Osino Prospects Holdings EPL No. 7403

 Table 5.8:
 Results of the scored time period (duration) over which the impact is expected to last.

	RECEPTOR SENSITIVITY		E	PHYS	SICAL DNMEN	ΙТ				DLOGIO IRONN			SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT					
	Water Quality	Physical infrastructure and Resources	Air Quality, Noise and Dust	Landscape Topography	Soil Quality	Climate Change Influences	Habitat	Protected Areas	Flora	Fauna	Ecosystem functions, services, use values and non-Use or passive use	Local, regional and national socioeconomic settings	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	Cultural, Biological and Archaeological Resources		
	(i) General evaluation of satellite, topographic, land tenure, accessibility, supporting infrastructures and socioeconomic environment data	Т	т	Т	Т	Т	т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
1. Initial Desktor Exploration	(ii) Purchase and analysis of existing Government high resolution magnetics and radiometric geophysical data	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	т	Т	
Activities	(iii) Purchase and analysis of existing Government aerial hyperspectral	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
	(iv) Data interpretation and delineating of potential targets for future reconnaissance regional field-based activities for delineated targets	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
	(i) Regional geological, geochemical, topographical and remote sensing mapping and data analysis	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
2. Regional Reconnaissar	<ul> <li>(ii) Regional geochemical sampling aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken</li> </ul>	Т	т	т	т	т	т	т	т	т	Т	Т	Т	Т	Т	т	т	
ce Field- Based Activities	<ul> <li>(iii) Regional geological mapping aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken</li> </ul>	т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	т	
	(iv) Limited field-based support and logistical activities including exploration camp site lasting between one (1) to two (2) days	Т	Т	Т	Т	т	Т	т	Т	Т	Т	Т	Т	т	Т	Т	Т	
	<ul> <li>exploration camp site lasting between one (1) to two (2) days</li> <li>(v) Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets for future detailed site-specific exploration if the results are positive and supports further exploration of the delineated targets</li> </ul>						Т	Т	т	Т	т	Т	т	т	Т	т	т	

		DURATIO			E		SICAL DNMEN	іт			-		-		SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT					
		SCALE T P	DESCRIPTION Temporary Permanent		Water Quality	Physical infrastructure and Resources	Air Quality, Noise and Dust	Landscape Topography	Soil Quality	Climate Change Influences	Habitat	Protected Areas	Flora	Fauna	Ecosystem functions, services, use values and non-Use or passive use	Local, regional and national socioeconomic settings	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	Cultural, Biological and Archaeological Resources
		(i) Local geochemic target/s delineate	cal sampling aimed at verifying the prospective during regional reconnaissance field activite	vity of the	Т	Т	т	Т	Т	Т	т	Т	Т	Т	Т	Т	Т	Т	Т	Т
		(ii) Local geological	mapping aimed at identifying possible target the regional geological and analysis undertal	ted based	Т	Т	т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
3.	Initial Local	(iii) Ground geophysi	sical survey (Subject to the positive outcomes		т	т	т	т	т	т	т	т	т	т	т	т	т	т	т	т
	Field-Based	ii above) (iv) Possible Trenchi	renching (Subject to the outcomes of i - iii above)		т	T	Т	Т	т	Т	т	т	т	т	Т	т	т	Т	Т	- <u>-</u>
	Activities		port and logistical activities will be very limited	d focus on	- -					· ·		-				- -	- -	•		- -
		a site-specific are	ea for a very short time (maximum five (5) da	ays)	I	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
			/sis of the samples collected and interpretati eating of potential targets	tion of the	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	т
-			ion and related logistics to support activities		Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
1.		(ii) Local geochemic	cal sampling aimed at verifying the prospectiv	vity of the	T	T	Т	Т	Т	Т	Т	Т	Т	Т	T	T	T	Т	Т	Т
4.	Detailed Local Field-Based		ed during the initial field-based activities mapping aimed at identifying possible target	ted based	-	-	-	-	-		-	-	-	-		-	-		-	-
1	Activities	on the results of t	the regional geological and analysis undertal	iken	I	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
		the positive outco	ical survey, trenching, drilling and sampling (Somes of i and ii above);		Т	Т	т	Т	Т	Т	т	Т	Т	Т	Т	Т	Т	Т	Т	Т
			ecific field-based support and logistical activiti d geological mapping	ies,	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
5.		(ii) Detailed drilling a calculations	and bulk sampling and testing for ore reserve	e	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
	and Feasibility		udies for mine design		Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
	Studies	(iv) Mine planning an	nd designs including all supporting infrastruct	tures	т	T	Т	Т	Т	Т	Т	Т	Т	Т	T	T	T	Т	Т	Т
1			nd access) and test mining activities		т	т	т	т	т	т	Т	т	т	т	Т	т	т	т	т	Т
	<ul> <li>(v) EIA and EMP to support the ECC for mining operations</li> <li>(vi) Preparation of feasibility report and application for Mining License</li> </ul>							T	T	T	Ť	T	T	T	T	T	T	T	T	T

Table 5.8: Cont.

Osino Prospects Holdings EPL No. 7403

PHYSICAL BIOLOGICAL **GEOGRAPHICAL EXTENT OF IMPACT ENVIRONMENT ENVIRONMENT** Physical infrastructure and Resources Ecosystem functions, services, use values and non-Use or passive use SCALE DESCRIPTION Local, regional and national socioeconomic settings Climate Change Influences Quality, Noise and Dust Landscape Topography limited impact on location Protected Areas Water Quality Soil Quality 0 impact of importance for municipality Habitat Fauna Flora R impact of regional character Ν impact of national character Air impact of cross-border character Μ General evaluation of satellite, topographic, land tenure, accessibility, (i) L L L L L L L L Т L L supporting infrastructures and socioeconomic environment data Purchase and analysis of existing Government high resolution (ii) Initial Desktop 1. L L L L L L L L L L L magnetics and radiometric geophysical data Exploration Purchase and analysis of existing Government aerial hyperspectral (iii) Т 1 1 Т 1 Т -· · · · · · · · · ·

Table 5.9: Results of the scored geographical extent of the induced change.

Activit	ties	()		_		_		-	-	_	_	_	_	_	_	_	-		
Addition		(iv)	Data interpretation and delineating of potential targets for future reconnaissance regional field-based activities for delineated targets	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
		(i)	Regional geological, geochemical, topographical and remote sensing mapping and data analysis	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	nnaissan	(ii)	Regional geochemical sampling aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken		L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
ce Fiel Based Activit	1	(iii)	Regional geological mapping aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
		(iv)	Limited field-based support and logistical activities including exploration camp site lasting between one (1) to two (2) days	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
		(v)	Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets for future detailed site-specific exploration if the results are positive and supports further exploration of the delineated targets		L	L	L	L	L	L	L	L	L	L	L	L	L	L	L

SOCIOECONOMIC,

CULTURAL AND

ARCHAEOLOGICAL ENVIRONMENT

Community Protected Areas

L

L

Commercial Agriculture

L

L

L

L

Cultural, Biological and Archaeological Resources

L

L

Tourism and Recreation

Т

L

1

Table 5.9: Conti.

				E		SICAL	IТ						SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT								
	SCALE DESCRIPTION															asn Use	_		6		ogical
	L			limited impact on location			Reso	Dust	hy		nces					services, or passive	tiona ngs	ure	Area:		laeol
	O impact of importance for municipality					ality	and	and	ogra	ty	nflue		reas			0 5	d na settir	ricult	cted ,		Arch
	R			impact of regional character	]	Water Quality	ture	Quality, Noise and Dust	Landscape Topography	Soil Quality	Climate Change Influences	Habitat	Protected Areas	Flora	Fauna	ions, Jse c	Local, regional and national socioeconomic settings	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	l and ource
	N			impact of national character		Vater	struc	lity, N	cape	Soil e	Cha	На	otect	LL.	Е	functions non-Use	egion	nercia	nity F	Fouri: Reci	ogica Rese
	M			impact of cross-border character		>	infra	Qua	ands		mate		P			stem	al, re ocioe	omn	Inmu		Biolo
		]		Physical infrastructure and Resources	Air			C					Ecosystem functions, values and non-Use c	Loc s	0	Cor		Cultural, Biological and Archaeological Resources			
		(i)	Loca	I geochemical sampling aimed at verifying the prospectiv	ity of the	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
		target/s delineated during regional reconnaissance field activities           (ii)         Local geological mapping aimed at identifying possible targeted base						1	1	1	L	1	1	1	1	1	1	L	1	L	1
3.	Initial Local	(iii)		e results of the regional geological and analysis undertak nd geophysical survey (Subject to the positive outcomes			L	-		-	L	-	-								
э.	Field-Based	(iv)	ii abo			L 1									L 1					L	
	Activities	(v)	Field	-based support and logistical activities will be very limited		 							L		 	L	 	<u>L</u>		L	
		(vi)	a site	e-specific area for a very short time (maximum five (5) day ratory analysis of the samples collected and interpretation	ys) on of the					<u>ь</u>									<u>ь</u>		
		( )	resul	ts and delineating of potential targets		L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	
		(i) (ii)		ss preparation and related logistics to support activities I geochemical sampling aimed at verifying the prospectiv	ity of the						L			L				L		L	
4.	Detailed Local	( )	targe	t/s delineated during the initial field-based activities	•	L	L	L	L		L	L	L	L	L	L	L	L	L	L	
	Field-Based         (iii)         Local geological mapping aimed at identifying possible targeted base on the results of the regional geological and analysis undertaken						L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	Activities on the results of the regional geological and analysis undertaken (iv) Ground geophysical survey, trenching, drilling and sampling (Subject to the positive outcomes of i and ii above);			Subject to	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	
		(i)	Detai	iled site-specific field-based support and logistical activitie	es,	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
5.			Detai	iled drilling and bulk sampling and testing for ore reserve		L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	and Feasibility Studies	(iii)		lations echnical studies for mine design		L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	Studies		Mine	planning and designs including all supporting infrastructu	ures	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
		(v)	EIA a	(water, energy and access) and test mining activities EIA and EMP to support the ECC for mining operations				L	L	L	L	L	L	L	L	L	L	L	L	L	L
		(vi)	Prepa	aration of feasibility report and application for Mining Lice	nse	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L

Osino Prospects Holdings EPL No. 7403

		PHYSICAL ENVIRONMENT							BIOLOGICAL ENVIRONMENT						SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT				
	SCALE A I B C C I D E		DESCRIPTION           Extremely unlikely (e.g. never heard of in the industry)           Unlikely (e.g. heard of in the industry but considered unlikely)           Low likelihood (egg such incidents/impacts have occurred but are uncommon)           Medium likelihood (e.g. such incidents/impacts occur several times per year within the industry)           High likelihood (e.g. such incidents/impacts occurs several times per year at each location where such works are undertaken)	Water Quality	Physical infrastructure and Resources	Air Quality, Noise and Dust	Landscape Topography	Soil Quality	Climate Change Influences	Habitat	Protected Areas	Flora	Fauna	Ecosystem functions, services, use values and non-Use or passive use	Local, regional and national socioeconomic settings	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	Cultural, Biological and Archaeological Resources
		(i)	General evaluation of satellite, topographic, land tenure, accessibility, supporting infrastructures and socioeconomic environment data	А	А	А	А	А	Α	А	А	А	А	А	А	А	А	А	А
1.	Initial Desktop Exploration	(ii)	Purchase and analysis of existing Government high resolution magnetics and radiometric geophysical data	А	А	А	А	Α	А	А	А	А	А	А	А	А	Α	А	А
	Activities	(iii) (iv)	Purchase and analysis of existing Government aerial hyperspectral Data interpretation and delineating of potential targets for future	A	A	A	A	A	A	A	A	A	A	A	A	<u>A</u>	A	A	A
		(i)	reconnaissance regional field-based activities for delineated targets Regional geological, geochemical, topographical and remote sensing	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
		(i) (ii)	mapping and data analysis	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
2.	Reconnaissan		Regional geochemical sampling aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
	ce Field- Based Activities	(iii)	based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken	А	A	A	А	А	А	A	А	A	A	A	А	A	А	A	A
	(iv) Lin		Limited field-based support and logistical activities including exploration camp site lasting between one (1) to two (2) days	А	А	А	А	А	А	А	А	А	А	А	А	А	А	А	А
			Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets for future detailed site-specific exploration if the results are positive and supports further exploration of the delineated targets	А	A	A	A	А	А	A	A	A	A	А	А	A	А	A	А

 Table 5.10:
 Results of the qualitative scale of probability occurrence.

		IMPACT PROBABILITY OCCURRENCE		E		SICAL DNMEN	IT						SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT					
ľ	SCALE	DESCRIPTION		rces									asu use					gical
	A	Extremely unlikely (e.g. never heard of in the industry)		nos	ust	>		ses						nal	m.	eas		olo
	В	Unlikely (e.g. heard of in the industry but considered unlikely)		d Re	бр	aph		lenc		s			ervices, passive	national ettings	Iture	d Are		chae
	С	Low likelihood (egg such incidents/impacts have occurred but are uncommon)	Quality	ure and	oise an	Topogr	uality	ge Influ	Habitat	d Area	Flora	nna	ons, sei se or p	ll and n nic set	Agricu	otectec	Tourism and Recreation	and Are urces
	D	Medium likelihood (e.g. such incidents/impacts occur several times per year within the industry)	Water Quality	Physical infrastructure and Resources	Air Quality, Noise and Dust	Landscape Topography	Soil Quality	Climate Change Influences	Hab	Protected Areas	Ë	Fauna	Ecosystem functions, services, values and non-Use or passive	Local, regional and nation socioeconomic settings	Commercial Agriculture	Community Protected Areas	Touris Recre	Cultural, Biological and Archaeological Resources
	E	-	cal infra	Air Qua	Land		Climate		д.			system es and	-ocal, r socio	Com	Sommu		al, Biol	
			Physic				0					Ecosys values	-				Cultur	
		(i) Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during regional reconnaissance field activities	А	А	А	A	Α	Α	А	А	А	А	А	А	А	Α	А	А
		<ul> <li>Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken</li> </ul>	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В
3.	Initial Local Field-Based	(iii) Ground geophysical survey (Subject to the positive outcomes of i and ii above)	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В
	Activities	(iv) Possible Trenching (Subject to the outcomes of i - iii above)	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В
	Addivides	(v) Field-based support and logistical activities will be very limited focus on a site-specific area for a very short time (maximum five (5) days)	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В
		<ul> <li>(vi) Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets</li> </ul>	А	А	А	А	А	А	А	А	А	А	А	А	А	А	А	А
		(i) Access preparation and related logistics to support activities	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
4.	Detailed Local	<ul> <li>Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during the initial field-based activities</li> </ul>	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
	Field-Based Activities	<ul> <li>Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken</li> </ul>	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
		<ul> <li>(iv) Ground geophysical survey, trenching, drilling and sampling (Subject to the positive outcomes of i and ii above);</li> </ul>	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
		<ul> <li>Detailed site-specific field-based support and logistical activities, surveys, detailed geological mapping</li> </ul>	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
5.	Prefeasibility and Feasibility	<ul> <li>Detailed drilling and bulk sampling and testing for ore reserve calculations</li> </ul>	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
	Studies	(iii) Geotechnical studies for mine design	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
		<ul> <li>(iv) Mine planning and designs including all supporting infrastructures (water, energy and access) and test mining activities</li> </ul>	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
	-	<ul> <li>(v) EIA and EMP to support the ECC for mining operations</li> <li>(vi) Preparation of feasibility report and application for Mining License</li> </ul>	А	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
		А	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	

Osino Prospects Holdings EPL No. 7403

# 5.5 Evaluation of Significant Impacts

## 5.5.1 Overview

The significance of each impact has been determined by assessing the impact severity against the likelihood (probability) of the impact occurring as summarised in the impact significance assessment matrix provided in Table 5.11.

## 5.5.2 Significance Criteria

Significance criteria for negative/adverse impacts (i.e., relative ranking of importance) are defined in Table 5.11. It is important to note that impacts have been considered without the implementation of mitigation measures. The need for and appropriate mitigation measures as presented in the EMP report have be determined on the basis of the impact assessment presented in this report.

IMPACT SEVERITY	RECEPTOR CHARACTERISTICS (SENSITIVITY)													
Magnitude, Duration, Extent, Probability	Very High (5)	High (4)	Medium (3)	Low (2)	Negligible (1)									
Very High (5)	Major [5/5]	Major [4/5[	Moderate [3/5]	Moderate [2 /5]	Minor 1/5									
High (4)	Major [5/4]	Major [4/4]	Moderate [3/4]	Moderate [2/4]	Minor [1/4]									
Medium (3)	Major [5/3]	Moderate [4/3]	Moderate [3/3]	Minor [2/3]	None [1/3]									
Low (2)	Moderate [5/2]	Moderate [4/2]	Minor [3/2]	None [2/2]	None [1/2]									
Negligible (1)	Minor [5/1]	Minor [4/1]	None [3/1]	None [2/1]	None [1/1]									

Table 5.11:Scored impact significance criteria.

# 5.5.3 Assessment Likely Significant Impacts

The assessment of significant impacts depended upon the degree to which the proposed / ongoing project activities are likely to results in unwanted consequences on the receptor covering physical and biological environments (Table 5.12). Overall, the assessment of significant impacts has focused on the ecosystem-based approach that considers potential impacts to the ecosystem. The main key sources of impacts that have been used in the determination of significant impacts posed by the proposed / ongoing minerals exploration comprised activities. Each of the main areas of impact have been identified and assessed as follows:

- Positive Impacts are classified under a single category; they are then evaluated qualitatively with a view to their enhancement, if practical;
- Negligible or Low Impacts will require little or no additional management or mitigation measures (on the basis that the magnitude of the impact is sufficiently small, or that the receptor is of low sensitivity);
- Medium or High Impacts require the adoption of management or mitigation measures;
- High Impacts always require further management or mitigation measures to limit or reduce the impact to an acceptable level.

Overall, the results of the significant impact assessment matrix for the proposed / ongoing minerals exploration activities on the physical and biological environments are shown in Tables 5.12.

 Table 5.12:
 Significant impact assessment matrix for the proposed / ongoing exploration activities.

		SIGNIFICANT IMPACT	PHYSICAL ENVIRONMENT						BIOLOGICAL ENVIRONMENT						SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT					
	Magnitude, Duration, Extent, Probability Very High (5) High (4) Medium (3) Low (2)	SEVERITY       Very High (5)       High(4)       Medium (3)       Low (2)       Negligible (1)         Magnitude, Duration, Extent, Probability       Major [5/5]       Major [4/5]       Moderate [3/5]       Moderate [2/5]       Minor 1/5         Very High (5)       Major [5/4]       Major [4/4]       Moderate [3/4]       Moderate [2/4]       Minor[1/4]         High (4)       Major [5/3]       Moderate[4/3]       Moderate[3/3]       Minor[2/3]       None[1/2]         Medium (3)       Major [5/2]       Moderate[4/2]       Minor[3/2]       None[1/2]       None[1/2]			Air Quality, Noise and Dust	Landscape Topography	Soil Quality	Climate Change Influences	Habitat	Protected Areas	Flora	Fauna	Ecosystem functions, services, use values and non-Use or passive use	Local, regional and national socioeconomic settings	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	Cultural, Biological and Archaeological Resources		
		(i) General evaluation of satellite, topographic, land tenure, accessibility supporting infrastructures and socioeconomic environment data	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1		
1.	Initial Desktop Exploration	(ii) Purchase and analysis of existing Government high resolution magnetics and radiometric geophysical data	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1		
	Activities	<ul> <li>(iii) Purchase and analysis of existing Government aerial hyperspectral</li> <li>(iv) Data interpretation and delineating of potential targets for future</li> </ul>	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1		
		reconnaissance regional field-based activities for delineated targets (i) Regional geological, geochemical, topographical and remote sensing	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1		
		mapping and data analysis	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1		
2.	Regional Reconnaissan ce Field-	<ul> <li>(ii) Regional geochemical sampling aimed at identifying possible targeted based on the results of the initial exploration and regiona geological, topographical and remote sensing mapping and analysis undertaken</li> </ul>	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1		
	Based Activities	<ul> <li>(iii) Regional geological mapping aimed at identifying possible targeted based on the results of the initial exploration and regional geological topographical and remote sensing mapping and analysis undertaken</li> <li>(iv) Limited field-based support and logistical activities including</li> </ul>	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1		
		1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1			
		<ul> <li>exploration camp site lasting between one (1) to two (2) days</li> <li>(v) Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets for future detailed site specific exploration if the results are positive and supports further exploration of the delineated targets</li> </ul>	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1		

	SENSITIVITY								PHYS	SICAL ONMEN	IT		BIOLOGICAL ENVIRONMENT						SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT				
Γ	IMPACT	RECE	PTOR CHA	RACTERISTICS	S (SENSITIVITY	()		ces									asu use					gical	
	SEVERITY Magnitude, Duration, Extent, Probability	Very High (5) Hig	ıh(4)	Medium (3)	Low (2)	Negligible (1)	Water Quality	Physical infrastructure and Resources	se and Dust	Landscape Topography	ality	Climate Change Influences	at	Protected Areas	в	а	services, or passive	and national iic settings	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	Biological and Archaeological Resources	
	Very High (5)	Major [5/5] Ma	ğ	Ictur	Quality, Noise	e To	Soil Quality	ange	Habitat	cted	Flora	Fauna	functions, non-Use c	nal a	ial A	Prot	rism	al ar sour					
	High (4)	High (4)         Major [5/4]         Major [4/4]         Moderate [3/4]         Moderate [2/4]         Minor[1/4]								lscap	Soi	e Ch	Т	Protec		ш	h fund I non	ical, regional ar socioeconomic	merc	unity	Tou Re	logic Re	
	Medium (3)         Major [5/3]         Moderate[4/3]         Moderate[3/3]         Minor[2/3]         None[1/3]								r Qu	Lanc		imat		ш.			stem and	Local, soci	Corr	mm		, Bic	
	Low (2)         Moderate [5/2]         Moderate [4/2]         Minor [3/2]         None [2/2]         None [1/2]								Air			Ö					Ecosystem values and	Γc		ö		Cultural,	
	Negligible (1)	Minor [5/1] Min	inor [4/1]	None [3/1]	None [2/1]	None [1/1]		μ									ШŅ					Cul	
		(i) Local geoch	hemical san	npling aimed at ing regional reco	verifying the pro	ospectivity of the	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	
		(ii) Local geolog	gical mappi	ing aimed at ide	ntifying possible	e targeted based	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	
		on the results of the regional geological and analysis undertaken           (iii)         Ground geophysical survey (Subject to the positive outcomes of i and ii above)           (iv)         Possible Trenching (Subject to the outcomes of i - iii above)																					
3.	Initial Local Field-Based							2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	
	Activities					bove) / limited focus on	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	
		a site-specif	fic area for	a very short time	e (maximum five	e (5) days)	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	
		(vi) Laboratory a results and o		the samples co of potential targ		erpretation of the	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	
		(i) Access prep	paration and	d related logistic	s to support act		2\2	2\2	2\2	2\2	2\2	2\2	3/2	3/2	3/2	3/2	3/2	2\2	2\2	2\2	2\2	2\2	
4.	Detailed Local			mpling aimed at ing the initial fiel		ospectivity of the es	2\2	2\2	2\2	2\2	2\2	2\2	3/2	3/2	3/2	3/2	3/2	2\2	2\2	2\2	2\2	2\2	
1.	Field-Based	(iii) Local geolog	gical mappi		ntifying possible	e targeted based	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	
	Activities	(iv) Ground geo	physical su		drilling and sam		2\2	2\2	2\2	2\2	2\2	2\2	3/2	3/2	3/2	3/2	3/2	2\2	2\2	2\2	2\2	2\2	
		(i) Detailed site	e-specific fi	eld-based suppo		l activities,	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	
_	Drefeesibility			ogical mapping	testing for ore	reserve																	
5.	and Feasibility calculations						3/3 2\2	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	
	Studies         (iii) Geotechnical studies for mine design           (iv) Mine planning and designs including all supporting infrastructures (water, energy and access) and test mining activities							2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	
								3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	
	(v) EIA and EMP to support the ECC for mining operations							1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	
	(vi) Preparation of feasibility report and application for Mining License							1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	

Table 5.12: Cont.

# 5.6 Assessment of Overall Impacts

## 5.6.1 Summary of the Results of the Impact Assessment

In accordance with Tables 5.7 - 5.12, the following is the summary of the overall likely negative and significant impacts of the proposed / ongoing exploration activities on the receiving environment (physical, biological and socioeconomic environments) without and with mitigations:

- (i) Initial desktop exploration activities: Overall likely negative impact on the receiving environment will be negligible with extremely unlikely probability of occurrence without mitigations. Overall significant impacts will be negligible [1/1] (Table 5.12). Except for the socioeconomic components which carries a limited (+) at national level in terms of fees payable to the Government, the rest of the likely impacts are negative (-);
- (ii) Regional reconnaissance field-based activities: Overall likely negative impact on the receiving environment will be negligible with extremely unlikely probability of occurrence without mitigations. Overall significant impacts will be negligible [1/1]. Some field-based activities will have localised low impacts with low probability of occurrence without mitigations and negligible with mitigations. Overall significant impacts will be negligible [1/1] (Table 5.12). Except for the socioeconomic components which carries a limited (+) at national level in terms of fees payable to the Government, all the other likely impacts are negative (-);
- (iii) Initial local field-based activities: Initial field-based activities will have localised low impacts with low probability of occurrence without mitigations and negligible with mitigations. Overall significant impacts will be negligible [2/2]. All desktop related activities and laboratory assessments will have negligible impacts with extremely unlikely probability of occurrence without mitigations. Overall significant impacts will be negligible [2/2] (Table 5.12). Except for the socioeconomic components which carries a limited (+) at national level in terms of fees payable to the Government, all the other likely impacts are negative (-);
- (iv) Detailed local field-based activities: Overall likely negative impact on the receiving environment will be high and localised impacts without mitigations and localised low impacts with mitigations. Overall significant impacts will be medium [2/2] without mitigations and low with mitigations (Table 5.12). Except for the socioeconomic components which carries a limited (+) at national level in terms of fees payable to the Government, all the other likely impacts are negative (-), and;
- (v) Prefeasibility and feasibility studies to be implemented on a site-specific area if the local field-based studies prove positive: Overall likely negative impact on the receiving environment will be high and localised impacts without mitigations and localised medium impacts with mitigations. Overall significant impacts will be high [3/3] without mitigations and low with mitigations for bulk sampling, test mining and field logistics (Table 5.12). Except for the socioeconomic components which carries a limited (+) at national level in terms of fees payable to the Government, all the other likely impacts are negative (-).

# 6. CONCLUSION AND RECOMMENDATION

# 6.1 Conclusions

Osino Prospects Holdings (Pty) Ltd (**the Proponent**) intends to undertake exploration activities in the Exclusive Prospecting Licence (EPL) No. 7403 covering base, rare and precious metals groups. The exploration activities to be undertaken as assessed in this environmental assessment are as follows:

- (i) Initial desktop exploration activities (no field-work undertaken);
- (ii) Regional reconnaissance field-based mapping and sampling activities (Subject to the positive results of (i);
- (iii) Initial local field-based mapping and sampling activities (Subject to the positive results of (i) and (ii) above),
- (iv) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling (Subject to the positive results of (i) (iii) above), and;
- (v) Prefeasibility and feasibility studies (Subject to the positive results of (i) (iv) above).

The overall severity of potential environmental impacts of the proposed / ongoing project activities on the receiving environment (physical, biological, socioeconomic environments and ecosystem functions, services, use and non-use values or passive uses) will be of low magnitude, temporally duration, localised extent and low probability of occurrence.

## 6.2 Recommendations

It's hereby recommended that the proposed / ongoing exploration activities be issued with an Environmental Clearance Certificate (ECC). The Proponent shall take into consideration the following key requirements for implementing the proposed exploration programme:

- (i) The Proponent shall undertake thematic mapping in order to fully understand the land use plans of the local farms and identify areas of possible coexistence and no-go zones;
- (ii) Based on the findings of this EIA Report, the Proponent shall prepare an EMP Report with key mitigations measures covering the lifecycle of the proposed exploration activities;
- (iii) The Proponent shall negotiate Access Agreements with the land owner/s as may be applicable;
- (iv) The Proponent shall adhere to all the provisions of the EMP and conditions of the Access Agreement to be entered between the Proponent and the land owner/s in line with all applicable national regulations;
- (v) Before entering any private or protected property/ area such as a private farm, the Proponent must give advance notices and obtain permission to access the EPL area at all times, and;
- (vi) Where possible, and if water is found during the detailed exploration boreholes drilling operations, the Proponent shall support other land uses in the area in terms of access to freshwater supply for both human consumption, wildlife and agricultural support as may be requested by the local community / land owners/s. The abstraction of the groundwater resources shall include water levels monitoring, sampling and quality testing on a bi-annual basis, and that the affected landowners must have access to the results of the water monitoring analyses as part of the ongoing stakeholder disclosure requirements on shared water resources as maybe applicable.

# 6.3 Summary ToR for Test Mining and Mining Stages

In an even that economic minerals resources are discovered within the EPL 7403 area and could lead to the development of mining project, a new Environmental Clearance Certificate (ECC) for mining will be required. The ECC being supported by this EIA Report only covers the exploration phase.

A separate field-based and site-specific Environmental Impact Assessment (EIA) and Environmental Management Plan (EMP) reports supported by specialist studies as maybe applicable must be prepared in order to support the application for the new ECC for mining operations. The EIA and EMP studies shall form part of the prefeasibility and feasibility study with respect to the test mining or possible mining operations.

The site-specific EIA and EMP shall cover the area identified to have potential economic minerals resources as well as all areas to be used for infrastructural support areas such as pit / shaft area/s, waste rock, tailings dump, access, office blocks, water and energy infrastructure support areas (water, energy and road / access). In addition to the Terms of Reference (ToR) to be developed during the Environmental Scoping study phase for the test mining / mining stages, the following field-based and site-specific specialist studies shall be undertaken as part of the EIA and EMP for possible test mining or mining operations in an event of a discovery of economic minerals resources and possible development of a mining project:

- (i) Groundwater studies including modelling as maybe applicable;
- (ii) Field-based flora and fauna diversity;
- (iii) Noise and Sound modelling linked to engineering studies;
- (iv) Socioeconomic assessment, and;
- (v) Others as may be identified / recommended by the stakeholders/ land owners/ Environmental Commissioner or specialists.

The aims and objectives of the Environmental Assessment (EA) covering EIA and EMP to be implemented as part of the feasibility study if a variable resource is discovered are:

- (i) To assess all the likely positive and negative short- and long-term impacts on the receiving environment (physical, biological and socioeconomic environments) at local (EPL Area), regional, national (Namibia) and Global levels using appropriate assessment guidelines, methods and techniques covering the complete project lifecycle. The EIA and EMP to be undertaken shall be performed with reasonable skill, care and diligence in accordance with professional standards and practices existing at the date of performance of the assessment and that the guidelines, methods and techniques shall conform to the national regulatory requirements, process and specifications in Namibia and in particular as required by the Ministry of Mines and Energy, Ministry of Environment and Tourism and Ministry of Agriculture, Water Affairs and Forestry, and;
- (ii) The development of appropriate mitigation measures that will enhance the positive impacts and reduce the likely negative influences of the negative impacts identified or anticipated. Such mitigation measures shall be contained in a detailed EMP report covering the entire project lifecycle.

# 7. BIBLIOGRAPHY / REFERENCES

#### 1. FURTHER GENERAL READING

Department of Water Affairs and Forestry, 2001. Groundwater in Namibia: An explanation to the hydrogeological map. *MAWRD*, Windhoek, 1, 128 pp.

Geological Survey of Namibia, 1999. Regional geological map of Namibia. Ministry of Mines and Energy, Windhoek, Namibia.

Günzel, A. 2000. Personal communication during the discussion on the geology of Tsumeb area, Tsumeb.

Lombaard, A.F., Günzel, A., Innes, J. and Krüger, T.L. 1986. The Tsumeb-lead-copper-zinc-silver deposits, South West Africa/Namibia. In: Anhaeusser, C.R. and Maske, S. (eds), Mineral deposits of Southern Africa vol. 2, Geol. Soc. S.Afr., Johannesburg, 1761-1787.

Miller, R.McG. 2008. The geology of Namibia. Geological Survey, Ministry of Mines and Energy, Windhoek, Vol. 3.

Miller, R. McG., 1992. Stratigraphy. *The mineral resource of Namibia*, *Geological Survey of Namibia*, *MME*, Windhoek, 1.2.1 -1.2.13.

Miller, R. McG., 1983a. The Pan – African Damara Orogen of S.W.A. / Namibia, Special Publication of the Geological Society of South Africa, **11**, 431 - 515.

Miller, R. McG., 1983b. Economic implications of plate tectonic models of the Damara Orogen, Special Publication of the Geological Society of South Africa, **11**, 115 -138.

Ministry of Environment and Tourism, 2002. Atlas of Namibia. Comp. J. Mendelsohn, A. Jarvis, T. Roberts and C. Roberts, David Phillip Publishers, Cape Town.

Müller, M.A.N. 1984. Grasses of South West Africa/Namibia. John Meinert Publishers (Pty) Ltd, Windhoek, Namibia.

Mwiya, S. 2003. Development of a knowledge-based system methodology for design of solid waste disposal sites in arid and semiarid environments. Unpublished PhD thesis, University of Portsmouth, UK, 348 pp.

Mwiya and Giles, 2004. A knowledge-based approach to Municipal Solid Waste Disposal Site Development in the Karstified Dolomitic Terrain around the town of Tsumeb in North-Central Namibia Communications, Geological Survey of Namibia, 13 (2004), 9-22, Windhoek, Namibia.

National Planning Commission (NPC) (2013). Policy Brief: Trends and Impacts of Internal Migration in Namibia. National Planning Commission: Windhoek.

National Statistic Agency (NSA) (2012). Poverty Dynamics in Namibia: A Comparative Study Using the 1993/94, 2003/04 and the 2009/2010 NHIES Surveys. National Statistics Agency: Windhoek.

National Statistics Agency (NSA) (2013). Profile of Namibia: Facts, Figures and other Fundamental Information. National Statistics Agency: Windhoek.

National Statistics Agency (NSA) (2014a). Namibia 2011 Population and Housing Census Main Report. National Statistics Agency: Windhoek.

National Statistics Agency (NSA) (2014b). 2011 Population and Housing Census: Oshikoto Regional Profile. National Statistics Agency: Windhoek.

National Statistics Agency (NSA) (2014c). Namibia 2011 Census Atlas. National Statistics Agency: Windhoek.

National Statistics Agency (NSA) (2014d). The Namibia Labour Force Survey 2013 Report. National Statistics Agency: Windhoek

National Statistics Agency (NSA) (2014e). Gross Domestic Product: First Quarter 2014. National Statistics Agency: Windhoek

Roesener, H., Schneider, G., and Petzel, V., 2004. Okahandja – Otjiwarongo –Tsumeb – Tsumeb: The Roadside Geology of Namibia, (G. Schneider ed.), Gebruder Borntraeger, Berlin, 9.19: 214 – 219.

Schneider, G.I.C. and Seeger, K.G. 1992. Copper, 2.3,118 pp. In: The Mineral Resources of Namibia, Geological Survey of Namibia, Windhoek.

Seeger, K.G. 1990. An evaluation of the groundwater resources of the Grootfontein karst area. Department of Water Affairs, Windhoek, Namibia.

Stankevica, V., 2015. Development of mining settlements in Namibia: an investigation into prospects for Rosh Pinah, Klein Aub and Tsumeb., PhD Thesis, University of Namibia, Windhoek,

Steven, N. M., 1993. A study of epigenetic mineralization in the Central Zone of the Damara Orogen, Namibia, with special reference to gold, tungsten, tin, and rare earth element. *Geological Survey of Namibia, Memoir* 16,166 pp.

Van Wyk, B. and Van Wyk, P. 1997. Field guide to trees of Southern Africa. Cape Town: Struik Publishers.

Van Oudtshoorn, F. 1999. Guide to grasses of southern Africa. Briza Publications, Pretoria, South Africa.

World Travel and Tourism Council, 2013, Travel and Tourism Economic impact 2013, Namibia, London, United Kingdom.

South African National Standards (SANS), 2005. South African National Standard, Ambient Air Quality – Limits for Common Pollutants. SANS 1929:2005. Standards South Africa, Pretoria.

#### 2. REFERENCES AND FURTHER READING ON FAUNA AND FLORA

Alexander, G. and Marais, J. 2007. A guide to the reptiles of southern Africa. Struik Publishers, Cape Town, RSA.

Barnard, P. 1998. Underprotected habitats. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Bester, B. 1996. Bush encroachment – A thorny problem. Namibia Environment 1: 175-177.

Branch, B. 1998. Field guide to snakes and other reptiles of southern Africa. Struik Publishers, Cape Town, RSA.

Branch, B. 2008. Tortoises, terrapins and turtles of Africa. Struik Publishers, Cape Town, RSA.

Boycott, R.C. and Bourquin, O. 2000. The Southern African Tortoise Book. O Bourquin, Hilton, RSA.

Broadley, D.G. 1983. Fitzsimons' Snakes of southern Africa. Jonathan Ball and AD. Donker Publishers, Parklands, RSA.

Brown, C.J., Jarvis, A., Robertson, T. and Simmons, R. 1998. Bird diversity. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Brown, I, Cunningham, P.L. and De Klerk, M. 2006. A comparative study of wetland birds at two dams in central Namibia. *Lanioturdus* 39(1): 2-9.

Buys, P.J. and Buys, P.J.C. 1983. Snakes of Namibia. Gamsberg Macmillan Publishers, Windhoek, Namibia.

Carruthers, V.C. 2001. Frogs and frogging in southern Africa. Struik Publishers, Cape Town, RSA.

Channing, A. 2001. Amphibians of Central and Southern Africa. Protea Bookhouse, Pretoria, RSA.

Channing, A. and Griffin, M. 1993. An annotated checklist of the frogs of Namibia. *Madoqua* 18(2): 101-116.

Coats Palgrave, K. 1983. Trees of Southern Africa. Struik Publishers, Cape Town, RSA.

Cole, D.T. and Cole, N.A. 2005. Lithops Flowering Stones. Cactus and Co. Libri

Craven, P. 1998. Lichen diversity in Namibia. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Craven, P. (ed.). 1999. A checklist of Namibian plant species. Southern African Botanical Diversity Network Report No. 7, SABONET, Windhoek.

Crouch, N.R., Klopper, R.R., Burrows, J.E. and Burrows, S. M. 2011. Ferns of southern Africa – a comprehensive guide. Struik Nature, Cape Town, RSA.

Cunningham, P.L. 1998. Potential wood biomass suitable for charcoal production in Namibia. *Agri-Info* 4(5): 4-8.

Cunningham, P.L. 2006. A guide to the tortoises of Namibia. Polytechnic of Namibia, Windhoek, Namibia.

Curtis, B. and Barnard, P. 1998. Sites and species of biological, economic or archaeological importance. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Curtis, B. and Mannheimer, C. 2005. Tree Atlas of Namibia. National Botanical Research Institute, Windhoek, Namibia.

De Graaff, G. 1981. The rodents of southern Africa. Buterworths, RSA.

Du Preez, L. and Carruthers, V. 2009. A complete guide to the frogs of southern Africa. Struik Publishers, Cape Town, RSA.

Estes, R.D. 1995. The behaviour guide to African mammals. Russel Friedman Books, Halfway House, RSA.

Giess, W. 1971. A preliminary vegetation map of South West Africa. *Dinteria* 4: 1 – 114.

Griffin, M. 1998a. Reptile diversity. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Griffin, M. 1998b. Amphibian diversity. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Griffin, M. 1998c. Mammal diversity. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Griffin, M. 2003. Annotated checklist and provisional national conservation status of Namibian reptiles. Ministry of Environment and Tourism, Windhoek.

Griffin, M. and Coetzee, C.G. 2005. Annotated checklist and provisional national conservation status of Namibian mammals. Ministry of Environment and Tourism, Windhoek.

Hebbard, S. n.d. A close-up view of the Namib and some of its fascinating reptiles. ST Promotions, Swakopmund, Namibia.

Hockey, P.A.R., Dean, W.R.J. and Ryan, P.G. 2006. Roberts Birds of Southern Africa VII Edition. John Voelcker Bird Book Fund.

IUCN, 2015. IUCN red list of threatened animals, IUCN, Gland, Switserland.

Joubert, E. and Mostert, P.M.K. 1975. Distribution patterns and status of some mammals in South West Africa. *Madoqua* 9(1): 5-44.

Komen, L. n.d. The Owls of Namibia – Identification and General Information. NARREC, Windhoek.

Maclean, G.L. 1985. Robert's birds of southern Africa. John Voelcker Bird Book Fund.

Maggs, G. 1998. Plant diversity in Namibia. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Mannheimer, C. and Curtis, B. (eds) 2009. Le Roux and Müller's field guide to the trees and shrubs of N amibia. Macmillan Education Namibia, Windhoek.

Marais, J. 1992. A complete guide to the snakes of southern Africa. Southern Book Publishers, Witwatersrand University Press, Johannesburg, RSA.

Mendelsohn, J., Jarvis, A., Roberts, A. and Robertson, T. 2002. Atlas of Namibia. A portrait of the land and its people. David Philip Publishers, Cape Town, RSA.

Monadjem, A., Taylor, P.J., F.P.D. Cotterill and M.C. Schoeman. 2010. Bats of southern and central Africa. Wits University press, Johannesburg, RSA.

Müller, M.A.N. 1984. Grasses of South West Africa/Namibia. John Meinert Publishers (Pty) Ltd, Windhoek, Namibia.

Müller, M.A.N. 2007. Grasses of Namibia. John Meinert Publishers (Pty) Ltd, Windhoek, Namibia.

NACSO, 2010. Namibia's communal conservancies: a review of progress and challenges in 2009. NACSO, Windhoek.

Passmore, N.I. and Carruthers, V.C. 1995. South African Frogs - A complete guide. Southern Book Publishers, Witwatersrand University Press, Johannesburg, RSA.

Rothmann, S. 2004. Aloes, aristocrats of Namibian flora. ST promotions, Swakopmund.

SARDB, 2004. CBSG Southern Africa. In: Griffin, M. 2005. Annotated checklist and provisional national conservation status of Namibian mammals. Ministry of Environment and Tourism, Windhoek.

Schultz, M. and Rambold, G. 2007. Diversity shifts and ecology of soil lichens in central Namibia. Talk, Ecological Society of Germany, Austria and Switzerland (GfÖ), 37th Annual Meeting, Marburg: 12/9/2007 to 15/9/2007.

Schultz, M., Zedda, L. and Rambold, G. 2009. New records of lichen taxa from Namibia and South Africa. *Bibliotheca Lichenologica* 99: 315-354.

Simmons, R.E. 1998a. Important Bird Areas (IBA's) in Namibia. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Simmons, R.E. 1998b. Areas of high species endemism. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Simmons R.E., Brown C.J. and Kemper J. 2015. Birds to watch in Namibia: red, rare and endemic species. Ministry of Environment and Tourism and Namibia Nature Foundation, Windhoek.

Skinner, J.D. and Smithers, R.H.N. 1990. The mammals of the southern African subregion. University of Pretoria, RSA.

Skinner, J.D. and Chimimba, C.T. 2005. The mammals of the southern African subregion. Cambridge University Press, Cape Town, RSA.

Stander, P. and Hanssen, L. 2003. Namibia large carnivore atlas. Unpublished Report, Ministry of Environment and Tourism, Windhoek.

Steyn, M. 2003. Southern African Commiphora. United Litho, Arcadia.

Tarboton, W. 2001. A guide to the nests and eggs of southern African birds. Struik Publishers, Cape Town, RSA.

Taylor, P.J. 2000. Bats of southern Africa. University of Natal Press, RSA.

Tolley, K. and Burger, M. 2007. Chameleons of southern Africa. Struik Nature, Cape Town, RSA.

Van Oudtshoorn, F. 1999. Guide to grasses of southern Africa. Briza Publications, Pretoria, South Africa.

Van Wyk, B. and Van Wyk, P. 1997. Field guide to trees of Southern Africa. Cape Town: Struik Publishers.