

# ENVIRONMENTAL ASSESSMENT FOR MINERAL EXPLORATION ON EPL 7717, CENTRAL NAMIBIA

#### **EXECUTIVE SUMMARY**

#### 1. Introduction

#### 1.1 Overview

The proponent, Victor Panduleni Kulula, was granted an exclusive prospecting licence (EPL) by the Ministry of Mines and Energy. The licence holder intends to explore for industrial minerals (Barite) within the rock units that are found within the vicinity of the area. Impala Environmental Consulting was appointed by the proponent to undertake an Environmental Assessment (EA) and Environmental Management Plan (EMP) for the mineral exploration project.

#### 1.2 Location

The licence is located 80 km southwest of Rehoboth, close to the Klein Aub settlement. The coordinates for the centre of the licence are -23.788611 and 16.478056.

#### 1.3 Environmental Assessment Requirements

The Environmental Regulations procedure (GN 30 of 2012) stipulates that no mining and mineral exploration activities may be undertaken without an environmental clearance certificate. As such, an environmental clearance certificate must be applied for in accordance with regulation 6 of the 2012 environmental regulations. It is imperative that the environmental proponent must conduct a public consultation process in accordance with regulation 21 of the 2012 environmental procedure, produce an environmental scoping report and submit an Environmental Management Plan for the proposed mineral exploration activities.

#### 1.4 Project Alternatives

An alternative to the proposed mineral exploration activity would be to allocate the land-usage to other income generating activities tourism activities. The proposed project will strictly employ locals from nearby towns and settlements.



# ENVIRONMENTAL ASSESSMENT FOR MINERAL EXPLORATION ON EPL 7717, CENTRAL NAMIBIA

# **FINAL SCOPING REPORT**

# **Table of Contents**

=	XECUTIV	'E SUMMARY	1
1	. Introduct	tion	7
	1.1 Proje	ct Background	7
1.1.1		Mineral Licence Tenure	8
	1.1.2	Environmental Consultant	8
	1.1.3	Proponent of the Proposed Project	8
	1.2 Pro	oject Location	10
	1.3 Inf	rastructure and Services	11
	1.3.1	Electricity	11
	1.3.2	Water Supply	11
	1.3.3	Refuse and Waste Removal	11
	1.3.4	IT Systems and Communication	11
	1.3.5	Security and Fencing	11
	1.3.6	Buildings	12
	1.3.7	Roads	12
	1.3.8	Mobile Equipment	13
	1.3.9	Fuel Distribution, storage and supply	13
	1.3.10	Storage of Lubrication and consumables	13
	1.3.11	Fire Fighting Provision	13
	1.4 En	vironmental Impact Assessment Requirements	13
	1.5 Pu	rpose of the Scoping Report	13
	1.6 Te	rms of Reference	14
	1.6.1	Environmental Assessment Approach and Methodology	17
	1.6.2	List of Specialist Studies Undertaken	19
	1.7 Ne	ed and Desirability	19
	1.7.1	Need of the Exploration Project	19
	1.7.2	Alternatives	20
2	Summa	ary of applicable legislation	21
	2.1 En	vironmental Management Act of 2007	21



	2.2	The Minerals Prospecting and Mining Act of 1992	21
	2.3	Water Resources Management Act of 2004	21
	2.4	Nature conservation ordinance, ordinance No. 4 of 1975	21
	2.5	National Heritage Act, 2004 (Act No. 27 of 2004)	22
	2.6	Petroleum Products and Energy Act No. 13 of 1990	22
	2.7	Forest Act, No. 12 of 2001	22
	2.8	Atmospheric Pollution Prevention Ordinance 11 of 1976	23
	2.9	Hazardous Substance Ordinance, No. 14 of 1974	23
	2.10	Namibian Water Corporation (Act 12 of 1997)	24
	2.11	Public and Environmental Health Act, 2015	24
	2.12	Agricultural (Commercial) Land Reform Act 6 of 1995	24
3	Des	scription of Proposed Mineral exploration Project	25
	3.1	Introduction	25
	3.2	Nature of the Development	26
	3.3	Non-invasive Exploration	26
	3.4	Invasive Exploration	26
	3.4.	1 Soil and Stream Sediment Sampling	26
	3.4.	2 Trenching	26
	3.4.	3 Drilling	27
	3.5	Exploration Camp	27
	3.6	Labour Requirements	27
4	Des	scription of the Current Environment	28
	4.1	Introduction	28
	4.2 C	limatic Conditions	28
	4.2.	1 Temperature	28
	4.2.	2 Precipitation	29
	4.2.	3 Wind	30
	4.2.	4 Humidity	31
	4.2	Air Quality	32
	4.3	Geology	33
	4.3.	1 Geological setting	33
	4.4	Hydrogeology and Water Resources	35
	4.5	Flora	36
	4.6	Fauna	38



	4.6	1 Introduction	38
	4.6	2 Amphibians	38
	4.6	3 Mammals	40
	4.6	4 Reptiles	41
	4.7	Avifauna (Birds)	42
	4.8	Archaeology and Heritage Sites	42
	4.9	Socio-Economic Environment	43
	4.9.	1 Demographics of Rehoboth	43
	4.9.	2 Social Economic Impact	43
5.	Α	ssessment of Impacts	44
	5.1. C	verall socio-economic benefits and issues	45
	5.1.	1. Socio-economic benefits	45
	5.2. N	lineral Exploration phases and associated issues	46
	5.2.	1. Mapping and Geochemical Sampling Phase of the Project	46
	5.2	2. Drilling Phase of the Project	48
6.	Envir	onmental Management Plan	53
	6.1 O	verview	53
	6.2 E	nvironmental Management Principles	53
	6.3 In	pacts on the Bio-physical Environment	55
	6.3	1 Impacts on Archaeological Sites	55
	6.3	2 Impacts on Fauna	56
	6.3	3 Impacts on Avifauna	57
	6.3	4 Impact on Vegetation	57
	6.3	5 Impacts of Alien invasive Plants	57
	6.3	6 Impacts on Socio-Economic	58
	6.3	7 Visual Impacts	58
	6.3	8 Use of Natural Resources	59
	6.3	9 Generation of Solid Waste	59
	6.3	10 Noise	59
	6.3	11 Air Quality	60
		ummary of Environmental Management Plan during construction, o	-
		ecommissioning phases	
	6.5	Monitoring, Auditing and Reporting	
	6.5	1 Inspections and Audits	64



6.5.2	Environmental Management System Framework	65
6.6 Cl	osure Plan	68
6.6.1	Alternatives Considered	68
6.6.2	Preferred Alternative: Rehabilitation/ Backfill of boreholes	69
6.6.3	Closure Assumptions	70
6.6.4	Closure and Rehabilitation Activities	70
7. Public P	articipation Process	74
8. Conclus	ion	75
9. Referen	ces	77
Appendix A	١	79
Appendix E	B: Proof of Advertisements, Letters and Notices	86
Appendix o	of CV's	87



# **List of Figures**

Figure 1 A satellite imagery showing the orientation of the mineral exploration	
licence	
Figure 2 A map showing the farms surrounding the mineral exploration licence	
Figure 3 Locality map of the exclusive prospecting licence area	
Figure 4 Topographic map showing the existing road network within the licence	
Figure 5 Flowchart of the Environmental Impact Assessment process followed in	
Namibia	16
Figure 6 A graph showing the temperature patterns in Rehoboth, from	
www.worldweatheronline.com	29
Figure 7 A graph showing rainfall patterns in Rehoboth, from	
www.worldweatheronline.com	30
Figure 8 A graph showing windspeed patterns in Rehoboth, from	
www.worldweatheronline.com	31
Figure 9 A graph showing the humidity patterns in Rehoboth, from	
www.worldweatheronline.com	
Figure 10 A geological map of the area	34
List of Tables	
List of Tables	
Table 1 A table showing plant species which are likely to occur in the area	36
Table 2 Table of plant species which are protected under the Forestry Act and lil	
to occur in the area	-
Table 3 A list of amphibian species which may occur in the project area	39
Table 4 Mammal species which are likely to occur within the project area	
Table 5 Protected reptile species in the project area	
Table 6 Bird scpecies which are likely to occur within the site area	
Table 7 Assessment methodology used to examine the impacts identified	44
Table 8 Impact evaluation for socio-economy	
Table 9 Impact evaluation for the target generation phase of the project	
Table 10 Impact evaluation for the operational phase of the project	
Table 11 Registered IAP's from various organs of state.	
Table 12 Comments from registered IAPs	



## 1. Introduction

## 1.1 Project Background

The proponent, Victor Panduleni Kulula, was granted an exclusive prospecting licence (EPL) by the Ministry of Mines and Energy. The licence holder intends to explore for industrial minerals (Barite) within the rock units that are found within the vicinity of the area. An outline of the area is shown in the image below.




Figure 1 A satellite imagery showing the orientation of the mineral exploration licence.



Figure 2 shows the surrounding farms of the project area. The licence falls within a traditional authority area.

#### 1.1.1 Mineral Licence Tenure

The exclusive prospecting number is 14/2/1/4/2/7717. The Exclusive Prospecting Licence (EPL 7717) was granted in **October 2020** and will be valid up to **October 2023**. The mineral licence is issued to Victor Panduleni Kulula.

The size of the mineral licence is **13719.2868 Hectares**. It is granted for Base and Rare Metals, Industrial Minerals and Precious Metal commodities.

#### 1.1.2 Environmental Consultant


Impala Environmental Consulting cc was appointed by the proponent to undertake an Environmental Assessment (EA) and Environmental Management Plan (EMP) for the mineral exploration project. Impala does not have any interest, be it business, financial, personal or other, in the proposed activity, application or appeal, other than fair remuneration for work performed on this project. The public participation process and report writing was overseen by Mr. Ndaluka Amutenya as the EAP. CV's of various role players are annexed to the appendix section of this report.

#### 1.1.3 Proponent of the Proposed Project

The Exclusive Prospecting Licence belongs to Victor Panduleni Kulula.

Licence Holder	Postal Address	Email Address	Contact
Victor Panduleni			26481811689
Kulula			2





## 1.2 Project Location

The mineral license is located 80 km southwest of Rehoboth, close to the Klein Aub settlement. The coordinates for the centre of the licence are -23.788611 and 16.478056.




Figure 3 Locality map of the exclusive prospecting licence area



#### 1.3 Infrastructure and Services

#### 1.3.1 Electricity

At this stage, electricity requirements for the project are minimal. The bulk of the power supply to the exploration site will be sourced from the proponent's own generator. The power requirements for the proposed project will be minimal as power will only be required for the following activities:

- Emergency lighting.
- Powering small machinery during the mineral exploration process.
- Power supply for temporary office block or container if necessary.

#### 1.3.2 Water Supply

The water requirements for the project are minimal. Water containers will be brought on site and utilised whenever necessary. The water will mostly be used for general consumption and cleaning. The water used for drilling will be recycled.

#### 1.3.3 Refuse and Waste Removal

The proponent will negotiate directly will all suppliers of consumables such as grease, oil etc. to remove these materials for disposal once they have been used and need to be discarded. The proponent will provide adequate temporary sanitary facilities and such facilities must be maintained in a hygienic condition. Sewerage will be disposed of in a manner not polluting the environment. The proponent will remove all refuse pertaining to the proponent's activities, domestic or otherwise, from the property. The Miner will undertake environmental rehabilitation, both during and at the conclusion of the mineral exploration operations.

#### 1.3.4 IT Systems and Communication

If drilling commences, provision will be made for two-way radios to enable the drill rig operators and the on-site staff to communicate effectively.

#### 1.3.5 Security and Fencing

No provision has been made for fencing although strict access to and from the exploration site will be facilitated by personnel.



## 1.3.6 Buildings

At this stage, no exploration camp will be set up and so provision will be made for prefabricated containers.

#### 1.3.7 Roads

Access to the mineral exploration sites is limited as there are currently no convenient roads, except for 4x4 tracks.




Figure 4 Topographic map showing the existing road network within the licence area.



#### 1.3.8 Mobile Equipment

The proponent's vehicle fleet will be optimised during the next project phase. Provision will be made 4x4 vehicles and a drill rig.

#### 1.3.9 Fuel Distribution, storage and supply

During the drilling phase, diesel will be delivered to the by road transport and offloaded into the vehicles by offloading pumps.

#### 1.3.10 Storage of Lubrication and consumables

During the drilling phase, consumables and lubricants will be stored in a designated area within a container. These substances will only be used for mechanical purposes and are assumed to be non-hazardous.

## 1.3.11 Fire Fighting Provision

Portable fire-extinguishers will be fitted, as required, in vehicles and, as well as in the mobile containers where possible.

## 1.4 Environmental Impact Assessment Requirements

The Environmental Regulations procedure (GN 30 of 2012) stipulates that no mineral exploration activities may be undertaken without an environmental clearance certificate. As such, an environmental clearance certificate must be applied for in accordance with regulation 6 of the 2012 environmental regulations. It is imperative that the environmental proponent must conduct a public consultation process in accordance with regulation 21 of the 2012 environmental procedure, produce an environmental scoping report and submit an Environmental Management Plan for the proposed mineral exploration activities.

## 1.5 Purpose of the Scoping Report

The scoping report is prepared for the Environmental Impact Assessment for mineral exploration on an area which is located 80 km southwest of Rehoboth, close to the Klein Aub settlement. Environmental scoping is a critical step in the preparation of an EIA for the proposed mineral exploration activities. The scoping process identifies the issues that are likely to be most important during the EIA and eliminates those that are



of little concern. The scoping process shall be concluded with the establishment of terms of reference for the preparation of an EIA, as set out by the Ministry of Environment and tourism. The purpose of this scoping report is to:

- Identify any important environmental issues to be considered before commencing with mineral exploration activities on the proposed mineral exploration sites.
- To identify appropriate time and space boundaries of the EIA study.
- To identify information required for decision-making.

As such, the key objectives of this scoping study are to:

- Inform the public about the proposed mineral exploration activities.
- Identify the main stakeholders, their comments and concerns.
- Define reasonable and practical alternatives to the proposal.
- To establish the terms of reference for an EIA study.

#### 1.6 Terms of Reference

The approach and methodology taken was guided by the Environmental Regulations of 2012 and the Terms of Reference (ToR) which were provided by the proponent:

- Identify all legislation and guidelines that have reference to the proposed project.
- Identify existing environmental (both bio-physical and socio-economic) conditions of the area in order to determine their environmental sensitivity.
- Inform Interested and Affected Parties (I&APs) and relevant authorities of the details of the proposed development and provide them with a reasonable opportunity to participate during the process.
- Consider the potential environmental and social impacts of the development and assess the significance of the identified impacts.
- Compile a Scoping Report detailing all identified issues and possible impacts, stipulating the way forward and identifying specialist investigations, if required.



- Outline management and mitigation measures in an Environmental Management Plan (EMP) to minimize and/or mitigate potentially negative impacts.
- Submit the final scoping report to the competent authority and the Environmental Commissioner.






Figure 5 Flowchart of the Environmental Impact Assessment process followed in Namibia.



## 1.6.1 Environmental Assessment Approach and Methodology

Environmental assessment process in Namibia is governed by the Environmental Impact Assessment (EIA) Regulations No. 30 of 2012 gazetted under the Environmental Management Act, (EMA), 2007, (Act No. 7 of 2007) and in line with the provisions of the Cabinet approved Environmental Assessment Policy for Sustainable Development and Environmental Conservation of 1995.

This report has taken into consideration all the requirements for preparation of all the supporting documents and application for an Environmental Clearance Certificate and lodgement of such application to the Environmental Commissioner (EC), Department of Environmental Affairs (DEA) in the Ministry of Environment and Tourism (MET).

The purpose of the Scoping Phase was to communicate the scope of the proposed project to Interested and Affected Parties (I&APs), to consider project alternatives, to identify the environmental (and social) aspects and potential impacts for further investigation and assessment, and to develop the terms of reference for specialist studies to be conducted in the Impact Assessment Phase if necessary. The steps undertaken during the Scoping Phase are summarised below.

#### 1.6.1.1 Project Initiation and Screening

The project registered on the online ECC portal (eia.met.gov.na) in order to provide notification of the commencement of the EIA process and to obtain clarity on the process to be followed.

#### 1.6.1.2 Initial Scoping Public Participation Process

The objective of the public scoping process was to ensure that interested and affected parties (I&Aps) were notified about the proposed project, given a reasonable opportunity to register on the project database and to provide initial comments. Steps that were undertaken during this phase are summarised below:

 I&AP identification: A preliminary I&AP database was compiled using the farmer's contact details that were obtained from the Ministry of Lands and contact details of other interested and affected parties that were provided by the proponent. Additional I&AP's were added to the database based on



responses to the advertisements and notification letters, as well as attendees to the various meetings.

- Notification letter and Background Information Document (BID): A
  notification letter and Background Information Document was distributed for
  review and comment for a period of 3-4 weeks after commencement of the
  project.
- Advertisements and site notice: Advertisements announcing the proposed project, the availability of the BID, public meetings and the I&AP registration / comment period were placed in two widely distributed newspapers for two consecutive weeks. Site notices were placed on the boundaries of farm fences and on the notice boards of the Regional Council.

Over and above the issues raised were incorporated into the scoping report. These submissions were collated and responded to as indicated in the public participation section of the scoping report.

#### 1.6.1.3 Compilation and Review of Draft Scoping Report (DSR)

The DSR was prepared in compliance with Section 8 of the EIA Regulations of 2012 and incorporated with comments received during the initial Public Participation Process. The DSR was distributed for a 14-day review and comment period.

#### 1.6.1.4 Final Scoping Report and Completion of the Scoping Phase

The Final Scoping Report (FSR) summarises the following: the legal and policy framework; approach to the EIA and process methodology; the project's need and desirability; proposed project activities; key characteristics of the receiving environment; and key issues of concern that will be further investigated and assessed in the next phase of the EIA.

The FSR complies with Section 8 of the EIA Regulations 2012. All written submissions received during the DSR review and comment period will be collated and responded to. The FSR was submitted to the competent authority. In terms of Section 32 of the Environmental Management Act, 2007 (No. 7 of 2007), the competent authority is then required to make a recommendation on the acceptance or rejection of the report to Ministry of Environment and Tourism (MET): Department of Environmental Affairs (DEA), who will make the final decision.



#### 1.6.2 List of Specialist Studies Undertaken

Section 9(a) of the Environmental Regulations of 2012 requires a disclosure of all the tasks to be undertaken as part of the assessment process, including any specialist to be included if necessary.

The mineral exploration project has not commenced yet. This means that the proponent has not conducted any surface exploration activities (i.e. geophysical survey, geological mapping and geochemical sampling) to find anomalies and determine suitable targets which can be tested with drilling. As such, no field specific specialist studies were commissioned by the proponent as no specific target area has been delineated yet. Although specialist studies were deemed unnecessary for this environmental impact assessment due to low intensity and extent of the exploration activities at this stage, a heritage impact assessment study was undertaken for this project. Specialist studies conducted in the area, in previous years, have been reviewed as part of the scoping and assessment process of this project.

After the proponent successfully drills a delineated target, undertakes a feasibility study and confidently decides to proceed with mining, a full environmental impact assessment will be carried out with appropriate site-specific specialist studies on groundwater, air-quality, fauna, flora, archaeology and avifauna.

## 1.7 Need and Desirability

#### 1.7.1 Need of the Exploration Project

Mineral exploration companies play an important role in the development of a country's mineral resources. When minerals are mined, the company selling the product must pay a royalty to the government). The royalties are set by the government at a level that will encourage others to risk their capital in finding and developing these minerals, rather than the government risking taxpayer's money. This way the country can share in benefit of mineral resources without risking funds required for key everyday services to the community.

Namibia has a long tradition of mining. In 2018, mining contributed 14% of GDP and expanded 28%. In 2019, the mining industry contributed over 300 million dollars to government revenue. The whole industry contributed around 2.2 billion dollars to the national economy in the same period. However, a drop in diamond and uranium



production caused a contraction of 11,1%. Lower mineral commodity prices led to the declining expenditure on exploration. In 2019, the mining industry paid over 300 million dollars in wages and salaries and provided 16 324 direct jobs with 9 027 permanent employees. Temporary jobs figured out 800, while 6 515 were contractor jobs.

The exploration project may assist in helping Namibia attain some of the goals set out in National Development Plans such as the Fifth National Development Plan (NDP5) and the Harambee Prosperity Plan (HPP). During the exploration phase, the project will provide employment to at least 15 people from the surrounding towns and settlements. If the exploration project leads to the discovery of an economically viable mineral deposit, this may subsequently lead to the development of a mine within the area. A mine can significantly contribute to social-economic development around the surrounding community.

#### 1.7.2 Alternatives

During the application of the exploration licence, no alternative sites were considered. The proposed exploration site has shown the potential to host an orogenic gold deposit.

## 1.7.2.1 Exploration Method Alternatives

Geochemical sampling and geological mapping methods will be used during the initial exploration period until a target is delineated. Thereafter, reverse circulation and diamond drilling methods will be employed to test the depth and extent of the mineralised rock units. If more modern, effective, and environmentally friendly exploration methods than the preferred ones are developed, such methods will be assessed and or considered.

#### 1.7.2.2 No-Go Alternatives

The no-go alternative will mean that the current land activities such as farming and important vegetation species will not be disturbed, that is, there will not be disturbance of the flora and fauna.

No-go alternative will result in the non-exploration of minerals and bring beneficiations to the receiving environment. However, the no-go alternative is not considered since it will lead to negative socio-economic impacts.



## 2 Summary of applicable legislation

All mineral rights, related to mineral exploration activities in Namibia, are regulated by the Ministry of Mines and Energy whereas the environmental regulations are regulated by the Ministry of Environment and Tourism. The acts that affect the implementation, operation and management of mineral exploration activities in Namibia are shown below.

## 2.1 Environmental Management Act of 2007

**Line Ministry:** Ministry of Environment and Tourism

The regulations that accompany this act lists several activities that may not be undertaken without an environmental clearance certificate issued in terms of the Act. The act further states that any clearance certificate issued before the commencement of the act (6 February 2012) remains in force for one year. If a person wishes to continue with activities covered by the act, he or she must apply for a new certificate in terms of the Environmental Management Act.

## 2.2 The Minerals Prospecting and Mining Act of 1992

Line Ministry: Ministry of Mines and Energy

The Minerals Prospecting and Mining Act No.33 of 1992 approves and regulates mineral rights in relation to exploration, reconnaissance, prospecting, small scale mining, mineral exploration, large-scale mining and transfers of mineral licences.

## 2.3 Water Resources Management Act of 2004

Line Ministry: Ministry of Agriculture, Water and Forestry

The act provides for the management, protection, development, usage and conservation of water resources; to provide for the regulation and monitoring of water resources and to provide for incidental matters.

## 2.4 Nature conservation ordinance, ordinance No. 4 of 1975

**Line Ministry:** Ministry of Environment and Tourism

The Nature Ordinance 4 of 1975 covers game parks and nature reserves, the hunting and protection of wild animals (including reptiles and wild birds), problem animals, fish,



and the protection of indigenous plants. It also establishes a nature conservation board. The basic set of regulations under the ordinance is contained in GN 240/1976 (OG 3556). The topics covered in the regulations include tariffs (game parks), regulations relating to game parks, swimming baths, use of boats in game parks, inland fisheries, keeping game and other wild animals in capturing. In addition, the ordinance also regulates game dealers, game skins, protected plants, birds kept in cages, trophy hunting of hunt-able game, hunting at night, export of game and game meat, sea birds, private game parks, nature reserves, regulations of wildlife associations and registers for coyote getters.

## 2.5 National Heritage Act, 2004 (Act No. 27 of 2004)

Line Ministry/Body: National Heritage Council

The National Heritage Act provides for the protection and conservation of places and objects of heritage significance and the registration of such places and objects; to establish a National Heritage Council; to establish a National Heritage Register; and to provide for incidental matters.

## 2.6 Petroleum Products and Energy Act No. 13 of 1990

Line Ministry/Body: Ministry of Mines and Energy

The act regulates the importation and usage of petroleum products. The act reads as "To provide measures for the saving of petroleum products and an economy in the cost of the distribution thereof, and for the maintenance of a price thereof; for control of the furnishing of certain information regarding petroleum products; and for the rendering of services of a particular kind, or services of a particular standard; in connection with motor vehicles; for the establishment of the National Energy Fund and for the utilization thereof; for the establishment of the National Energy Council and the functions thereof; for the imposition of levies on fuel; and to provide for matters incidental thereof".

#### 2.7 Forest Act, No. 12 of 2001

Line Ministry/Body: Ministry of Agriculture, Water and Forestry



The act regulates the cutting down of trees and reads as follows "To provide for the establishment of a Forestry Council and the appointment of certain officials; to consolidate the laws relating to the management and use of forests and forest produce; to provide for the protection of the environment and control and management of forest trees; to repeal the preservation of Bees and Honey proclamation 1923, preservation of Trees and Forests Ordinance, 1952 and the Forest Act, 1968; and to deal with incidental matters".

The constitution defines the function of the Ombudsman and commits the government to sustainable utilization of Namibia's natural resources for the benefit of all Namibians and describes the duty to investigate complaints concerning the over-utilization of living natural resources for the benefit of all Namibians and describes the duties to investigate complaints concerning the over-utilization of living natural resources, the irrational exploitation of non-renewable resources, the degradation and the destruction of ecosystem and failure to protect the beauty and character of Namibia. Article 95 states that "the state shall actively promote and maintain the welfare of the people by adopting; inter-alia policies aimed at maintenance of ecosystems, essential ecological processes and biological diversity of Namibia and utilization of natural resources on a sustainable basis for the benefit of all Namibians both present and future".

## 2.8 Atmospheric Pollution Prevention Ordinance 11 of 1976

Line Ministry/Body: Ministry of Health and Social Services

This ordinance provides for the prevention of air pollution and is affected by the Health Act 21 of 1988. Under this ordinance, the entire area of Namibia, with the exception of East Caprivi, is proclaimed as a controlled area for the purposes of section 4(1) (a) of the ordinance.

#### 2.9 Hazardous Substance Ordinance, No. 14 of 1974

Line Ministry/Body: Ministry of Safety and Security

The ordinance provides for the control of toxic substances. It covers manufacture, sale, use, disposal and dumping as well as import and export. Although the



environmental aspects are not explicitly stated, the ordinance provides for the importing, storage and handling.

## 2.10 Namibian Water Corporation (Act 12 of 1997)

**Line Ministry/Body**: Namibian Water Corporation

The act caters for water rehabilitation of prospecting and mineral exploration areas, environmental impact assessments and for minimising or preventing pollution.

## 2.11 Public and Environmental Health Act, 2015

Line Ministry/Body: Ministry of Health and Social Services

provide a framework for a structured uniform public and environmental health system in Namibia; and to provide for incidental matters.

## 2.12 Agricultural (Commercial) Land Reform Act 6 of 1995

Line Ministry/Body: Ministry of Lands, Resettlement and Rehabilitation

To provide for the acquisition of agricultural land by the State for the purposes of land reform and for the allocation of such land to Namibian citizens who do not own or otherwise have the use of any or of adequate agricultural land, and foremost to those Namibian citizens who have been socially, economically or educationally disadvantaged by past discriminatory laws or practices; to vest in the State a preferent right to purchase agricultural land for the purposes of the Act; to provide for the compulsory acquisition of certain agricultural land by the State for the purposes of the Act; to regulate the acquisition of agricultural land by foreign nationals; to establish a Lands Tribunal and determine its jurisdiction; and to provide for matters connected therewith.



## 3 Description of Proposed Mineral exploration Project

## 3.1 Introduction

Barite is a solid mineral that combines barium and sulphur. It is composed of barium sulfate (BaSO4). Barite appears in nature as granular or crystalline masses, nodules, rosette-like aggregates and also in laminated to massive beds of fine crystallinity. Specific gravity, crystallinity and its cleavage distinguish barites from other minerals. It is also insoluble and chemically inert. Barite occurs in different forms of deposit such as vein and cavity filling, residual deposit and bedded deposits. Barite ores of different grades vary from one location to the other and within deposits. It is also a common gangue in other ore deposits such as lead, fluorite, zinc, and gold and rare earth minerals. In Nigeria, most barite deposits are vein and cavity filling type of deposit and this type of deposit may be hosted by different rock types such as sandstone, limestone, migmatite, shale, mudstone and porphyritic granite. Barite is often associated with magnetite, fluorite, calcite, siderite, quartz, galena, dolomite etc.

Different kinds of Barite deposits exist, and each determines the processing methods and economics. Barite vein deposits can be extracted either from a surface or underground mining followed by physical processing methods to remove the gangue materials and to obtain the required product. The residual deposit can be mined with machineries such as excavators, dozers and front-end loaders and they are usually shallow. Bedded deposits are worked by open-pit methods. The deposits are usually extensive with consistent barite grades.

The majority of the barite mined is used in the oil and gas industry as a weighting material in drilling mud. Since high reservoir pressure is experienced during drilling operations, this requires a heavy circulating fluid that will compensate for high-pressure zones to control the pressure of the reservoir and prevent blowout. Pulverized barites are added to the clay-water mixture to form the drilling mud. The softness of the barite also prevents it from damaging drilling tools during drilling operations and enables it to serve as a lubricant. The most important property of barite considered for usage in drilling mud formulation is its specific gravity.



## 3.2 Nature of the Development

The mineral licence is valid for Base and Rare Metals, Precious Metals, and Industrial Minerals commodities. The licence contains rhyolites and granodiorites of the Rehoboth-Sinclair sequence which host the Barite mineralisation. This will form part of the main exploration target.

## 3.3 Non-invasive Exploration

Before exploration field work commences, an initial field study will be undertaken to identify specific areas of interest. This will be done by various methods:

- 1) Historical geological data compilation
- 2) Geochemical Sampling
- 3) Mapping

The processes above will be used to select smaller target areas to focus further activities on. These may include ground geophysics and further, more detailed, mapping.

## 3.4 Invasive Exploration

Once a target area has been identified, more invasive activities will be conducted to investigate the potential of the lithium brines in the area. These include soil and stream sediment sampling, and trenching. Drilling will take place if the results from the soil and stream sediment sampling are positive.

#### 3.4.1 Soil and Stream Sediment Sampling

This process will involve taking small amount of material for the beds of streams, or from with the soil profile, and sending these samples off to laboratories for analysis.

## 3.4.2 Trenching

Trenching will involve digging a trench through the soil profile to the underlying rock beneath. Samples of this rock will be taken and sent off for analysis.



#### 3.4.3 Drilling

Further investigation at greater depths will be conducted by drilling. There are several drilling types of drilling which may be used including drilling using high air pressure (RAB and RC drilling), or drilling using high rotation speeds (DD drilling). The type of drilling depends upon several factors including the geological information required, cost, environment, access and fuel and water supply.

## 3.5 Exploration Camp

Exploration staff will be accommodated in Klein Aub. Exploration activities will take place during daytime and the exploration team will be commuting to the work site.

## 3.6 Labour Requirements

The proponent intends to employ about 5-15 personnel, including 3 management staff for the first phase of the project. The employees will be sourced from the local community including people from Klein Aub. All employees will undergo a safety induction, first aid training course and wildlife awareness program. The Labour Act of 2007 will always be adhered to.



## 4 Description of the Current Environment

#### 4.1 Introduction

This section aims to document the present state of the environment, the likely impact of changes being planned and the regular monitoring to attempt to detect changes in the environment. As such, this area represents a high fauna diversity.

Namibia has four very large and arid regions which set them apart in various ways from the rest of the country; Kunene and Erongo region in the west and Karas and Hardap in the south (Mendelsohn, et al., 2002). The Hardap region is located in the southern parts of Namibia. It has a total population of approximately 80 000 residents and the capital is Mariental. This region is well-known for being the host of the Hardap Dam which is used for irrigational and entertainment purposes. The region borders on four others in the country – Erongo, Khomas, Omaheke and Karas. The Hardap Dam Resort is a very popular tourist destination in this area where visitors can enjoy many water activities. The town of Rehoboth offers tourists the chance to experience many hot water springs.

Hardap Region is commonly known as the agricultural hub of the region, as per visible crop and livestock production of small scale farming.

## **4.2 Climatic Conditions**

#### 4.2.1 Temperature

In the proposed prospecting area, October is the warmest month with an average temperature of 30-33°c at noon. June is the coldest month with an average minimum temperature of 4°c at night. Rehoboth, which is in the vicinity of the project area, has distinct temperature seasons, the temperature varies during the year.






Figure 6 A graph showing the temperature patterns in Rehoboth, from www.worldweatheronline.com
In winter, temperatures can get to below degrees centigrade. Overall, winters are mild
in temperature, with coldest month most often being June.

## 4.2.2 Precipitation

In the proposed area, the highest rainfall is usually experienced in January which may reach 60 mm with average rainfall days of 14. From May to September Rehoboth receives no rainfall. The graph below shows the rainfall patterns in the area.






Figure 7 A graph showing rainfall patterns in Rehoboth, from www.worldweatheronline.com

## 4.2.3 Wind

Predominantly south easterly. Southerly, easterly and northerly airflow is common. The highest wind speeds are experienced in November (25.3 km/h).






Figure 8 A graph showing windspeed patterns in Rehoboth, from www.worldweatheronline.com

## 4.2.4 Humidity

The relative humidity during the least humid months of the year, i.e. September and October, is around 18-19% and the most humid month is June with 40% humidity. Namibia has a low humidity in general, and the lack of moisture in the air has a major impact on its climate by reducing cloud cover and rain and increases the rate of evaporation.






Figure 9 A graph showing the humidity patterns in Rehoboth, from www.worldweatheronline.com

## 4.2 Air Quality

Activities around the exploration licence area mainly consist of tourism and small-scale livestock farming. Besides other exploration activities, there are no other industries or operating mines in the area or mines in the area. Probable sources of air pollution in the area are emissions and dust from vehicles travelling on gravel roads, dust generated by cattle grazing and wind erosion from the exposed areas.

PM<sub>10</sub> describes all particulate matter in the atmosphere with a diameter equal to or less than 10 µm and are generally emitted from motor vehicles (diesel engines) and burning of wood. PM<sub>2.5</sub> describes all particulate matter in the atmosphere with a diameter equal to or less than 2.5 µm and are mostly related to combustion. NO<sub>2</sub> and nitric oxide (NO) are formed simultaneously in combustion processes and other high temperature operations such as blast furnaces. Sources of SO<sub>2</sub> include fossil fuel



combustion from industry and power plants. SO<sub>2</sub> is emitted when coal or other biomass fuels are burnt for energy.

Data from accuweather.com shows that the air quality in the area is generally excellent with an air quality index of 17 AQI. The ground-level ozone (O<sub>3</sub>) is about 17  $\mu$ g/m³ which is excellent. The fine particle matter levels (PM <sub>2.5</sub>) are about 10  $\mu$ g/m³. The particle matter (PM<sub>10</sub>) is about 10  $\mu$ g/m³. The nitrogen dioxide (NO<sub>2</sub>), carbon monoxide (CO), and sulphur dioxide (SO<sub>2</sub>) levels in the area are recorded to be 1  $\mu$ g/m³.

## 4.3 Geology

#### 4.3.1 Geological setting

The mineral licence is hosted by rocks within the Southern Central Zone of the Damara Orogen. This terrane comprises mid Proterozoic granitic basement inliers, overlain by metamorphosed late Proterozoic arkoses, shelf carbonates, turbidites and minor volcanic rocks that have been intruded by numerous granites and pegmatites.

Most of the project area is underlain by meta-sedimentary rocks of the Nosib Group meta-arkoses (Etusis Formation) or the stratigraphically younger Swakop Group marine carbonates and meta-turbidites comprising the Arandis Formation (biotite schist, minor quartz schist calc-silicate rock and amphibolite), the Uis Formation (dominantly dolomitic and calcitic marbles with minor calc-silicate) and the overlying Kuiseb Formation (schistose quartz feldspar mica meta-greywacke and meta-pelite). Glaciogenic mixtites of the Chuos and Ghaub Formations have limited exposure in the project area. The Swakop Group sediments have been intruded by a series of syn-, late-syn- and post-tectonic granite and pegmatite bodies.

The project is straddled by the magnetically defined regional scale Abbabis Lineaments. These lineaments are interpreted to be important tectono-stratigraphic boundaries associated with changes in sedimentology, structure and type of granitic intrusion observed in the Damara Orogen and have known association and control with uranium and other forms of mineralization. The structural setting of the Project area is complex with sediments deformed during poly-phase deformation and metamorphosed to upper greenschist-amphibolite facies.







Figure 10 A geological map of the area



# 4.4 Hydrogeology and Water Resources

The area is underlain by rocks with no groundwater potential.





#### 4.5 Flora

Rainfall in the Hardap Region is usually both low and extremely variable which means that years of abundant rain often followed by extreme dry conditions (Mendelsohn, et al., 2002). Rehoboth is located in a dry farming area, the vegetation in the surrounding consist of; trees, shrubs, grass cover and spares woodland. A transition of dense highland shrublands and Kalahari vegetation are populated southeast and south of part of the EPL area in Rehoboth, this type of vegetation is mainly acacia tree and shrub with savanna biome. Areas where land becomes shallower and with little rainfall and soil with more stones, vegetation become less and shrubby. Plant species range between 150-299, plant endemism is low and do not necessarily exceed five species. A variety of plant species are seen such as Camel thorn (Vachellia erioloba), wildgreen hair tree and buffalo thorn tree (Burke, 2003). Table 1 below lists the different plant species which are most likely to occur within the project area.

Table 1 A table showing plant species which are likely to occur in the area

SCIENTIFIC NAME	COMMON NAME	STATUS IN NAMIBIA
Acacia erioloba	Camel thorn	Protected
Acacia mellifera	Black thorn	Secure
Acacia reficiens	False umbrella thorn	Secure
Acacia haematoxylon	Grey camel thorn	Protected
Acacia erubescens	Blue thorn	Secure
Acacia karroo	Sweet thorn	Secure
Acacia tortolis	Umbrella thorn	Secure
Acacia hereroensis	False hook-thorn	Secure
Commiphora tenuipetiolata	White-stem corkwood	Secure
Aloe littoralis		Protected
Ozoroa crassinervia	Namibian resin tree	Near endemic, protected
Boscia albitrunca	Shepherd's tree	Protected
Albizia anthelmintica	Worm-bark false-thorn	Protected
Ziziphus mucronata	Buffalo-thorn	Protected
Catophractes alexandri	Trumpet thorn	Secure
Combretum apiculatum	Red bush willow	Secure
Commiphora dinteri		Endemic
Commiphora glandulosa	Tall common corkwood	Secure
Commiphora glaucescens	Blue-leaved corkwood	Nearendemic
Croton gratissimus	Lavender fever-berry	Secure
Cyphostemma bainesii		Endemic, protected
Dichrostachys cinerea	Sickle bush	Secure
Diospyros lycioides	Blue bush	Secure
Dombeya rotundifolia	Common wild pear	Endemic



Ehretia alba		Secure
Elephantorrhiza suffruticosa		Secure
Euclea pseudebenus	Ebony tree	Protected
Euclea undulata	Common guarri	Secure
Euphorbia guerichiana	Western woody milk bush	Secure
Euphorbia virosa		Secure
Ficus cordata	Namaqua fig	Protected
Ficus ilicina	Laurel fig	Secure
Ficus sycomorus	Common cluster fig	Protected
Grewia bicolor	White raisin	Secure
Grewia flava	Velvet raisin	Secure
Grewia flavescens	Sand paper raisin	Secure
Gymnosporia senegalensis	Red spike-thorn	Secure
Ipomoea adenioides		Secure
Lycium bosciifolium		Secure
Lycium cinereum		Secure
Lycium eenii		Secure
Lycium hirsutum		Secure
Lycium villosum		Secure
Maerua juncea		Secure
Maerua schinzii	Ringwood tree	Protected
Manuleopsis dinteri		Endemic
Melianthus comosus		Secure
Obetia carruthersiana		Near endemic
Pechuel-Loeschea leubnitziae		Secure
Sterculia africana	African star-chestnut	Protected
Tarchonanthus camphoratus		Secure
Tetragonia schenckii		Secure
Vernonia cinerascens		Secure
Searsia (Rhus) ciliata		Secure
Searsia (Rhus) lancea	Karree	Protected
Searsia (Rhus) marlothii		Secure

The density of vegetation in the vicinity of the mineral exploration site is sparse. Every effort will be made to protect the existing trees and schrubs, as these are very important to the ambience and visual appeal of the mineral exploration site. A vegetation expert will be consulted throughout the lifecycle of the mineral exploration program. The protected plant species in the project area are shown in the table below.



Table 2 Table of plant species which are protected under the Forestry Act and likely to occur in the area.

SCIENTIFIC NAME	COMMON NAME
Acacia erioloba	Camel thorn
Acacia haematoxylon	Grey camel thorn
Albizia anthelmintica	Worm-bark false-thorn
Boscia albitrunca	Shepherd's tree
Euclea pseudebenus	Ebony tree
Ficus cordata	Namaqua fig
Ficus sycomorus	Common cluster fig
Maerua schinzii	Ringwood tree
Ozoroa crassinervia	Namibian resin tree
Searsia (Rhus lancea)	Karree
Sterculia Africana	African star-chestnut

#### 4.6 Fauna

#### 4.6.1 Introduction

The information is based on a detailed literature review and a site visit which was carried out. The purpose of the Fauna literature review is to identify all potential amphibians, reptiles, and mammals expected on the project area and the surrounding farms in the vicinity of the mineral exploration area. The proposed mineral exploration area supports numerous faunal species but there are no species that are exclusive to the study area.

Larger types of animals such as zebras, giraffes, lions and elephants are rare in this area. There are no species which are exclusively endemic to the exploration area. Based on literature review, development of a mineral exploration project in the area will not have a negative impact on any of the species in the project area.

#### 4.6.2 Amphibians

Based on the literature review, there are generally 14 types of amphibian species that occur in project area. Nine of these amphibian species occur abundantly, two occur rarely and six of them occur uncommonly. Griffin (1998) highlighted that amphibian species are declining throughout the world due to various factors such as climate



change and habitat destruction. There are approximately 4000 species of amphibians worldwide of which over 200 species are present in Southern Africa and 57 in Namibia (Griffin, 1998). However, this low figure may be due to the lack of detailed studies carried out on amphibians. The table below shows the different amphibian species that are likely to occur within the study area.

Table 3 A list of amphibian species which may occur in the project area

SCIENTIFIC NAME	COMMON NAME	STATUS	OCCURRENCE	REFERENCE
PLATANNAS				
Xenopus laevis	COMMON PLATANNA	SECURE	ABUNDANTLY	(Daudin, 1802)
TOADS				
Breviceps adspersus	BUSHVELD RAIN FROG	SECURE	ABUNDANTLY	Peters, 1882
Bufo dombensis	DOMBE DWARF TOAD	ENDEMIC & INADEQUETLY KNOWN	ABUNDANTLY	Bocage, 1895
Bufo poweri	MOTTLED TOAD	SECURE	ABUNDANTLY	Hewitt, 1935
FOSSORIAL FROG	S			
Phrynomantis affinis	SPOTTED RUBBER FROG	AMBIGUOUS (RARE?)	RARELY	(Boulenger, 1901)
Phrynomantis bifasciatus	BANDED RUBBER FROG	SECURE	ABUNDANTLY	(Smith, 1848)
SAND FROGS, BUL	LFROGS, RIDGED FI	ROGS, CACOS, P	UDDLE FROGS e	tc.
Cacosternum boettgeri	COMMON CACO	SECURE	ABUNDANTLY	(Boulenger, 1882)
Hildebrandtia ornata	ORNATE FROG	SECURE	UNCOMMONLY	(Peters, 1878)
Phrynobatrachus mababiensis	MABABE PUDDLE FROG		UNCOMMONLY	FitzSimons, 1932
Phrynobatrachus natalensis	SNORING PUDDLE FROG	SECURE	UNCOMMONLY	(A. Smith, 1849)
Pyxicephalus adspersus	GIANT BULLFROG	SECURE	ABUNDANTLY	Tschudi, 1838
Tomopterna krugerensis	KNOCKING SAND FROG	SECURE	RARELY	Passmore et al, 1975
Tomopterna tandyi	TANDY'S SAND FROG-	SECURE	ABUNDANTLY	Channing et al, 1996



TREE FROGS, REE	D FROGS & KASSIN	AS				
Kassina senegalensis	BUBBLING KASSINA	SECURE	ABUNDANTLY	(Dumèril 1841)	et	al,

#### 4.6.3 Mammals

Based on the literature review, there are generally about 68 species of mammals expected to occur within the immediate area. There are generally 25 species which rarely occur, 2 species that occur seasonally, 4 that occur occasionally, and 33 that occur abundantly within the project area. Considering the relative size of the mineral exploration area, the mammal fauna will not be affected by the mineral exploration activities of the proponent. Namibia is seemingly well endowed with mammal diversity with around 250 species know to be present within the country (Griffin, 1998). There are currently 14 mammal species which are considered to be endemic to Namibia, including 11 species of rodents and small carnivores which are not well known. Griffin (1998), points out that most of these endemic mammals are associated with the Namib and Escarpment with 60% of these appearing to be rock-dwelling species. The author, Griffin (1998) further highlights that the endemic mammal fauna is best characterized by the endemic rodent family Petromuridae (Dassie rat) and the rodent genera Gerbillurus and Petromyscus. The table below shows the mammal species which are likely to occur within the study area. A full list, of mammal species that are likely to occur within the area, is in the appendix section at the end.

Table 4 Mammal species which are likely to occur within the project area.

SCIENTIFIC NAME	COMMON NAME
Acinonyx jubatus	Cheetah
Antidorcas marsupialis	Springbok
Atelerix frontalis angolae	Southern African Hedgehog
Canis mesomelas	Black-backed Jackal
Caracal caracal	Caracal
Crocuta crocuta	Spotted Hyena
Cynictis penicillata	Yellow Mongoose
Equus zebra hartmannae	Hartmann's Mountain Zebra
Felis nigripes	Black-footed Cat
Felis silvestris/lybica	African Wild Cat
Galerella sanguinea	Slender Mongoose
Genetta genetta	Small Spotted Genet
Ictonyx striatus	Striped Polecat
Lepus capensis	Cape Hare Secure



Lepus saxatilis	Scrub Hare
Manis temminckii	Ground Pangolin
Mellivora capensis	Honey Badger/Ratel
Oreotragus oreotragus	Klipspringer
Oryx gazella	Gemsbok
Otocyon megalotis	Bat-eared Fox
Panthera pardus	Leopard
Parahyaena (Hyaena) brunnea	Brown Hyena
Phacochoerus africanus	Common Warthog
Proteles cristatus	Aardwolf
Raphicerus campestris	Steenbok
Suricata suricatta marjoriae	Suricate
Sylvicapra grimmia	Common Duiker
Tragelaphus strepsiceros	Greater Kudu
Vulpes chama	Cape Fox

# 4.6.4 Reptiles

The literature review showed that there are approximately 60 reptile species that are expected to occur in the site area. According to the Namibia Conservation Ordinance of 1975, there are four reptile species protected, namely:

Table 5 Protected reptile species in the project area

SCIENTIFIC NAME	COMMON NAME	STATUS
Psammobates Oculiferus	Kalahari Tent Tortoise	Protected
Python Natalis	Southern African Python	Protected
Geochelone Pardalis	Leopard Tortoise	Protected
Varanus Albigularis	Veld Leguaan	Protected

Griffin (1998) highlighted the presence of 261 species of reptiles which are present in Namibia. These reptiles make up 30% of the reptile species found on the continent. 55 species of Namibian Lizards are classified as endemic (Griffin, 1998). The author, Griffin (1998), describes that more than 60% of the reptiles found in Namibia are protected by the conservation Ordinance. Although mineral exploration activities do affect reptile habitat, the project will not have any significant impact on the reptile species within the proposed mineral exploration area. Namibia, with 129 species of lizards, has one of the continent's richest lizard Fauna. The table in the appendix shows the reptile species which are likely to occur within the vicinity of the mineral exploration area.



# 4.7 Avifauna (Birds)

Simmons et al (2003) points that although Namibia's Avifauna is comperatively sparse compared to the high rainfall equatorial areas elsewhere in Africa, approximately 658 species have already been recorded with a diverse unique group of arid endemics. There are approximately 650 species of birds that have been recorded in Namibia, although the country's avifauna is comparatively sparse compared to the high rainfall equatorial areas in Africa (Brown & Lawson, 1989). Brown et al (1989) mentions that 14 species of birds are endemic or near endemic to Namibia with the majority of Namibian endemics occurring in the Savannah of which ten species occur in a north-south belt of dry Savannah in Central Namibia. Simmons (2003) recorded 63 species of birds within the vicinity of the project area. 650 bird species are recorded in Namibia, of which 160 species are present in area, especially after good rains fall (Christian, 2005). These birds consist of raptors, chats, larks and karoid species. Christian (2005) recorded the presence of the following bird species in the vicinity of the area, which include:

Table 6 Bird scpecies which are likely to occur within the site area.

SCIENTIFIC NAME	COMMON NAME
Agapornis roseicollis	Rosy-faced Lovebird
Eupodotis rueppellii	Rüppell's Korhaan
Lanioturdus torquatus	White-tailed Shrike
Parus carpi	Carp's Tit
Phoeniculus damarensis	Violet Wood-Hoopoe
Poicephalus rueppellii	Rüppell's Parrot
Pternistis hartlaubi	Hartlaub's Spurfowl
Tockus damarensis	Damara Hornbil
Tockus monteiri	Monteiro's Hornbill

A full list of bird species within the area is shown in the appendix.

# 4.8 Archaeology and Heritage Sites

A separate archaeological study is attached to this report.



## 4.9 Socio-Economic Environment

## 4.9.1 Demographics of Rehoboth

Rehoboth is a town in central Namibia, north of the Tropic of Capricorn, with approximately 40 000 inhabitants (this includes the immediate surroundings, rural community). Located 87 km south of the Namibian capital Windhoek, Rehoboth lays on a high elevation plateau with several natural hotwater springs located within the town. Rehoboth is divided into eight neighbourhoods, called blocks. The oldest parts of the town are blocks A and C, of which block B contains most public services and shops. Rehoboth is governed by a town council; its economy relies on small businesses and many surrounding game/cattle farms. The Region has tourist potential, considering it provides access to the Naukluft Park and Sossus vlei via the C14 gravel road. Rehoboth is seen as an important growth point in the Hardap region, as such it can make an important contribution to the overall development of the region.

#### 4.9.2 Social Economic Impact

Although a few people (including farmers) and animals might be negatively affected by dust and noise, the explorer will ensure that these aspects are properly mitigated. With the potential employment of 15 people, this means that 15 families will benefit from the project during the exploration phase. The project has great potential to improve livelihoods and contribute to sustainable development within the surrounding community. Community meetings will be held from time to time by the proponent wherever possible, with the purpose of effectively communicating with the local community and to avoid any unexpected social impacts.



# 5. Assessment of Impacts

The purpose of this assessments of impacts section is to identify and consider the most pertinent environmental impacts and to provide possible mitigation measures that are expected from the mineral exploration activities on EPL 7717. Two different phases are associated with the proposed development. Firstly, the target generation (mapping and sampling) phase, and secondly the drilling phase are being covered by this assessment. Should the mineral exploration activities cease in the future, an EIA will need to be conducted to deal with the associated changes to environment. Mitigation measures for the identified impacts are also provided in this Section.

The following assessment methodology was used to examine each impact identified:

Table 7 Assessment methodology used to examine the impacts identified

Evaluation Criteria	Symbol	Significance of Rating		
Nature of impact:	P or N	Effect the proposed activity would have on the affecte environment which is positive ( <i>P</i> ) or negative ( <i>N</i> )		
Extent of impact:	0	On-Site (the site and it's immediate surrounds)		
	L	Local (Mineral exploration Area)		
	R	Regional (Hardap Region)		
	N	National (Namibia)		
	I	International		
Duration of impact:	SD	Short Duration (0 to 5 years)		
	MD	Medium Duration (5 to 15 years)		
	LD	Long Duration (lifetime of the development)		
Intensity of impact:	L	<b>Low</b> intensity where the natural, cultural and social functions and processes are not affected.		
	M	<b>Medium</b> intensity where the affected environment is altered but natural, cultural and social functions and processes can continue.		
	Н	<b>High</b> intensity where the affected environment is altered to the extent that natural, cultural and social functions and processes will temporarily or permanently cease.		
Probability of impact:	LP	<b>Low probability</b> is when the possibility of the impact occurring is low.		
	Р	<b>Probable</b> is when there is a distinct possibility that it will occur.		
	HP	<b>Highly probable</b> is when the impact is most likely to occur.		
	D	Definite where the impact will occur.		
Significance of Impact: Further subdivided into impacts with mitigation (MM) measures and impacts with no mitigation measures (NMM).	L	Low Significance is when natural, cultural, social and economic functions and processes are not affected. If the impacts are adverse, mitigation is either easily achieved or little will be required, or both. If impacts are beneficial, alternative means of achieving this benefit are likely to be easier, cheaper, more effective and less time=consuming		



M	Medium Significance is when the affected environment is altered but natural, cultural, social and economic functions and processes can continue. An impact exists but is not substantial in relation to other impacts that might take effect within the bounds of those that could occur. In the case of beneficial impacts, other means of achieving this benefit are about equal in time, cost and effort.
Н	High Significance is when the affected environment is altered to the extent that natural, cultural, social and economic functions and processes will temporarily or permanently cease. If impacts are adverse, there is no possible mitigation that could offset the impact, or mitigation is difficult, expensive, time consuming or a combination of these. In the case of beneficial impacts, the impact is of a Substantial order within the bounds of impacts that could occur.

## 5.1. Overall socio-economic benefits and issues

#### 5.1.1. Socio-economic benefits

With the potential employment of 15 people, this means that 15 families will benefit from the project during the exploration phase. The project has great potential to improve livelihoods and contribute to sustainable development within the surrounding community. Community meetings will be held from time to time by the proponent wherever possible, with the purpose of effectively communicating with the local community and to avoid any unexpected social impacts.

#### 5.1.1.1. Potential Direct Benefits

**Direct capital investment:** The mineral exploration project will require a significant capital investment of at least N\$ 10 million. This will be used for mapping, sampling and drilling.

**Stimulation of skills transfer:** Due to the nature of mineral exploration projects, the proponent will implement ad-hoc training programme for some of its staff members. Training programmes will be well structured and staff members will permanently benefit from these training programmes.

**Job creation:** With the potential employment of 15 people, this means that 10 families will benefit from the project during the on-going phase. The project has a great potential to improve livelihoods and contribute to sustainable development within the surrounding community.



#### 5.1.1.2. Potential Indirect Benefits

- The data generated from the exploration programme will be made available to the Ministry of Mines and Energy for future research purposes.
- General enhancement of the health conditions and quality of life for a few people in the surrounding settlements.
- Of significance is the prospect of diversification of the surrounding economy, which is presently mainly focussed on small-scale farming and small-scale mining of semi-precious stones.

#### 5.1.1.3. General socio-economic concerns

Notwithstanding the above benefits there are a few concerns that could reduce or counteract the above benefits related to the project, as follows:

- As the movement of staff and contractors to and from the area increases, the risk of spread of HIV/AIDS increases.
- Increased influx of people to the area as people come in search of job opportunities during the target generation and drilling phase of the mineral exploration project; and
- Increased informal settlement and associated problems.

Table 8 Impact evaluation for socio-economy

Identified	Signif	icance	Duration Exten		xtent Intensity Pro	
Impact	NMM	MM				
Increased spread of HIV/AIDS	М	L	LD	N	М	LP
Increased influx of people to the area	L	L	SD	L	L	Р
Increased informal settlement in the area	М	L	MD	L	L	LP

# 5.2. Mineral Exploration phases and associated issues

## 5.2.1. Mapping and Geochemical Sampling Phase of the Project

The following potential effects on the environment during the target generation phase of the mineral exploration project have been identified:



#### 5.2.1.1. Dust

Dust may be generated during this phase and might be aggravated during the winter months when strong winds occur. Dust will be generated by the vehicles moving in the area. Fall out dust settling on vegetation is likely to cause local disruptions in herbivorous and predatory complexes and should be minimised as far as possible.

#### 5.2.1.2. Noise

Noise will most likely be generated by vehicles during the target generation phase. It is recommended that vehicle movement be limited to normal daytime hours to allow nocturnal animals to roam freely at night.

# 5.2.1.3. Safety and Security

During mapping and sampling, small tools and equipment will be used on site. This increases the possibility of injuries and the responsible manager must ensure that all staff members are briefed about the potential risks of injuries on site. The manager is further advised to ensure that adequate emergency facilities, including first aid kits, are available on site. All Health and Safety standards specified in the Labour Act should be complied with.

Should a camp be necessary at a later stage, it should be in such a way that it does not pose a risk to the community members and wildlife that roam the area.

#### 5.2.1.4. Visual

The proposed exploration area is situated more than 1 km from any main road. As such, any visual impact that might be caused by the exploration team are minimal. In some parts of the area, the topography of the mineral exploration site is slightly elevated.

Table 9 Impact evaluation for the target generation phase of the project

Identified	Signif	icance	Duration	Extent	Intensity	Probability
Impact	NMM	MM				
Dust	L	L	SD	L	L	Р
Noise	М	L	SD	L	М	D
Safety & Security	L	L	SD	0	L	Р
Visual	L	L	MD	0	L	LP



#### 5.2.2. Drilling Phase of the Project

During the operation phase of the project, a few holes will be drilled into the orebody. To conveniently refuelling company vehicles without driving long distances, a small portable fuel storage tank will be brought on site.

#### **5.2.2.1. Air Quality**

In terms of air quality, emissions will be given off by 4x4 vehicles and the drill rig but not to an extent that warrants concern. Dust will also be produced by the drill rig and the movement of vehicles in the area.

## 5.2.2.2. Fire and Explosion Hazard

Hydrocarbons are volatile under certain conditions and their vapours in specific concentrations are flammable. If precautions are not taken to prevent their ignition, fire and subsequent safety risks may arise.

All fuel storage and handling facilities in Namibia must however comply with strict safety distances as prescribed by SANS 10089. SANS 10089 is adopted by the Ministry of Mines and Energy as the national standard.

It must further be assured that enough water is available for fire firefighting purposes. In addition to this, all personnel must be sensitised about responsible fire protection measures and good housekeeping such as the removal of flammable materials including rubbish, dry vegetation, and hydrocarbon-soaked soil from the vicinity of the exploration area. Regular inspections should be carried out to inspect and test firefighting equipment and pollution control materials at the drilling site.

All fire precautions and fire control at the site must be in accordance with SANS 10089-1:1999, or better. A holistic fire protection and prevention plan is needed.

Experience has shown that the best chance to rapidly put out a major fire, is in the first 5 minutes. It is important to recognise that a responsive fire prevention plan does not solely include the availability of firefighting equipment, but more importantly, it involves premeditated measures and activities to timeously prevent, curb and avoid conditions that may result in fires. An integrated fire prevention plan should be drafted before drilling.



#### 5.2.2.3. Generation of Waste

Solid waste be generated from contractors, staff members and other visitors to the area. Care should be taken when handling waste material.

The types of waste that could be generated during operation include hazardous industrial waste (e.g. lubricants), general industrial waste (e.g. scrap material), and domestic waste (e.g. packaging). The waste will be temporarily handled and stored on site before being removed for final disposal at permitted waste disposal facilities. A registered Waste Management Company would be contracted to remove all hazardous waste from the exploration site. Ablution facilities will use chemical toilets and/or sealed septic tanks and the sewerage taken to the Rehoboth periodically. No waste will be discharged on site.

## 5.2.2.4. Health and Safety

The drilling programme operations can cause serious health and safety risks to workers on site. Occupational exposures are normally related to the dermal contact with fuels and inhalation of fuel vapours during handling of such products. For this reason, adequate measures must be brought in place to ensure safety of staff on site, and includes:

- Proper training of operators;
- First aid treatment;
- Medical assistance;
- Emergency treatment;
- Prevention of inhalation of fumes;
- Protective clothing, footwear, gloves and belts; safety goggles and shields;
- Manuals and training regarding the correct handling of materials and packages should be in place and updated as new or updated material safety data sheets becomes available;
- And Monitoring should be carried out on a regular basis, including accident reports.

#### 5.2.2.5. Fauna

Mineral exploration activities may have minor disturbances on the habitat of a few



species but no significant impacts on the animals are expected. The proponent shall ensure that no animal shall be captured, killed or harmed by any of the employees in any way. Wildlife poaching will strongly be avoided as this is an offence and anyone caught infringing in this regard will face suspension from the project and will be liable for prosecution.

# 5.2.2.6. Vegetation

The natural vegetation is seemingly undisturbed in the project area except for grasses, which have been grazed by livestock and wild animals. Some vegetation species in the area may be adversely impacted by the project. The type of vegetation that might be affected by the project are:

- Bushes
- Ephemeral grasses
- Small trees

Some of the sensitive vegetation types in the area include:

- Shallow drainage line vegetation
- Scrublands surrounding the mineral exploration area

Certain species regarded as particularly important for conservation may yet be identified and made known via an Addendum to this report. If particularly important species are found, they will be located by GPS and their locations communicated to the Ministry of Environment and Tourism. Such locations will then be demarcated and completely avoided.

#### 5.2.2.7. Avifauna

Birds or Nest sites will not be disturbed by any employee, tourist or contractor. Should the employees observe any bird nesting sites for vultures, they will be reported to the Ministry of Environment and Tourism and the site will be avoided.

#### 5.2.2.8. Alien Invasive Plants

Disturbance to the natural environment often encourages the establishment of alien



invasive weed species. Some of the plant species that could become invasive in the area are listed below:

- Prosopis glandulosa
- Lantana camara
- Cyperus esculentus
- Opuntia imbricate
- · Cereus jamacara
- Melia azedarach

There are numerous ways in which invasive species can be introduced deliberately or unintentionally.

## **5.2.2.9 Heritage Impacts**

Although no archaeological sites have been identified yet in the project area, appropriate measures will be undertaken upon discovering any new archaeological sites. All archaeological remains are protected under the National Heritage Act (2004) and will not be destroyed, disturbed or removed. The Act also requires that any archaeological finds be reported to the Heritage Council Windhoek.

Table 10 Impact evaluation for the operational phase of the project

Identified	Significance		Duration	Extent	Intensity	Probability
Impact	NMM	MM	-			
Air Quality	М	L	LD	L	М	HP
Fire & Explosion Hazard	Н	M	SD	0	M	LP
Generation of waste	М	L	LD	0	L	D
Health and Safety	Н	М	MD	N	L	Р
Fauna	М	L	MD	L	М	D
Vegetation	M	L	MD	L	M	D
Avifauna	М	L	MD	L	М	LP
Alien Invasive Plants	М	L	MD	L	М	Р
Heritage	М	L	LD	0	Н	LP

# 5.2.2.10 Groundwater Impacts

Mineral exploration activities may affect the availability of water and the quality thereof. exploration works may affect the water availability for deep rooted trees in riverbeds. Surface water for animals may be affected by mineral exploration activities. In rare



instances, the quality of the groundwater for water consumption may be compromised by mineral exploration activities.



# 6. Environmental Management Plan

#### 6.1 Overview

This Environmental Management Plan is intended to give effect to the recommendations of the Environmental Impact Assessment. To achieve this goal, it is essential that all personnel involved on the mineral exploration are fully aware of the environmental issues and the means to avoid or minimize the potential impacts of activities on site. The proposed mineral exploration activities are summarized in Section 3 of the scoping report above. Legal and policy requirements are well known and understood by the proponent, its employees and contractors and will be strictly enforced by its management team. A general description of the environment is contained in Section 4, and more site-specific information on particularly sensitive areas is contained in Section 4 as well. Issues and concerns identified in the EIA will form a set of environmental specifications that will be implemented on site. It is the intention that these environmental specifications should form the basis for an agreement between the proponent and the Ministry of Environment and Tourism. By virtue of that agreement, these specifications will become binding on the proponent.

Environmental management requires a joint effort on the part of all parties involved. The proponent has assigned certain roles to ensure that all players fulfil their responsibilities in this regard.

# **6.2 Environmental Management Principles**

The proponent will ensure that all parties involved in the project uphold the following broad aims:

- All persons will be required to conduct all their activities in a manner that is environmentally and socially responsible. This includes all consultants, contractors, and sub-contractors, transport drivers, guests and anyone entering the exploration areas in connection with the mineral exploration project.
- 2. Health, Safety and Social Well Being
- Safeguard the health and safety of project personnel and the public against potential impacts of the project. This includes issues of road safety, precautions against natural dangers on site, and radiation hazards; and,



Promote good relationships with the local authorities and their staff.

#### 3. Biophysical Environment

- Wise use and conservation of environmental resources, giving due consideration to the use of resources by present and future generations.
- Prevent or minimise environmental impacts.
- Prevent air, water, and soil pollution, Biodiversity conservation and Due respect for the purpose and sanctity of the area.

To achieve these aims, the following principles need to be upheld.

# A. Commitment and Accountability:

The proponent's senior executives and line managers will be held responsible and accountable for:

Health and safety of site personnel while on duty, including while travelling to and from site in company vehicles and environmental impacts caused by mineral exploration activities or by personnel engaged in the mineral exploration activities, including any recreational activities carried out by personnel in the area.

#### B. Competence

The proponent will ensure a competent work force through appropriate selection, training, and awareness in all safety, health and environmental matters.

#### C. Risk Assessment, Prevention and Control

Identify, assess and prioritise potential environmental risks. Prevent or minimize priority risks through careful planning and design, allocation of financial resources, management and workplace procedures. Intervene promptly in the event of adverse impacts arising.

#### D. Performance and Evaluation



Set appropriate objectives and performance indicators. Comply with all laws, regulations, policies and the environmental specifications. Implement regular monitoring and reporting of compliance with these requirements.

#### E. Stakeholder Consultation

Create and maintain opportunities for constructive consultations with employees, authorities, other interested or affected parties. Seek to achieve open exchange of information and mutual understanding in matters of common concern.

#### F. Continual Improvement

Through continual evaluation, feedbacks, and innovation, seek to improve performance about social health and well-being and environmental management throughout the lifespan of the mineral exploration project.

# **G.** Financial Provisions for Mineral exploration

In line with Namibia's environmental rehabilitation policy, the proponent will make the necessary financial provision for compliance with the EMP.

## 6.3 Impacts on the Bio-physical Environment

#### 6.3.1 Impacts on Archaeological Sites

The **nature of impact** is outlined below:

- Potential damage to archaeological sites as a result of vehicle tracks, footprints and actions of contractors, employees and visitors of the mineral exploration site.
- As the mitigation measures below are fully enforced, any impact will be significantly reduced compared to with present situation.

## **Mitigation Measures** to be enforced:

- Buffer zones will be created around the sites.
- Adhere to practical guidelines provided by an archaeologist to reduce the archaeological impact of mineral exploration activities.



- All archaeological sites to be identified and protected before further exploration commences.
- Notices/information boards will be placed on sites.
- Training employees regarding the protection of these sites.

# Methods for monitoring:

 An archaeologist will inspect any identified archaeological sites before commencing with the mineral exploration activities.

#### 6.3.2 Impacts on Fauna

# The nature of impact is outlined below:

- Movement of vehicles in and out of the site.
- Noise produced by moving earth-moving equipment.

## **Mitigation Measures** to be enforced:

- Some habitat areas such as trees of the riverbeds and tunnels outcrops will be avoided wherever possible.
- A fauna survey will be conducted to determine the effect of fragmented habitat on game species should the need arise.
- No animals shall be killed, captured or harmed in any way.
- No foodstuff will be left lying around as these will attract animals which might result in human-animal conflict.
- Care will be taken to ensure that no litter is lying around as these may end up being ingested by wild animals
- No animals shall be fed. This allows animals to lose their natural fear of humans, which may result in dangerous encounters.

#### **Methods for monitoring:**

Regular monitoring of any unusual signs of animal habitat.



#### 6.3.3 Impacts on Avifauna

Birds or Nest sites will not be disturbed by any employee, visitor or contractor.

## 6.3.4 Impact on Vegetation

The **nature of impact** is outlined below:

- Negative impacts on plants from trenching, compacting and removal of plants.
- Negative Impact from movement of vehicles and the movement of people around the site.
- Negative impacts from land-clearing and mineral exploration operations.

#### **Mitigation Measures** to be enforced:

- Environmental considerations will always be adhered to before clearing roads, trenching and excavating.
- Paths and roads will be aligned to avoid root zones. Permeable materials will be used wherever possible.
- The movement of vehicles in riverbeds, rocky outcrops and vegetation sensitive areas will be avoided.
- The movement of vehicles will be restricted to certain tracks only.
- Areas with species of concern will be avoided.
- Ministry of Environment and Tourism will be informed of any protected species which will be transplanted in consultation with MET.

## 6.3.5 Impacts of Alien invasive Plants

The **nature of impact** is outlined below:

- Plant or seed material may adhere to car tyres or animals
- Seed or plant material may be imported to site in building materials if the source is contaminated.
- Seeds may blow from debris removed at sites.



## Mitigation Measures to be enforced:

- The explorer will ensure that debris is properly disposed of.
- Vehicle tyre inspections can be carried out although this may not be a practical mitigation measure.
- Eradicating alien plants by using an Area Management Plan

# **Methods for monitoring:**

Regular monitoring of any unusual signs of alien species.

# 6.3.6 Impacts on Socio-Economic

#### The **nature of impact** is outlined below:

- Impact from loss of grazing for domestic livestock in "exclusive use zone"
- Impacts on cultural and spiritual values.
- Demographic factors: Attraction of additional population that cannot benefit from the project.
- Perception of Health and Safety risks associated with mineral exploration.

# Mitigation Measures to be enforced:

- The population change can be mitigated by employing people from the local community and encouraging the contractors to employ local individuals.
- The perception of risks will be mitigated by putting up safety signs wherever possible and ensuring that all employees and visitors to the site undergo a safety induction course.

#### **Methods for monitoring:**

Public meetings will be held by the proponent whenever necessary.

## 6.3.7 Visual Impacts

The **nature of impact** is outlined below:



Tracks and damaged vegetation caused by the mineral exploration vehicles.

## Mitigation Measures to be enforced:

 Environmental considerations will be adhered to at all times before clearing roads, trenching and excavating.

# Methods for monitoring:

• Employees will be trained on the importance of minimising visual impacts.

#### 6.3.8 Use of Natural Resources

Water and electricity are very scarce in Namibia. During the exploration, best international practices will be considered as a minimum standard for operation. The bulk of the power supply to the exploration site will be sourced from the proponent's own generator. The proponent will maximise water recycling opportunities wherever possible.

#### 6.3.9 Generation of Solid Waste

Correct management of solid waste will involve a commitment to the full waste life cycle by all the employees and contractors of the site. The Proponent's goal is to avoid the generation of solid waste in the first place and if not possible, to minimise the volumes generated by looking at technologies that promote longevity and recycling of products. Ideally, the proponent should transport solid waste to a registered site for disposal. However, it is not certain if such facilities are available in the area or if they have the capacity to handle large increases in volume. Appropriate on-site facilities will be designed to store large volumes of waste.

#### 6.3.10 Noise

The **nature of impact** is outlined below:

- Movement of people, and vehicles.
- Noise may be generated from an airborne geophysical survey which may be carried out at a later stage.

## Mitigation Measures to be enforced:



• Disturbance to fauna that roam the area will be minimized by training the employees on ways to minimise noise.

# 6.3.11 Air Quality

## The **nature of impact** is outlined below:

Dust from movement of people, vehicles and earth-moving machinery.
 Emissions from vehicles and drill rigs as well.

# **Mitigation Measures** to be enforced:

- All staff on should be equipped with dosimeters that measure exposure levels to radiation.
- All staff must be made aware of the health risk and obliged to wear dust masks.

# 6.4 Summary of Environmental Management Plan during construction, operation and decommissioning phases

	Construction/Initial Phase		
Environmental Impact	Proposed mitigation measures	Responsibility	Monitoring plan
Air pollution	<ul> <li>Control speed and operation of construction vehicles.</li> <li>Prohibit idling of vehicles.</li> <li>Maintenance of vehicles and equipment.</li> <li>Sensitize field exploration workers and contractors.</li> <li>Workers should be provided with dust masks if working in sensitive areas.</li> </ul>	Site Manager	Amount of dust produced.     Level of Landscaping carried out.
Noise pollution	<ul> <li>Maintain equipment and vehicles.</li> <li>Field work should only be carried out only during daytime i.e. 08h00 to 17h00.</li> <li>Workers should wear earmuffs if working in noisy section.</li> <li>Management to ensure that noise is kept within reasonable levels.</li> </ul>	Management	Amount of noise
Solid waste	<ul> <li>Any debris should be collected by a waste collection company</li> <li>If trenches are dug, waste should be re-used or backfilled.</li> <li>The site should have waste receptacles with bulk storage facilities at convenient points to prevent littering during exploration.</li> </ul>	-	Presence of well- Maintained receptacles and central collection point.



Oil leaks and Spills	<ul> <li>Vehicles and equipment should be well maintained to prevent oil leaks.</li> <li>Contractor should have a designated area where maintenance is carried out and that is protected from rainwater.</li> <li>All oil products should be handled carefully.</li> </ul>	Contractor	No oil spills and leaks on the site
First aid	A well-stocked first aid kit shall be maintained by qualified personnel	Management	Contents of the first aid kit.
Visual	Environmental considerations will be adhered to at all times before clearing roads, trenching and excavating.	Management	<ul> <li>Employees will be trained on the importance of minimising visual impacts.</li> </ul>
Archaeological Sites	<ul> <li>Buffer zones will be created around the sites.</li> <li>Adhere to practical guidelines provided by an archaeologist to reduce the archaeological impact of mineral exploration activities.</li> <li>All archaeological sites to be identified and protected before further exploration commences.</li> </ul>	Management	Register of all archaeological sites identified.
Occupation al Health and Safety	<ul> <li>Provide Personal Protective Equipment Train workers on personal safety and how to handle equipment and machines.</li> <li>A well-stocked first aid kit shall be maintained by qualified personnel.</li> <li>Report any accidents / incidences and treat and Compensate affected workers.</li> <li>Provide sufficient and suitable sanitary conveniences which should be kept clean.</li> </ul>	Contractor     Management	Workers using Protective Equipment.     Presence of Well stocked First Aid Box.     Clean sanitary facilities.
Fauna	<ul> <li>Some habitat areas such as trees of the riverbeds and tunnels outcrops will be avoided wherever possible.</li> <li>A fauna survey will be conducted to determine the effect of fragmented habitat on game species should the need arise.</li> <li>No animals shall be killed, captured or harmed in any way.</li> <li>No foodstuff will be left lying around as these will attract animals which might result in human-animal conflict.</li> </ul>	Management	Regular monitoring of any unusual signs of animal habitat.
Alien Invasive Plants	<ul> <li>The explorer will ensure that debris is properly disposed off.</li> <li>Vehicle tyre inspections can be carried out although this may not be a practical mitigation measure.</li> <li>Eradicating alien plants by using an Area Management Plan</li> </ul>	Management     Contractor	Regular monitoring of any unusual signs of alien species.
Loss of vegetation	<ul> <li>Environmental considerations will be adhered to at all times before clearing roads, trenching and excavating.</li> <li>Paths and roads will be aligned to avoid root zones. Permeable materials will be used wherever possible.</li> <li>The movement of vehicles in riverbeds, rocky outcrops and vegetation sensitive areas will be avoided.</li> <li>The movement of vehicles will be restricted to certain tracks only.</li> </ul>	Management	<ul> <li>Warning signs on site</li> <li>restored vegetation</li> </ul>
	Operational Phase		



Environmental/	Proposed mitigation measures	Responsibility	Monitoring plan
Social Impact			
Noise pollution	<ul> <li>Maintain vehicles and drilling equipment.</li> <li>Exploration drilling should be carried out only during daytime.</li> <li>Workers to wear earmuffs if working in noisy section</li> <li>Management to ensure that noise is kept within reasonable levels.</li> </ul>		Amount of noise
Visual	Environmental considerations will be adhered to at all times before clearing roads, trenching and excavating.	Management	Employees will be trained on the importance of minimising visual impacts.
Fauna	<ul> <li>Some habitat areas such as trees of the riverbeds and tunnels outcrops will be avoided wherever possible.</li> <li>A fauna survey will be conducted to determine the effect of fragmented habitat on game species should the need arise.</li> <li>No animals shall be killed, captured or harmed in any way.</li> <li>No foodstuff will be left lying around as these will attract animals which might result in human-animal conflict.</li> </ul>	Management	<ul> <li>Regular monitoring of any unusual signs of animal habitat.</li> </ul>
Alien Invasive Plants	<ul> <li>The explorer will ensure that debris is properly disposed of.</li> <li>Vehicle tyre inspections can be carried out although this may not be a practical mitigation measure.</li> <li>Eradicating alien plants by using an Area Management Plan</li> </ul>	Management     Contractor	<ul> <li>Regular monitoring of any unusual signs of alien species.</li> </ul>
Loss of vegetation	<ul> <li>Environmental considerations will be adhered to at all times before clearing roads, trenching and excavating.</li> <li>Paths and roads will be aligned to avoid root zones. Permeable materials will be used wherever possible.</li> <li>The movement of vehicles in riverbeds, rocky outcrops and vegetation sensitive areas will be avoided.</li> <li>The movement of vehicles will be restricted to certain tracks only.</li> </ul>	-	<ul> <li>Warning signs on site</li> <li>restored vegetation</li> </ul>
Solid waste	<ul> <li>Minimize solid waste generated on site.</li> <li>Recycle waste especially waste from trenching.</li> <li>Debris should be collected by waste collection company.</li> <li>Excavation waste should be re-used or backfilled.</li> </ul>	Contractor     Management	<ul> <li>Amount of waste on Site</li> <li>Presence of well-Maintained receptacles and central collection point.</li> </ul>
Oil leaks and spills	<ul> <li>Machinery should be well maintained to prevent oil leaks.</li> <li>Contractor should have a designated area where maintenance is carried out and that is protected from rainwater.</li> <li>All oil products should be stored in a site store and handled carefully.</li> </ul>	Contractor	No oil spills and leaks on the site.



Archaeological Sites	<ul> <li>Buffer zones will be created around the sites.</li> <li>Adhere to practical guidelines provided by an archaeologist to reduce the archaeological impact of mineral exploration activities.</li> <li>All archaeological sites to be identified and protected before further exploration commences.</li> </ul>	Management	Update     Register of all     archaeologic     al sites     identified.
First aid	A well-stocked first aid kit shall be maintained by qualified personnel	Management	Contents of the first aid kit.
Fire preparedness	<ul> <li>Firefighting drills carried out regularly.</li> <li>Firefighting emergency response plan.</li> <li>Ensure all firefighting equipment are regularly maintained, serviced and inspected.</li> <li>Fire hazard signs and directions to emergency exit, route to follow and assembly point in case of any fire incidence.</li> </ul>	Management	<ul> <li>Number of fire drills carried.</li> <li>Proof of inspection on firefighting equipment.</li> <li>Fire Signs put up in strategic places.</li> <li>Availability of firefighting equipment.</li> </ul>
Environment Health and Safety	<ul> <li>Train workers on personal safety and disaster preparedness.</li> <li>A well-stocked first aid kit shall be maintained by qualified personnel.</li> <li>Report any accidents / incidences and treat and compensate affected workers.</li> <li>Provide sufficient and suitable sanitary conveniences which should be kept clean.</li> <li>Conduct Annual Health and Safety Audits.</li> </ul>	Management	Provide sanitary facilities.     Copies of Annual Audit
	Decommissioning Phase		
Environmental/ Social Impact	Proposed mitigation measures	Responsibility	Monitoring plan/indicator
Noise & Air pollution	<ul> <li>Maintain plant equipment.</li> <li>Decommissioning works to be carried out only during daytime.</li> <li>Workers working in noisy section to wear earmuffs.</li> <li>Workers should be provided with dust masks.</li> </ul>	Contractor     Management	Amount of noise
Disturbed Physical environment	Undertake a complete environmental restoration programme and introducing appropriate vegetation	Management	
Solid waste	Solid waste should be collected by a contracted waste collection company     Excavation waste should be re-used or backfilled.	Contractor     Management	Amount of waste on Site.     Presence of well-maintained



Occupational Health and Safety	<ul> <li>Provide Personal Protective Equipment.</li> <li>Train workers on personal safety and how to handle equipment and machines.</li> </ul>	Contractor	Workers using     Protective     Equipment.
	<ul> <li>A well-stocked first aid kit shall be maintained by qualified personnel.</li> <li>Demarcate area under decommissioning.</li> </ul>		Presence of a First Aid Box.

# 6.5 Monitoring, Auditing and Reporting

## 6.5.1 Inspections and Audits

During the life of the project, performance against the EMP commitments will need to be monitored, and corrective action taken where necessary, in order to ensure compliance with the EMP and relevant enviro-legal requirements.

## 6.5.1.1 Internal Inspections/Audits

The following internal compliance monitoring programme will be implemented:

- 1. Project kick-off and close-out audits will be conducted on all contractors. This applies to all phases, including drilling contract work during operations:
  - Prior to a contractor beginning work, an audit will be conducted by the applicable phase site manager to ensure that the EMP commitments are included in Contractors' standard operating procedures (SOPs) and method statements.
  - Following completion of a Contractors work, a final close-out audit of the contractor's performance against the EMP commitments will be conducted by the applicable phase site manager.
- 2. Monthly internal EMP performance audits will be conducted during the construction/initial and decommissioning phases.
- 3. Ad hoc internal inspections can be implemented by the applicable phase exploration manager at his/her discretion, or in follow-up to recommendations from previous inspection/audit findings.

#### 6.5.1.2 External Audits

• At the close of each project phase, and annually during the operational phase, an independently conducted audit of EMP performance will be conducted.



- Specialist monitoring/auditing may be required where specialist expertise are required or in order to respond to grievances or authorities directives.
- Officials from the DEA may at any time conduct a compliance and/or performance inspection of mineral exploration operations. The proponent will be provided with a written report of the findings of the inspection. These audits assist with the continual improvement of the exploration project and the proponent will use such feedback to help improve its overall operations.

#### 6.5.1.3 Documentation

Records of all inspections/audits and monitoring reports will be kept in line with legislation. Actions will be issued on inspection/audit findings. These will be tracked and closed out

#### 6.5.1.4 Reporting

Environmental compliance reports will be submitted to the Ministry of Environment and Tourism on a bi-annual basis.

## 6.5.2 Environmental Management System Framework

In order implement Environmental Management Practices, an Environmental Management System (EMS) will be established and implemented by the proponent and their Contractors. This subchapter establishes the framework for the compilation of a project EMS. The applicable exploration manager will maintain a paper based and/or electronic system of all environmental management documentation. These will be divided into the following main categories:

#### 6.5.2.1 Policy and Performance Standards

A draft environmental policy and associated objective, goals and commitments has been included in the EMP. The mineral explorer may adapt these as necessary.

# 6.5.2.2 Enviro-Legal Documentation

A copy of the approved environmental assessment and EMP documentation will always be available by the proponent. Copies of the Environment Clearance Certificate and all other associated authorisations and permits will also be kept with



the exploration team. In addition, a register of the legislation and regulations applicable to the project will be maintained and updated as necessary.

## 6.5.2.3 Impact Aspect Register

A register of all project aspects that could impact the environment, including an assessment of these impacts and relevant management measures, is to be maintained. This Draft EMP identifies the foreseeable project aspects and related potential impacts of the proposed project, and as such forms the basis for the Aspect-Impact Register; with the Project Activity. It is however noted that during the life of the project additional project aspects and related impacts may arise which would need to be captured in the Aspect-Impact Register. In this regard, the impact identification principles set forth in the scoping report can be used to update the Register. This method can be modified as required by the applicable exploration manager as necessary during the life of the project.

#### 6.5.2.3 Procedures and Method Statements

In order to affect the commitments contained in this EMP, procedures and method statements will be drafted by the relevant responsible mineral exploration staff and Contractors. These include, but may not be limited:

- Standard operating procedures for environmental action plan and management programme execution.
- Incident and emergency response procedures.
- Auditing, monitoring and reporting procedures, and
- Method statements for EMP compliance for ad hoc activities not directly addressed in the EMP action plans.

All procedures are to be version controlled and signed off by the applicable exploration manager. In addition, knowledge of procedures by relevant staff responsible for the execution thereof must be demonstrable and training records maintained.

## 6.5.2.4 Register of Roles and Responsibilities

During project planning and risk assessments, relevant roles and responsibilities will be determined. These must be documented in a register of all environmental



commitment roles and responsibilities. The register is to include relevant contact details and must be updated as required.

#### 6.5.2.5 Site Map

An up to date map of the exploration site indicating all project activities is to be maintained. In addition to the project layout, the following detail must be depicted:

- Materials handling and storage;
- Waste management areas (collection, storage, transfer, etc.);
- Sensitive areas;
- Incident and emergency equipment locations; and Location of responsible parties.

# 6.5.2.6 Environmental Management Schedule

A schedule of environmental management actions is to be maintained by the applicable phase site managers and/or relevant Contractors. A master schedule of all such activities is to be kept up to date by the exploration manager. Scheduled environmental actions can include, but are not limited to:

- Environmental risk assessment;
- Environmental management meetings;
- Soil handling, management and rehabilitation;
- Waste collection
- Incident and emergency response equipment evaluations and maintenance
- Environmental training;
- Stakeholder engagement; Environmental inspections; and
- Auditing, monitoring and reporting.



#### 6.5.2.7 Change Management

The EMS must have a procedure in place for change management. In this regard, updating and revision of environmental documentation, of procedures and method statements, actions plants etc. will be conducted as necessary in order to account for the following scenarios:

- Changes to standard operating procedures (SOPs);
- Changes in scope;
- Ad hoc actions;
- Changes in project phase; and
- Changes in responsibilities or roles

All documentation will be version controlled and require sign off by the applicable phase site managers.

#### 6.6 Closure Plan

The closure vision for the proposed project is to establish a safe, stable and non-polluting post-prospecting landscape that can facilitate integrated, self-sustaining and value generating opportunities, thereby leave a lasting positive legacy. The aim of the closure plan is to:

- Creating a safe, physically stable rehabilitated landscape that limits long-term erosion potential and environmental degradation.
- Sustaining long term catchment yield and water quality.
- Focusing on establishing a functional post-prospecting landscape that enables self-sustaining agricultural practices where possible.
- To encourage, where appropriate, the re-instatement of terrestrial and aquatic wetland biodiversity

#### 6.6.1 Alternatives Considered

Considering that this is an exploration project, the proposed project is not complex, and the risks associated with prospecting are understood and can be mitigated at



closure. Alternative options for closure are limited. There are only two options that have been considered as activity alternatives for the closure plan:

- Preferred Alternative: Closure or Backfill of boreholes with overburden removed during drilling.
- **Alternative 2:** To Leave boreholes open, in-order to allow for groundwater recharge by surface run-off.

#### 6.6.2 Preferred Alternative: Rehabilitation/ Backfill of boreholes

Rehabilitation is the restoration of a disturbed area that has been degraded as a result of activities such as mining, road construction or waste disposal, to a land use in conformity with the original land use before the activity started. This also includes aesthetical considerations, so that a disturbed area will not be visibly different to the natural environment. This also involves maintaining physical, chemical and biological ecosystem processes in degraded environments, hence the preferred option of backfilling the boreholes with the overburden removed during development and cover with growth medium to establish vegetation. This option has several advantages as discussed below:

#### Advantages:

- The site will be aesthetically acceptable;
- · The site will blend in with the environment;
- The site will be a suitable habitat for fauna and flora again.
- The site will be safe and pollution free;
- Revegetating the site will ensure that the site in non-erodible.

Opting for alternative 1, which is to leave boreholes without backfilling poses a risk in that, these boreholes may fill in with water, which may become attractive to wildlife and communities leading to drowning and the risk of being trapped in the declines. To mitigate these risks, it is necessary to backfill. Treatment technologies should be used to prevent decanting.



# 6.6.3 Closure Assumptions

This closure plan has been developed based on limited available information including environmental data. Some of the information currently available may need to be supplemented during the operational period. Therefore, several assumptions were made about general conditions, and closure and rehabilitation of the facilities at the site to develop the proposed closure actions. As additional information is collected during operations, these assumptions will be reviewed and revised as appropriate.

The assumptions used to prepare this plan include the following:

- The closure period will commence once the last planned weight of minerals has been extracted from the site for laboratory testing.
- The proposed prospecting sites will be adhered to minimise the potential impacts.
- Vegetation establishment will be in line with a project area's indigenous vegetation.
- Water management infrastructure developed for the operational phase will be retained for closure /end of the life of the project as necessary.
- There are limited opportunities for any infrastructure to be built on site and if any infrastructure is built, it will be of limited benefit to the community.
   Therefore, all buildings will be demolished.
- All hazardous and domestic waste will be transported offsite for disposal in licensed landfills.
- No roads are anticipated to be constructed to access the site; existing roads
  will be used as far as possible. Where access tracks have been developed in
  cases where there are no roads, these will be rehabilitated and closed as part
  of normal closure actions.

#### 6.6.4 Closure and Rehabilitation Activities

The rehabilitation actions intended to be undertaken at the end of the life of the proposed prospecting activities are described below.



#### 6.6.4.1 Infrastructure

All infrastructures will be decommissioned, and the footprints rehabilitated for the establishment of vegetation. Material inventories will be managed near the end of prospecting activities to minimize any surplus materials at closure. Where practicable, equipment and materials with value not needed for post-closure operations will be sold and or removed from the site. Equipment with scrap or salvage value will be removed from the site and sold to recyclers.

A soil contamination investigation will be conducted on completion of demolition activities. The purpose of this is to identify areas of possible contamination and design and implement appropriate remedial measures to ensure that the soil contaminants are removed. Closure actions will include:

- All power and water services to be disconnected and certified as safe prior to commencement of any decommissioning works;
- All remaining inert equipment and decommissioning waste will be disposed to the nearest licensed general waste disposal facility;
- Salvageable equipment will be removed and transported offsite prior and during decommissioning;
- All tanks, pipes and sumps containing hydrocarbons to be flushed or emptied prior to removal to ensure no hydrocarbon/chemical residue remains;

#### 6.6.4.2 Boreholes

Closure of boreholes will entail backfilling with overburden stripped ahead of prospecting activities. All overburden should be replaced into the void and the final surface reshaped to simulate surrounding topography while ensuring that the surface is free draining.

Once backfilling is complete a growth medium cover will be placed, and vegetation will be established. There may be a requirement to include sacrificial erosion protection measures on the surface while vegetation is being established.



#### 6.6.4.3 Roads

Existing roads will be used as far as possible. Closure actions concerning roads and parking areas will include:

- Removal of all signage, fencing, shade structures, traffic barriers, etc.
- All 'hard top' surfaces to be ripped along with any concrete structures.
- All potentially contaminated soils are to be identified and demarcated for later remediation; and
- All haul routes that have been treated with saline dust suppression water need to be treated, with the upper surface ripped and removed to designated contaminant disposal areas.

#### 6.6.4.4 Remediation of Contaminated Areas

All soil, contaminated with hydrocarbons, will be identified, excavated, if possible, to at least 200 mm below the contaminated zone and then treated.

- All tanks, pipes and sumps containing hydrocarbons will be flushed or emptied.
- Removed soils will be managed as determined by the nature and extent of the contamination.
- Liquid storage tanks will be emptied, the structure removed/demolished and sub-surface holes filled; and
- All equipment in which chemicals have been stored or transported will be cleaned and disposed of in a suitable disposal facility.

#### 6.6.4.5 Vegetation

Successful revegetation will help control erosion of soil resources, maintain soil productivity and reduce sediment loading in streams utilizing non-invasive plants that fit the criteria of the habitat (e.g. soils, water availability, slope and other appropriate environmental factors). Invasive species will be avoided, and the area will be managed to control the spread of these species.

To counter the effects of erosion, naturally occurring grassland species will be planted on slopes. These species will provide soil holding capacity and reduce runoff velocity.



The flatter areas will be re-vegetated with the objective of creating a sustainable ecosystem. The occurrence of protected plant species will need to be determined before vegetation is removed and the required permits will be obtained for either destruction or relocation.

#### 6.6.4.6 Waste Management

Waste management activities will include:

- Hazardous waste will be managed handled, classified and disposed.
- Non-hazardous will be disposed in the nearby licensed landfill site;
- Scrap and waste steel will be sold to recyclers.
- It may be necessary to fence temporary salvage yards for security reasons, particularly where these are located close to public roads.



## 7. Public Participation Process

The public participation process commenced with newspaper advertisements in two widely distributed newspapers for two consecutive weeks as shown in Appendix B.

Known interested and affected parties were notified directly via mail and fax. No negative concerns were received at this stage. Should any interested and affected parties raise any concerns during the on-going project phase, the Ministry of Environment and Tourism will be immediately notified.

The registered interested and affected are indicated in the table below:

Table 11 Registered IAP's from various organs of state.

Name	Position	Organization
Teofillus Nghitila	Executive Director	Ministry of Environment,
		Forestry and Tourism
Timoteus Mufeti	Environmental	Ministry of Environment,
	Commissioner	Forestry and Tourism
Maria Amakali	Director, Water	Ministry of Agriculture,
	Resources Management	Water and Land Reform
E. Shivolo	Mining Commissioner	Ministry of Mine and
		Energy

#### Identified IAP's and Summary of Issues Raised

FARM_NAME	TEL	Email/Postal	SURNAME	Comments	Responses
GRAUWATER			VAN WYK		
WITKRANS-					
SUID			BENADE		
KABIRAS			VAN WYK		
AUCHAS			DRAGHOENDER		
NUWEDAM			VAN WYK		
MAANSVILLE			VAN WYK		

**Table 12 Comments from registered IAPs** 

<b>Name</b>	<b>Organisation</b>	Contact	Email	Questions/Comments	Responses
Nelimona lipinge	Namibian Environment and Wildlife Society		ndeliimonachox@gmail.com	Please would you also forward me the Background Information Document (BID) and the map (kmz file) or edge coordinates of the area under exploration?	Good Day, thank you. Attached, please receive the requested document and kml file.
				·	



#### 8. Conclusion

The scoping report is prepared for the Environmental Impact Assessment for mineral exploration on an area which is located 80 km southwest of Rehoboth, close to the Klein Aub settlement. Environmental scoping is a critical step in the preparation of an EIA for the proposed mineral exploration activities.

Basically, mineral exploration is relatively unsophisticated and rudimentary. The methods that will be employed are mainly target generation, target drilling, resource evaluation and mineral resource definition.

With the potential employment of 15 people, this means that 15 families will benefit from the project during the exploration phase. The project has great potential to improve livelihoods and contribute to sustainable development within the surrounding community.

At this stage, electricity requirements for the project are minimal. The bulk of the power supply to the exploration site will be sourced from the proponent's own generator.

The potential negative impacts associated with the proposed mineral exploration project are expected to be low to medium in significance. Provided that the relevant mitigation measures are successfully implemented by the proponent, there are no environmental reasons why the proposed project should not be approved. The project will have significant positive economic impacts that would benefit the local, regional and national economy of Namibia.

Several other potential impacts have been addressed in Section 5 and 6 of this EIA, and will be managed through the implementation of the EMP.

The EMP contains a set of Environmental Specifications that will form part of all contracts between the proponent and contractors such as lubrication companies. The requirements of the EMP will be enforced on site by the Management team, and periodic environmental audits will be undertaken and submitted to MET.

This EIA has been subject to a few limitations, which are explained as follows: -

• the time available in which to secure an environmental contract with the authorities; and,



The limited botanical work done to date did not raise any concerns but will be monitored on an on-going basis. If any "special" species of plants are found, these will be located by GPS. An addendum will then be added to the EMP to indicate localities that should be avoided, or to implement other appropriate measures about any special plants.



#### 9. References

!Owos-Oab, E., 2014. THE IMPACT OF DECENTRALISED AGRICULTURAL EXTENSION SERVICE ON STOCK-RAISING IN DÂURES CONSTITUENCY OF THE ERONGO REGION: A CASE STUDY OF THE OKOMBAHE SETTLEMENT, Windhoek: University of Namibia Thesis.

Anon, 2011. *The 2011 Population and Housing Census,* Windhoek: Office of the President.

Barnard, P., 1998. *Biological diversity in Namibia - a country study,* Windhoek: Namibian National Biodiversity Task Force.

Brown, C. & Lawson, J., 1989. *Birds and electricity transmission lines in South West Africa/Namibia*, Windhoek: Madoqua.

Burke, A., 2003. Floristic relationship between inselbergs and mountain habitats in the Central Namib., s.l.: Dinteria.

Calcutt, V., 2001. *Introduction to Copper: Mining & Extraction*, s.l.: Copper Development Association.

Christian, C., 2005. *Spitzkoppe Lodge Proposal Final Report,* Windhoek: Eco Plan (Pty) Ltd.

Green, C., 2012. *The Regulation of Sand Mining in South Africa,* Cape Town: University of Cape Town Thesis.

Griffin, E., 1998. *Species richness and biogeography of non-acarine arachnids in Namibia*, Windhoek: Biodiversity and Conservation.

Hoffmann, K., 1989. New aspects of lithostratigraphic subdivision and correlation of late Proterozoic to early Cambrian rocks of the southern Damara Belt and their correlation with the central and northern Damara Belt and the Gariep Belt, Windhoek: Communs geol. Surv. Namibia.

Kisters, A., 2008. *Introduction to the Damara Orogen,* Windhoek: Isotope Geology of Namibia.

Levinson, O., 1983. Diamonds in the Desert. Cape Town: Tafelberg.

Marshall, T. & Baxter-Brown, R., 1995. Basic principles of alluvial diamond exploration. *Journal of Geochemical Exploration*, pp. 278-293.

Mendelsohn, J., Jarvis, A., Roberts, C. & Robertson, T., 2002. *Atlas of Namibia: a portrait of the land and its people*, Cape Town: David Philip.

Mentes, H., 2012. *Design and Development of a Mineral Exploration Ontology,* Georgia: Georgia State University.



Meyer, H., 1991. Marine Diamonds off Southern Africa, s.l.: Diamond International .

Miller, R., 1992. *The mineral resources of Namibia*. Windhoek: Geological Survey of Namibia, Ministry of Mines & Energy. p2.3-93-96.

Mohr, S., Mudd, G. & Guirco, D., 2012. Lithium Resources and Production: Critical Assessment and Global Projections. *minerals*, pp. 65-84.

Miller, R., 2008. *The geology of Namibia.* Windhoek: Geological survey of Namibia, Ministry of Mines & Energy.

Schneider, G. & Seeger, K., 1992. Copper. In: s.l.:The Mineral Resources of Namibia, pp. 2.3, 1-172.

Simmons, R. & Komen, L., 2003. *Pussyfooting Around,* s.l.: Africa Geographic.



## Appendix A

Eldolon helvum STRAW-COLORED FRUIT BAT SECURE ABUNDANTLY Apploacus mauritianus TOMB BAT SECURE SEASONAL TAPPOZOS Mauritianus TOMB BAT SECURE SEASONAL TAPPOZOS MAURITIANS RICHORDON SLIT-FACED BAT SECURE SEASONAL TAPPOZOS SECURE OCCASIONALLY Rininolophus daritigi DARLING'S HORSESHOE BAT SECURE OCCASIONALLY Rininolophus denti DENT'S HORSESHOE BAT SECURE ABUNDANTLY Hipposideros caffer SUNDEVALL'S LEAF-NOSED BAT SECURE ABUNDANTLY RESCURE ABUNDANTLY Todarida aegyptiaca SECURE ABUNDANTLY Tadarida aegyptiaca SECURE ABUNDANTLY Neoromicia capensis CAPE SEROTINE BAT SECURE ABUNDANTLY Neoromicia capensis CAPE SEROTINE BAT SECURE ABUNDANTLY SECURE ABUNDANTLY SECURE ABUNDANTLY Tadarida securida ABUNDANTLY SECURE ABUNDANTLY SECURE ABUNDANTLY ABUNDANTLY SECURE ABUNDANTLY SECURE ABUNDANTLY ABUNDANTLY SECURE ABUNDANTLY ABUNDANTLY ABUNDANTLY ABUNDANTLY SECURE ABUNDANTLY	SCIENTIFIC NAME	COMMON NAME	STATUS	OCCURRENCE
Taphozous mauritianus TOMB BAT Rininolophus fumigatus Rininolophus darlingi DARLING'S HORSESHOE BAT Rininolophus darlingi DARLING'S HORSESHOE BAT Rininolophus darlingi DARLING'S HORSESHOE BAT Rininolophus darlingi DENT'S HORSESHOE BAT SECURE OCCASIONALLY Rininolophus denti DENT'S HORSESHOE BAT SECURE COCASIONALLY Rininolophus denti DENT'S HORSESHOE BAT SECURE ABUNDANTLY Rininolophus denti DENT'S HORSESHOE BAT SECURE ABUNDANTLY RININDAMINITY RECURS ROBERS OCCASIONALLY SECURE ABUNDANTLY RECURS ABUNDANTLY ABUNDANTLY ABUNDANTLY ABUNDANTLY Tadarida aegyptiaca EGYPTIAN FREE-TAILED BAT TAGARIda SECURE ABUNDANTLY ROBERS' LONG- FINGERED BAT RININGERED BAT SECURE RARELY ROBERS' LONG- FINGERED BAT SECURE ABUNDANTLY ROBERS' LONG- RARELY ROBERS' LONG- FINGERED BAT SECURE ABUNDANTLY ROBERS' LONG- FINGERED BAT SECURE ABUNDANTLY ROBERS' LONG- FINGERED BAT SECURE RARELY ROBERS' LONG- FINGERED BAT SECURE RABLY RARE' RARELY ROBERS' LONG- FINGERED BAT SECURE RABLY ROBERS' LONG- FINGERED BAT SECURE RABLY ROBERS' LONG- FINGERED BAT SECURE RABLY ROBERS' LONG- FINGERED BAT SECUR	Eidolon helvum	STRAW-COLORED FRUIT BAT	SECURE	SEASONAL
Rhinolophus fumigatus RÜPPELL'S HORSESHOE BAT SECURE OCCASIONALLY Rhinolophus darlingi DARLING'S HORSESHOE BAT SECURE OCCASIONALLY Rhinolophus darlingi DARLING'S HORSESHOE BAT SECURE OCCASIONALLY COMMERSON'S LEAF-NOSED BAT SECURE ABUNDANTLY Hipposideros commersoni BAT SCURE ABUNDANTLY SLEAF-NOSED BAT SECURE ABUNDANTLY Chaerephon nigeriae NIGERIAN FREE-TAILED BAT SECURE ABUNDANTLY Chaerephon nigeriae NIGERIAN FREE-TAILED BAT SECURE ABUNDANTLY Chaerephon nigeriae NIGERIAN FREE-TAILED BAT SECURE ABUNDANTLY SLEAF-NOSED BAT SHIPED FREE SOUIRREL SECURE AB	Nycteris thebaica	COMMON SLIT-FACED BAT	SECURE	ABUNDANTLY
Rhinolophus darlingi	Taphozous mauritianus	TOMB BAT	SECURE	SEASONAL
Rhinolophus dentii DENT'S HORSESHOE BAT COMMERSON'S LEAF-NOSED BAT SECURE ABUNDANTLY BAT SUNDEVALL'S LEAF-NOSED BAT SECURE ABUNDANTLY BAT SUNDEVALL'S LEAF-NOSED BAT SECURE ABUNDANTLY ABUNDANTLY BAT SECURE ABUNDANTLY SECURE ABUNDANTLY BAT SECURE ABUNDANTLY ABUNDANTLY BAT SECU	Rhinolophus fumigatus	RÜPPELL'S HORSESHOE BAT	SECURE	OCCASIONALLY
Hipposideros commersoni BAT SUNDEVALL' S LEAF-NOSED BAT Chaerephon nigeriae NIGERIAN FREE-TAILED BAT ABUNDANTLY Mops midss MIDAS FREE-TAILED BAT SECURE ABUNDANTLY Tadarida aegyptiaca EGYPTIAN FREE-TAILED BAT Miniopterus inflatus BAT SCHREIBERS' LONG- BAT SECURE ABUNDANTLY Mosh midsa GREATER LONG-FINGERED BAT SECURE ABUNDANTLY ABUNDANTLY SECURE ABUNDANTLY ABUNDANTLY ABUNDANTLY Mosh midsa SCHREIBERS' LONG- BAT SECURE ABUNDANTLY Miniopterus schreibersi SCHREIBERS' LONG- FINGERED BAT SECURE ABUNDANTLY Neoromicia capensis CAPE SEROTINE BAT SECURE ABUNDANTLY Neoromicia capensis ALOE SEROTINE BAT SECURE ABUNDANTLY Neoromicia capensis ALOE SEROTINE BAT SECURE ARARLY Noctioniops schlieffenii SCHLIEFFEN' S BAT SECURE ARARLY Noctioniops schlieffenii AFRICAN YELLOW BAT SECURE ARARLY ARARLY Noctioniops schlieffenii SOUTHERN AFRICAN HEDGEHOG TINY MUSK SHREW SECURE ARARLY Crocidura hirta LESSER RED MUSK SHREW SECURE ABUNDANTLY Atleink frontalis Crocidura hirta LESSER RED MUSK SHREW SECURE ABUNDANTLY Papio ursinus CHACMA BABOON SECURE ABUNDANTLY ARNE YELLOW ABUSHBABEY ABUNDANTLY ARNE YELLOW ABUSHBABEY ABUNDANTLY ARRICAN ARRE? ARRELY ABUNDANTLY ARRE YELLOW ABUNDANTLY ABUNDANTLY ABUNDANTLY ARRE YELLOW ABUNDANTLY ABUNDANTLY ABUNDANTLY ABUNDANTLY ARRE YELLOW ABUNDANTLY ABUNDANTLY ARRE YELLOW ABUNDANTLY ABUNDANTLY ARRE YELLOW ABUNDANTLY ABUNDANTLY ARRE YELLOW ABUNDANTLY AB	Rhinolophus darlingi	DARLING'S HORSESHOE BAT	SECURE	OCCASIONALLY
ABUNDANTLY   ABU	Rhinolophus denti	DENT'S HORSESHOE BAT	SECURE	OCCASIONALLY
ABUNDANTLY Chaerephon nigeriae NIGERIAN FREE-TAILED BAT NIGERIAN FREE-TAILED BAT SECURE ABUNDANTLY Adarida aegyptiaca MIDAS FREE-TAILED BAT SECURE ABUNDANTLY Adarida aegyptiaca MIDAS FREE-TAILED BAT SECURE ABUNDANTLY Miniopterus inflatus GREATER LONG-FINGERED BAT SECURE ABUNDANTLY Miniopterus schreibersi AGREATER LONG-FINGERED BAT SECURE ABUNDANTLY Miniopterus schreibersi SCHREIBERS' LONG- FINGERED BAT Neoromicia capensis CAPE SEROTINE BAT Neoromicia culuensis ALOE SEROTINE BAT SECURE ABUNDANTLY Nycticeinops schlieffeni SCHLIEFFEN'S BAT SECURE ABUNDANTLY Atleinix frontalis SCHREIFFEN'S BAT SECURE ABUNDANTLY ARRE? RARELY Crocidura fuscomurina Tiny MUSK SHREW SECURE ABUNDANTLY ABUNDANTLY Crocidura hirta LESSER RED MUSK SHREW SECURE ABUNDANTLY ARRE? ABUNDANTLY Papio ursinus CHACMA BABOON SECURE ABUNDANTLY Papio ursinus CHACMA BABOON SECURE ABUNDANTLY ARRE? ABUNDANTLY Papio ursinus CAPE GROUND SQUIRREL SECURE ABUNDANTLY Funisciurus congicus STRIPED TREE SQUIRREL SECURE ABUNDANTLY Funisciurus congicus STRIPED TREE SQUIRREL SECURE ABUNDANTLY Funisciurus congicus STRIPED TREE SQUIRREL SECURE ABUNDANTLY Funisciurus paeba PYGMY GERBIL SECURE ABUNDANTLY Tatera leucogaster BUSHYELD GERBIL SECURE ABUNDANTLY Tatera leucogaster BUSHYELD GERBIL SECURE ABUNDANTLY Tatera brantsii HIGHYELD GERBIL SECURE ABUNDANTLY ABUNDANTLY Tatera brantsii HIGHYELD GERBIL SECURE ABUNDANTLY TATERA ABUNDANTLY TATERA ABUNDANTLY TATERA ABUN	Hipposideros commersoni	BAT	SECURE	ABUNDANTLY
MIDAS FREE-TAILED BAT Tadarida aegyptiaca EGYPTIAN FREE-TAILED BAT SECURE ABUNDANTLY Miniopterus infiatus GREATER LONG-FINGERED BAT Miniopterus schreibersi SCHREIBERS' LONG- FINGERED BAT Neoromicia capensis CAPE SEROTINE BAT Neoromicia zuluensis ALOE SEROTINE BAT Nycticeinops schieffenii SCHLIEFFEN'S BAT SECURE ABUNDANTLY Nycticeinops schieffeniii SCHLIEFFEN'S BAT SECURE ABUNDANTLY Neoromicia zuluensis ALOE SEROTINE BAT SECURE ABUNDANTLY Atlerix frontalis HEDGEHOG RARE? RARELY Crocidura fuscomurina TINY MUSK SHREW SECURE ABUNDANTLY ABUNDANTLY ABUNDANTLY ABUNDANTLY Papio ursinus CHACMA BABOON SECURE ABUNDANTLY ABUNDANTLY ABUNDANTLY ALEPUS victoriae SECURE ABUNDANTLY Xerus inaurus CAPE GROUND SQUIRREL SECURE ABUNDANTLY Funisciurus congicus STRIPED TREE SQUIRREL SECURE ABUNDANTLY Tatera berogaster BUSHYELD GERBIL SECURE ABUNDANTLY Tatera berogaster ABUNDANTLY Tatera berogaster BUSHYELD GERBIL SECURE ABUNDANTLY Tatera brantsii HIGHVELD GERBIL SECURE ABU	Hipposideros caffer	BAT	SECURE	ABUNDANTLY
Tadarida aegyptiaca EGYPTIAN FREE-TAILED BAT SECURE ABUNDANTLY Miniopterus inflatus GREATER LONG-FINGERED BAT SECURE RARELY  Miniopterus schreibersi SCHREIBERS' LONG-FINGERED BAT SECURE ABUNDANTLY Neoromicia capensis CAPE SEROTINE BAT SECURE RARELY  Neoromicia zuluensis ALOE SEROTINE BAT SECURE RARELY  Neoromicia zuluensis ALOE SEROTINE BAT SECURE RARELY  Neoromicia zuluensis ALOE SEROTINE BAT SECURE RARELY  Neotophilus dingani AFRICAN PELLOW BAT SECURE RARELY  Scotophilus dingani AFRICAN YELLOW BAT SECURE RARELY  Scotophilus dingani AFRICAN YELLOW BAT SECURE ABUNDANTLY  Atelerix frontalis SOUTHERN AFRICAN UNKNOWN, HEDGEHOG RARE?  Crocidura fuscomurina TINY MUSK SHREW SECURE RARELY  Crocidura fuscomurina TINY MUSK SHREW SECURE ABUNDANTLY  Galago moholi SOUTHERN AFRICAN UNKNOWN, BUSHBABY RARE?  ABUNDANTLY  Papio ursinus CHACMA BABOON SECURE ABUNDANTLY  Lepus victoriae SECURE ABUNDANTLY  Xerus inaurus CAPE GROUND SQUIRREL SECURE ABUNDANTLY  Funisciurus congicus STRIPED TREE SQUIRREL SECURE ABUNDANTLY  Funisciurus congicus STRIPED TREE SQUIRREL SECURE ABUNDANTLY  Tatera leucogaster BUSHVELD GERBIL SECURE ABUNDANTLY  Tatera leucogaster BUSHVELD GERBIL SECURE ABUNDANTLY  Tatera brantsii HIGHVELD GERBIL SECURE ABUNDA	Chaerephon nigeriae	NIGERIAN FREE-TAILED BAT	SECURE	ABUNDANTLY
Miniopterus inflatus         GREATER LONG-FINGERED BAT PINGERED BAT         SECURE         ABUNDANTLY           Miniopterus schreibersi         FINGERED BAT SCHREIBERS' LONG-FINGERED BAT SCURE ABUNDANTLY         SECURE ABUNDANTLY           Neoromicia capensis         ALOE SEROTINE BAT SECURE RARELY         RABLY           Nycticeinops schileffenii         SCHLIEFFEN'S BAT SECURE RARELY         RABELY           Nycticeinops schileffenii         SCHLIEFFEN'S BAT SECURE RARELY         RABUNDANTLY           Atelerix frontalis         HEDGEHOG         SECURE RARELY           Crocidura fuscomurina         TINY MUSK SHREW         SECURE RARELY           Crocidura fuscomurina         LESSER RED MUSK SHREW         SECURE RARELY           Crocidura hirta         LESSER RED MUSK SHREW         SECURE RABLY           Galago moholi         SOUTHERN AFRICAN RARE?         ABUNDANTLY           Papio ursinus         CHACMA BABOON         SECURE ABUNDANTLY           Verus inaurus         CHACMA BABOON         SECURE ABUNDANTLY           Xerus inaurus         CAPE GROUND SQUIRREL         SECURE ABUNDANTLY           Yerus inaurus         CAPE GROUND SQUIRREL         SECURE ABUNDANTLY           Yerus inaurus         CAPE GROUND SQUIRREL         SECURE ABUNDANTLY           Yatera leucogaster         BUSHVELD GERBIL         SECURE ABUNDAN	Mops midas	MIDAS FREE-TAILED BAT	SECURE	ABUNDANTLY
Miniopterus siniatus SCHREIBERS' LONG- FINGERED BAT SECURE ABUNDANTLY Neoromicia capensis ALOE SEROTINE BAT SECURE ABUNDANTLY Nycticeinops schieffenii SCHLIEFFEN'S BAT SECURE RARELY Nycticeinops schieffenii SCHLIEFFEN'S BAT SECURE ABUNDANTLY Atelerix frontalis SCUTHERN AFRICAN HEDGEHOG RARE? RARELY RARE? RARELY Crocidura fuxcomurina Tiny MUSK SHREW SECURE RARELY Crocidura hirta LESSER RED MUSK SHREW SECURE ABUNDANTLY SECURE ABUNDANTLY RARE? RABLY RABLY RARE? RABLY RAB	Tadarida aegyptiaca	EGYPTIAN FREE-TAILED BAT	SECURE	ABUNDANTLY
Minioperus scriebiers  Fingered Bat   Secure   Abundantly   Neoromicia capensis   CAPE SEROTINE BAT   SECURE   ABUNDANTLY   Neoromicia zuluensis   ALOE SEROTINE BAT   SECURE   RARELY   Nycticeinops schieffenii   SCHLIEFFEN'S BAT   SECURE   RARELY   Nycticeinops schieffenii   SCHLIEFFEN'S BAT   SECURE   ABUNDANTLY   Atelerix frontalis   SOUTHERN AFRICAN   UNKNOWN, RARE?   RARELY   RARELY   Nycticeinops schieffenii   SCUTHERN AFRICAN   UNKNOWN, RARE?   RARELY   RAREL	Miniopterus inflatus	BAT	SECURE	RARELY
Neoromicia zuluensis   ALOE SEROTINE BAT   SECURE   RARELY   Nycticeinops schlieffenii   SCHLIEFFEN'S BAT   SECURE   RARELY   Scotophilus dingani   AFRICAN YELLOW BAT   SECURE   ABUNDANTLY   Atleinx frontalis   SOUTHERN AFRICAN   UNKNOWN, RARE?   RARELY   Crocidura fuscomurina   TINY MUSK SHREW   SECURE   RARELY   Crocidura hirta   LESSER RED MUSK SHREW   SECURE   ABUNDANTLY	·	FINGERED BAT	SECURE	ABUNDANTLY
Nycticeinops schlieffenii   SCHLIEFFEN'S BAT   SECURE   RARELY		CAPE SEROTINE BAT	SECURE	ABUNDANTLY
AFRICAN YELLOW BAT   SECURE   ABUNDANTLY				RARELY
Atelerix frontalis  SOUTHERN AFRICAN HEDGEHOG RARE?  RARELY  Crocidura fuscomurina  Tiny MUSK SHREW SECURE ABUNDANTLY  Galago moholi BUSHBABY RARE?  ABUNDANTLY  Papio ursinus  CHACMA BABOON SECURE ABUNDANTLY  Lepus victoriae  CAPE GROUND SQUIRREL SECURE ABUNDANTLY  Secure ABUNDANTLY  Secure ABUNDANTLY  Secure ABUNDANTLY  ABUNDANTLY  ABUNDANTLY  ABUNDANTLY  Secure ABUNDANTLY  Secure ABUNDANTLY  ABUNDANTLY  Secure ABUNDANTLY  Secure ABUNDANTLY  Secure ABUNDANTLY  Secure ABUNDANTLY  Secure ABUNDANTLY  Tatera leucogaster BUSHVELD GERBIL SECURE ABUNDANTLY  Tatera brantsii HIGHVELD GERBIL SECURE ABUNDANTLY  Tatera brantsii HIGHVELD GERBIL SECURE ABUNDANTLY  Secure ABUNDANTLY  Secure ABUNDANTLY  Tatera brantsii HIGHVELD GERBIL SECURE ABUNDANTLY  Malacothrix typica LARGE-EARED MOUSE SECURE ABUNDANTLY  Malacothrix typica ABUND				RARELY
Arbeita Ironians HEDGEHOG RARE? RARELY Crocidura fuscomurina TINY MUSK SHREW SECURE ABUNDANTLY Galago moholi BUSHBABY RARE? ABUNDANTLY Papio ursinus CHACMA BABOON SECURE ABUNDANTLY  Lepus victoriae ABUNDANTLY  Lepus victoriae ABUNDANTLY  EVENTS inaurus CAPE GROUND SQUIRREL SECURE ABUNDANTLY  SECURE ABUNDANTLY  ABUNDANTLY  ABUNDANTLY  ABUNDANTLY  ABUNDANTLY  ABUNDANTLY  SECURE ABUNDANTLY  Tatera leucogaster BUSHVELD GERBIL SECURE ABUNDANTLY  Tatera brantsii HIGHVELD GERBIL SECURE ABUNDANTLY  Tatera brantsii HIGHVELD GERBIL SECURE ABUNDANTLY	Scotophilus dingani			ABUNDANTLY
Crocidura hirta  LESSER RED MUSK SHREW  SOUTHERN AFRICAN BUSHBABY  Papio ursinus  CHACMA BABOON  SECURE  ABUNDANTLY  ABUNDANTLY  Lepus victoriae  CAPE GROUND SQUIRREL SECURE  ABUNDANTLY  Funisciurus congicus  STRIPED TREE SQUIRREL SECURE  ABUNDANTLY  Tatera leucogaster  BUSHVELD GERBIL SECURE  ABUNDANTLY  Tatera brantsii  HIGHVELD GERBIL SECURE  ABUNDANTLY  Desmodillus auricularis  SHORT-TAILED GERBIL SECURE  ABUNDANTLY  Malacothrix typica  LARGE-EARED MOUSE  SECURE  ABUNDANTLY  Malacothrix typica  LARGE-STRIPED MOUSE  SECURE  ABUNDANTLY  Malacothrix typica  LARGE-STRIPED MOUSE  SECURE  ABUNDANTLY  Malacothrix paeba  SINGLE-STRIPED MOUSE  SECURE  ABUNDANTLY  Tatera brantsis  SINGLE-STRIPED MOUSE  SECURE  ABUNDANTLY  Thallomys paedulcus  TREE RAT  SECURE  ABUNDANTLY  Thallomys nigricauda  BLACK-TAILED TREE RAT  SECURE  ABUNDANTLY  Thallomys namaquensis  NAMAQUA ROCK RAT  Aethomys natalensis  NAMAQUA ROCK RAT  Aethomys natalensis  NAMAQUA ROCK RAT  Aethomys natalensis  NATAL MULTIMAMMATE  Mouse  ABUNDANTLY  ABUNDANTLY  Mastomys coucha  MULTIMAMMATE MOUSE  SECURE  ABUNDANTLY  ABUNDANT	Atelerix frontalis	HEDGEHOG		RARELY
Galago moholi  SOUTHERN AFRICAN BUSHBABY RARE? ABUNDANTLY  Papio ursinus CHACMA BABOON SECURE ABUNDANTLY  Lepus victoriae SECURE ABUNDANTLY  Xerus inaurus CAPE GROUND SQUIRREL Funisciurus congicus STRIPED TREE SQUIRREL SECURE ABUNDANTLY  Saccostomus campestris POUCHED MOUSE SECURE ABUNDANTLY  Tatera leucogaster BUSHVELD GERBIL SECURE ABUNDANTLY  Tatera brantsti HIGHVELD GERBIL SECURE ABUNDANTLY  Desmodillus auricularis SHORT-TAILED GERBIL SECURE ABUNDANTLY  Desmodillus auricularis SHORT-TAILED GERBIL SECURE ABUNDANTLY  Malacothrix typica LARGE-EARED MOUSE SECURE ABUNDANTLY  Thallomys paedulcus TREE RAT SECURE ABUNDANTLY  Thallomys paedulcus TREE RAT SECURE ABUNDANTLY  Thallomys nairicauda BLACK-TAILED TREE RAT SECURE ABUNDANTLY  Thallomys nairaquensis NAMAQUA ROCK RAT SECURE ABUNDANTLY  Zelotomys woosnami WOOSNAM'S DESERT RAT RARE RARELY  Mastomys nairalensis NATAL MULTIMAMMATE MOUSE SECURE ABUNDANTLY  Zelotomys nairalensis NATAL MULTIMAMMATE MOUSE SECURE ABUNDANTLY  ABUN	Crocidura fuscomurina	TINY MUSK SHREW		RARELY
BUSHBABY Papio ursinus CHACMA BABOON SECURE ABUNDANTLY  Lepus victoriae SECURE ABUNDANTLY  Xerus inaurus CAPE GROUND SQUIRREL SECURE ABUNDANTLY  Funisciurus congicus STRIPED TREE SQUIRREL SECURE ABUNDANTLY  Funisciurus campestris POUCHED MOUSE SECURE ABUNDANTLY  Tatera leucogaster BUSHVELD GERBIL SECURE ABUNDANTLY  Tatera brantsii HIGHVELD GERBIL SECURE ABUNDANTLY  Desmodillus auricularis SHORT-TAILED GERBIL SECURE ABUNDANTLY  Steatomys pratensis FAT MOUSE SECURE ABUNDANTLY  Malacothrix typica LARGE-EARED MOUSE SECURE ABUNDANTLY  Mus indutus KALAHARI PYGMY MOUSE SECURE ABUNDANTLY  Lemniscomys rosalia SINGLE-STRIPED MOUSE SECURE ABUNDANTLY  Thallomys paedulcus TREE RAT SECURE ABUNDANTLY  Thallomys namaquensis NAMAQUA ROCK RAT SECURE ABUNDANTLY  Aethomys chrysophilus RED VELD RAT SECURE ABUNDANTLY  Mastomys natalensis MOUSE MULTIMAMMATE MOUSE MOUSE ABUNDANTLY  ABUNDANTLY  ABUNDANTLY  SECURE ABUNDANTLY  SECURE ABUNDANTLY  ABUNDANTL	Crocidura hirta			ABUNDANTLY
Lepus victoriae  Lepus victoriae  Xerus inaurus  CAPE GROUND SQUIRREL  SECURE  ABUNDANTLY  Funisciurus congicus  STRIPED TREE SQUIRREL  SECURE  ABUNDANTLY  Tatera leucogaster  BUSHVELD GERBIL  Desmodilius auricularis  SHORT-TAILED GERBIL  SECURE  ABUNDANTLY  Teatonys pratensis  FAT MOUSE  SECURE  ABUNDANTLY  SECURE  ABUNDANTLY  Desmodiliurus paeba  PYGMY GERBIL  SECURE  ABUNDANTLY  Malacothrix typica  LARGE-EARED MOUSE  SECURE  ABUNDANTLY  Mus indutus  KALAHARI PYGMY MOUSE  SECURE  RARELY  Mus indutus  KALAHARI PYGMY MOUSE  SECURE  RABUNDANTLY  Thallomys paedulcus  TREE RAT  SECURE  ABUNDANTLY  Thallomys paedulcus  TREE RAT  SECURE  ABUNDANTLY  Thallomys nigricauda  BLACK-TAILED TREE RAT  SECURE  ABUNDANTLY  Aethomys chrysophilus  RED VELD RAT  SECURE  ABUNDANTLY  Aethomys namaquensis  NAMAQUA ROCK RAT  SECURE  ABUNDANTLY  Aethomys chrysophilus  RED VELD RAT  SECURE  ABUNDANTLY  AUSTOMANAMATE  MOUSE  Mastomys natalensis  MOUSE  MULTIMAMMATE  MOUSE  ABUNDANTLY  Mastomys coucha  MULTIMAMMATE  MOUSE  ABUNDANTLY  Mastomys coucha  MULTIMAMMATE  MOUSE  ABUNDANTLY	Galago moholi	BUSHBABY	RARE?	ABUNDANTLY
Xerus inaurus  CAPE GROUND SQUIRREL  Funisciurus congicus  STRIPED TREE SQUIRREL  SECURE  RARELY  Saccostomus campestris  POUCHED MOUSE  SECURE  ABUNDANTLY  Tatera leucogaster  BUSHVELD GERBIL  SECURE  ABUNDANTLY  Tatera brantsii  HIGHVELD GERBIL  SECURE  ABUNDANTLY  Tatera brantsii  HIGHVELD GERBIL  SECURE  ABUNDANTLY  Tatera brantsii  PYGMY GERBIL  SECURE  ABUNDANTLY  SECURE  ABUNDANTLY  SECURE  ABUNDANTLY  Steatomys pratensis  FAT MOUSE  SECURE  ABUNDANTLY  Malacothrix typica  LARGE-EARED MOUSE  Mus indutus  KALAHARI PYGMY MOUSE  SECURE  RARELY  Rhabdomys pumilio  STRIPED MOUSE  SECURE  ABUNDANTLY  Thallomys paedulcus  TREE RAT  SECURE  ABUNDANTLY  Thallomys nigricauda  BLACK-TAILED TREE RAT  SECURE  ABUNDANTLY  Thallomys namaquensis  NAMAQUA ROCK RAT  SECURE  ABUNDANTLY  Aethomys chrysophilus  RED VELD RAT  SECURE  ABUNDANTLY  Aethomys natalensis  MOUSE  MOUSE  MOUSE  ABUNDANTLY  SECURE  ABUNDANTLY  ABUNDANTLY  SECURE  ABUNDANTLY  ABUNDANTLY  AETHOMYS namaquensis  NAMAQUA ROCK RAT  SECURE  ABUNDANTLY  ABUNDANTLY  AETHOMYS nosnami  WOOSNAM'S DESERT RAT  RARE  RARELY  MAStomys natalensis  MOUSE  MULTIMAMMATE  MOUSE  SECURE  ABUNDANTLY  AB	Papio ursinus	CHACMA BABOON	SECURE	ABUNDANTLY
Xerus inaurus  CAPE GROUND SQUIRREL  Funisciurus congicus  STRIPED TREE SQUIRREL  SECURE  RARELY  Saccostomus campestris  POUCHED MOUSE  SECURE  ABUNDANTLY  Tatera leucogaster  BUSHVELD GERBIL  SECURE  ABUNDANTLY  Tatera brantsii  HIGHVELD GERBIL  SECURE  ABUNDANTLY  Tatera brantsii  HIGHVELD GERBIL  SECURE  ABUNDANTLY  Tatera brantsii  PYGMY GERBIL  SECURE  ABUNDANTLY  SECURE  ABUNDANTLY  SECURE  ABUNDANTLY  Steatomys pratensis  FAT MOUSE  SECURE  ABUNDANTLY  Malacothrix typica  LARGE-EARED MOUSE  Mus indutus  KALAHARI PYGMY MOUSE  SECURE  RARELY  Rhabdomys pumilio  STRIPED MOUSE  SECURE  ABUNDANTLY  Thallomys paedulcus  TREE RAT  SECURE  ABUNDANTLY  Thallomys nigricauda  BLACK-TAILED TREE RAT  SECURE  ABUNDANTLY  Thallomys namaquensis  NAMAQUA ROCK RAT  SECURE  ABUNDANTLY  Aethomys chrysophilus  RED VELD RAT  SECURE  ABUNDANTLY  Aethomys natalensis  MOUSE  MOUSE  MOUSE  ABUNDANTLY  SECURE  ABUNDANTLY  ABUNDANTLY  SECURE  ABUNDANTLY  ABUNDANTLY  AETHOMYS namaquensis  NAMAQUA ROCK RAT  SECURE  ABUNDANTLY  ABUNDANTLY  AETHOMYS nosnami  WOOSNAM'S DESERT RAT  RARE  RARELY  MAStomys natalensis  MOUSE  MULTIMAMMATE  MOUSE  SECURE  ABUNDANTLY  AB				
Funisciurus congicus  STRIPED TREE SQUIRREL  Saccostomus campestris  POUCHED MOUSE  SECURE  ABUNDANTLY  Tatera leucogaster  BUSHVELD GERBIL  SECURE  ABUNDANTLY  Tatera brantsii  HIGHVELD GERBIL  SECURE  ABUNDANTLY  Desmodillus auricularis  SHORT-TAILED GERBIL  SECURE  ABUNDANTLY  Malacothrix typica  LARGE-EARED MOUSE  SECURE  ABUNDANTLY  Musindutus  KALAHARI PYGMY MOUSE  SECURE  ABUNDANTLY  Lemniscomys rosalia  SINGLE-STRIPED MOUSE  SECURE  ABUNDANTLY  Thallomys pumilio  STRIPED MOUSE  SECURE  ABUNDANTLY  Thallomys paedulcus  TREE RAT  SECURE  ABUNDANTLY  Thallomys nigricauda  BLACK-TAILED TREE RAT  SECURE  ABUNDANTLY  Aethomys chrysophilus  RED VELD RAT  SECURE  ABUNDANTLY  Zelotomys woosnami  WOOSNAM'S DESERT RAT  RARE  RARELY  Mastomys roatalensis  MASTAL MULTIMAMMATE  MOUSE  Mastomys coucha  MULTIMAMMATE MOUSE  SECURE  ABUNDANTLY  ABU	Lepus victoriae		SECURE	ABUNDANTLY
Saccostomus campestris POUCHED MOUSE SECURE ABUNDANTLY Tatera leucogaster BUSHVELD GERBIL SECURE ABUNDANTLY Tatera brantsii HIGHVELD GERBIL SECURE ABUNDANTLY Desmodillus auricularis SHORT-TAILED GERBIL SECURE RARELY Gerbillurus paeba PYGMY GERBIL SECURE ABUNDANTLY Steatomys pratensis FAT MOUSE SECURE ABUNDANTLY Malacothrix typica LARGE-EARED MOUSE SECURE ABUNDANTLY Mus indutus KALAHARI PYGMY MOUSE SECURE RARELY Mus indutus KALAHARI PYGMY MOUSE SECURE RARELY Rhabdomys rosalia SINGLE-STRIPED MOUSE SECURE ABUNDANTLY Thallomys paedulcus TREE RAT SECURE ABUNDANTLY Thallomys nigricauda BLACK-TAILED TREE RAT SECURE ABUNDANTLY Aethomys namaquensis NAMAQUA ROCK RAT SECURE ABUNDANTLY Aethomys chrysophilus RED VELD RAT SECURE ABUNDANTLY Zelotomys woosnami WOOSNAM'S DESERT RAT NATAL MULTIMAMMATE MOUSE Mastomys coucha MULTIMAMMATE MOUSE SECURE ABUNDANTLY Mastomys coucha MULTIMAMMATE MOUSE SECURE ABUNDANTLY ABUNDANTLY Mastomys coucha MULTIMAMMATE MOUSE SECURE ABUNDANTLY ABUNDANTLY Mastomys coucha MULTIMAMMATE MOUSE SECURE ABUNDANTLY Mastomys capanis SPRINGHARE SECURE ABUNDANTLY Mastomys damarensis DAMARA MOLE RAT SECURE ABUNDANTLY ABUNDANTLY ABUNDANTLY DEATE ABUNDANTLY ABUN	Xerus inaurus	CAPE GROUND SQUIRREL	SECURE	ABUNDANTLY
Tatera leucogaster  BUSHVELD GERBIL  Tatera brantsii  HIGHVELD GERBIL  Desmodillus auricularis  SHORT-TAILED GERBIL  SECURE  RARELY  Gerbillurus paeba  PYGMY GERBIL  SECURE  ABUNDANTLY  Steatomys pratensis  FAT MOUSE  SECURE  ABUNDANTLY  Malacothrix typica  LARGE-EARED MOUSE  SECURE  RARELY  Mus indutus  KALAHARI PYGMY MOUSE  SECURE  RARELY  Rhabdomys pumilio  STRIPED MOUSE  SECURE  RARELY  Rhabdomys paedulcus  TREE RAT  SECURE  ABUNDANTLY  Thallomys nigricauda  BLACK-TAILED TREE RAT  SECURE  ABUNDANTLY  Aethomys namaquensis  NAMAQUA ROCK RAT  SECURE  ABUNDANTLY  Aethomys chrysophilus  RED VELD RAT  SECURE  ABUNDANTLY  Aethomys natalensis  NATAL MULTIMAMMATE  MOUSE  Mastomys natalensis  MUCSE  MULTIMAMMATE MOUSE  SECURE  ABUNDANTLY  ABUNDAN	Funisciurus congicus	STRIPED TREE SQUIRREL	SECURE	RARELY
Tatera brantsii HIGHVELD GERBIL SECURE ABUNDANTLY  Desmodillus auricularis SHORT-TAILED GERBIL SECURE RARELY  Gerbillurus paeba PYGMY GERBIL SECURE ABUNDANTLY  Steatomys pratensis FAT MOUSE SECURE ABUNDANTLY  Malacothrix typica LARGE-EARED MOUSE SECURE RARELY  Mus indutus KALAHARI PYGMY MOUSE SECURE ABUNDANTLY  Lemniscomys rosalia SINGLE-STRIPED MOUSE SECURE RARELY  Rhabdomys pumilio STRIPED MOUSE SECURE ABUNDANTLY  Thallomys paedulcus TREE RAT SECURE ABUNDANTLY  Thallomys nigricauda BLACK-TAILED TREE RAT SECURE ABUNDANTLY  Aethomys namaquensis NAMAQUA ROCK RAT SECURE RARELY  Aethomys chrysophilus RED VELD RAT SECURE ABUNDANTLY  Zelotomys woosnami WOOSNAM'S DESERT RAT RARE RARELY  Mastomys natalensis NATAL MULTIMAMMATE MOUSE SECURE ABUNDANTLY  Mastomys coucha MULTIMAMMATE MOUSE SECURE ABUNDANTLY  Graphiurus murinus WOODLAND DORMOUSE SECURE ABUNDANTLY  Pedetes capensis SPRINGHARE SECURE ABUNDANTLY  Hystrix africaeaustralis SOUTHERN AFRICAN PORCUPINE SECURE ABUNDANTLY  Cryptomys damarensis DAMARA MOLE RAT SECURE ABUNDANTLY  ABUNDANTLY  ABUNDANTLY  ABUNDANTLY  ABUNDANTLY  SECURE ABUNDANTLY  ABUNDANTLY  SECURE ABUNDANTLY  ABUNDANTLY  SECURE ABUNDANTLY  ABUNDANTLY  ABUNDANTLY  ABUNDANTLY  SECURE ABUNDANTLY  ABUNDANTLY  ABUNDANTLY  SECURE ABUNDANTLY  ABUNDANTLY  ABUNDANTLY  ABUNDANTLY  SECURE ABUNDANTLY  ABUNDANTLY  SECURE ABUNDANTLY  ABUNDANTLY  ABUNDANTLY  ABUNDANTLY  SECURE ABUNDANTLY	Saccostomus campestris	POUCHED MOUSE	SECURE	ABUNDANTLY
Desmodillus auricularis SHORT-TAILED GERBIL SECURE ABUNDANTLY Steatomys pratensis FAT MOUSE SECURE ABUNDANTLY Malacothrix typica LARGE-EARED MOUSE SECURE Mus indutus LEMNISCOMYS rosalia SINGLE-STRIPED MOUSE SECURE RARELY Rhabdomys pumilio STRIPED MOUSE SECURE ABUNDANTLY Thallomys paedulcus TREE RAT SECURE ABUNDANTLY Thallomys nigricauda BLACK-TAILED TREE RAT SECURE ABUNDANTLY Aethomys namaquensis NAMAQUA ROCK RAT SECURE ABUNDANTLY Aethomys chrysophilus RED VELD RAT SECURE ABUNDANTLY ABUNDANTLY Mastomys natalensis MOUSE MOOSNAM'S DESERT RAT Mastomys natalensis MOUSE MULTIMAMMATE MOUSE ABUNDANTLY Mastomys coucha MULTIMAMMATE MOUSE ABUNDANTLY Mastomys coucha MULTIMAMMATE MOUSE SECURE ABUNDANTLY ABU	Tatera leucogaster	BUSHVELD GERBIL	SECURE	ABUNDANTLY
Gerbillurus paeba       PYGMY GERBIL       SECURE       ABUNDANTLY         Steatomys pratensis       FAT MOUSE       SECURE       ABUNDANTLY         Malacothrix typica       LARGE-EARED MOUSE       SECURE       RARELY         Mus indutus       KALAHARI PYGMY MOUSE       SECURE       ABUNDANTLY         Lemniscomys rosalia       SINGLE-STRIPED MOUSE       SECURE       RARELY         Rhabdomys pumilio       STRIPED MOUSE       SECURE       ABUNDANTLY         Thallomys paedulcus       TREE RAT       SECURE       ABUNDANTLY         Thallomys nigricauda       BLACK-TAILED TREE RAT       SECURE       ABUNDANTLY         Aethomys nigricauda       BLACK-TAILED TREE RAT       SECURE       ABUNDANTLY         Aethomys namaquensis       NAMAQUA ROCK RAT       SECURE       ABUNDANTLY         Aethomys chrysophilus       RED VELD RAT       SECURE       ABUNDANTLY         Zelotomys woosnami       WOOSNAM'S DESERT RAT       RARE       RARELY         Mastomys natalensis       MOUSE       SECURE       ABUNDANTLY         Mastomys coucha       MULTIMAMMATE MOUSE       SECURE       ABUNDANTLY         Graphiurus murinus       WOODLAND DORMOUSE       SECURE       ABUNDANTLY         Pedetes capensis       SPRINGHARE <td>Tatera brantsii</td> <td>HIGHVELD GERBIL</td> <td>SECURE</td> <td>ABUNDANTLY</td>	Tatera brantsii	HIGHVELD GERBIL	SECURE	ABUNDANTLY
Steatomys pratensis FAT MOUSE Malacothrix typica LARGE-EARED MOUSE SECURE Mus indutus KALAHARI PYGMY MOUSE SECURE RARELY Mus indutus KALAHARI PYGMY MOUSE SECURE RARELY RABUNDANTLY Lemniscomys rosalia SINGLE-STRIPED MOUSE SECURE RARELY Rhabdomys pumilio STRIPED MOUSE SECURE ABUNDANTLY Thallomys paedulcus TREE RAT SECURE ABUNDANTLY Thallomys nigricauda BLACK-TAILED TREE RAT SECURE ABUNDANTLY Aethomys namaquensis NAMAQUA ROCK RAT SECURE RARELY Aethomys chrysophilus RED VELD RAT SECURE ABUNDANTLY Zelotomys woosnami WOOSNAM'S DESERT RAT RARE RARELY Mastomys natalensis NATAL MULTIMAMMATE MOUSE SECURE ABUNDANTLY Graphiurus murinus WOODLAND DORMOUSE SECURE ABUNDANTLY Pedetes capensis SPRINGHARE SECURE ABUNDANTLY ABUNDANTLY Prodetes capensis SPRINGHARE SECURE ABUNDANTLY ABUNDANTL	Desmodillus auricularis	SHORT-TAILED GERBIL	SECURE	RARELY
Malacothrix typica       LARGE-EARED MOUSE       SECURE       RARELY         Mus indutus       KALAHARI PYGMY MOUSE       SECURE       ABUNDANTLY         Lemniscomys rosalia       SINGLE-STRIPED MOUSE       SECURE       RARELY         Rhabdomys pumilio       STRIPED MOUSE       SECURE       ABUNDANTLY         Thallomys paedulcus       TREE RAT       SECURE       ABUNDANTLY         Thallomys nigricauda       BLACK-TAILED TREE RAT       SECURE       ABUNDANTLY         Aethomys namaquensis       NAMAQUA ROCK RAT       SECURE       RARELY         Aethomys chrysophilus       RED VELD RAT       SECURE       ABUNDANTLY         Zelotomys woosnami       WOOSNAM'S DESERT RAT       RARE       RARELY         Mastomys natalensis       NATAL MULTIMAMMATE MOUSE       SECURE       ABUNDANTLY         Mastomys coucha       MULTIMAMMATE MOUSE       SECURE       ABUNDANTLY         Graphiurus murinus       WOODLAND DORMOUSE       SECURE       ABUNDANTLY         Pedetes capensis       SPRINGHARE       SECURE       ABUNDANTLY         Hystrix africaeaustralis       DAMARA MOLE RAT       SECURE       ABUNDANTLY         Evolomys damarensis       DAMARA MOLE RAT       SECURE       ABUNDANTLY	Gerbillurus paeba	PYGMY GERBIL	SECURE	ABUNDANTLY
Mus indutus KALAHARI PYGMY MOUSE SECURE ABUNDANTLY Lemniscomys rosalia SINGLE-STRIPED MOUSE SECURE RARELY Rhabdomys pumilio STRIPED MOUSE SECURE ABUNDANTLY Thallomys paedulcus TREE RAT SECURE ABUNDANTLY Thallomys nigricauda BLACK-TAILED TREE RAT SECURE ABUNDANTLY Aethomys namaquensis NAMAQUA ROCK RAT SECURE RARELY Aethomys chrysophilus RED VELD RAT SECURE ABUNDANTLY Zelotomys woosnami WOOSNAM'S DESERT RAT RARE RARELY Mastomys natalensis NATAL MULTIMAMMATE MOUSE SECURE ABUNDANTLY Graphiurus murinus WOODLAND DORMOUSE SECURE ABUNDANTLY Pedetes capensis SPRINGHARE SECURE ABUNDANTLY Hystrix africaeaustralis SOUTHERN AFRICAN PORCUPINE ABUNDANTLY Eelis lybica AFRICAN WILD CAT ENDANGERED &  ENDANGERED ABUNDANTLY ENDANGERED &  BUNDANTLY ENDANGERED &	Steatomys pratensis	FAT MOUSE	SECURE	ABUNDANTLY
Lemniscomys rosalia SINGLE-STRIPED MOUSE SECURE RARELY Rhabdomys pumilio STRIPED MOUSE SECURE ABUNDANTLY Thallomys paedulcus TREE RAT SECURE ABUNDANTLY Thallomys nigricauda BLACK-TAILED TREE RAT SECURE ABUNDANTLY Aethomys namaquensis NAMAQUA ROCK RAT SECURE RARELY Aethomys chrysophilus RED VELD RAT SECURE ABUNDANTLY Zelotomys woosnami WOOSNAM'S DESERT RAT RARE RARELY Mastomys natalensis NATAL MULTIMAMMATE MOUSE SECURE ABUNDANTLY Graphiurus murinus WOODLAND DORMOUSE SECURE ABUNDANTLY Pedetes capensis SPRINGHARE SECURE ABUNDANTLY Hystrix africaeaustralis SOUTHERN AFRICAN PORCUPINE Cryptomys damarensis DAMARA MOLE RAT SECURE ABUNDANTLY ENDANGERED & BUNDANTLY BELIS lybica AFRICAN WILD CAT ENDANGERED & BUNDANTLY	Malacothrix typica	LARGE-EARED MOUSE	SECURE	RARELY
Rhabdomys pumilio STRIPED MOUSE SECURE ABUNDANTLY Thallomys paedulcus TREE RAT SECURE ABUNDANTLY Thallomys nigricauda BLACK-TAILED TREE RAT SECURE ABUNDANTLY Aethomys namaquensis NAMAQUA ROCK RAT SECURE RARELY Aethomys chrysophilus RED VELD RAT SECURE ABUNDANTLY Zelotomys woosnami WOOSNAM'S DESERT RAT RARE RARELY Mastomys natalensis NATAL MULTIMAMMATE SECURE ABUNDANTLY Mastomys natalensis MOUSE SECURE ABUNDANTLY Graphiurus murinus WOODLAND DORMOUSE SECURE ABUNDANTLY Pedetes capensis SPRINGHARE SECURE ABUNDANTLY Hystrix africaeaustralis SOUTHERN AFRICAN PORCUPINE SECURE ABUNDANTLY Cryptomys damarensis DAMARA MOLE RAT SECURE ABUNDANTLY Felis lybica AFRICAN WILD CAT ENDANGERED &	Mus indutus	KALAHARI PYGMY MOUSE	SECURE	ABUNDANTLY
Thallomys paedulcus TREE RAT SECURE ABUNDANTLY Thallomys nigricauda BLACK-TAILED TREE RAT SECURE ABUNDANTLY Aethomys namaquensis NAMAQUA ROCK RAT SECURE RARELY Aethomys chrysophilus RED VELD RAT SECURE ABUNDANTLY Zelotomys woosnami WOOSNAM'S DESERT RAT RARE RARELY Mastomys natalensis NATAL MULTIMAMMATE MOUSE SECURE ABUNDANTLY Mastomys coucha MULTIMAMMATE MOUSE SECURE ABUNDANTLY Graphiurus murinus WOODLAND DORMOUSE SECURE ABUNDANTLY Pedetes capensis SPRINGHARE SECURE ABUNDANTLY Hystrix africaeaustralis SOUTHERN AFRICAN PORCUPINE Cryptomys damarensis DAMARA MOLE RAT SECURE ABUNDANTLY BECURE ABUNDANTLY SECURE ABUNDANTLY ABUNDANTLY BECURE ABUNDANTLY ABUNDANTLY BECURE ABUNDANTLY ABUNDANTLY ENDANGERED &	Lemniscomys rosalia	SINGLE-STRIPED MOUSE	SECURE	RARELY
Thallomys nigricauda BLACK-TAILED TREE RAT SECURE ABUNDANTLY Aethomys namaquensis NAMAQUA ROCK RAT SECURE RARELY Aethomys chrysophilus RED VELD RAT SECURE ABUNDANTLY Zelotomys woosnami WOOSNAM'S DESERT RAT RARE RARELY Mastomys natalensis NATAL MULTIMAMMATE MOUSE SECURE ABUNDANTLY Graphiurus murinus WOODLAND DORMOUSE SECURE ABUNDANTLY Pedetes capensis SPRINGHARE SECURE ABUNDANTLY Pedetes capensis SPRINGHARE SECURE ABUNDANTLY ABUNDANTLY ABUNDANTLY SOUTHERN AFRICAN PORCUPINE Cryptomys damarensis DAMARA MOLE RAT SECURE ABUNDANTLY ABUNDANTLY BELIS lybica AFRICAN WILD CAT ENDANGERED &	Rhabdomys pumilio	STRIPED MOUSE	SECURE	ABUNDANTLY
Aethomys namaquensis Aethomys chrysophilus RED VELD RAT SECURE ABUNDANTLY Zelotomys woosnami WOOSNAM'S DESERT RAT RARE RARELY Mastomys natalensis NATAL MULTIMAMMATE MOUSE Multimammate Mouse SECURE ABUNDANTLY ABUNDANTLY Graphiurus murinus WOODLAND DORMOUSE SECURE ABUNDANTLY Pedetes capensis SPRINGHARE SECURE ABUNDANTLY ABUNDANTLY Hystrix africaeaustralis SOUTHERN AFRICAN PORCUPINE Cryptomys damarensis DAMARA MOLE RAT SECURE ABUNDANTLY ABUNDANTLY BECURE ABUNDANTLY ABUNDANTLY ABUNDANTLY ABUNDANTLY BECURE ABUNDANTLY ABUNDANTLY ABUNDANTLY ENDANGERED & BUNDANTLY ENDANGERED &	Thallomys paedulcus	TREE RAT	SECURE	ABUNDANTLY
Aethomys chrysophilus  Zelotomys woosnami  WOOSNAM'S DESERT RAT  Mastomys natalensis  NATAL MULTIMAMMATE MOUSE  Multimammate Mouse  Multimammate Mouse  Secure  Abundantly  Abundantly  Bedies capensis  SPRINGHARE  Secure  Abundantly  Bedies capensis  SOUTHERN AFRICAN PORCUPINE  Cryptomys damarensis  DAMARA MOLE RAT  SECURE  Abundantly  Bedies lybica  AFRICAN WILD CAT  ENDANGERED &  BUNDANTLY  Belis lybica  BEDANGERED &  BUNDANTLY  ENDANGERED &  BUNDANTLY  ENDANGERED &  ENDANGERED &	Thallomys nigricauda	BLACK-TAILED TREE RAT	SECURE	ABUNDANTLY
Zelotomys woosnami       WOOSNAM'S DESERT RAT       RARE       RARELY         Mastomys natalensis       NATAL MULTIMAMMATE MOUSE       SECURE       ABUNDANTLY         Mastomys coucha       MULTIMAMMATE MOUSE       SECURE       ABUNDANTLY         Graphiurus murinus       WOODLAND DORMOUSE       SECURE       ABUNDANTLY         Pedetes capensis       SPRINGHARE       SECURE       ABUNDANTLY         Hystrix africaeaustralis       SOUTHERN AFRICAN PORCUPINE       SECURE       ABUNDANTLY         Cryptomys damarensis       DAMARA MOLE RAT       SECURE       ABUNDANTLY         Felis lybica       AFRICAN WILD CAT       ENDANGERED &	Aethomys namaquensis	NAMAQUA ROCK RAT	SECURE	RARELY
Mastomys natalensis       NATAL MULTIMAMMATE MOUSE       SECURE       ABUNDANTLY         Mastomys coucha       MULTIMAMMATE MOUSE       SECURE       ABUNDANTLY         Graphiurus murinus       WOODLAND DORMOUSE       SECURE       ABUNDANTLY         Pedetes capensis       SPRINGHARE       SECURE       ABUNDANTLY         Hystrix africaeaustralis       SOUTHERN AFRICAN PORCUPINE       SECURE       ABUNDANTLY         Cryptomys damarensis       DAMARA MOLE RAT       SECURE       ABUNDANTLY         Felis lybica       AFRICAN WILD CAT       ENDANGERED &	Aethomys chrysophilus		SECURE	ABUNDANTLY
Mastomys natalensis  MOUSE  Mastomys coucha  MULTIMAMMATE MOUSE  SECURE  ABUNDANTLY  Graphiurus murinus  WOODLAND DORMOUSE  SECURE  ABUNDANTLY  ABUNDANTLY  ABUNDANTLY  BECURE  ABUNDANTLY  ABUNDANTLY  SECURE  ABUNDANTLY  ABUNDANTLY  Cryptomys damarensis  DAMARA MOLE RAT  SECURE  ABUNDANTLY  BELIS lybica  AFRICAN WILD CAT  ENDANGERED &  BUNDANTLY  ENDANGERED &	Zelotomys woosnami		RARE	RARELY
Graphiurus murinus         WOODLAND DORMOUSE         SECURE         ABUNDANTLY           Pedetes capensis         SPRINGHARE         SECURE         ABUNDANTLY           Hystrix africaeaustralis         SOUTHERN AFRICAN PORCUPINE         SECURE         ABUNDANTLY           Cryptomys damarensis         DAMARA MOLE RAT         SECURE         ABUNDANTLY           Felis lybica         AFRICAN WILD CAT         ENDANGERED &	Mastomys natalensis		SECURE	ABUNDANTLY
Pedetes capensis  SPRINGHARE  SECURE  ABUNDANTLY  Hystrix africaeaustralis  Cryptomys damarensis  DAMARA MOLE RAT  SECURE  ABUNDANTLY  ABUNDANTLY  BUNDANTLY  ENDANGERED &  ENDANGERED &	Mastomys coucha	MULTIMAMMATE MOUSE	SECURE	ABUNDANTLY
Hystrix africaeaustralis  SOUTHERN AFRICAN PORCUPINE  Cryptomys damarensis  DAMARA MOLE RAT  SECURE ABUNDANTLY  SECURE ABUNDANTLY  ENDANGERED &	Graphiurus murinus	WOODLAND DORMOUSE	SECURE	ABUNDANTLY
Trystix afficaedustralis  PORCUPINE  Cryptomys damarensis  DAMARA MOLE RAT  SECURE  ABUNDANTLY  ENDANGERED &  ENDANGERED &	Pedetes capensis		SECURE	ABUNDANTLY
Felis lybica AFRICAN WILD CAT ENDANGERED &	Hystrix africaeaustralis		SECURE	ABUNDANTLY
Felis Ivnica	Cryptomys damarensis	DAMARA MOLE RAT	SECURE	ABUNDANTLY
	Felis lybica	AFRICAN WILD CAT		RARELY



Leptailurus serval Caracal caracal		RARE?	
Caracal caracal	SERVAL	AMBIGUOUS &	RARELY
Caracarcaracar	CARACAL	SUPERFICIAL SECURE	RARELY
Panthera pardus	LEOPARD	SECURE? &	ABUNDANTLY
<u> </u>	LION	SUPERFICIAL  AMBIGUOUS(END	RARELY
Panthera leo	LION	ANGERED) & SUPERFICIAL	EXTINCT
Acinonyx jubatus	СНЕЕТАН	INADEQUATELY KNOWN (ENDANGERED?) & SUPERFICIAL	ABUNDANTLY
Civettictis civetta	CIVET	AMBIGUOUS, RARE? & SUPERFICIAL	RARELY
Genetta maculata	SMALL-SPOTTED GENET	SECURE – SP (taxonomy)	ABUNDANTLY
Galarella sanguineus	SLENDER MONGOOSE	SECURE	ABUNDANTLY
Helogale parvula	DWARF MONGOOSE	SECURE	ABUNDANTLY
Mungos mungo	BANDED MONGOOSE	SECURE	ABUNDANTLY
Cynictis penicillata	YELLOW MONGOOSE	SECURE	ABUNDANTLY
Crocuta crocuta	SPOTTED HYAENA	SECURE? & SUPERFICIAL	EXTINCT
Parahyaena brunnea	BROWN HYAENA	INADEQUATELY KNOWN (ENDANGERED?) & SUPERFICIAL	OCCASIONALLY
Proteles cristatus	AARDWOLF	INADEQUATELY KNOWN (ENDANGERED?) & SUPERFICIAL	ABUNDANTLY
Canis mesomelas	BLACK-BACKED JACKAL	SECURE	ABUNDANTLY
Lycaon pictus	WILD DOG	ENDANGERED & SUPERFICIAL	EXTINCT
Otocyon megalotis	BAT-EARED FOX	ENDANGERED? & SUPERFICIAL- SP (taxonomy)	RARELY
Vulpes chama	CAPE FOX	ENDANGERED?	RARELY
Ictonyx striatus	STRIPED POLECAT	SECURE	ABUNDANTLY
Mellivora capensis	HONEY BADGER	SECURE	RARELY
Poecilogale albinucha	AFRICAN STRIPED WEASEL	AMBIGUOUS(RAR E?)	RARELY
Manis temminckii	SAVANNA PANGOLIN	ENDANGERED & SUPERFICIAL	RARELY
Phacochoerus africanus	SOUTHERN WARTHOG	SECURE	ABUNDANTLY
Giraffa camelopardalis	GIRAFFE	ENDANGERED? & SUPERFICIAL	EXTINCT
Alcelaphus buselaphus	RED HARTEBEEST	SECURE ?	ABUNDANTLY
Antidorcas marsupialis	SPRINGBOK	SECURE INADEQUATELY	
Connochaetes taurinus	BLUE WILDEBEEST	KNOWN (ENDANGERED?) & SUPERFICIAL	ABUNDANTLY
Hippotragus equinus	ROAN	ENDANGERED & SUPERFICIAL	ABUNDANTLY
Madoqua damarensis	DAMARA DIK-DIK	INADEQUATELY KNOWN	RARELY
Oryx gazella	GEMSBOK	SECURE	ABUNDANTLY
Raphicerus campestris	STEENBOK	SECURE	ABUNDANTLY
Sylvicapra grimmia	COMMON DUIKER	SECURE	ABUNDANTLY
Syncerus caffer	BUFFALO	INSUFFFICIENTLY KNOWN & SUPERFICIAL	ABUNDANTLY
Tragelaphus oryx	ELAND	INADEQUATELY KNOWN & SUPERFICIAL	ABUNDANTLY
Tragelaphus strepsiceros	GREATER KUDU	SECURE	ABUNDANTLY



Equus burchelli	PLAINS ZEBRA	INADEQUATELY KNOWN & SUPERFICIAL	EXTINCT
Ceratotherium simum	WHITE RHINOCEROS	EXTINCT & REINTRODUCED (non topotypical stock)	EXTINCT
Diceros bicornis	BLACK RHINOCEROS	ENDANGERED & SUPERFICIAL	EXTINCT
Loxodonta africana	AFRICAN ELEPHANT	ENDANGERED & SUPERFICIAL	EXTINCT
Orycteropus afer	AARDVARK	SECURE ?	ABUNDANTLY
Elephantulus intufi	BUSHVELD SENGI	ENDEMIC AND SECURE	ABUNDANTLY

## Reptile species which are likely to occur within the exploration area:

SCIENTIFIC NAME	COMMON NAME	STATUS	OCCURRENCE
Pelomedusa subrufa	HELMETED TERRAPIN	SECURE	ABUNDANTLY
Geochelone pardalis	LEOPARD TORTOISE	ENDANGERED & SUPERFICIAL	ABUNDANTLY
Psammobates oculiferus	KALAHARI TORTOISE	ENDANGERED	ABUNDANTLY
Lygodactylus bradfieldi	NAMIBIAN DWARF GECKO	ENDEMIC & SECURE	ABUNDANTLY
Colopus wahlbergii	KALAHARI GROUND GECKO	SECURE	RARELY
Pachydactylus turneri	TROPICAL BUTTON-SCALE GECKO	SECURE	ABUNDANTLY
Pachydactylus capensis	CAPE GECKO	SECURE	UNCOMMONLY
Pachydactylus punctatus	SPECKLED GECKO	SECURE	ABUNDANTLY
Ptenopus garrulus	COMMON BARKING GECKO	SECURE	ABUNDANTLY
Agama aculeata	COMMON GROUND AGAMA	SECURE	ABUNDANTLY
Chamaeleo dilepis	FLAP-NECK CHAMELEON	SECURE	ABUNDANTLY
Acontias occidentalis	WESTERN LEGLESS SKINK	SECURE	ABUNDANTLY
Lygosoma sundevalli	COMMON WRITHING SKINK	SECURE	ABUNDANTLY
Trachylepis capensis	CAPE SKINK	SECURE	UNCOMMONLY
Trachylepis punctulata	EASTERN VARIEGATED SKINK	SECURE	ABUNDANTLY
Trachylepis wahlbergii	WAHLBERG'S STRIPED SKINK	SECURE	ABUNDANTLY
Trachylepis varia	COMMON VARIABLE SKINK	SECURE	ABUNDANTLY
Heliobolis lugubris	BUSHVELD LIZARD	SECURE	ABUNDANTLY
Ichnotropis capensis	CAPE ROUGH-SCALED LIZARD	SECURE	ABUNDANTLY
Ichnotropis squamulosa	COMMON ROUGH-SCALED LIZARD	SECURE	ABUNDANTLY
Nucras holubi	HOLUB'S SANDVELD LIZARD	SECURE	UNCOMMONLY
Nucras intertexta	SPOTTED SANDVELD LIZARD	SECURE	UNCOMMONLY
Pedioplanis lineoocellata	OCELLATED SAND LIZARD	SECURE	ABUNDANTLY
Pedioplanis namaquensis	NAMAQUA SAND LIZARD	SECURE	ABUNDANTLY
Gerrhosaurus auritus	KALAHARI PLATED LIZARD	SECURE	UNCOMMONLY
Gerrhosaurus nigrolineatus	BLACK-LINED PLATED LIZARD	SECURE	ABUNDANTLY
Varanus albigularis	VELD LEGUAAN (MONITOR)	ENDANGERED & SUPERFICIAL	ABUNDANTLY
Dalophia pistillum	BLUNT-TAILED WORM LIZARD	SECURE ?	MARGINALLY
Monopeltis anchietae	ANGOLAN SPADE-SNOUTED WORM LIZARD	SECURE	ABUNDANTLY
Monopeltis infuscata	DUSKY SPADE-SNOUTED WORM LIZARD	SECURE	ABUNDANTLY
Monopeltis leonhardi	KALAHARI SPADE-SNOUTED WORM LIZARD	SECURE	MARGINALLY
Monopeltis mauricei	SLENDER SPADE-SNOUTED WORM LIZARD	SECURE	MARGINALLY
Zygaspis quadrifrons	KALAHARI ROUND-HEADED WORM LIZARD	SECURE	ABUNDANTLY
Leptotyphlops labialis	DAMARA WORM SNAKE	ENDEMIC & SECURE	MARGINALLY
Leptotyphlops scutifrons	PETERS= WORM SNAKE	SECURE	ABUNDANTLY
Rhinotyphlops schlegelii	SCHLEGEL'S BLIND SNAKE	SECURE	ABUNDANTLY
Rhinotyphlops boylei	KALAHARI BLIND SNAKE	SECURE	RARELY



	SOUTHERN AFRICAN	ENDANGERED &	1
Python natalensis	PYTHON	SUPERFICIAL	ABUNDANTLY
Amblyodipsas polylepis	COMMON PURPLE-GLOSSED SNAKE	INADEQUETLY KNOWN; RARE?	RARELY
Amblyodipsas ventrimaculata	KALAHARI PURPLE-GLOSSED SNAKE	SECURE	MARGINALLY
Aparallactus capensis	CAPE CENTIPEDE EATER	INADEQUETLY KNOWN ; RARE?	RARELY
Atractaspis bibronii	SOUTHERN STILLETO SNAKE	SECURE	ABUNDANTLY
Xenocalamus bicolor	VARIABLE QUILL-SNOUTED SNAKE	SECURE	ABUNDANTLY
Xenocalamus mechowii	ELONGATED QUILL-SNOUTED SNAKE	SECURE	MARGINALLY
Crotaphopeltis hotamboeia	WHITE-LIPPED SNAKE	INADEQUETLY KNOWN	RARELY
Dasypeltis scabra	RHOMBIC EGG EATER	SECURE	ABUNDANTLY
Dispholidus typus	BOOMSLANG	SECURE	ABUNDANTLY
Lamprophis fuliginosus	BROWN HOUSE SNAKE	SECURE	ABUNDANTLY
Lycophidion capense	CAPE WOLF SNAKE	SECURE	ABUNDANTLY
Mehelya capensis	CAPE FILE SNAKE	SECURE	UNCOMMONLY
Mehelya nyassae	BLACK FILE SNAKE	INADEQUETLY KNOWN	RARELY
Mehelya vernayi	ANGOLAN FILE SNAKE	INADEQUETLY KNOWN	UNCOMMONLY
Philothamnus angolensis	ANGOLAN GREEN SNAKE	SECURE	UNCOMMONLY
Philothamnus semivariegatus	SPOTTED BUSH SNAKE	SECURE	ABUNDANTLY
Prosymna angolensis	ANGOLA SHOVEL-SNOUT	SECURE	MARGINALLY
Prosymna bivittata	TWIN-STRIPED SHOVELSNOUT	SECURE	MARGINALLY
Psammophis angolensis	DWARF WHIP SNAKE	SECURE	ABUNDANTLY
Psammophis jallae	JALLA'S SAND SNAKE	INADEQUETLY KNOWN	RARELY
Psammophis leopardinus	LEOPARD WHIP SNAKE	ENDEMIC & SECURE	UNCOMMONLY
Psammophis mossambicus	OLIVE WHIP SNAKE	SECURE	ABUNDANTLY
Psammophis notostictus	KAROO WHIP SNAKE	SECURE	MARGINALLY
Psammophis subtaeniatus	WESTERN STRIPED-BELLIED SAND SNAKE	SECURE	ABUNDANTLY
Psammophis trigrammus	WESTERN WHIP SNAKE	ENDEMIC & SECURE	ABUNDANTLY
Psammophis trinasalis	KALAHARI SAND SNAKE	SECURE	UNCOMMONLY
Psammophylax tritaeniatus	STRIPED SKAAPSTEKER	SECURE	ABUNDANTLY
Pseudaspis cana	MOLE SNAKE	SECURE	ABUNDANTLY
Telescopus semiannulatus	SOUTHERN TIGER SNAKE	SECURE	ABUNDANTLY
Thelotornis capensis	VINE SNAKE	SECURE	UNCOMMONLY
Aspidelaps lubricus	CORAL SNAKE	SECURE	UNCOMMONLY
Aspidelaps scutatus	SHIELD-NOSE SNAKE	SECURE	ABUNDANTLY
Dendroaspis polylepis	BLACK MAMBA	SECURE	ABUNDANTLY
Elapsoidea semiannulata	ANGOLA GARTER SNAKE	SECURE	UNCOMMONLY
Elapsoidea sundevallii	KALAHARI GARTER SNAKE	SECURE	UNCOMMONLY
Naja anchietae	ANGOLAN COBRA	SECURE	ABUNDANTLY
Naja mossambica	MOZAMBIQUE SPITTING COBRA	SECURE	RARELY
Naja nigricincta	ZEBRA SNAKE	ENDEMIC & SECURE	ABUNDANTLY
Bitis caudalis	HORNED ADDER	SECURE	UNCOMMONLY
Bitis arietans	PUFF ADDER	SECURE	ABUNDANTLY

## Bird species which are likely to occur within the project area:

SCIENTIFIC NAME	COMMON NAME	STATUS IN NAMIBIA
Accipiter badius	Little Banded Goshawk	Secure
Accipiter ovampensis	Ovambo Sparrowhawk	Secure
Actophilornis africanus	African Jacana	Secure
Agapornis roseicollis	Rosyfaced Lovebird	Secure
Anastomus lamelligerus	Openbilled Stork	Secure
Anthus cinnamomeus	Richard's Pipit	Secure
Apus affinis	Little Swift	Secure
Apus apus	European Swift	Secure



Apus caffer	Whiterumped Swift	Secure
Apus melba	Alpine Swift	Secure
Aquila nipalensis	Steppe Eagle	Secure -
Aquila rapax	Tawny Eagle	Endangered
Aquila wahlbergi	Wahlberg's Eagle	Secure
Ardeotis kori	Kori Bustard	Secure
Batis molitor	Chinspot Batis	Secure
Batis pririt	Pririt Batis	Secure
Bubalornis niger	Redbilled Buffalo Weaver	Secure
Burhinus capensis	Spotted Dikkop	Secure
Buteo buteo	Steppe Buzzard	Secure -
Calamonastes fasciolatus	Barred Warbler	Secure
Calendulauda sabota	Sabota Lark	Secure
Camaroptera brevicaudata	Greybacked Camaroptera	Secure
Caprimulgus pectoralis	Fierynecked Nightjar	Secure
Caprimulgus rufigena	Rufouscheeked Nightjar	Secure
Ceryle rudis	Pied Kingfisher	Secure
Chrysococcyx caprius	Diederik Cuckoo	Secure
Chrysococcyx klaas	Klaas's Cuckoo	Secure
Ciconia abdimii	Abdim's Stork	Secure
Cinnyris mariquensis	Marico Sunbird	Secure
Circaetus pectoralis	Blackbreasted Snake Eagle	Secure
Cisticola chiniana	Rattling Cisticola	Secure
Cisticola rufilatus	Tinkling Cisticola	Secure
Clamator glandarius	Great Spotted Cuckoo	Secure
Coracias caudata	Lilacbreasted Roller	Secure
Coracias garrulus	European Roller	Secure -
Coracias naevia	Purple Roller	Secure
Corvinella melanoleuca	Longtailed Shrike	Secure
Corvus capensis	Black Crow	Secure
Corythaixoides concolor	Grey Lourie	Secure
Creatophora cinerea	Wattled Starling	Secure
Crithagra flaviventris	Yellow Canary	Secure
Cuculus clamosus	Black Cuckoo	Secure
Cuculus gularis	African Cuckoo	Secure
Cursorius temminckii	Temminck's Courser	Secure
Cypsiurus parvus	Palm Swift	Secure
Delichon urbicum	House Martin	Secure -
Dicrurus adsimilis	Forktailed Drongo	Secure
Elanus caeruleus	Blackshouldered Kite	Secure
Emberiza flaviventris	Goldenbreasted Bunting	Secure
Emberiza tahapisis	Rock Bunting	Secure
Eremomela icteropygialis	Yellowbellied Eremomela	Secure
Eremopterix verticalis	Greybacked Finchlark	Secure
Erythropygia leucophrys	Whitebrowed Robin	Secure
Erythropygia paena	Kalahari Robin	Secure
Estrilda erythronotos	Blackcheeked Waxbill	Secure
Eupodotis afraoides	Whitequilled Korhaan	Secure
Eupodotis arradides  Eupodotis ruficrista	Redcrested Korhaan	Secure
Eupodolis runcrista	Neucresieu Norriaan	Secure
	Whitegrauped Chrike	Coouro
Eurocephalus anguitimens	Whitecrowned Shrike	Secure
Eurocephalus anguitimens Falco biarmicus	Lanner Falcon	Secure
Eurocephalus anguitimens Falco biarmicus Falco chicquera	Lanner Falcon Rednecked Falcon	Secure Secure
Eurocephalus anguitimens Falco biarmicus Falco chicquera Falco subbuteo	Lanner Falcon Rednecked Falcon Hobby Falcon	Secure Secure -
Eurocephalus anguitimens Falco biarmicus Falco chicquera Falco subbuteo Falco tinnunculus	Lanner Falcon Rednecked Falcon Hobby Falcon Rock Kestrel	Secure Secure - Secure
Eurocephalus anguitimens Falco biarmicus Falco chicquera Falco subbuteo Falco tinnunculus Falco vespertinus	Lanner Falcon Rednecked Falcon Hobby Falcon Rock Kestrel Western Redfooted Kestrel	Secure Secure - Secure Secure Secure
Eurocephalus anguitimens Falco biarmicus Falco chicquera Falco subbuteo Falco tinnunculus Falco vespertinus Francolinus adspersus	Lanner Falcon Rednecked Falcon Hobby Falcon Rock Kestrel Western Redfooted Kestrel Redbilled Francolin	Secure Secure - Secure Secure Secure Secure Secure
Eurocephalus anguitimens Falco biarmicus Falco chicquera Falco subbuteo Falco tinnunculus Falco vespertinus Francolinus adspersus Francolinus sephaena	Lanner Falcon Rednecked Falcon Hobby Falcon Rock Kestrel Western Redfooted Kestrel Redbilled Francolin Crested Francolin	Secure Secure Secure Secure Secure Secure Secure Secure Secure
Eurocephalus anguitimens Falco biarmicus Falco chicquera Falco subbuteo Falco tinnunculus Falco vespertinus Francolinus adspersus Francolinus sephaena Francolinus swainsonii	Lanner Falcon Rednecked Falcon Hobby Falcon Rock Kestrel Western Redfooted Kestrel Redbilled Francolin Crested Francolin Swainson's Francolin	Secure
Eurocephalus anguitimens Falco biarmicus Falco chicquera Falco subbuteo Falco tinnunculus Falco vespertinus Francolinus adspersus Francolinus sephaena Francolinus swainsonii Gallinago nigripennis	Lanner Falcon Rednecked Falcon Hobby Falcon Rock Kestrel Western Redfooted Kestrel Redbilled Francolin Crested Francolin Swainson's Francolin Ethiopian Snipe	Secure
Eurocephalus anguitimens Falco biarmicus Falco chicquera Falco subbuteo Falco tinnunculus Falco vespertinus Francolinus adspersus Francolinus swainsonii Gallinago nigripennis Gyps africanus	Lanner Falcon Rednecked Falcon Hobby Falcon Rock Kestrel Western Redfooted Kestrel Redbilled Francolin Crested Francolin Swainson's Francolin Ethiopian Snipe Whitebacked Vulture	Secure Secure - Secure Secure Secure Secure Secure Secure Secure Secure Secure Near Threatened
Eurocephalus anguitimens Falco biarmicus Falco chicquera Falco subbuteo Falco tinnunculus Falco vespertinus Francolinus adspersus Francolinus sephaena Francolinus swainsonii Gallinago nigripennis	Lanner Falcon Rednecked Falcon Hobby Falcon Rock Kestrel Western Redfooted Kestrel Redbilled Francolin Crested Francolin Swainson's Francolin Ethiopian Snipe	Secure



Hirundo cucullata	Greater Striped Swallow	Secure
Hirundo fuligula	Rock Martin	Secure
Hirundo rustica	European Swallow	Secure -
Hirundo semirufa	Redbreasted Swallow	Secure
Lamprotornis australis	Burchell's Starling	Secure
Lamprotornis nitens	Glossy Starling	Secure
Laniarius atrococcineus	Crimsonbreasted Shrike	Secure
Lanius collaris	Fiscal Shrike	Secure
Lanius collurio	Redbacked Shrike	Secure -
Lanius minor	Lesser Grey Shrike	Secure -
Melaenornis infuscatus	Chat Flycatcher	Secure
Melaenornis mariquensis	Marico Flycatcher	Secure
Melierax canorus	Pale Chanting Goshawk	Secure
Merops apiaster	European Bee-Eater	Secure -
Merops hirundineus	Swallowtailed Bee-Eater	Secure
Micronisus gabar	Gabar Goshawk	Secure
Milvus migrans	Black Kite	Secure -
Milvus parasitus	Yellowbilled Kite	Secure
Mirafra passerina	Monotonous Lark	Secure
Monticola brevipes	Shorttoed Rock Thrush	Secure
Muscicapa striata	Spotted Flycatcher	Secure -
Nectarinia fusca	Dusky Sunbird	Secure
Nectarinia talatala	Whitebellied Sunbird	Secure
Nilaus afer	Brubru	Secure
Numida meleagris	Helmeted Guineafowl	Secure
Oena capensis	Namaqua Dove	Secure
Onychognathus nabouroup	Palewinged Starling	Secure
Parisoma subcaeruleum	Titbabbler	Secure
Parus cinerascens	Ashy Tit	Secure
Passer diffusus	Southern Grey-headed Sparrow	Secure
Passer motitensis	Great Sparrow	Secure
Plocepasser mahali	Whitebrowed Sparrowweaver	Secure
Plocepasser mahali Ploceus velatus	Whitebrowed Sparrowweaver Masked Weaver	Secure Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle	Secure Secure Endangered
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon	Secure Secure Endangered Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia	Secure Secure Endangered Secure Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush	Secure Secure Endangered Secure Secure Secure Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse	Secure Secure Endangered Secure Secure Secure Secure Secure Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus Pterocles namaqua	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse Namaqua Sandgrouse	Secure Secure Endangered Secure Secure Secure Secure Secure Secure Secure Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus Pterocles namaqua Pycnonotus nigricans	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse Namaqua Sandgrouse Redeyed Bulbul	Secure Secure Endangered Secure Secure Secure Secure Secure Secure Secure Secure Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus Pterocles namaqua Pycnonotus nigricans Pytilia melba	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse Namaqua Sandgrouse Redeyed Bulbul Melba Finch	Secure Secure Endangered Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus Pterocles namaqua Pycnonotus nigricans Pytilia melba Quelea quelea	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse Namaqua Sandgrouse Redeyed Bulbul Melba Finch Redbilled Quelea	Secure Secure Endangered Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus Pterocles namaqua Pycnonotus nigricans Pytilia melba Quelea quelea Rhinopomastus cyanomelas	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse Namaqua Sandgrouse Redeyed Bulbul Melba Finch Redbilled Quelea Scimitarbilled Woodhoopoe	Secure Secure Endangered Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus Pterocles namaqua Pycnonotus nigricans Pytilia melba Quelea quelea Rhinopomastus cyanomelas Rhinoptilus chalcopterus	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse Namaqua Sandgrouse Redeyed Bulbul Melba Finch Redbilled Quelea Scimitarbilled Woodhoopoe Bronzewinged Courser	Secure Secure Endangered Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus Pterocles namaqua Pycnonotus nigricans Pytilia melba Quelea quelea Rhinopomastus cyanomelas Rhinoptilus chalcopterus Scopus umbretta	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse Namaqua Sandgrouse Redeyed Bulbul Melba Finch Redbilled Quelea Scimitarbilled Woodhoopoe Bronzewinged Courser Hamerkop	Secure Secure Endangered Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus Pterocles namaqua Pycnonotus nigricans Pytilia melba Quelea quelea Rhinopomastus cyanomelas Rhinoptilus chalcopterus Scopus umbretta Serinus atrogularis	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse Namaqua Sandgrouse Redeyed Bulbul Melba Finch Redbilled Quelea Scimitarbilled Woodhoopoe Bronzewinged Courser Hamerkop Blackthroated Canary	Secure Secure Endangered Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus Pterocles namaqua Pycnonotus nigricans Pytilia melba Quelea quelea Rhinopomastus cyanomelas Rhinoptilus chalcopterus Scopus umbretta Serinus atrogularis Smutsornis africanus	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse Namaqua Sandgrouse Redeyed Bulbul Melba Finch Redbilled Quelea Scimitarbilled Woodhoopoe Bronzewinged Courser Hamerkop Blackthroated Canary Doublebanded Courser	Secure Secure Endangered Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus Pterocles namaqua Pycnonotus nigricans Pytilia melba Quelea quelea Rhinopomastus cyanomelas Rhinoptilus chalcopterus Scopus umbretta Serinus atrogularis Smutsornis africanus Sporopipes squamifrons	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse Namaqua Sandgrouse Redeyed Bulbul Melba Finch Redbilled Quelea Scimitarbilled Woodhoopoe Bronzewinged Courser Hamerkop Blackthroated Canary Doublebanded Courser Scalyfeathered Finch	Secure Secure Endangered Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus Pterocles namaqua Pycnonotus nigricans Pytilia melba Quelea quelea Rhinopomastus cyanomelas Rhinoptilus chalcopterus Scopus umbretta Serinus atrogularis Smutsornis africanus Sporopipes squamifrons Streptopelia capicola	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse Namaqua Sandgrouse Redeyed Bulbul Melba Finch Redbilled Quelea Scimitarbilled Woodhoopoe Bronzewinged Courser Hamerkop Blackthroated Canary Doublebanded Courser Scalyfeathered Finch Cape Turtle Dove	Secure Secure Endangered Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus Pterocles namaqua Pycnonotus nigricans Pytilia melba Quelea quelea Rhinopomastus cyanomelas Rhinoptilus chalcopterus Scopus umbretta Serinus atrogularis Smutsornis africanus Sporopipes squamifrons Streptopelia capicola Streptopelia senegalensis	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse Namaqua Sandgrouse Redeyed Bulbul Melba Finch Redbilled Quelea Scimitarbilled Woodhoopoe Bronzewinged Courser Hamerkop Blackthroated Canary Doublebanded Courser Scalyfeathered Finch Cape Turtle Dove Laughing Dove	Secure Secure Endangered Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus Pterocles namaqua Pycnonotus nigricans Pytilia melba Quelea quelea Rhinopomastus cyanomelas Rhinoptilus chalcopterus Scopus umbretta Serinus atrogularis Smutsornis africanus Sporopipes squamifrons Streptopelia capicola Streptopelia senegalensis Struthio camelus	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse Namaqua Sandgrouse Redeyed Bulbul Melba Finch Redbilled Quelea Scimitarbilled Woodhoopoe Bronzewinged Courser Hamerkop Blackthroated Canary Doublebanded Courser Scalyfeathered Finch Cape Turtle Dove Laughing Dove Ostrich	Secure Secure Endangered Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus Pterocles namaqua Pycnonotus nigricans Pytilia melba Quelea quelea Rhinopomastus cyanomelas Rhinoptilus chalcopterus Scopus umbretta Serinus atrogularis Smutsornis africanus Sporopipes squamifrons Streptopelia capicola Streptopelia senegalensis Struthio camelus Sylvietta rufescens	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse Namaqua Sandgrouse Redeyed Bulbul Melba Finch Redbilled Quelea Scimitarbilled Woodhoopoe Bronzewinged Courser Hamerkop Blackthroated Canary Doublebanded Courser Scalyfeathered Finch Cape Turtle Dove Laughing Dove Ostrich Longbilled Crombec	Secure Secure Endangered Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus Pterocles namaqua Pycnonotus nigricans Pytilia melba Quelea quelea Rhinopomastus cyanomelas Rhinoptilus chalcopterus Scopus umbretta Serinus atrogularis Smutsornis africanus Sporopipes squamifrons Streptopelia capicola Streptopelia senegalensis Struthio camelus Sylvietta rufescens Tchagra australis	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse Namaqua Sandgrouse Redeyed Bulbul Melba Finch Redbilled Quelea Scimitarbilled Woodhoopoe Bronzewinged Courser Hamerkop Blackthroated Canary Doublebanded Courser Scalyfeathered Finch Cape Turtle Dove Laughing Dove Ostrich Longbilled Crombec Threestreaked Tchagra	Secure Secure Endangered Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus Pterocles namaqua Pycnonotus nigricans Pytilia melba Quelea quelea Rhinopomastus cyanomelas Rhinoptilus chalcopterus Scopus umbretta Serinus atrogularis Smutsornis africanus Sporopipes squamifrons Streptopelia capicola Streptopelia senegalensis Struthio camelus Sylvietta rufescens Tchagra australis Terathopius ecaudatus	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse Namaqua Sandgrouse Redeyed Bulbul Melba Finch Redbilled Quelea Scimitarbilled Woodhoopoe Bronzewinged Courser Hamerkop Blackthroated Canary Doublebanded Courser Scalyfeathered Finch Cape Turtle Dove Laughing Dove Ostrich Longbilled Crombec Threestreaked Tchagra Bateleur	Secure Secure Endangered Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus Pterocles namaqua Pycnonotus nigricans Pytilia melba Quelea quelea Rhinopomastus cyanomelas Rhinoptilus chalcopterus Scopus umbretta Serinus atrogularis Smutsornis africanus Sporopipes squamifrons Streptopelia capicola Streptopelia senegalensis Struthio camelus Sylvietta rufescens Tchagra australis Terathopius ecaudatus Thripias namaquus	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse Namaqua Sandgrouse Redeyed Bulbul Melba Finch Redbilled Quelea Scimitarbilled Woodhoopoe Bronzewinged Courser Hamerkop Blackthroated Canary Doublebanded Courser Scalyfeathered Finch Cape Turtle Dove Laughing Dove Ostrich Longbilled Crombec Threestreaked Tchagra Bateleur Bearded Woodpecker	Secure Secure Endangered Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus Pterocles namaqua Pycnonotus nigricans Pytilia melba Quelea quelea Rhinopomastus cyanomelas Rhinoptilus chalcopterus Scopus umbretta Serinus atrogularis Smutsornis africanus Sporopipes squamifrons Streptopelia capicola Streptopelia senegalensis Struthio camelus Sylvietta rufescens Tchagra australis Terathopius ecaudatus Thripias namaquus Tockus erythrorhynchus	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse Namaqua Sandgrouse Redeyed Bulbul Melba Finch Redbilled Quelea Scimitarbilled Woodhoopoe Bronzewinged Courser Hamerkop Blackthroated Canary Doublebanded Courser Scalyfeathered Finch Cape Turtle Dove Laughing Dove Ostrich Longbilled Crombec Threestreaked Tchagra Bateleur Bearded Woodpecker Redbilled Hornbill	Secure Secure Endangered Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus Pterocles namaqua Pycnonotus nigricans Pytilia melba Quelea quelea Rhinopomastus cyanomelas Rhinoptilus chalcopterus Scopus umbretta Serinus atrogularis Smutsornis africanus Sporopipes squamifrons Streptopelia capicola Streptopelia senegalensis Struthio camelus Sylvietta rufescens Tchagra australis Terathopius ecaudatus Thripias namaquus Tockus erythrorhynchus Tockus leucomelas	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse Namaqua Sandgrouse Redeyed Bulbul Melba Finch Redbilled Quelea Scimitarbilled Woodhoopoe Bronzewinged Courser Hamerkop Blackthroated Canary Doublebanded Courser Scalyfeathered Finch Cape Turtle Dove Laughing Dove Ostrich Longbilled Crombec Threestreaked Tchagra Bateleur Bearded Woodpecker Redbilled Hornbill Southern Yellowbilled Hornbill	Secure Secure Endangered Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus Pterocles namaqua Pycnonotus nigricans Pytilia melba Quelea quelea Rhinopomastus cyanomelas Rhinoptilus chalcopterus Scopus umbretta Serinus atrogularis Smutsornis africanus Sporopipes squamifrons Streptopelia capicola Streptopelia senegalensis Struthio camelus Sylvietta rufescens Tchagra australis Terathopius ecaudatus Thripias namaquus Tockus erythrorhynchus Tockus leucomelas Tockus nasutus	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse Namaqua Sandgrouse Redeyed Bulbul Melba Finch Redbilled Quelea Scimitarbilled Woodhoopoe Bronzewinged Courser Hamerkop Blackthroated Canary Doublebanded Courser Scalyfeathered Finch Cape Turtle Dove Laughing Dove Ostrich Longbilled Crombec Threestreaked Tchagra Bateleur Bearded Woodpecker Redbilled Hornbill Southern Yellowbilled Hornbill Grey Hornbill	Secure Secure Endangered Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus Pterocles namaqua Pycnonotus nigricans Pytilia melba Quelea quelea Rhinopomastus cyanomelas Rhinoptilus chalcopterus Scopus umbretta Serinus atrogularis Smutsornis africanus Sporopipes squamifrons Streptopelia capicola Streptopelia senegalensis Struthio camelus Sylvietta rufescens Tchagra australis Terathopius ecaudatus Thripias namaquus Tockus erythrorhynchus Tockus leucomelas Tockus nasutus Torgos tracheliotus	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse Namaqua Sandgrouse Redeyed Bulbul Melba Finch Redbilled Quelea Scimitarbilled Woodhoopoe Bronzewinged Courser Hamerkop Blackthroated Canary Doublebanded Courser Scalyfeathered Finch Cape Turtle Dove Laughing Dove Ostrich Longbilled Crombec Threestreaked Tchagra Bateleur Bearded Woodpecker Redbilled Hornbill Southern Yellowbilled Hornbill Grey Hornbill Lappetfaced Vulture	Secure Secure Endangered Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus Pterocles namaqua Pycnonotus nigricans Pytilia melba Quelea quelea Rhinopomastus cyanomelas Rhinoptilus chalcopterus Scopus umbretta Serinus atrogularis Smutsornis africanus Sporopipes squamifrons Streptopelia capicola Streptopelia senegalensis Struthio camelus Sylvietta rufescens Tchagra australis Terathopius ecaudatus Thripias namaquus Tockus erythrorhynchus Tockus leucomelas Torgos tracheliotus Tricholaema leucomelas	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse Namaqua Sandgrouse Redeyed Bulbul Melba Finch Redbilled Quelea Scimitarbilled Woodhoopoe Bronzewinged Courser Hamerkop Blackthroated Canary Doublebanded Courser Scalyfeathered Finch Cape Turtle Dove Laughing Dove Ostrich Longbilled Crombec Threestreaked Tchagra Bateleur Bearded Woodpecker Redbilled Hornbill Southern Yellowbilled Hornbill Grey Hornbill Lappetfaced Vulture Pied Barbet	Secure Secure Endangered Secure
Plocepasser mahali Ploceus velatus Polemaetus bellicosus Polihierax semitorquatus Prinia flavicans Psophocichla litsitsirupa Pterocles bicinctus Pterocles namaqua Pycnonotus nigricans Pytilia melba Quelea quelea Rhinopomastus cyanomelas Rhinoptilus chalcopterus Scopus umbretta Serinus atrogularis Smutsornis africanus Sporopipes squamifrons Streptopelia capicola Streptopelia senegalensis Struthio camelus Sylvietta rufescens Tchagra australis Terathopius ecaudatus Thripias namaquus Tockus erythrorhynchus Tockus leucomelas Tockus nasutus Torgos tracheliotus	Whitebrowed Sparrowweaver Masked Weaver Martial Eagle Pygmy Falcon Blackchested Prinia Groundscraper Thrush Doublebanded Sandgrouse Namaqua Sandgrouse Redeyed Bulbul Melba Finch Redbilled Quelea Scimitarbilled Woodhoopoe Bronzewinged Courser Hamerkop Blackthroated Canary Doublebanded Courser Scalyfeathered Finch Cape Turtle Dove Laughing Dove Ostrich Longbilled Crombec Threestreaked Tchagra Bateleur Bearded Woodpecker Redbilled Hornbill Southern Yellowbilled Hornbill Grey Hornbill Lappetfaced Vulture	Secure Secure Endangered Secure



Upupa epops	Ноорое	Secure
Uraeginthus angolensis	Blue Waxbill	Secure
Uraeginthus granatinus	Violeteared Waxbill	Secure
Urocolius indicus	Redfaced Mousebird	Secure
Vanellus armatus	Blacksmith Plover	Secure
Vanellus coronatus	Crowned Plover	Secure
Vanellus senegallus	Wattled Plover	Secure
Vidua regia	Shafttailed Whydah	Secure
Zosterops senegalensis	Yellow White-Eye	Secure



**Appendix B: Proof of Advertisements, Letters and Notices** 



## Appendix of CV's



# **CLASSIFIEDS**

Tel: (061) 208 0800/44 Fax: (061) 220 584 Email: classifieds@nepc.com.na

Notice

CALL FOR PUBLIC PARTICIPATION/ COMMENTS ENVIRONMENTAL IMPACT ASSESSMENT AND ENVIRONMENTAL MANAGEMENT MANAGEMENT
PLAN TO OBTAIN
AN ENVIRONMENTAL
CLEARANCE FOR FUEL
STORAGE AND HANDLING
FACILITIES ON ERF 534,
KATIMA MULILO EXTENSION
2, ZAMBEZI REGION
Green Facth Environmental

Green Earth Environmental Consultants have been Consultants have been appointed to attend to and complete an Environmental Impact Assessment and Environmental Management Plan (EMP) to obtain an Environmental Clearance Certificate as per the Certificate as per the requirements of the vironmental Management Act (No. 7 of 2007) and Act (No. 7 of 2007) and the Environmental Impact Assessment Regulations (GN 30 in GG 4878 of 6 February 2012) for fuel storage and handling facilities on Erf 534, Katima Mulilo Extension 2, Tambari Region. Zambezi Region. Name of proponent: Bachmus Oil & Fuel Supplies

Project location and description: It is the intention description: It is the intention of the proponent to construct and operate a commercial site for diesel storage and handling facilities on Erf 534, Katima Mulilo Extension 2, Zambari Racion, There will Zambezi Region. There will be 2 X 750 000 liter vertical and 3 X 83 000 litre horizontal and 3 X 63 000 litre horizontal above ground storage tanks with supporting infrastructure including dispensing points, parking areas for vehicles, offices, storage areas for batteries and lubricants, a twick show offices and abultion batteries and lubricants, a tuck shop, offices and abutton facilities. The storage and handling of dangerous goods will include diesel, oil, truck batteries and lubricants, interested and affected parties are hereby invited to register in terms of the assessment process to give injust compents and onjust injust compents and onjust.

input, comments, and opinions regarding the proposed project. regarding the proposed project.

A public meeting will be held if enough public intertest is shown. Registered I & APs will be notified of the date and venue of the public meeting.

meeting. The last date for comments and/or registration is 2 June 2023.

Contact details for registration and further information:

Green Earth Environmental Consultants Contact Persons: Charlie Du

Toit/Carien van der Walt Tel: 0811273145 carien@greenearthnamibia.





#### Notice

CALL FOR PUBLIC PARTICIPATION/COMMEN ENVIRONMENTAL IMPACT ASSESSMENT AND ENVIRONMENTAL MANAGEMENT PLAN TO OBTAIN AN ENVIRONMENTAL CLEARANCE FOR CLEARANCE FOR THE COMPLETION OF THE TOWN PLANNING PROCEDURES TO REZONE ERVEN 322, 341 & 342, OSHAKATI FROM 'SINGLE RESIDENTIAL' WITH A DENSITY OF 1 DWELLING PER 900M<sup>2</sup> TO 'BUSINESS' WITH A BULK OF 2.0.

town planning procedures to rezone Erven 322, 341 & 342, Oshakati from 'single residential

vith a density of 1 dwelling per i00m² to 'business' with a bulk

of 2.0 and consolidation of erven 321, 322, 341 and 342, Oshakati

Name of proponent: The Nakasole Shikongo Family Trust

Project location and descrip-tion: Erven 322, 322, 341 &

Project location and tion: Erven 322, 323, 341 & 342 are in Oshakati Proper on the corner of Mandume Ndemurayo Street and Immanuel Shiffidi Street. Erf 321 is al-

ready zoned 'business' while Erven 322, 341 & 342 are zoned 'residential' 1:900. It is the intension of the Proponent

the intension of the Proponent to consolidate the erven and to use it for commercial purposes. To be able to do that Erven 322, 341 & 342, Oshakati must be rezoned from 'single residential' with a density of I dwelting per 900m<sup>2</sup> to 'business' with a bulk of 2.0 and the course must be consolidate.

ness' with a bulk of 2.0 and the erven must be consolidat-ed with Erf 322, Oshakati. A locality plan of the site is dis-played at the Oshakati Munic-ipal Notice Board or available from the offices of Green Eabert Environmental Consultants at Bridgeview Offices, No. 4 Dr. Kwame Nkruma Avenue, Klein

Interested and affected parties are hereby invited to register in terms of the assessment process to give input, comments, and

opinions regarding the proposed project. A public meeting will be held if enough public

intertest is shown. Registered

I & APs will be notified of the

date and venue of the public meeting.
The last date for comments and/or registration is 2 June

2023.
Contact details for registration

and further information: Green Earth Environmental

Consultants
Contact Persons: Charlie Du
Tolt/Carien van der Walt
Tel: 0811273145
E-mail: carien@
greenearthnamibia.com

Green Earth

WITH A BULK OF 2.0.

Green Earth Environmental Consultants have been appointed to attend to and complete an Environmental Impact. Assessment and Environmental Clearance Certificate as per the requirements of the Environmental Management Act (No. 7 of 2007) and the Environmental Impact. Assessment Regulations (GN 30 in GG 4878 of 6 February 2012) for the completion of the town planning procedures to (GN 30 of 2012).

and drilling.

Proponent: Victor Kulula Consulting

Mr. S. Andjamba Email: public@impalac. com, Tel: 0856630598





Practitioners cc is an equal opportunity employer and invites proactive, professional, caring, ethical person to apply for the following position

#### Position: Urologist

#### M.S in Urology.

- Urologist Valid license to practice
- the profession, must be registered with HPCNA.

Should you meet the above-mentioned requirements, kindly submit your CV and supporting documents at the Human Resource Department, Ondangwa Private Hospital, P.O. Box 4027 Ondangwa or forward them via e-mail to: recruitment@oph.com.na

Closing Date: 19 May 2023

#### Notice

CALL FOR PUBLIC PARTICIPATION ENVIRONMENTAL IMPACT ASSESSMENT FOR MINERAL **EXPLORATION ON EPL** 7717

This notice serves to inform all interested and affected parties that an application for the environmental clearance certificate will be launched with the Environmental Commissioner in terms of the Environmental Management Act (No.7 of 2007) and the ntal Regulati

Project: The licence is located 80 km southwest of Rehoboth, close to the Klein Aub settlement. The proponent intends to explore for Base Metals. Exploration methods may include geological mapping, geophysical surveys, sampling,

All interested and affected parties are hereby invited to register and submit their comments regarding the proposed project on or before 16/05/2023, Contact details for registration and further information: Impala Environmental



#### Employment





Ondangwa Private Hospital

#### Requirements:

- · 5 years' experience as a

## Indigenous Language Pages

AND PROPERTY OF PR

## LaLiga in the bag, but Barcelona still face huge problems

arcelona may have won the LaLiga title on Sunday, but their outstanding domestic campaign has been somewhat overshadowed by turmoil off the pitch ,including deepening financial problems and a refereeing scandal that could drag on for years.

Spanish prosecutors in March filed a complaint over alleged payments Barcelona made from 2001 to 2018 totalling €7.3 million to firms owned by former refereeing official Jose Maria Enriquez Negreira. A Barcelona court has agreed to take on the case.

Also in March, European football's governing body Uefa openeditsown formal investigation into the club, looking into the same payments.

The club has denied any wrongdoing, saying that it paid an external consultant who supplied it with "technical reports related to professional refereeing", something many clubs do.

But Negreira was the vicepresident of the refereeing



committee of the Spanish Football Association - one of the highest refereeing officials in the country from 1993 to 2018, covering the entire period concerned.

However the case may play out, it has dealt a massive blow to the club's image, and could continue to do so as the legal process and Uefa's separate probe drag on.

And it comes at a time when Barcelona are already facing huge accounting problems related to their massive wage bill, to the Covid-19 pandemic, and to the club's 1.6 billion Euro renovation

Restricted by LaLiga's Financial Fair Play (FFP) rules, Barca were unable to re-sign club great Lionel Messi, who left as a free agent for Paris St Germain in the summer of 2021.

According to LaLiga, Barca are still about €200 million over the cap, and remain unable to register new contracts signed months ago with defender Ronald Araujo and midfielder Gavi, key players whose future is in doubt unless the club finds a way to fit them into its budget. - Supersport.com

## **PUBLIC NOTICE**



31 MARCH 2023

#### FORMAL CONSULTATION ON THE PROPOSED DRAFT CONSUMER CREDIT BILL

The Minister of Finance and Public Enterprises tasked NAMFISA to spearhead the drafting of the Consumer Credit Bill to enhance the regulatory and supervisory oversight on all consumer credit Due to the far-reaching nature of consumer credit legislation, NAMFISA has been collaborating with the following Key Project Stakeholders: the Ministry of Finance and Public Enterprises, the Bank of Namibia, the Ministry of Industrialisation and Trade, the Financial Literacy Initiative (FLI) and the Deutsche Gesellschaft für Internationale Zusammenarbeit (GIZ).

This notice is to inform the respective industry players (credit providers, credit bureaus, debt collectors and consumers of credit) and the public at large that the proposed draft Consumer Credit Bill has been endorsed by the Minister of Finance and Public Enterprises for public consultation

The purpose of the proposed draft Consumer Credit Bill is to promote fair, transparent, and responsible market conduct in the consumer credit market where consumers of credit are protected.

NAMFISA is calling on interested and affected members of the industry and the public to provide input and comments to the proposed draft Consumer Credit Bill. The industry and public are invited and encouraged to submit their comments in the format of the Comments Template, on or before 31 December 2023

While individual inputs are accepted, we urge and encourage individuals to submit their comments via their respective bodies or associations.

Planned consultation meetings will be conducted during June to September 2023, with the details about specific towns and dates to be communicated in due course.

Kindly address your responses in the format of the Comments Template, on or before 31 December 2023, directly to Ms. Anesia Cloete at <a href="mailto:acoete@namfisa.com.na">acoete@namfisa.com.na</a>, cc Ms. Charlene Potgieter at <a href="mailto:coptgieter@namfisa.com.na">coptgieter@namfisa.com.na</a>. Should you have any queries, you may contact Ms. Cloete at (061) 290 5276 or Ms. Christofina Shindume at (061) 290 5266.

The draft Consumer Credit Bill and comments template can be downloaded from the NAMFISA website www.namfisa.com.na.

p.p. Istano Kenneth S. Matomola CHIEF EXECUTIVE OFFICER

PROJECT DESCRIPTION

EGISTRATION OF I&APs AND SUBMISSION OF COMMENTS: In line with Namibia's Environm II I&APs are hereby invited to register and submit their comments, concerns or questions in



#### PUBLIC NOTICE: ENVIRONMENTAL CLEARANCE CERTIFICATE APPLICATION

In terms of the Environmental Management Act (Act no. 7 of 2007) as well as the Environmental Impact Assessment Regulations (Government Notice No.30 of 2012), notice is hereby given to all potentially interested and affected parties (I&APs) that an application for an Environmental Clearance Certificate (ECC) will be made to the Office of the Environmental Commissioner for the following activities:

and 72878, Erongo Region, Namibia

Site Locality: Mining Claims lie approximately 30km west of Cape Cross in the Erongo Region.

Proponent: Thikameni Thika Kashona Ulenga

ntal Assessment Practitioner: Inga Metals and Commodities CC

All interested and affected parties are hereby invited to register with Inga Metals and Commodities CC. The Background Information Document (BID) can be requested and any comments, issues or concerns related to the project can be submitted to Inga Metals and Commodities CC. All comments/concerns must reach Inga Metals and Commodities CC by close of business on 24 September 2022.

Telephone: 0811 482667

#### ENVIRONMENTAL IMPACT ASSESSMENT

NOTICE FOR THE CONSTRUCTION OF A 100 MW SOLAR PLANT AT URIS FARM IN TSUMEB AREA - OSHIKOTO REGION.

OUTRUN CONSULTANTS CC HEREBY GIVES NOTICE OF THE ENVIRONMENTAL IMPACT ASSESSMENT FOR THE CONSTRUCTION OF A 100 MW SOLAR PLANT AT URIS FARM IN TSUMEB AREA. The exact location of the project site is highlighted in the Background and Invitation to participate Document (BID). An Ela Is being commissioned as required under the Environmental Management Act, 7 of 2007 and Regulations of 2012. Interested and Affected Parties are invited to register and attend meetings as detailed below.

PROPONENT(S): EENGHONO POWER (PTY) LTD

PROJECT ACTIVITIES: CONSTRUCTION AND MANAGEMENT OF A SOLAR PLANT

PROJECT LOCATION: URIS FARM - TSUMEB -OSHIKOTO REGION - MAP IS PROVIDED IN

PUBLIC PARTICIPATION: A FORMAL MEETING WILL BE HELD WHEN WE RECEIVE SIZEABLE NUMBER OF RESPONSES.

VENUE: TO BE ADVISED

Josiah - 0812 683 578,

E-Mail: outruninvest@hotmail.com





#### **CALL FOR PUBLIC PARTICIPATION**

#### **ENVIRONMENTAL IMPACT ASSESSMENT FOR** MINING ACTIVITIES ON MINING CLAIM 74412

This notice serves to inform all interested and affected parties that an application for the environmental clearance certificate will be launched with the Environmental Commissioner in terms of the Environmental Management Act (No.7 of 2007) and the Environmental Regulations (GN 30 of 2012).

Project: The license area is located about 40 km southeast of Karibib on Farm Otjua. The proponent intends to mine industrial minerals and semi-precious stones from the mining claims.

Proponent: Arc Planners and Investment cc

All interested and affected parties are hereby invited to register and submit their comments regarding the proposed project on or before 10th May 2023. Contact details for registration and further information:

Impala Environmental Consulting

Mr. S. Andjamba

Email: public@impalac.com, Tel: 0856630598



#### **CALL FOR PUBLIC PARTICIPATION**

#### **ENVIRONMENTAL IMPACT ASSESSMENT FOR** MINERAL EXPLORATION ON EPL 7717

This notice serves to inform all interested and affected parties that an application for the environmental clearance certificate will be launched with the Environmental Commissioner in terms of the Environmental Management Act (No.7 of 2007) and the Environmental Regulations (GN 30 of 2012).

Project: The licence is located 80 km southwest of Rehoboth, close to the Klein Aub settlement. The proponent intends to explore for Base Metals. Exploration methods may include geological mapping, geophysical surveys, sampling, and drilling.

Proponent: Victor Kulula


All interested and affected parties are hereby invited to register and submit their comments regarding the proposed project on or before 16/05/2023. Contact details for registration and further information:

Impala Environmental Consulting

Mr. S. Andiamba

Email: public@impalac.com, Tel: 0856630598





PROJECT DESCRIPTION

moonent: Mr. Malauli Mate

REGISTRATION OF ISAPs AND SUBMISSION OF COMMENTS: In line with Namibia's Environmental Management Act (No. 7 of 2007) and EIA regulations (GN 30 of 6 Feb all ISAPs are hereby invited to register and submit their comments, concerns or questions in writing via: Emal; asknew@gnmal.com on or before friday 12° May 2023.



#### PUBLIC NOTICE: ENVIRONMENTAL CLEARANCE CERTIFICATE APPLICATION

In terms of the Environmental Management Act (Act no. 7 of 2007) as well as the Environmental Impact Assessment Regulations (Government Notice No.30 of 2012), notice is hereby given to all potentially interested and affected parties (I&APs) that an application for an Environmental Clearance Certificate (ECC) will be made to the Office of the Environmental Commissioner for the following activities:

Project Description: Proposed Small Scale Mining Activities for Quartz On Mining Claims: 72880, 72879 and 72878, Erongo Region, Namibia.

Site Locality: Mining Claims lie approximately 30km west of Cape Cross in the Erongo Region

Proponent: Thikameni Thika Kashona Ulenga

Environmental Assessment Practitioner: Inga Metals and Commodities CC

All interested and affected parties are hereby invited to register with Inga Metals and Commodities CC. The Background Information Document (BID) can be requested and any comments, issues or concerns related to the project can be submitted to Inga Metals and Commodities CC. All comments/concerns must reach Inga Metals and Commodities CC by close of business on 24 September 2022.

Telephone: 0811 482667

#### **ENVIRONMENTAL IMPACT ASSESSMENT**

NOTICE FOR THE CONSTRUCTION OF A 100 MW SOLAR PLANT AT URIS FARM IN TSUMEB AREA - OSHIKOTO REGION.

OUTRUN CONSULTANTS CC HEREBY GIVES NOTICE OF THE ENVIRONMENTAL IMPACT ASSESSMENT FOR THE CONSTRUCTION OF A 100 MW SOLAR PLANT AT URIS FARM IN TSUMEB AREA. The exact location of the project site is highlighted in the Background and Invitation to participate Document (BID). An EIA is being commissioned as required under the Environmental Management Act, 7 of 2007 and Regulations of 2012. Interested and Affected Parties are invited to register and attend meetings as detailed

PROPONENT(S): FENGHONO POWER (PTY) LTD

PROJECT ACTIVITIES: CONSTRUCTION AND MANAGEMENT OF A SOLAR PLANT

PROJECT LOCATION: URIS FARM - TSUMEB -OSHIKOTO REGION - MAP IS PROVIDED IN THE BID.

PUBLIC PARTICIPATION: A FORMAL MEETING WILL BE HELD WHEN WE RECEIVE SIZEABLE

Josiah - 0812 683 578,

E-Mail: outruninvest@hotmail.com



#### **ENVIRONMENTAL IMPACT ASSESSMENT**

NOTICE FOR THE CONSTRUCTION OF A 100 MW AGRIVOLTAICS FACILITY AT TSUMORE FARM IN TSUMEB AREA - OSHIKOTO REGION.

OUTRUN CONSULTANTS CC HEREBY GIVES NOTICE OF THE ENVIRONMENTAL IMPACT ASSESSMENT FOR THE CONSTRUCTION OF A 100 MW SOLAR PLANT AT TSUMORE FARM IN TSUMBE BARE. The exact location of the project site is highlighted in the Background and Invitation to participate Document (BID). An EIA is being commissioned as required under the Environmental Management Act, 7 of 2007 and Regulations of 2012. Interested and Affected Parties are invited to register and attend meetings as detailed

PROPONENT(S): OUTRUN ENVIRONMENT AND AGRICULTURAL CONSULTANTS CO

PROJECT ACTIVITIES: DESIGN, CONSTRUCTION AND MANAGEMENT OF A 100MW AGRIVOLTAICS FACILITY

PROJECT LOCATION: TSUMORE FARM - TSUMEB -OSHIKOTO REGION - MAP IS PROVIDED

PUBLIC PARTICIPATION: A FORMAL MEETING WILL BE HELD WHEN WE RECEIVE SIZEABLE NUMBER OF RESPONSES

VENUE: TO BE ADVISED

Josiah - 0812 683 578.

E-Mail: outrungreeninfo@gmail.com



#### **CALL FOR PUBLIC PARTICIPATION**

#### **ENVIRONMENTAL IMPACT ASSESSMENT FOR** MINING ACTIVITIES ON MINING CLAIM 74412

This notice serves to inform all interested and affected parties that an application for the environmental clearance certificate will be launched with the Environmental Commissioner in terms of the Environmental Management Act (No.7 of 2007) and the Environmental Regulations (GN 30 of 2012).

Project: The license area is located about 40 km southeast of Karibib on Farm Otjua. The proponent intends to mine industrial minerals and semi-precious stones from the mining claims.

Proponent: Arc Planners and Investment cc

All interested and affected parties are hereby invited to register and submit their comments regarding the proposed project on or before 10th May 2023. Contact details for registration and further information:

Impala Environmental Consulting

Mr. S. Andjamba

Email: public@impalac.com, Tel: 0856630598



#### **CALL FOR PUBLIC PARTICIPATION**

#### **ENVIRONMENTAL IMPACT ASSESSMENT FOR** MINERAL EXPLORATION ON EPL 7717

This notice serves to inform all interested and affected parties that an application for the environmental clearance certificate will be launched with the Environmental Commissioner in terms of the Environmental Management Act (No.7 of 2007) and the Environmental Regulations (GN 30 of 2012).

Project: The licence is located 80 km southwest of Rehoboth, close to the Klein Aub settlement. The proponent intends to explore for Base Metals. Exploration methods may include geological mapping, geophysical surveys, sampling, and drilling.

Proponent: Victor Kulula

All interested and affected parties are hereby invited to register and submit their comments regarding the proposed project on or before 16/05/2023. Contact details for registration and further information:

Impala Environmental Consulting

Mr. S. Andjamba

Email: public@impalac.com, Tel: 0856630598






23

#### ANNEXURE 1 **FORMS**

Form 1



Signature

PART A: DETAILS OF APPLICANT

- 1. Name: (person or business) Victor Panduleni Kulula
- 2. Business Registration / Identity No. n/a (if applicable)
- 3. Correspondence Address: Private Bag 2017, Okahandja, Namibia
- Name of Contact Person: Ndaluka Amutenya
- 5. Position of Contact Person: EAP Impala Environmental
- Telephone No.: 0856630598
- 7. Fax No.: 0856630598
- 8. E-mail Address: (if any) eia@impalac.com

☐ Tick (☐) the appropriate box

# ANNEXURE 1 FORMS

Form 1

#### REPUBLIC OF NAMIBIA

### **ENVIRONMENTAL MANAGEMENT ACT, 2007**

(Section 32)

#### APPLICATION FOR ENVIRONMENTAL CLEARANCE CERTIFICATE

Revenue stamp or revenue franking machine impression

#### **PART A: DETAILS OF APPLICANT**

 $\square$  Tick ( $\square$ ) the appropriate box

1. Name: (person or business)		
2. Business Registration / Identity No. (if applicable)		
3. Correspondence Address:		
4. Name of Contact Person:		
5. Position of Contact Person:		
6. Telephone No.:		
7. Fax No.:		
8. E-mail Address: (if any)		

Ndaluka

Victor Panduleni Kulula



NAMPOST

VAT Reg No: 0024451015

Branch: Windhoek

Date: 24/05/23

Counter: 14 ETUNAFR

Time: 08:48:39

STOCKUNITO8

Qty Product

Price VAT

1 Letter

\$5.70

Registered Mail

\$38.30

(Registered Item No:BA002334770NA)

(P1 185 Form No)

(Recipient Name: FARM KABIRAS NO 343)

(Address Line 1:POBOX 50) (Address Line 2:KLEIN AUB) (Address Line 3:NAMIBIA)

(Address Line 4)

PrePaid

-\$44.00

Net -\$5.00

Tax Code Amount Total Tax VAT A (0%) VAT B (15%) \$33.30 \$5.00

Total \$0.00

Name: IMPALA ENVIRONMENTAL

Address: P 0 BOX 29532

WINDHOEK

Receipt No: 264-10001-14-899691-2

THANK YOU FOR USING YOUR POST OFFICE DANKIE DAT U DIE POSKANTOOR GEBRUIK TANGI ESHI HOLONGIFA OPOOSA YOYE



# NAMPOST

VAT Res No: 0024451015

Branch: Windhoek

Date: 24/05/23 Time: 08:45:39

Counter: 14 ETUNAFR STOCKUNITO8

Qty Product Price VAT

1 Letter \$5.70

Registered Mail \$38.30

(Registered Item No:BA002334752NA)

(P1 185 Form No)

(Recipient Name: FARM MAANSVILLE NO 755)

(Address Line 1:P 0 BOX 3215) (Address Line 2:REHOBOTHJ)

(Address Line 3:NAMIBIA)

(Address Line 4)

PrePaid -\$44.00

Net -\$5.00

Tax Code Amount Total Tax
VAT A (0%)
VAT B (15%) \$33.30 \$5.00

Total \$0.00

Name: Address:

Receipt No: 264-10001-14-899683-2

THANK YOU FOR USING YOUR POST OFFICE DANKIE DAT U DIE POSKANTOOR GEBRUIK TANGI ESHI HOLONGIFA OPOOSA YOYE

BA 002 334 750 NA

## \_\_\_\_\_\_\_

#### NAMPOST

VAT Reg No: 0024451015

Branch: Windhoek

ite: 24/05/23 Time: 08:40:30

unter: 14 ETUNAFR STOCKUNITO8

Qty Product Price VAT

1 Letter \$5.70

Registered Mail \$38.30

(Registered Item No:BA002334735NA)

(P1 185 Form No)

(Recipient Name: FARM WITKRANS SUID NO 34

(Address Line 1:P 0 BOX 4237 )
(Address Line 2:REHOBOTH NAMIBIA)
(Address Line 3)

(Address Line 3)

PrePaid -\$44.00

Net -\$5.00

Tax Code Amount Total Tax
VAT A (0%)
VAT B (15%) \$33.30 \$5.00

Total \$0.00

Name: IMPALA ENVIRONMENTAL

Address: P 0 BOX 29532

WINDHOEK NAMIBIA

Receipt No: 264-10001-14-899640-3

THANK YOU FOR USING YOUR POST OFFICE DANKIE DAT U DIE POSKANTOOR GEBRUIK TANGI ESHI HOLONGIFA OPOOSA YOYE



#### NOMBRE

VAT Reg No: 0024451015

Branch: Windhoek

Date: 31/05/23 Time: 15:47:45

Counter: 14 ETUNAFR STOCKUNITO8

Qty Product Price VAT

1 Letter \$5.70

Registered Mail \$38.30

(Registered Item No:BA002329580NA)

(P1 185 Form No)

(Recipient Name: FARM AUCHAS NO 347)

(Address Line 1:P 0 BOX 3400 )

(Address Line 2:REHOBOTH)

(Address Line 3:NAMiBIA) (Address Line 4)

PrePaid -\$44.00

Het -\$5.00

Tax Code Anount Total Tax

VAT A (0%)

VAT B (15%) \$33.30 \$5.00

Total \$0.00

Name: P 0 BOX 29532

Address: WINDHOEK

NAMIBIA

Receipt No: 264-10001-14-905140-1

THANK YOU EOR USING YOUR POST OFFICE DANKIE DAT U DIE POSKANTOOR GEBRUIK

TANGI ESHI HOLONGIFA OPONSA YNYF



#### NAMPOST

VAT Reg No: 0024451015

Branch: Windhoek

Date: 24/05/23

Time: 08:42:47

Counter: 14 ETUNAFR

STOCKUNITO8

Qty Product

Price VAT

1 Letter

\$5.70

Registered Mail

\$38.30

(Registered Item No:BA002334749NA)

(P1 185 Form No)

(Recipient Name:FARM NUWEDAM NO 348)

(Address Line 1:P 0 BOX 47)

(Address Line 2:KLEIN AUB)

(Address Line 3:NAMIBIA)

(Address Line 4)

PrePaid

-\$44.00

	-\$5.00
Amount Tot	al Tax
\$33.30	\$5.00

Name: IMPALA ENVIRONAMENTAL

Address: P 0 BOX 29532

WINDHOEK NAMIBIA

Receipt No: 264-10001-14-899673-2

THANK YOU FOR USING YOUR POST OFFICE DANKIE DAT U DIE POSKANTOOR GEBRUIK TANGT ESHI HOLONGIFA OPOOSA YOYE



## NAMPOST VAT Reg No: 0024451015 Branch: Windhoek Time: 15:49:49 Date: 31/05/23 STOCKUNITOR Counter: 14 ETUNAFR Qty Product Price VAT \$5.70 1 Letter \$38.30 Registered Mail (Registered Item No:BA002329593NA) (P1 185 Form No) (Recipient Name: FARM GRAUWATER NO 341) (Address Line 1:P 0 BOX 3100) (Address Line 2:REHOBOTH) (Address Line 3:NAMIBIA) (Address Line 4) -\$44.00 PrePaid -\$5.00 Net Tax Code Anount Total Tax UAT A (0%) VAT B (15%) \$33.30 \$5.00

Total \$0.00

Name: P 0 BOX 29532 Address: WINDHOEK

NAMIBIA

Receipt No: 264-10001-14-905149-2

THANK YOU FOR USING YOUR POST OFFICE DANKIE DAT U DIE POSKANTOOR GEBRUIK TANGI ESHT HOLONGTEN OPPOSA YOYE



# LASSIFIEDS

Fax: (061) 220 584

Tel: (061) 208 0800/44

**Notice Notice** 

IN THE HIGH COURT OF WINDHOEK

MAIN DIVISION -

**WINDHOEK** 

CASE NO: HC-MD-CIV-ACT-

CON-2021/00010

In the matter between:

**GRANT CREY JANSEN** 

1STEXECUTION CREDITOR

**VEYONNE ELANEY** 

**JANSEN** 

2ND EXECUTION CREDITOR

and

HAROLD MANFRED

**MALETZKY** 

**EXECUTION DEBTOR** 

NOTICE OF SALE IN

**EXECUTION** 

A SALE IN EXECUTION will

be held by live webcam at Erf

49. Cnr of Michelle Mclean &

Platinum Streets, Prosperita,

Windhoek at 09H00 on

WEDNESDAY the 17TH of

MAY 2023 during which there

will be sold in execution as

a result of an attachment

made on the 18 March 2022

under a Writ of Execution

issued on the 6th February

2023 by the above-named

**GRANT CREY JANSEN &** 

**VEYONNE ELANEY JANSEN** 

(Execution Creditors) against

HAROLD MANFRED MAKETZKY (Execution

1 X NISSAN BAKKIE WITH

REGISTRATION NUMBER N

1 X PURPLE BEACH CAR

X DUSTER WITH

WITH NO REGISTRATION

REGISTRATION NO N 165-

and on Monday the 22nd

of MAY 2023, to be held

via live webcam at Erf 49,

Cnr of Michelle Mclean &

Platinum Streets, Prosperita,

Windhoek at 09H00, during

which there will be sold in

execution as a result of an

attachment made on the 18

March 2022 under a Writ of

Execution issued on the 6th

February 2023 by the above-

named GRANT CREYJANSEN

JANSEN (Execution Creditors)

against HAROLD MANFRED

MAKETZKY (Execution

1XSAMSUNG FLATSCREEN

1 X SAMSUNG DOUBLE DOOR FRIDGE

1XDINNINGTABLE+CHAIRS

1XDEFYMICROWAVE OVEN

1 X TV UNIT

1 X LOUNGE SUIT

1 X COFFEE TABLE

1 X CHEST FREEZER

3 X WOODEN CHAIRS

**5 X BAR CHAIRS** 1 X WATER DISPENCER

1 X HP PRINTER

1 X SMALL HEATER

1 X TABLE + 2 CHAIRS

1 X GYM SET BENCH

1 X LOUNGE SUIT OUTSIDE

TERMS: "VOETSTOOTS"

2 X SMALL UNITS

1 X POOL TABLE

1 X WOODEN

+ 2 CHAIRS

**VEYONNE ELANEY** 

Debtor)

30669 W

553 W

**Notice** 

REPUBLIC OF NAMIBIA MINISTRY OF INDUSTRIALISATION AND TRADE, LIQUOR ACT, 1998

NOTICE OF APPLICATION TO A

COMMITTEE IN TERMS OF THE

LIQUOR ACT, 1998 (regulations 14, 26 & 33)

Notice is given that an application in terms of the Liquor Act, 1998,

particulars of which appear below, will be made to the Regional Liquor Licensing Committee, Region: KAVANGO EAST

applicant,
NDONDJI JOSEPH SAMBA

PO BOX 328, RUNDU
2. Name of business or proposed
Business to which applicant relates
AFRO SAMBA INVESTMENT CC
(AFRO SAMBA MINI MARKET)
2. Address to a proprise to

3. Address/Location of premises to

KEHEMU ERF 5171,
KEHEMU LOCATION, RUNDU

1. Nature and details of application.

GROCERY LIQUOR LICENCE

RUNDU MAGISTRATE COURT

the date of the meeting of the Committee at which the application will be heard.

REPUBLIC OF NAMIBIA MINISTRY OF INDUSTRIALISATION

AND TRADE, LIQUOR ACT, 1998

NOTICE OF APPLICATION TO A

COMMITTEE IN TERMS OF THE LIQUOR ACT, 1998

(regulations 14, 26 & 33)

Notice is given that an application in terms of the Liguor Act, 1998.

n terms of the Liquor Act, 1998, particulars of which appear below, will be made to the Regional Liquor Licensing Committee, Region: ZAMBEZI

1. Name and postal address of

applicant,
MUKENA AMOS SETA LIZAULI

Name of business or proposed Business to which applicant relates TUSANO BAR

 Address/Location of premises to which Application relates:

 LIZAULI - LYAMBOLOMA

CONSTITUENCY

CONSTITUENCY

5. Nature and octains of application
SPECIAL LIQUOR LICENCE
5. Clerk of the court with whom
Application will be lodged:
KATIMA MULILO

MAGISTRATE COURT

MAGISTRATE COURT
6. Date on which application will be
Lodged: 10 MAY 2023
7 Date of meeting of Committee at
Which application will be heard:
14 JUNE 2023
Any objection or written submission in
terms of section 28 of the Act in relation to
the applicant must be sent or delivered to
the Secretary of the Committee to reach the
Secretary not less than 21 days before the
date of the meeting of the Committee at
which the application will be heard.

5. Clerk of the court with who

**Notice** 

Email: classifieds@nepc.com.na

**SPCA** 

## **CLASSIFIEDS**

**Services** 

**Rates and Deadlines** 

 To avoid disappointment of an advertisement not appearing on the date you wish, please book timeously Classifieds smalls and notices: 12:00, two working days prior to placing . Cancellations and alterations: 16:00, two days before date of publication in writing only **Notices** 

(VAT Inclusive) Legal Notice N\$460.00 Lost Land Title N\$575.00 Liquor License N\$460.00 Name Change N\$460.00 Birthdays from N\$200.00 Death Notices from N\$200.00 Tombstone Unveiling from N\$200.00 Thank You Messages from N\$200.00

Terms and Conditions Apply.

## **Employment**

Offered

VACANCY MINING COUNTRY MANAGER

Our company Gxakra Base Metals Namibia (Proprietary) Limited, based in Namibia, is looking for a Country Manager Please note that all applicants should have the following:

- Bachelor of Science in Engineering
- Mine Managers' **Competency Certificate**
- Minimum of 8 years in the mining field and industry
- Experience in opencast mining Experience in managing
- resources and technical services
- Developing and controlling budgets
- Abilility and willingness to train personnel
- Additional qualification eg. Blasting engineer

Only persons with above qualifications and experience will be considered and short listed

All applications to be sent to: business@ shpaccounting.com Closing date: 16 May 2023

Give your business the best boost you can!

Advertise in our weekly motoring supplement WOEMA!

Be it any accessories or gadgets for your vehicle. Call us on 061 2080800 or fax us on 220584 Put the WOEMA back into your business!

**Notice** 

Take note that Stubenrauch Planning Consultants cc has applied to the Lüderitz Town Council, and intends on applying to the Urban and Regional Planning Board on behalf of Ghost Town Tours cc for the following:

•SUBDIVISION OF PORTION F OF THE FARM LÜDERITZ TOWN AND TOWNLANDS NO. 11 INTO PORTION AAND REMAINDER:

•AMENDMENT OF TABLE C IN THE LÜDERITZ ZONING SCHEME TO INCLUDE PORTION A FOR THE SPECIAL USE OF OYSTER AND MUSSEL FARMING.

Portion F of the Farm Lüderitz Town and Townlands No. 11 is located in the south western part of the Lüderitz Townlands. Proposed Portion A measures approximately 6500m2 in extent, and according to the Lüderitz Zoning Scheme, Portion F of the Farm Lüderitz Town and Townlands No. 11 is zoned "Special" for the use of oyster and mussel farming in accordance with conditions imposed by the Ministry of Fisheries, Namport and the Lüderitz Town Council

The purpose of this application is to subdivide Portion F of the Farm Lüderitz Town and Townlands No 11 into Portion A and the Remainder for the owners to obtain their separate title. Portion A will be used for farming oysters and mussels. Please take note that the application, locality map and its supporting documents lie open for inspection during normal office hours at the Luderitz Town Council (Town Planning Office) and SPC Office, 45 Feld Street; Windhoek.

Further take note that any person objecting to the proposed application as set out above may lodge such objection together with their grounds thereof, with the Acting Chief Executive Officer of the Lüderitz Town Council and the applicant (SPC) in writing on or before, 09 June 2023.

Applicant: Stubenrauch Planning Consultants PO Box 41404, Windhoek Spcoffice1@spc.com.na

Tel.: (061) 251189 Our Ref: W/22059 The Acting Chief Executive

Lüderitz Town Council PO Box 19. Lüderitz

> CASH TO THE HIGHEST **BIDDER** Dated at WINDHOEK on this 8TH day of MAY 2023.

ANDREAS-HAMUNYELA **LEGAL PRACTITIONERS** LEGAL PRACTITIONERS FOR EXECUTION CREDITOR/PLAINTIFF Erf 3765 17 OSLER STREET WINDHOEK NORTH WINDHOEK (638/22/HH)

**CALL FOR PUBLIC PARTICIPATION ENVIRONMENTAL IMPACT ASSESSMENT FOR MINERAL EXPLORATION ON EPL** 

This notice serves to inform all interested and affected parties that an application for the environmental clearance certificate will be launched with the Environmental Commissioner in terms of the **Environmental Management** Act (No.7 of 2007) and the **Environmental Regulations** (GN 30 of 2012)

Project: The licence is located 80 km southwest of Rehoboth, close to the Klein Aub settlement. The proponent intends to explore for Base Metals. Exploration methods may include geological mapping, geophysical sampling, surveys, and drilling.

Proponent: Victor Kulula All interested and affected parties are hereby invited to register and submit their comments regarding the proposed project on or before 16/05/2023. Contact details for registration and further information: Impala Environmental Consulting

Mr. S. Andjamba Email: public@impalac. com, Tel: 0856630598



REPUBLIC OF NAMIBIA
MINISTRY OF INDUSTRIALISATION AND TRADE, LIQUOR ACT, 1998 NOTICE OF APPLICATION TO A **COMMITTEE IN TERMS OF THE** LIQUOR ACT, 1998 (regulations 14, 26 & 33)

Notice is given that an application in terms of the Liquor Act, 1998, particulars of which appear below will be made to the Regional Liquor Licensing Committee, Region: OHANGWENA

 Name and postal address of applicant,
 MWEUHANGA SAKEUS TAUKONDJELE PO BOX 157, OHANGWENA
2. Name of business or proposed

Business to which applicant relates ONE LOVE SHEBEEN

3. Address/Location of premises to which Application relates:

OHANGWENA Nature and details of application
 SPECIAL LIQUOR LICENCE 5. Clerk of the court with whom

Application will be lodged:
EENHANA MAGISTRATE COURT 6. Date on which application will be Lodged

30 MARCH 2023 7 Date of meeting of Committee at Which application will be heard:

Which application will be heard:

10 MAY 2023

Any objection or written submission in terms of section 28 of the Act in relation to the applicant must be sent or delivered to the Secretary of the Committee to reach the Secretary not less than 21 days before the date of the meeting of the Committee at which the application will be heard.

REPUBLIC OF NAMIBIA MINISTRY OF INDUSTRIALISATION AND TRADE, LIQUOR ACT, 1998 NOTICE OF APPLICATION TO A **COMMITTEE IN TERMS OF THE** 

LIQUOR ACT, 1998 (regulations 14, 26 & 33) Notice is given that an application in terms of the Liquor Act, 1998, particulars of which appear below will be made to the Regional Liquor Licensing Committee, Region: Licensing Committee, Region:
OSHANA

1. Name and postal address of

applicant,
WAPOTEKA PAULINUS

PO BOX 1480, OSHAKATI
2. Name of business or proposed iness to which applicant relations
PELLON HOUSE BAR

The properties of premises to

3. Address/Location of premises to which Application relates:

ERF NO. 5406, EVULULUKO SPECIAL LIQUOR LICENCE Clerk of the court with wh
 Application will be lodged

OSHAKATI MAGISTRATE COURT

6. Date on which application will be 15-31 MAY 2023

7 Date of meeting of Committee at Which application will be heard: 12 JULY 2023

Any objection or written submission in terms of section 28 of the Act in relation

to the applicant must be sent or delivered to the Secretary of the Committee to reach the Secretary not less than 21 days before the date of the meeting of the Committee at which the application will be heard.

REPUBLIC OF NAMIBIA
MINISTRY OF INDUSTRIALISATION
AND TRADE, LIQUOR ACT, 1998
NOTICE OF APPLICATION TO A
COMMITTEE IN TERMS OF THE
LIQUOR ACT, 1998
(regulations 14, 26 & 33)
Notice is given that an application
in terms of the Liquor Act, 1998,
particulars of which appear below,
will be made to the Regional Liquor
Licensing Committee, Region:
OHANGWENA
1. Name and postal address of REPUBLIC OF NAMIBIA

1. Name and postal address of

applicant,
SIMEON PANDULENI UAHENGO PO BOX 387, OSHAKATI 2. Name of business or proposed **EPIC TRADING ENTERPRISES**  Address/Location of premi which Application relates OSHIKANGO - OPPOSITE DRAGON CITY

HELAO NAFIDI TOWN

Nature and details of application
SPECIAL LIQUOR LICENCE Application will be lodged: EENHANA MAGISTRATE COURT 6. Date on which application will be

03 MARCH 2023 7 Date of meeting of Committee at Which application will be heard:

10 MAY 2023

Any objection or written submission in terms of section 28 of the Act in relation to the applicant must be sent or delivered o the Secretary of the Committee to reach the Secretary not less than 21 days before the date of the meeting of the Committee at which the application will be heard.

Property

## Property





CALL THE SPCA ON:

061 238645

OR 0811244520

DONATIONS:

SPCA Windhoek

FNB Account:

62247995915

Code: 281174

## Mr. Ndaluka Amutenya

Proposed Position: Environmental Coordinator

2. Name of Firm: Impala Environmental Consulting

Name of Staff: Ndaluka Amutenya

Nationality: Namibian

5. Education: - Bachelor of Technology, Chemical Engineering,

University of South Africa, 2020

- Bachelor of Science, Chemistry Major and Geology Minor,

University of Namibia, 2012

 Namibia Senior Secondary Certificate (NSSC), Otjikoto Senior Secondary School, 2008

- 6. Membership of Professional Associations:
  - None
- Other Training: None.

8. Countries of Work Experience: Namibia

9. Speaking Writing Languages: Reading English Excellent Excellent Excellent Afrikaans Excellent Good Good Excellent Oshiwambo Excellent Excellent

#### 10 Employment Record:

From: 2019 to Present

Employer: Impala Environmental Consulting
Positions held: Environmental Assessment Practioner

From: 2015 to 2018

Employer: Tschudi Copper Mine

Positions held: Chemist

From: 2013 to 2015

Employer: Heat Exchange Products (Water Treatment)

Positions held: Water Treatment Specialist

11. Detailed Tasks Assigned	12. Past Projects Undertaken
<ul><li>Project Local Consultant</li><li>Client Liaison</li></ul>	Name of assignment or project: Catchment Management Plan for the swakoppoort dam namibia Year: 2020 Location: Okahandja, Namibia. Client: Namwater

<ul> <li>Water Sampling a Reporting</li> <li>Project Managen</li> <li>Project Supervisi</li> </ul>	the Swakoppoort Dam.  Positions held: Local Consultant
<ul> <li>Project Leader</li> <li>Client Liaison</li> <li>Public Participation</li> <li>Report Writing</li> <li>Project Managen</li> <li>Project Supervisi</li> </ul>	Year: 2020 Location: Warmbad, Karas Region Client Orange Biver Regmetite (Phy) Ltd
<ul> <li>Project Leader</li> <li>Client Liaison</li> <li>Public Participation</li> <li>Report Writing</li> <li>Project Managen</li> <li>Project Supervision</li> </ul>	Year: 2020 Location: Henties Bay, Erongo Region
<ul> <li>Project Leader</li> <li>Client Liaison</li> <li>Public Participation</li> <li>Report Writing</li> <li>Project Managen</li> <li>Project Supervisi</li> </ul>	Location: 10 km north of Karibib Client: Sunsand Investments (Pty) Ltd
<ul> <li>Project Leader</li> <li>Client Liaison</li> <li>Public Participation</li> <li>Report Writing</li> <li>Project Managen</li> <li>Project Supervisi</li> </ul>	Name of assignment or project: Environmental Impact Assessment for Dimension Stone Quarrying Activities on Mining Claims 71816, 71817, 71818, 71819, 71820, 71821, 71822, 71823, 71824, And 71825.  Year: 2020  Leasting: 40 km porthyrost of Arandia

<ul> <li>Project Leader</li> <li>Client Liaison</li> <li>Public Participation</li> <li>Report Writing</li> <li>Project Management</li> <li>Project Supervision</li> </ul>	Name of assignment or project: Environmental Impact Assessment for Sand Mining Activities on Mining Claim 72027 Year: 2020 Location: 30 km North of Ongwediva Client: Comitx Investments Group CC Main project features: Environmental Impact Assessment. Positions held: Lead Consultant Activities performed: Project Management, Report Writing, Public Meetings, Site Inspections, Stakeholder Engagement, Specialist Study Inputs and Map production.
<ul> <li>Project Leader</li> <li>Client Liaison</li> <li>Public Participation</li> <li>Report Writing</li> <li>Project Management</li> <li>Project Supervision</li> </ul>	Name of assignment or project: Environmental Impact Assessment for Mineral Exploration Activities on EPL 6408 Year: 2020 Location: 5 km south of Karibib Client: Antler Gold Inc Main project features: Environmental Impact Assessment. Positions held: Lead Consultant Activities performed: Project Management, Report Writing, Public Meetings, Site Inspections, Stakeholder Engagement, Specialist Study Inputs and Map production.
<ul> <li>Project Leader</li> <li>Client Liaison</li> <li>Public Participation</li> <li>Report Writing</li> <li>Project Management</li> <li>Project Supervision</li> </ul>	Name of assignment or project: Environmental Impact Assessment for Dimension Stone Quarrying Activities on Mining Claims 71896-71900 Year: 2020 Location: 15 km north of Karibib Client: Triple Tas Trading cc Main project features: Environmental Impact Assessment. Positions held: Lead Consultant Activities performed: Project Management, Report Writing, Public Meetings, Site Inspections, Stakeholder Engagement, Specialist Study Inputs and Map production.
<ul> <li>Project Leader</li> <li>Client Liaison</li> <li>Public Participation</li> <li>Report Writing</li> <li>Project Management</li> <li>Project Supervision</li> </ul>	Name of assignment or project: Environmental Impact Assessment for Mineral Exploration on EPL 7930 Year: 2020 Location: 40 km northwest of Karibib Client: Antler Gold Inc Main project features: Environmental Impact Assessment. Positions held: Lead Consultant Activities performed: Project Management, Report Writing, Public Meetings, Site Inspections, Stakeholder Engagement, Specialist Study Inputs and Map production.
<ul><li>Project Leader</li><li>Client Liaison</li><li>Public Participation</li></ul>	Name of assignment or project: Environmental Impact Assessment for Dimension Stone Quarrying Activities on

<ul> <li>Report Writing</li> <li>Project Management</li> <li>Project Supervision</li> </ul>	Mining Claims 72100, 72101, 72102, 72103, 72104, 72105 And 72106  Year: 2020  Location: 40 km northeast of Arandis Client: Tala Mining cc Main project features: Environmental Impact Assessment.  Positions held: Lead Consultant Activities performed: Project Management, Report Writing, Public Meetings, Site Inspections, Stakeholder Engagement, Specialist Study Inputs and Map production.
<ul> <li>Project Leader</li> <li>Client Liaison</li> <li>Public Participation</li> <li>Report Writing</li> <li>Project Management</li> <li>Project Supervision</li> </ul>	Name of assignment or project: Environmental Impact Assessment for Mineral Exploration on EPL 5702 Year: 2020 Location: 30 km South of Kamanjab Client: Emor Mining (Pty) Ltd Main project features: Environmental Impact Assessment. Positions held: Lead Consultant Activities performed: Project Management, Report Writing, Public Meetings, Site Inspections, Stakeholder Engagement, Specialist Study Inputs and Map production.
<ul> <li>Project Leader</li> <li>Client Liaison</li> <li>Public Participation</li> <li>Report Writing</li> <li>Project Management</li> <li>Project Supervision</li> </ul>	Name of assignment or project: Environmental Impact Assessment for the Development of a Lodge in the Daures Conservancy Area. Year: 2019 Location: 50-80 km northwest of UIS Client: !U-#Gab Ams Investment cc Main project features: Environmental Impact Assessment. Positions held: Lead Consultant Activities performed: Project Management, Report Writing, Public Meetings, Site Inspections, Stakeholder Engagement, Specialist Study Inputs and Map production.
<ul> <li>Project Leader</li> <li>Client Liaison</li> <li>Public Participation</li> <li>Report Writing</li> <li>Project Management</li> <li>Project Supervision</li> </ul>	Name of assignment or project: Eia For the Proposed Establishment of a Service Station on Erf 4121, Khorixas Year: 2019 Location: Khorixas Client: Noabeb's Trading Enterprises cc Main project features: Environmental Impact Assessment. Positions held: Lead Consultant Activities performed: Project Management, Report Writing, Public Meetings, Site Inspections, Stakeholder Engagement, Specialist Study Inputs and Map production.
<ul> <li>Project Leader</li> <li>Client Liaison</li> <li>Public Participation</li> <li>Report Writing</li> <li>Project Management</li> <li>Project Supervision</li> </ul>	Name of assignment or project: Environmental Impact Assessment on dimension stone and industrial mineral quarrying activities on mining claims 71227 and 71228.  Year: 2019 Location: 10 km south of Omaruru Client: Hiku Poultry and Trading CC Main project features: Environmental Impact Assessment.

	Positions held: Lead Consultant Activities performed: Project Management, Report Writing, Public Meetings, Site Inspections, Stakeholder Engagement, Specialist Study Inputs and Map production.
<ul> <li>Project Leader</li> <li>Client Liaison</li> <li>Public Participation</li> <li>Report Writing</li> <li>Project Management</li> <li>Project Supervision</li> </ul>	Name of assignment or project: Environmental Impact Assessment for Mineral Exploration Activities on Epl 5818, Central Namibia Year: 2019 Location: 40 km east of Khorixas Client: Gravity Empire Investments (Pty) Ltd Main project features: Environmental Impact Assessment. Positions held: Lead Consultant Activities performed: Project Management, Report Writing, Public Meetings, Site Inspections, Stakeholder Engagement, Specialist Study Inputs and Map production.
<ul> <li>Project Leader</li> <li>Client Liaison</li> <li>Public Participation</li> <li>Report Writing</li> <li>Project Management</li> <li>Project Supervision</li> </ul>	Name of assignment or project: Environmental Impact Assessment for Mineral Exploration on Epl 6374 Year: 2019 Location: 50 km South of Opuwo Client: Nami Geological Techniques (Pty) Main project features: Environmental Impact Assessment. Positions held: Lead Consultant Activities performed: Project Management, Report Writing, Public Meetings, Site Inspections, Stakeholder Engagement, Specialist Study Inputs and Map production.