# UPDATED ENVIRONMENTAL MANAGEMENT PLAN

Renewal of Environmental
Clearance Certificate for
TradePort Namibia's Mineral
Ore Import-Export Trading
Operations via the Port of
Walvis Bay, Namibia



Compiled for: TradePort Namibia (Pty) Ltd

P.O. Box 22458 Windhoek, Namibia

Authored by: Mr. Shadrack Tjiramba







# report details

DOCUMENT INFORMATION AND APPROVAL				
Title	Environmental Audit Report for TradePort Namibia's Fuel and Mineral Commodities Import-Export Trading Operations via the Port of Walvis Bay, Namibia			
Environmental Clearance Certificate number Audit Reporting Period	ECC-00821, ECC-00828 and ECC-00829			
Location	2020 and 2023  Walvis Bay Port, through the Trans-Kalahari, Trans- Oranje Route and Trans-Zambezi Corridors, Namibia			
Proponent	TradePort Namibia (Pty) Ltd P. O. Box Windhoek Namibia, 9000			
Author:	·			
Mr. Shadrack Tjiramba (EAP) 1	Ealu 28 July 2023			
Mr. Nande Ndaitwa (Proponent)	O3 August 2023			

### Copy Right:

"This document is the intellectual property of ELC and may only be used for the intended purpose. Unauthorized use, duplication, plagiarism or copying without referencing is prohibited"

Tradeport Namibia
Investments (Pty) Ltd
No. 157, Hafen Street
Port of Lüderitz
P.O. Box 22458 • Whk, Namibia

# executive summary

### **Project Overview**

TradePort Namibia (Pty) Ltd (herein referred to as the proponent) is a registered Namibian Logistics company, which ventures in the Import and Export Trade Operations that entails the transportation, handling and storage of fuel and mineral ore i.e. Copper, Sulphur and Coal. In 2020 (18 August 2020), TradePort Namibia obtained three separate Environmental Clearance Certificate for with an intention to expand their Import and Export Trading operations to along three addition routes throughout Namibia in the following corridors:

- Trans-Kalahari Corridor via the Port of Walvis Bay
- Trans-Oranje Corridor via the Port of Walvis Bay, and
- Trans-Zambezi Corridor via the Port of Walvis Bay

An environmental compliance Audit for proposed Import-and-Export of fuel and mineral ore by TradePort was conducted on desktop basis, given that no actual operations were undertaken during the reporting period. Subsequently, the relevant compliance Audit report submitted accordingly to the Ministry of Environment, Forestry and Tourism to effect the consequent application for renewal of Environmental Clearance Certificates.

Therefore, it appointed Enviro-Leap on the 25<sup>th</sup> July 2023 to conduct an environmental audit and compile for submission to the Department of Environmental Affairs and Forestry the biannual report.

### **Process Approach**

In this instance the, an environmental Audit has to be undertaken to assess whether the TradePort Namibia's operation were undertaken (if any) in compliance with the ECC Conditions: The specific objectives of this report is therefore to:

- Review the initial environmental assessment documents (including ECC Conditions) in order to identify the potential impacts that require mitigation and compliance.
- Compile an Environmental Audit report (for the 2021 2023 reporting period) for submission to the regulatory authority.

The audit was conducted adopting a desktop study, which entailed a detailed review of the company's available environmental compliance documents and analysis of data from its monitoring programs.

### **Overall Recommendation**

Overall, in the absence of any operations undertaken in respect to the ECCs in question, it can be concluded that TradePort Namibia has not contributed to any environmental integrity violation and thus 100 % compliant. Hence, Enviro-Leap Consulting is confident to provide a positive recommendation and in favor of the renewal of the when its environmental clearance certificate by the Department of Environmental Affairs and Forestry (DEAF) accordingly harnessed to increase the net marginal benefits relating to the socio-economic aspects of the operations.

# glossary

CBD	Central Business District
CA	Competent Authority
DEAF	National Department of Environmental Affairs and Forestry
EA	Environmental Authorization
ECC	Environmental Clearance Certificate
EAP	Environmental Assessment Practitioner
EIA	Environmental Impact Assessment
EMA	Environmental Management Act
FTU	Floating Transfer Unit
GPS	Geographical Positioning System
GPS	Geographical Positioning System
OEC	Office of Environmental Commissioner
PM10	Particulate Matter 10
PPP	Public Participation Process

### 1. PROJECT OVERVIEW

This section provides an overview of the conceptual operational design and an overview of the sites and technology selection process for the proposed construction of warehouse facilities at Grootfontein, Witvlei / Gobabis and Walvis Bay for TradePort Namibia's import and export operations mineral ore and fuel commodity (*Figure 1*, illustrates the proposed trading operation's process flow).




Figure 1: Illustration of TradePort Namibia's activity flow, detailing the initial activities at the mines in source countries to the loading of the commodity onto the ship at the Port Walvis Bay in Namibia

The operational specific activities are conducted within closed warehouse facilities both at Grootfontein, Witvlei / Gobabis (these includes offloading and bulk storage of the various mineral commodity (currently only Copper, Sulphur and Coal) and fuel (diesel and Petrol)) and at Walvis Bay Port (activities here includes the off-loading and bulk storage of the various fuel and mineral commodity, as well as loading the mineral onto the ship for export).

The commodities for which the environmental clearance certificate was obtained includes both Fuel and Mineral ore Petrol or diesel) will be imported from Botswana, South Africa and Zambia. Overall, two major activity components are undertaken by TradePort Namibia under the current authorisation and these are:

- Component 1; the construction of two warehouse facilities, one at Grootfontein, Witvlei/Gobabis and Walvis Bay— all were constructed mainly within existing infrastructure footprint of TransNamib and NamPort respectively.
- Component 2; the handling within closed environment and haulage of commodities by use of a combined Rail-and-Road means of transportation of the commodities from the source locations in South Africa and Namibia, and the export by sea (vessels).

### 1.1. SITE SELECTION

The proposed route through town and to the port area is surrounded by mixed land-use. The route follows the existing railway and is intended to eliminate any potential implications on traffic within the two towns as it's transported to the warehouses. Along the way, the route passes initially through some residential areas to the right and some partially dormant semi-industrial on the left of the railway, and mixed use Walvis Bay CBD consisting of various institutions, residential properties, tourist accommodation, restaurants and various business.

On a site specific level, two site (one each) at the Walvis Bay (*Figure 2*) Port and in Gobabis / Witvlei (*Figure 3*) and Grootfontein (*Figure 4*) were selected, on which the warehouse facilities will be constructed (corner GPS coordinates presented in *Table 1*). The site selection process took into consideration key site selection factors such as land availability, proximity to sensitive receptors, site accessibility, topography, risks, current land use.

**Table 1:** Corner coordinates of the proposed development site

	, , ,	1
Corner point	Latitude	Longitude
A – Grootfontein Warehouse	-19.570032° S	18.093844° E
B –Witvlei/Gobabis Warehouse	-22 <b>.</b> 447319° S	18.971593° E
C – Walvis Bay Warehouse	-22.959265°S	14.489111°E






Figure 2: Haulage route along the existing railway line through different land uses in the Walvis Bay town



**Figure3:** Haulage route along the existing railway line through different land uses in the Gobabis / Witvlei town



**Figure 4:** Haulage route along the existing railway line through different land uses in the Grootfontein town

### 1.2. KEY COMPONENTS OF TRADEPORT NAMIBIA'S OPERATIONS

Most of the fuel and mineral commodities originates from South Africa and will be mainly exported in bulk on an alternating basis but with a consistent volume of between 80 000 and 100 000 tons monthly. The core activities proposed will be conducted at the Port in Walvis Bay and includes mainly the transportation, handling and temporary storage under closed warehouse facilities of the various commodities at Gobabis / Witvlei (rented TransNamib Premises) and Walvis Bay (rented NamPort premises).

The mineral commodity shall be mainly hauled by rail, unless during an emergency / or as a contingency measure where there is a temporal rail-line obstruction (in which-case trucks/road option shall be temporarily used) and fuel shall be hauled mainly by road in fuel tankers. The project will ultimately consist of the following components:

- The construction of a new warehouse at Gobabis / Witvlei and Walvis Bay
- Acquisition of more rail wagons with lids
- Import of fuel and mineral commodities (Copper, Sulphur and Coal) from South Africa
- Haulage, Storage and Handling of the commodity at the Gobabis / Witvlei and Walvis Bay warehouse facilities
- Loading of the commodities onto ships within the NamPort Harbour

### 1.2.1. Employment

During the construction phase, both skilled and unskilled temporary employment opportunities will be created. It is difficult to specify the actual number of employment opportunities that will be created at this stage; however approximately 100 personnel in project support industries will be utilized during the construction phase.

In addition to having created employments opportunities, TradePort Namibia embarked on corporate social responsibility initiatives of sponsoring community project or organisation that provide crucial service for the benefit of the larger public such as listed in *Table 2* below.

### 1.2.2. Operation and Maintenance

The TradePort Namibia's key operational activities revolves around the handling of the commodity in closed-top container / within warehouse facilities at both Grootfontein, Witvlei/Gobabis and Walvis Bay Port, and haulage by Truck or Rail.

The haulage in particular, entails two options namely (see Figure 4 for the routes illustration):

- Option 1; Direct Rail transportation of the fuel and mineral commodity from South Africa to the Walvis Bay (this is a future option, when export volume increases from 80000 tonnes to 100000 tonnes per month), and
- Option 2; "Truck/Road) transportation of the fuel and mineral commodity from South Africa to the TradePort Namibia's Warehouse in Gobabis / Witvlei, from whence it shall be transferred onto Rail for the rest of the route to the Walvis Bay Port in Namibia (this is the preferred option for the immediate start of operations).

#### 1.2.3. Proposed development – Construction

The construction activities will take place subsequent to the issuing of an Environmental Clearance Certificate (ECC). The construction activities are proposed at both the Walvis Bay Port and Gobabis / Witvlei Town, and is expected to extend over a period of between three and six months concurrently for the respective sites (see *Table 4* for technical specifications of the respective warehouse facilities). These assumes that normal daylight working hours shall be are adhered to in respect to the Labour Act provisions.

During the construction phase, both skilled and unskilled temporary employment opportunities will be created. It is difficult to specify the actual number of employment opportunities that will be created at this stage; however approximately 100 personnel in project support industries will be utilized during the construction phase.

The construction specific activities will involve the transportation of personnel, construction material and equipment to the site, and personnel away from the site. In terms of site establishment, laydown areas will be required at the outset of the construction phase, as well as dedicated access routes from the laydown areas to the working areas. Haul roads for construction traffic (for the delivery of concrete, paving materials and other construction materials) will be required.

All needed construction material (different sand and stone aggregate, cement, corrugated iron sheets, beams etc.) will be sourced from local suppliers, and most preferable within Gobabis / Witvlei Town. Equally the basic / utility service shall be obtained from the relevant local authorities through both NamPort and TransNamib whose premises TradePort Namibia (Pty) Ltd intends to rent.

Both Water (~ 1000 liters per day) and Electricity (< 1.5 Kilowatt per Day) will be needed both for domestic and construction purpose during the construction phase. However, during the operation phase, even lesser water and energy will be required as the operations does not involve any process or manufacturing activities.

The layout (Figure 7) and design of the warehouse facility consists of mainly the warehouse, small administrative block which includes a First Aid Medical room, parking area (also used as an emergency assembly site and ablution facilities. The design intends to blend-in or incorporate the existing, either the TransNamib (rail) or NamPort's (Port) infrastructure. This was done intentionally to avoid, prevent and or mitigate further environmental impacts.

Table 2: Technical details of the proposed facility as required by the Competent Authority

		Description / Dimensions			
Component		Grootfontein, Witvlei/Gobabis and Walvis Bay	Lüderitz Port		
Height of Warehou	use facility	9,5 meter	9,5 meter		
Areas of Warehous	se facility	426 m2	426 m2		
Area occupied by b	ouildings	XXX	XXX		
	Manganese	100 000 ton	100 000 ton		
Volume (tons) of	Iron (Planned)	90 000 ton	90 000 ton		
Fuel & Mineral exported Monthly	Lime	_	5000 ton		
exported Monthly	Fertiliser	180 000 ton	180 000 ton		
	Others	10 000 ton	10 000 ton		
Power Requiremen	nts	1.5 Kw	1.5 Kw		
Water Requiremen	nts	500 liters	500 liters		
Size and number of vessels		Ultra and Supramax, 2 per Month	Ultra and Supramax, 2 per Month		
Size and number of rail wagons		2.4m x 17m, 17 ton Tare, 61 ton Load, 200 oF	2.4m x 17m, 17 ton Tare, 61 ton Load, 200 oF		
Height of fencing		3 meter	3 meter		
Type of fencing		Barbwire	Barbwire		




Figure 7: The technical specification and layout of the proposed warehouse facilities to be constructed at both NamPort and TransNamib premises in Walvis Bay and Gobabis / Witvlei respectively

The construction specific activities will involve the transportation of personnel, construction material and equipment to the site, and personnel away from the site. In terms of site establishment, laydown areas will be required at the outset of the construction phase, as well as dedicated access routes from the laydown areas to the working areas.

Haul roads for construction traffic (for the delivery of concrete, paving materials and other construction materials) will be required. All needed construction material (different sand and stone aggregate, cement etc.) will be sourced from local suppliers, and most preferable from Grootfontein, Gobabis and Walvis Bay. Both Water and Electricity will be needed both for domestic and construction purpose during the construction phase. However, during the operation phase, even lesser water and energy will be required as the operations does not involve any process or manufacturing activities.

## 1.3. DESRCIPTION OF COMMODITIES1.3.1. Fossil Fuel (Coal, Petrol and Diesel)

Fossil fuels consist of deposits of once living organisms and takes centuries to form. Fossil fuels principally consist of carbon and hydrogen bonds (Lenntech, 2020a). There are three types of fossil fuels which can all be used for energy provision; coal, oil and natural gas.

Coal is a solid fossil fuel formed over millions of years by decay of land vegetation. When layers are compacted and heated over time, deposits are turned into coal (Lenntech, 2020a). Oil on the other hand, is a liquid fossil fuel (from which Petrol and diesel are produced) that is formed from the remains of marine microorganisms deposited on the sea floor.

#### 1.3.1. Copper

Copper is a reddish metal with a face-centered cubic crystalline structure. It is found in the group *Ib* of the periodic table, together with silver and gold. Copper has low chemical reactivity. In moist air it slowly forms a greenish surface film called patina; this coating protects the metal from further attack (Lenntech, 2020b).

### 1.3.1. Sulphur

Sulphur is a multivalent non-metal, abundant, tasteless and odorless. In its native form Sulphur is a yellow crystalline solid and occurs in nature as the pure element or as sulfide and sulfate minerals (Boone et.al, 2017). Although Sulphur is infamous for its smell, frequently compare to rotten eggs, that odor is actually characteristic of hydrogen sulphide (HS).

### 1.3.1. Manganese

Manganese is a pinkinsh-gray, chemically active element. It is a hard metal and is very brittle. It is hard to melt, but easily oxidized (Lenntech, 2020c). Manganese is reactive when pure, and as a powder it will burn in oxygen, it reacts with water (it rusts like iron) and dissolves in dilute acids.

### 2. ENVIRONMENTAL IMPACTS AND MITIGATION MEASURES

#### 2.1 OVERALL OBJECTIVES OF THE EMP

The following overall environmental objectives have been set for the IPMMs and Partners small-scale quarrying project:

- To comply with national legislation and standards for the protection of the environment.
- To limit potential impacts on biodiversity through the minimisation of the footprint (as far as practically possible) and the conservation of residual habitat within the mine area.
- To keep surrounding communities informed of farming activities through the implementation of forums for communication and constructive dialogue.
- To ensure the legal and appropriate management and disposal of general and hazardous waste, through the implementation of a strategy for the minimisation, recycling, management, temporary storage and removal of waste.
- To develop, implement and manage monitoring systems to ensure good environmental performance in respect of the following: ground and surface water, air quality, noise and vibration, biodiversity and rehabilitation.

### 2.2 METHODS OF IMPACT SCOPING / ASSESSMENT

Potential environmental impacts were identified through both desktop literature review and consultation with I&APs, regulatory authorities, specialist and Enviro-Leap Consulting. In case of social impacts, the assessment focused on third parties only (third parties include members of the public and other local and regional institutions) and did not assess health and safety impacts on workers because the assumption was made that these aspects are separately regulated by health and safety legislation, policies and standards.

The impacts are discussed under issue headings in this section. The discussion and impact assessment for each subsection covers the construction, operational, decommissioning and closure phases where relevant. This is indicated in the table at the beginning of each sub-section. Included in the table is a list of project activities/infrastructure that could cause the potential impact per farming phase. The activities/infrastructure that are summarized in this chapter, link to the description of the proposed project (see Section 6 of the EIA report).

Mitigation measures to address the identified impacts are discussed in this section and in most cases (unless otherwise stated), these mitigation measures have been taken into account in the assessment of the significance of the mitigated impacts only.

Both the criteria used to assess the impacts and the method of determining the significance of the impacts is outlined in **Table 5**. This method complies with the method provided in the Namibian EIA Policy document and the draft EIA regulations. Part A provides the approach for determining impact consequence (combining severity, spatial scale and duration) and impact significance (the overall rating of the impact). Impact consequence and significance are determined from Part B and C. The interpretation of the impact significance is given in Part D. Both mitigated and unmitigated scenarios are considered for each impact.

**Table 5:** Criteria for Assessing Impacts

Table 3. Citteria for Assessing Impacts					
PART A: DEFINITION AND CRITERIA					
Definition of SIGNIFICANCE Significance = consequence probability					
Definition of CONSEQUENCE	Definition of CONSEQUENCE Consequence is a function of severity, spatial extent and duration				
	Н	Substantial deterioration (death, illness or injury). Recommended level will oftenbe violated. Vigorous community action. Irreplaceable loss of resources.			
Criteria for ranking of the SEVERITY/NATURE	M	Moderate/measurable deterioration (discomfort). Recommended level will occasionally be violated. Widespread complaints. Noticeable loss of resources.			
of environmental impacts	L	Minor deterioration (nuisance or minor deterioration). Change not measurable/will remain in the current range. Recommended level will never be violated. Sporadic complaints. Limited loss of resources.			
	L+	Minor improvement. Change not measurable/will remain in the current range.  Recommended level will never be violated. Sporadic complaints.			
	M+	Moderate improvement. Will be within or better than the recommended level. No observed reaction.			
	H+	Substantial improvement. Will be within or better than the recommended level. Favorable publicity.			
Criteria for ranking the	L	Quickly reversible. Less than the project life. Short-term			
DURATION of impacts	M	Reversible overtime. Life of the project. Medium-term			
	Н	Permanent beyond closure – Long-term.			
Criteria for ranking the	L	Localized-Within the site boundary.			
SPATIAL SCALE of Impacts	M	Fairly widespread–Beyond the site boundary. Local			
	Н	Widespread – Far beyond site boundary. Regional/national			

### PART B: DETERMINING CONSEQUENCE

#### SEVERITY - I

SEVERITY = L					
DURATION	Long-term	Н	Medium	Medium	Medium
	Medium term	M	Low	Low	Medium
	Short-term	L	Low	Low	Medium
			SEVERITY = M		
DURATION	Long-term	Н	Medium	High	High
	Medium term	M	Medium	Medium	High
	Short-term	L	Low	Medium	Medium
	SEVERITY = H				
DURATION	Long-term	Н	High	High	High
	Medium term	M	Medium	Medium	High
	Short-term	L	Medium	Medium	High
			L	M	Н
Localized Within site boundary  Site  Fairly widespread Widespread Far beyond site boundary  Site  boundary					
	SPATIAL SCALE				
PART C: DETERMINING SIGNIFICANCE					

	PART C: DETERMINING SIGNIFICANCE					
	Definite/Continuous	Н	Medium	Medium	High	
PROBABILITY	Possible/frequent	M	Medium	Medium	High	
(of exposure to impacts)	Unlikely/seldom	П	Low	Low	Medium	
			L	M	Н	
				CONSEQUENCE		

PART D: INTERPRETATION OF SIGNIFICANCE		
Significance	Decision guideline	
High	It would influence the decision regardless of any possible mitigation.	
Medium	It should have an influence on the decision unless it is mitigated.	
Low	It will not have an influence on the decision.	

<sup>\*</sup>H = high, M = medium and L = low and + denotes a positive impact.

### 3. SUMMARY OF ENVIRONMENTAL IMPACT S AND THE MANAGEMENT PLAN

### 3.1 STAKEHOLDER MANAGEMENT AND MITIGATION

It is important that channels of communication are maintained over the life of the project for surrounding landowners, the general public members, as well as the local and traditional authorities, table 6 shows the stakeholders communication Management and Mitigation Plan.

**Table 6:** Actions relating to stakeholder communication

Issue	Management commitment	Phase
	Maintain and update the claim holders stakeholder register, including stakeholders' needs and expectations. Ensure that all relevant stakeholder groups are included.	All
Understanding who the stakeholders are	A representative database would include government, employees, service providers, contractors, indigenous populations, local communities, traditional authorities, NGOs, shareholders, customers, the investment sector, community-based organizations,	7
	suppliers and the media.	All
	Ensure that marginalized and vulnerable groups are also considered in the stakeholder communication process.	All
	Record partnerships as well as their roles, responsibilities, capacity and contribution to development.	All
Liaising with interested and affected parties at all phases in the mine life	Devise and implement a stakeholder communication and engagement strategy.	All
Responsibility		

### 3.2 IIMPACTS ON THE BIOPHYSICAL ENVIRONMENT

Table 7. Impact on the Terrestrial Ecology

Impact Event	Disturbances to the terrestrial ecology including livestock and wildlife
Description	The Warehouse storage facilities shall be located in build-up environments, and within an industrial land-use zone and with little to no significant ecological sensitivity. However, the railway line earmarked for transportation of the commodity runs through parts of the country with a variety of land use zonation including farms, town and national parks. While the use of the rail transport does not present direct impacts, secondary impacts may be associated with the handling and haulage of iron and manganese ore.
Nature	<ul> <li>Impacts in the terrestrial environment as a result of the project could result from the following:         <ul> <li>Generation of dust contaminating the environment</li> <li>Secondary impacts such as Fauna and Flora Poaching</li> <li>Train – animal (Wild / Livestock) collisions, where the railway passes through farms and national parks.</li> <li>Lighting impacts on Bird flying at night</li> </ul> </li> </ul>

Phases: Phases during vassessment was carried			phase which	presents a long	term risk.	v; Significance	
Construction Phase				ecommissioning Phase		D Cl	
Construction Phase		tional Phase		Pilase	POS	t Closure	
N/A	comm • Handli	<ul> <li>Transportation of commodities by rail</li> <li>Handling of wagons / containers at the Port</li> </ul>					
Severity	scenario	Taken together, the disturbances will have a high severity in the unmitigated scenario. In the mitigated scenario, many of these disturbances can be prevented or mitigated to acceptable levels, which reduces the severity to low.					
Duration	_	The Significance of the potential impacts is subject to the proposed operation's life-time, however duration is short-term.					
Spatial Scale	transpor	Low, localized although the affected environment extend the length of the transportation route					
Probability		Very Low, most impact are contained by the buffer fence (rail reserve) on either side of the rai-line					
Unmitigated	Severity	Duration	Spatial Scale	Consequenc e	Probability of Occurrence	Significance	
	M	M	M	Н	M	Н	
Mitigated	Severity	Duration	Spatial Scale	Consequenc e	Probability of Occurrence	Significance	
o de la companya de	L	L	M	L	L	M	
Conceptual Description of Mitigation Measures	The consideration and choice of transporting the mineral and fuel commodity on rail instead of road, offers a great opportunity for significantly preventing potential secondary impacts relating to trucks-animal-collision, potential spills / contamination of soil and groundwater during road accident incidents. Hence, it is advisable that the proposed is implemented with strict use of the identified rail						

Table 8. Impact on the Marine Ecology

Impact Event	Disturbances to the marine ecology including the fish stock and other marine-life
	Impacts in respect to Marine Ecology relates manly to Accidental spillage or leakage of oil, fuel, or contamination of sea water with ore and thus affecting the chemical or biological oxygen demand (COD or BOD, respectively).
Description	Dissolved particulate matters as a result handling both the Iron and Manganese ore may lead in diminished oxygen levels in seawater which forces mobile fauna to flee while sessile and sediment-dwelling organisms die. When oxygen is no more available for the break-down of discharged matter, other microbial communities take over, leading to emissions of sulphide.
Nature	The effects of both Iron and Manganese on the immune response in the studied animals vary, they are all affected in some way. Overall, while certain dose levels of Iron and Manganese doses are essential to human and plants, access dose-levels are toxic. Manganese is abundant in soft ocean bottoms, but since it is normally bound to the sediments it usually does not cause any ill effects. However, hypoxia releases the manganese from the sediments, making it a threat to the health of marine species.

transport route and mode.

Phases: Phases during which sources of marine ecology impacts apply are highlighted below; Significance assessment was carried out on the operational phase which presents a long term risk. Decommissioning **Construction Phase** Operational Phase Phase Post Closure Transportation commodities by rail N/A Handling of wagons / N/A N/A containers at the In the unmitigated scenario, the potential risk for sea water contamination is high particularly if the commodity handling activities do not employ adequate dust suppression mitigation measures. However, in the mitigated scenario, most dust particulate particles may be well contained by both treating the ore at Severity source and ensuring continuous dust management during the loading of ore onboard the ship. The Significance of the potential impacts is subject to the proposed operation's Duration life-time, however duration is short-term. Low, localized although the affected environment extend the length of the Spatial Scale transportation route Very Low, most impact are contained by the buffer fence (rail reserve) on either side of the rai-line Probability Spatial Consequenc Probability of Occurrence Severity Scale Significance Duration e Unmitigated Μ н Μ M Μ Consequenc Probability of Spatial Severity Duration Scale Occurrence Significance Mitigated The most practical measure is containment of dust by storage and handling of mineral commodities in closed warehouse, and ensuring that maintenance of dust suppression equipment remains to date. In events of accidental spillage, oxidation followed by filtration may be applied in small water bodies when combined levels of iron and manganese exceed 10 mg/L. Conceptual Description of Mitigation Measures In this process, a chemical is added to convert any dissolved iron and manganese into the solid, oxidized forms that can then be easily filtered from the water. Although it might be effective for larger water bodies, the cost of doing so warrants strict compliance with the avoidance / prevention measures.

### 3.3 IMPACTS ON THE SOCIO-ECONOMIC ENVIRONMENT

Table 9. Impact on the Health and Safety

Impact Event					s and other house			
Description	Trace amounts of Iron and Manganese are essential to the health of human, wildlife and plants. However, these has a tendency to accumulate in some organisms and plants which could lead to higher levels presenting potentially harmful exposures further up the food chain. It is not considered likely that Iron / Manganese pollution has any effects on the global environment.							
Nature	Both Iron and Manganese compounds can enter the body by either inhalation of air containing particulate matters, ingestion of water or food containing these compounds. Inhalation of air containing high levels of these compounds can lead to a range of adverse health effects. These include hallucinations, changes in behavior, weakness, speech problems headaches, tremors, stiffness, balance problems and bronchitis.							
Phases: Phases during v			-			; Significance		
assessment was carried	out on the c	ррегацопат р		ecommissioning	emmisk.			
Construction Phase	Onera	tional Phase		Phase	Post	Post Closure		
N/A	• Transp commo • Handlii		s /	Tilasc	N/A			
Severity	The cumulative impact emanating from TradePort Namibia's operations and other operator shall be of high severity in the unmitigated scenario. In the mitigated scenario, many of these disturbances can be prevented or mitigated to acceptable levels, which reduces the severity to low.							
Duration	The Significance of the potential impacts is subject to the proposed operation's life-time, with potentially long-term impacts extending beyond the project operations in the unmitigated scenario.							
Spatial Scale	Low, localized and mainly limited to the warehouse sites in Grootfontein, Gobabis/Wtvlei and Walvis Bay							
Probability	Very Low, most impact are contained through the preferred handling, storage and transportation methods of the commodities involved.							
Unmitigated	Severity	Duration	Spatial Scale	Consequence	Probability of Occurrence	Significance		
	Н	Н	М	Н	M	Н		
			Spatial		Probability of			
Mitigated	Severity	Duration	Scale	Consequence	Occurrence	Significance		
	L	L	M	L	L	M		
Conceptual Description of Mitigation Measures	In the unmitigated scenario, the greatest risk in respect to the proposed operations would entail mainly airborne exposure to dust particles generated during the handling activities. Hence, the most appropriate measures would be to enforce exposure limits through strict work-shifts and ensuring maximum dust suppression measures. Critically, in the mitigated scenario which entails adoption of precautionary measures as identified in the EMP including the avoidance approach of the mitigation hierarchy i.e. ensure a no dust operations.							

Table 10. Impact on the Traffic and Noise

Impact Event	Disturbances to the social and economic aspects of the town population								
Description	Container handling related activities may result in temporary noise producing activities. Some noise will exist due to the train and other heavy motor vehicles accessing the port and moving through town for commodity delivery as well as the operations of front-end loaders and forklifts.								
	Temporary to long-term impact are anticipated, but these shall not be entirely or significantly influence by the proposed activity but from regular TransNamib and NamPort operational activities.								
Nature	For rail transport minor traffic impacts are expected and is limited to a number or rail level crossings along the rail route. Noise will be the major negative impact on both residents and the tourism sector, especially at accommodation establishments situated along or near the proposed transport route through Namibia and the town.								
Phases: Phases during which sources of terrestrial ecology impacts apply are highlighted below; Significance									
assessment was carried out on the operational phase which presents a long term risk.									
Construction Phase	Onera	Operational Phase			ecommissioning Phase		Post Closure		
Construction i hase	•	ortation	of		1 Hase		1 03	Closure	
N/A		odities by ra	il	N/A		N/A	ı		
	Handling of wagons /								
	containers at the Port								
Severity	Potential impacts will not, be associated directly to activities of TradePort Namibia's operations and therefore, in this respect and across-board and scenarios the severity will be very low								
Duration	The Significance of the potential impacts is subject to the proposed operation's life-time, however duration is short-term.								
Spatial Scale	Low, localized although the affected environment extend the length of the transportation route								
Drahahilitu	Very Low, most impact are contained by the buffer fence (rail reserve) on either side of the rai-line								
Probability	side of t	Tie rai-illie	Spa	tial		Probability	of		
Unmitigated	Severity	Duration	Sca		Consequence	Occurrence		Significance	
Ommugacca	L	L		Н	М	L		Н	
			Spa	tial		Probability	of		
Mitigated	Severity	Duration	Sca	ile	Consequence	Occurrenc	:e	Significance	
	L	L		L	L	L		L	
	Conceptual discussion of the mitigation measures is provided below and detailed								
	in the EMP. It is recommended that project activities relating to handling and								
Conceptual		transportation must adhere strictly to both the routes assessed, use or rail transportation only and handling of the iron or manganese commodity in closed							
Description of	containers. In a case of a contingency operation which my trigger deviation of								
Mitigation Measures	actions from the approved mitigation measures, approval must be obtained from								
	all relevant competent authorities prior to deviation with the approved condition.								

Table 11. Impact on the Economic Aspect

able 11. Impact on the Economic Aspect									
Impact Event					•	of the town popula			
Description	Potential economic gains that may never be realized if the proposed project								
	activities does not go-ahead include: loss in income for both TransNamib and								
	NamPort, unemployment and the loss of socio-economic benefits derived from								
	current and future export and import trading opportunities.								
Nature	Impacts relating to the of the local socio-economic activities may arise from								
	increased TransNamib and NamPort operational activities in relation to the export								
	of mineral and fuel commodity through the three towns resulting in employment								
	(positively) and noise (potential negative on residence and tourism).								
Phases: Phases during v	which source	es of terresti	rial eco	ology ir	npacts apply are	highlighted belov	; Significance		
assessment was carried									
		·	Decommissioning						
Construction Phase	Opera	itional Phase	9	Phase		Post	t Closure		
	• Transp	ortation	of						
N/A	commodities by rail			N/A		N/A	N/A		
	<ul><li>Handling of wagons /</li></ul>								
	contai	ners at the P	ort						
	In the unmitigated scenario, this implies in the case where the activity take not								
	take effect, no economic benefits shall realize hence, the severity in respect to								
Severity						th the implemen			
proposed operations, the severity of unemployment shall be redu									
	The Significance of the potential impacts is subject to the proposed operation's								
Duration		, with a long							
			nly lin	nited to	the two towns (	Grootfontein, Go	babis / Witvlei		
Spatial Scale	and Walvis Bay)								
	Medium to High probability in respect to job creation on both the temporary during construction phase of warehouse facilities and long-term during operation								
		onstruction	phase	of war	ehouse facilities a	and long-term dui	ing operation		
Probability	phase					- 1 1 1111			
	c :	D 1:	Spa		6	Probability of	c:		
Unmitigated	Severity	Duration	Sca	ile	Consequence	Occurrence	Significance		
	Н	L		L	L	L	L		
			Spat			Probability of			
Mitigated	Severity	Duration	Sca	ile	Consequence	Occurrence	Significance		
	L	M+	1	M+	H+	H+	H+		
Conceptual	It is crit	ical that tir	nely a	and cor	ntinuous commu	nication and diss	semination of		
Description of									
Mitigation Measures social marginalization, drive gender equality and enhance the understanding perception of the benefits associated with TradePort Namibia's operations									
							•		