

45 Feld Street, Windhoek, Namibia PO Box 81808, Windhoek, Namibia **Tel:** (+264) 61 248 614 **Fax:** (+264) 61 238 586 **Web:** www.gcs-na.biz

Environmental Assessment for the Proposed Construction of Telecommunication Tower in Swakopmund, Erongo Region

APP-001960

Scoping Report

Version - Final

09 December 2020



PowerCom (Pty) Ltd GCS Project Number: 20-0754 Client Reference: DRC Tower



 GCS (Pty) Ltd.
 Reg No: 2006/717
 Est. 2008

 Offices:
 Durban
 Johannesburg
 Lusaka
 Ostrava
 Pretoria
 Windhoek

 Director:
 AC Johnstone

www.gcs-na.biz

Environmental Assessment for the Proposed Construction of Telecommunication Tower in Swakopmund, Erongo Region

Scoping Report

Version - Final

09 December 2020

PowerCom (Pty) Ltd

DOCUMENT ISSUE STATUS

| Report Issue | Final | | | |
|----------------------|--|-------------------|---------------|--|
| GCS Reference Number | GCS Ref - 20-0754 | GCS Ref - 20-0754 | | |
| Client Reference | DRC Tower | | | |
| Title | Environmental Assessment for the Proposed Construction of Telecommunication Tower in Swakopmund, Erongo Region | | | |
| | Name | Signature | Date | |
| Author 1 | Stephanie Strauss | Martin | December 2020 | |
| Document Reviewer | Gerda Bothma | Altro | December 2020 | |

LEGAL NOTICE

This report or any proportion thereof and any associated documentation remain the property of GCS until the mandator effects payment of all fees and disbursements due to GCS in terms of the GCS Conditions of Contract and Project Acceptance Form. Notwithstanding the aforesaid, any reproduction, duplication, copying, adaptation, editing, change, disclosure, publication, distribution, incorporation, modification, lending, transfer, sending, delivering, serving or broadcasting must be authorised in writing by GCS.

EXECUTIVE SUMMARY

Introduction

PowerCom (Pty) Ltd (PowerCom hereafter) proposes to erect a telecommunication tower on Erf 1824, Matutura in Swakopmund which aim to strengthen the coverage for mobile and wireless services, inclusive of voice and data services within the subject area.

This report documents the assessment of potential impacts from the proposed activity. The preliminary findings within this Scoping Report indicate that potential impacts will be of a low significance. These potential impacts can be further mitigated by implementation of an effective Environmental Management Plan.

Project Description

PowerCom proposes to erect a telecommunication tower on Erf 1824, Matutura in Swakopmund which aims to strengthen the coverage for mobile and wireless services, inclusive of voice and data services within the subject area.

Network coverage predictions were used to determine the black holes in wireless and fixedwireless services which drove the selection of the proposed site. This site will be used to improve coverage for mobile services, which include voice and data services. The proposed site is located within an existing urban area within the boundaries of Swakopmund town.

The proposed development will include the construction of a 25-meter-high network tower that will be camouflaged as a tree. It will additionally include the construction of an equipment room which will house the communication equipment. The site will be fenced off in order to limit public access.

Public Participation

Communication with I&APs about the proposed development was facilitated through the following means and in this order:

- A Background Information Document (BID) containing descriptive information about the proposed activities was compiled (**Appendix D**) and sent out to all identified and registered I&APs on 2 October 2020;
- Notices were placed in *The Republikein* and *The Sun* newspapers dated 2 October 2020 and 9 October 2020, briefly explaining the activity and its locality, inviting members of the public to register as I&APs (Appendix E);
- Site Notices were fixed on the proposed site and on the Swakopmund Municipality notice board (See Appendix G);

• A public meeting was scheduled to be held in Swakopmund on 15 October 2020 at the Meduletu Hall in Swakopmund at 14h00;

Public consultation was carried out according to the Environmental Management Act's EIA Regulations. After the initial notification, the I&APs were given two weeks to submit their comments on the project until 23 October 2020; and

The Draft Scoping Report was circulated from the 12th November until the 26th November 2020 for public review and comment. This report highlights issues raised from the public on the documents and contain statements of how these are addressed and incorporated into the final document. The comment period will remain open until the final scoping report is submitted to MEFT.

Conclusions and Recommendations

The key potential biophysical impacts related to the construction, operation/maintenance and decommissioning phases of the proposed project were identified and assessed. Suitable mitigation measures (where required and possible) were recommended, and the impacts can be summarised as follows:

- Impacts on Surrounding Property Owners (during construction): There is the possibility of disturbance of the surrounding property owners due to the presence of the construction team. The construction work will last for a scheduled period and is not expected to continue for an extended period. Therefore, the significance of this impact is low.
- Impacts on Health and Safety (during construction and decommissioning) Workers
 may be subject to issues of health and safety during construction on site. Improper
 handling of construction materials and equipment may cause injuries. With no
 mitigation measures in place, this impact will receive a "medium to high"
 significance rating. However, with the implementation of applicable safety
 measures, the impact can significantly be reduced to a low rating.
- Impacts on Waste Generation (during construction and decommissioning): Construction activities usually generates wastes which leads to environmental pollution, if not properly handled. This may pose a negative visual impact on the surrounding environment. Without any mitigation measures implemented, the impact can be rated as of a "medium" significance. After the implementation of the mitigations, the impact will be significantly reduced to low rating.

- Impacts on dust and noise (during construction): Dust and noise generation may occur during construction. Without any mitigation measures implemented, the impact can be rated as of a "medium" significance. After the implementation of the mitigations, the impact will be significantly reduced to low rating.
- Impacts on Health and Safety (Potential Radiation during operational phase): Although health concerns were not specifically raised as a concern during the public participation process, it is a national and international topic that requires investigation due to the close proximity of the structure to neighbouring properties.
- Impacts on Civil Aviation during (operational phase): Potential impact on civil aviation due to the height and location of the site. The proposed structure is approximately 8 km from the Swakopmund Airport. As such it is required that the proposed structure comply with the regulations of the Namibia Civil Aviation Act in terms of limitations and markings. Therefore, this impact will receive a significant medium rating.
- Impact on mobile users (during decommissioning phase): The affected residents and businesses will lose good network coverage in the area, if the tower is decommissioned and no other alternative cellular service infrastructure is put in place. This is an unlikely case due to the fact that, the modern world is advancing on a daily basis, and there will always be a need for improved mobile and wireless services. Even if the tower is to be removed in the future, it will most likely be replaced by a better infrastructure for the same purpose.

Based on the information provided in this report, GCS is confident the identified risks associated with the proposed development can be reduced to acceptable levels, should the measures recommended in the EMP be implemented and monitored effectively. It is therefore recommended that the project receive Environmental Clearance, provided that the EMP be implemented.

CONTENTS PAGE

| 1 | INTE | RODUCTION1 |
|---|-------|---|
| | 1.1 | THE NEED FOR AN ENVIRONMENTAL ASSESSMENT (EA) |
| | 1.2 | NEED AND DESIRABILITY OF THE PROJECT |
| | 1.3 | SCOPE OF WORK |
| 2 | PRO | JECT DESCRIPTION |
| | 2.1 | DESCRIPTION OF ACTIVITY |
| | 2.1.1 | 1 Site Location |
| | 2.1.2 | |
| | 2.1.3 | |
| | 2.1.4 | 4 Resources and Working Team |
| 3 | PRO | JECT ALTERNATIVES CONSIDERED |
| | 3.1 | NO-GO ALTERNATIVE |
| | 3.4 | CONCLUSIONS ON THE CONSIDERED ALTERNATIVES |
| 4 | LEG | AL FRAMEWORK |
| 5 | ENV | IRONMENTAL BASELINE |
| | 5.1 | BIOPHYSICAL ENVIRONMENT |
| | 5.1.2 | 1 Climate |
| | 5.1.2 | |
| | 5.1.3 | |
| | 5.2 | SOCIAL ENVIRONMENT |
| 6 | PUB | LIC CONSULTATION |
| | 6.1 | OBJECTIVE: |
| | 6.2 | Approach: |
| | 6.2.2 | |
| | 6.2.2 | |
| 7 | IMP | ACTS IDENTIFICATION, DESCRIPTION AND ASSESSMENT19 |
| | 7.2 | CONSTRUCTION PHASE IMPACT ASSESSMENT |
| | 7.2.4 | |
| | 7.2.5 | |
| | 7.3 | OPERATIONAL AND MAINTENANCE PHASE IMPACT ASSESSMENT |
| 8 | REC | OMMENDATIONS AND CONCLUSION |
| | 8.1 | CONCLUSION |
| | 8.2 | RECOMMENDATION |
| 9 | REF | ERENCES |

LIST OF FIGURES

| Figure 1-1: Location of proposed BTS sites in Swakopmund | 2 |
|--|---|
| Figure 2-1:Example of proposed tower | |
| Figure 3-1: Alternative tower structures. | |
| Figure 3-2: Tower proposed for the site | 9 |

LIST OF TABLES

| Table 1-1: Sections within Scoping Report | 4 |
|---|--------------|
| Table 2-1: Site location details | 5 |
| Table 2-2: Site design details | 5 |
| Table 4-1: Applicable and relevant Namibian and international legislation, | policies and |
| guidelines conducted during the EA process | 11 |
| Table 6-1: Summary of Identified IAPs | 17 |
| Table 7-1: Extent or spatial impact rating | 19 |
| Table 7-2: Duration impact rating | 20 |
| Table 7-3: Intensity, magnitude or severity impact rating | 20 |
| Table 7-4: Probability of occurrence impact rating | 20 |
| Table 7-5: Significance rating scale | 21 |
| Table 7-6: Assessment of the impacts on surrounding property owners | 22 |
| Table 7-7: Assessment of the impacts on health and safety | 22 |
| Table 7-8: Assessment of the impacts of waste generation | 23 |
| Table 7-9: Assessment of the impacts of dust generation | 24 |
| Table 7-10: Assessment of the impacts of noise generation | 24 |
| Table 7-11: Assessment of the impacts of the antennae on health and safety: | : Short term |
| radiation | 26 |
| Table 7-12: Assessment of the impacts of the antennae on health and safety | : Long term |
| radiation | 27 |
| Table 7-13: Assessment of the impacts of the antennae on civil aviation | 27 |
| Table 7-14: Assessment of the impacts of the antennae decommissioning | 28 |
| Table 7-15: Assessment of the impacts on surrounding property owners | 28 |
| Table 7-16: Assessment of the impacts on health and safety | 29 |
| Table 7-17: Assessment of the impacts of waste generation | 29 |

LIST OF APPENDICES

| APPENDIX A: CV'S –GERDA BOTHMA AND STEPHANIE STRAUSS | 34 |
|--|----|
| APPENDIX B: ENVIRONMENTAL MANAGEMENT PLAN (EMP) | 35 |
| APPENDIX C: LIST OF INTERESTED AND AFFECTED PARTIES | 36 |
| APPENDIX D: BACKGROUND INFORMATION DOCUMENT | 37 |
| APPENDIX E: NEWSPAPER ADVERTS | 38 |
| APPENDIX F: NOTIFICATION EMAILS AND LETTERS | 39 |
| APPENDIX G: PROOF OF SITE NOTICES | 40 |
| APPENDIX H: COMMENTS RECEIVED | 41 |

1 INTRODUCTION

PowerCom (Pty) Ltd (PowerCom hereafter) proposes to erect a telecommunication tower on Erf 1824, Matutura in Swakopmund which aim to strengthen the coverage for mobile and wireless services, inclusive of voice and data services within the subject area. The locality of the proposed site is shown in **Figure 1-1** below.



Figure 1-1: Location of proposed BTS sites in Swakopmund

1.1 The Need for an Environmental Assessment (EA)

Under the 2012 Environmental Impact Assessment (EIA) Regulations of the Environmental Management Act (EMA) No. 7 of 2007, the proposed development is a listed activity that may not be undertaken without an Environmental Clearance Certificate (ECC). This activity is listed under the following relevant sections:

• 10.1 (g) The construction of masts of any material or type and of any height, including those used for telecommunication, broadcasting, and radio transmission.

In order to fulfil the requirements of the EMA and its 2012 EIA Regulations, PowerCom (Pty) Ltd appointed GCS Water and Environmental Engineering Namibia (Pty) Ltd (*GCS Namibia* hereafter), an independent Environmental Consultant to conduct an Environmental Assessment (EA) (which includes public consultation) and submit the required documents as part of an application for an ECC in terms of the EMA and its EIA Regulations. The findings of the EA process are incorporated into an environmental scoping report (this report) and together with the draft Environmental Management Plan (EMP) will be submitted as part of an application for an ECC to the Environmental Commissioner at the Department of Environmental Affairs (DEA), Ministry of Environment, Forestry and Tourism (MEFT).

Stephanie Strauss, a qualified Environmental Assessment Practitioner (EAP) conducted this EA process under the supervision of Gerda Bothma, a qualified and experienced Senior Environmental Scientist. Victoria Shikwaya an Environmental Intern further assisted with the assessment. The CV's of the consultants are attached as **Appendix A** at the end of this report.

1.2 Need and Desirability of the Project

Due to the constant growth in the use of mobile and wireless communication services in Namibia, the pressure to continuously expand the communications network is increasing. PowerCom identified the need for the new structure in Swakopmund, which will provide capacity and improve the coverage in this particular area. This proposed development will ensure that the quality of the service provided to the telecommunication users in the area is improved.

1.3 Scope of Work

This scoping study was carried out in accordance with the Environmental Management Act (EMA) (7 of 2007) and its 2012 EIA Regulations (GG No. 4878 GN No. 30).

After submitting an application for ECC to the DEA, the first stage in the EA process is to submit a scoping report. This report provides the following:

| Description | Section of the Report |
|--|-----------------------|
| The need and desirability of the proposed project | Subchapter 1.2 |
| Project description and the need for it | Chapter 2 |
| Alternatives considered for the proposed project in terms of no- go option and tower sharing | Chapter 3 |
| The relevant laws and guidelines pertaining to the proposed project | Chapter 4 |
| Baseline environment in which the proposed activity will be undertaken | Chapter 5 |
| The public consultation process followed (as described in Regulation 7 of the EMA Act) whereby interested and affected parties (I&APs) and relevant authorities are identified, informed of the proposed activity and provided with a reasonable opportunity to give their concerns and opinions on the project; | Chapter 6 |
| The identification of potential impacts, impacts description, assessment, mitigation measures and recommendations | Chapter 7 |
| Recommendations and Conclusions to the report | Chapter 8 |

| Table 1-1: | Sections | within | Scoping | Report |
|------------|----------|--------|---------|--------|

The next chapter will be focusing on the description of the proposed project and its associated activities.

2 PROJECT DESCRIPTION

The section below provides a description of the proposed activity and associated facilities.

2.1 Description of Activity

PowerCom proposes to erect a telecommunication tower on Erf 1824, Matutura in Swakopmund which aims to strengthen the coverage for mobile services, inclusive of voice and data services within the subject area.

2.1.1 Site Location

Network coverage predictions were used to determine the black holes in wireless and fixedwireless services which drove the selection of the proposed site. This site will be used to improve coverage for mobile services, which include voice and data services. The proposed site is located within an existing urban area within the boundaries of Swakopmund town. The proposed site location is detailed in the table below.

| Table | 2-1: | Site | location | details |
|-------|------|------|----------|---------|
| | | | | |

| Location | Swakopmund |
|-----------------|-------------------------|
| GPS | 22° 40' 0.01" S |
| Coordinates | 14º 31' 39.75"E |
| Local Authority | Swakopmund Municipality |
| Region: | Erongo Region |

2.1.2 Site Design

The proposed development will include the construction of a 25-meter-high network tower that will be camouflaged as a tree. **Figure 2-1** below depicts an example of a tree-like tower which is proposed to be used for the subject tower.

Table 2-2: Site design details

| Network Structure | Network tower |
|-------------------|---------------------|
| Туре | camouflaged as tree |
| | |
| Erf number | 1824, Matutura |
| Height | 25 meters |



Figure 2-1:Example of proposed tower (https://www.powercom.na/index.php/portfoliodetails/item/5-palmtree)

It will additionally include the construction of an equipment room which will house the communication equipment. The site will be fenced off in order to limit public access.

2.1.3 Infrastructure and Services

The subject erf on which the tower is proposed to be erected is connected to the municipal reticulation network.

Electricity required for the establishment and operational stages of the tower to be supplied by ErongoRed.

Access to the site can be obtained from the internal street network of Swakopmund.

2.1.4 Resources and Working Team

Construction workers will be required for the following:

- excavation of the foundation;
- steel fixers for the fixing of reinforced steel;
- casting of concrete for both tower and equipment room; and
- riggers for the erection of the tower.

Materials for construction will be stored on site during the construction period. The workforce will not reside on site.

3 PROJECT ALTERNATIVES CONSIDERED

Alternatives are defined as: "different means of meeting the general purpose and requirements of the activity" (Environmental Management Act (2007) of Namibia (and its regulations (2012)). This chapter will highlight the different ways in which the project can be undertaken and to identify the alternative that will be the most practical but least damaging to the environment.

The above-mentioned alternatives considered for the proposed activity are discussed in the following subchapters.

3.1 No-Go Alternative

The "No-Go" alternative is the option of not proceeding with the activity, which typically implies a continuation of the status quo. This would mean that the proposed tower would not be installed at the proposed site in Swakopmund. Should the proposed project be discontinued, none of the potential impacts (positive and negative) identified would occur. Therefore, the network coverage for the area will remain unchanged and would not be improved.

In considering the purpose of the proposed project, the 'no-go' option cannot be considered as the preferred alternative.

3.2 Tower Location

Network coverage predictions were used to determine the black holes in wireless and fixedwireless services which drove the selection of the proposed site. The following conditions deemed the site suitable for the proposed development:

- The site is located on a Local Authority zoned erf which makes it a suitable land use for the erection of the tower.
- The site is relatively flat and not environmentally sensitive as it is located in a developed area and as such is clear of any sensitive fauna or flora.
- The site is easily accessible via the internal street network of Matutura, Swakopmund.

In light of the above the site is considered to be the preferred site.

3.3 Tower Structure

There are different types of structures which can be erected for telecommunication purposes as depicted in **Figure 3-1** below. The structure proposed to be erected will resemble a palm tree and will be 25-meter-high (**Figure 3-2**).



Figure 3-1: Alternative tower structures.



Figure 3-2: Tower proposed for the site

The design was selected as it is aesthetically more appealing and blends into the surrounding environment. It thus reduces the visual impact of having a tower within a residential area.

3.4 Conclusions on the Considered Alternatives

The alternatives considered for the project are summarized as follow:

- No-go vs. continuation of the proposed project: The no-go alternative is not considered to be the preferred option. This would mean that the proposed tower would not be installed on the proposed site in Swakopmund. Should the proposed project be discontinued, none of the potential impacts (positive and negative) identified would occur. Therefore, the network coverage for the area will remain unchanged and would not be improved.
- Tower location: Network coverage predictions were used to determine the black holes in wireless and fixed-wireless services which drove the selection of the proposed site. The selected site is a viable location option for this kind of development due to the relevant zoning, topography, and accessibility.
- Tower structures: There are different types of structures which can be erected for telecommunication purposes. The design was selected as it is aesthetically more appealing and blends into the surrounding environment. It thus reduces the visual impact of having a tower within a residential area.

The proposed development has legal requirements that need to be consulted and complied with. These legal requirements are discussed in the next chapter.

4 LEGAL FRAMEWORK

A review of applicable and relevant Namibian legislation, policies and guidelines to the proposed development are given in this chapter. This review serves to inform the Proponent (PowerCom (Pty) Ltd), Interested and Affected Parties and the decision makers at the DEA of the requirements and expectations, as laid out in terms of these instruments, to be fulfilled in order to undertake the proposed activities.

4.1 The Environmental Management Act No. 7 of 2007

This scoping assessment was carried out according to the Environmental Management Act (EMA) and its Environmental Impact Assessment (EIA) Regulations (GG No. 4878 GN No. 30). The EMA has stipulated requirements to complete the required documentation in order to obtain an Environmental Clearance Certificate (ECC) for permission to undertake certain listed activities.

4.2 The Constitution of Namibia Act (No 1 of 1990)

According to Legal Assistance Centre (LAC), there is no clear right to health in the Namibian Constitution. But under the Article 95 of the Namibian Constitution that deals with Principles of State Policy, the Namibian Constitution states that "the state shall enact legislation to ensure consistent planning to raise and maintain an acceptable standard of living for the country's people" and to improve public health.

4.3 The Communications Act (No.8 of 2009)

This Act provides for the regulation of telecommunications services and networks, broadcasting, postal services and the use and allocation of radio spectrum; for that purpose the establishment of an independent Communications Regulatory Authority of Namibia; to make provision for its powers and functions; the granting of special rights to telecommunications licensees; the creation of an Association to manage the ".na" internet domain name space and for matters connected therewith.

The full list of all applicable legislations identified and conducted during the EA process are presented in Table 4-1 below.

| Legislation/Policy/ Guideline | Relevant Provisions | Implications for this project |
|---------------------------------|---|--|
| Environmental Management Act | Requires that projects with significant environmental impacts are | The EMA and its regulations should inform and guide the |
| EMA (No 7 of 2007) | subject to an environmental assessment process (Section 27). | EA process. |
| | Details principles which are to guide all EAs. | |
| | Details principles which are to guide all EAS. | |
| Environmental Impact | Details requirements for public consultation within a given | |
| Assessment (EIA) Regulations GN | environmental assessment process (GN 30 S21). | |
| 28-30 (GG 4878) | Details the requirements for what should be included in a Scoping | |
| | | |
| | Report (GN 30 S8) and an Assessment Report (GN 30 S15). | |
| The Constitution of Namibia Act | According to Legal Assistance Centre (LAC), there is no clear right | The Proponent should ensure compliance with the |
| No. 1 of 1990 | to health in the Namibian Constitution. But under the Article 95 of | conditions set in the Act. |
| | the Namibian Constitution that deals with Principles of State Policy, | |
| | the Namibian Constitution states "the state shall enact legislation | |
| | to ensure consistent planning to raise and maintain an acceptable | |
| | standard of living for the country's people" and to improve public | |
| | health. | |
| Namibian Communications Act 8 | Provides for the regulation of telecommunications services and | Provides the standards for setting up cellular, wireless |
| of 2009 | networks, broadcasting, postal services and the use and allocation | and satellite services. |
| | of radio spectrum; for that purpose the establishment of an | |
| | independent Communications Regulatory Authority of Namibia; to | |
| | make provision for its powers and functions; the granting of special | |
| | rights to telecommunications licensees; the creation of an | |
| | Association to manage the .na internet domain name space and for | |
| | matters connected therewith. | |
| | | |

Table 4-1: Applicable and relevant Namibian and international legislation, policies and guidelines conducted during the EA process

| Legislation/Policy/ Guideline | Relevant Provisions | Implications for this project |
|----------------------------------|--|---|
| Local Authorities Act (No. 23 of | Provides for the determination, for purposes of local government, | The Swakopmund Municipality is the responsible Local |
| 1992) | of local authority councils; the establishment of such local authority | Authority of the area in which the proposed development |
| | councils; and to define the powers, duties, and functions of local | will be located, and they should be consulted for this EA. |
| | authority councils; and to provide for incidental matters. | |
| The Atomic Energy and Radiation | Provides for the adequate protection of the environment and of | To determine the "safe distance" around the site. |
| Protection Act, Act 5 of 2005 | people against the harmful effects of radiation by controlling and | |
| | regulating the production, processing, handling, use, holding, | |
| | storage, transport and disposal of radiation sources and radioactive | |
| | materials, and controlling and regulating prescribed non-ionising | |
| | radiation sources according to the standards set out by the ICNIRP. | |
| "Guidelines for Limiting | Provides international standards and guidelines for limiting the | Justifies the need for assessing the impact of |
| Exposure to Time-Varying | adverse effects of non-ionising radiation on human health and well- | electromagnetic radiation from the antennae, on the |
| Electric, Magnetic, and | being, and, where appropriate, provides scientifically based advice | nearby residents. |
| Electromagnetic Fields (up to | on non- ionising radiation protection including the provision of | |
| 300GHz)" (April 1998 developed | guidelines on limiting exposure. | |
| by the International Commission | | |
| on Non-Ionizing Radiation | | |
| Protection (ICNIRP)) | | |
| The Aviation Act, Act 74 of 1962 | Gives effect to certain International Aviation Conventions and | Provides the regulations for setting up cellular structures |
| | makes provision for the control, regulation, and encouragement of | in Namibia. |
| | flying within the Republic of Namibia and for other matters | |
| | incidental thereto | |

| Legislation/Policy/ Guideline | Relevant Provisions | Implications for this project | |
|---|--|---|--|
| Namibian Civil Aviation Regulations, 2001 | Section 139.01.34 outlines the obstacle limitations and marking outside aerodromes | The proposed project should adhere to the limitations outlined in the act. | |
| Convention on International Civil Aviation, Annex 14 | Annex 14 to the Convention on International Civil Aviation. Chapter 4: Obstacle restrictions and removal Chapter 6: Visual aids and donating of obstacles | The proposed new structures may be obstacles to some aerodromes in Namibia. Those that are close to existing aerodromes need to be assessed in accordance with the document. Visual aids to the new structures to make them visible to aircraft need to be applied in accordance with this Convention. | |
| Labour Act (No. 6 of 1992) | Ministry of Labour (MOL) is aimed at ensuring harmonious labour relations through promoting social justice, occupational health and safety and enhanced labour market services for the benefit of all Namibians. This ministry insures effective implementation of the Labour Act no. 6 of 1992. | PowerCom should ensure that construction, operation and maintenance of the towers, the safety and welfare of workers are not compromised. | |

The environmental baseline (features) of the project area and the surrounding areas are presented and discussed in the following chapter.

5 ENVIRONMENTAL BASELINE

The proposed project will be undertaken in a specific biophysical and social environment. The baseline conditions of these environmental features are described in the following subchapters.

5.1 Biophysical Environment

5.1.1 Climate

The climate of the Swakopmund area can be described as desert characteristic of low rainfall, high humidity and low temperatures. Annual temperatures range between 16-18 °C with the maximum temperatures being less than 20 °C and the minimum temperatures between 8-10 °C (Mendelsohn, Jarvis, Roberts & Roberston, 2002). Rainfall is recorded to be less than 50 mm for the subject area (Mendelsohn *et al.*, 2002).

5.1.2 Topography, Soils and Geology

The Swakopmund area is relatively flat with an altitude of between 0 to 100 m above sea level. The Swakopmund area forms part of the Swakop Group geological division (Mendelsohn *et al.*, 2002). The soils in the area comprise mainly of schists.

The dominant soils in the area are characterized as Petric Gypsisols. Gypsisols are characteristic of accumulations of calcium sulphate and are restricted within the arid areas of the central Namib (Mendelsohn *et al.*, 2002). Gypsisols commonly have low fertility levels and only the toughest of plants can grow in them.

5.1.3 Fauna and Flora

The Swakopmund area forms part of the Namib Desert Biome and is characteristic of the Southern Desert vegetation type. The dominant soils in the area are dune sands which support only a few grasses. The dominant landscape in the area is that of the Namib Sand Sea. Plant diversity in the area is low with less than 50 species, with endemism throughout the area viewed as low (between 2 and 5 species) (Mendelsohn *et al.*, 2002).

No large wild animals are expected to be inhabitants except maybe for small rodents and insects that shelter in burrows and under rocks.

There are no significant fauna and flora found to be located within the development area. The site is presently mostly developed and is situated within an urban area, as such no significant flora or fauna are expected to be found on the proposed site.

5.2 Social Environment

5.2.1 Social Demographics

Based on the 2011 Namibia Population and Housing Census, the population of Swakopmund comprised 44, 725 people. The total population of the Erongo Region was 150, 809 with an annual growth rate of 3.4% (Namibia Statistics Agency, 2011).

5.2.2 Economy

Wages and salaries are the main source of income in this region, while other income sources include farming, business etc.

5.2.3 Land Use

The proposed site is located within a built-up area in the town. The subject site is currently zoned for Local Authority Purposes. The surrounding land uses are predominantly Residential with some General Residential, Institutional and Public Open Space zoned erven found in proximity of the site.

6 PUBLIC CONSULTATION

6.1 Objective:

Public consultation forms an important component of an Environmental Assessment (EA) process. Public consultation provides potential Interested and Affected Parties (I&APs) with an opportunity to comment on and raise any issues relevant to the project for consideration as part of the assessment process. Public consultation has been done in accordance with both the EMA and its EIA Regulations.

The public consultation process assists the Environmental Assessment Practitioner (EAP) in identifying all potential impacts and to what extent further investigations are needed. Public consultation can also aid in the process of identifying possible mitigations measures.

6.2 Approach:

6.2.1 Interested and Affected Parties (I&APs)

An I&AP is identified under the Environmental Management Act (2007) as:

- (a) "Any person, group of persons or organization interested in or affected by an activity; and
- (b) Any organ of state that may have jurisdiction over any aspect of the activity".

GCS identified specific I&APs, who were considered interested in and/or affected by the proposed activities through the following means:

- Information for the applicable local authorities was obtained from the existing GCS stakeholder database;
- The neighbouring property owners contact information was requested from the Swakopmund Municipality; and
- Notices were placed in the local newspapers requesting any potentially affected or interest members of the public to register as I&APs.

A summary of the I&APs identified are presented in Table 6-1. The complete list of I&APs is provided in **Appendix C.**

Table 6-1: Summary of Identified IAPs

| | Description |
|-----------|--|
| Ps | Ministry of Environment, Forestry and Tourism |
| : of IAPs | Ministry of Information and Communication Technology |
| List | Swakopmund Municipality |
| | Neighbouring Property Owners |

6.2.2 Communication with I&APs

Regulation 21 of the EIA Regulations details steps to be taken during a given public consultation process and these have been used in guiding this process.

Communication with I&APs about the proposed development was facilitated through the following means and in this order:

- A Background Information Document (BID) containing descriptive information about the proposed activities was compiled (**Appendix D**) and sent out to all identified and registered I&APs on 2 October 2020;
- Notices were placed in *The Republikein* and *The Sun* newspapers dated 2 October 2020 and 9 October 2020, briefly explaining the activity and its locality, inviting members of the public to register as I&APs (Appendix E);
- Site Notices were fixed on the proposed site and on the Swakopmund Municipality notice board (See **Appendix G**); and
- A public meeting was scheduled to be held in Swakopmund on 15 October 2020 at the Meduletu Hall in Swakopmund at 14h00.

The properties surrounding the subject site (within a 150-meter radius of the site) are currently under construction and are owned by the Swakopmund Municipality. As such no letters were sent to the direct neighbours of the site. Some letters were hand-delivered to residents within the Matutura area who were available on 15 October 2020.

A public meeting was scheduled to be held on 15 October 2020 at the Meduletu Community Hall in Swakopmund. After consultation with the Swakopmund Municipality it was advised to move the venue of the public meeting closer to the proposed site. At the time of the response received from the Swakopmund Municipality with regards to the venue, the public meeting details had already been published, as such a notice was placed on the initial venue of the public meeting indicating the change in venue. The community members of the Matutura area were invited to attend the public meeting at the Municipal Payment Container in Matutura on 15 October 2020 at 18h00 via their community WhatsApp group. The BID was additionally shared in the Matutura Community WhatsApp group. There were no community members in attendance at the meeting. As such GCS provided the contact at the Matutura Municipal Payment Container with several copies of the BID and letters for distribution to residents of the area that may be interested in the project.

Public consultation was carried out according to the Environmental Management Act's EIA Regulations. After the initial notification, the I&APs were given two weeks to submit their comments on the project until 23 October 2020.

The Draft Scoping Report was circulated from the 12th November until the 26th November 2019 for public review and comment. This report highlights issues raised from the public on the documents and contain statements of how these are addressed and incorporated into the final document. The comment period will remain open until the final scoping report is submitted to MEFT.

7 IMPACTS IDENTIFICATION, DESCRIPTION AND ASSESSMENT

7.1 Impact Assessment Methodology

The proposed activities have impacts on certain biophysical and social features. The identified impacts were assessed in terms of probability (likelihood of occurring), scale/extent (spatial scale), magnitude (severity) and duration (temporal scale) as presented in **Table 7-1**, **Table 7-2**, **Table 7-3** and **Table 7-4**. To enable a scientific approach to the determination of the environmental significance, a numerical value is linked to each rating scale. This methodology ensures uniformity and that potential impacts can be addressed in a standard manner so that a wide range of impacts are comparable.

It is assumed that an assessment of the significance of a potential impact is a good indicator of the risk associated with such an impact. The following process will be applied to each potential impact:

- Provision of a brief explanation of the impact;
- Assessment of the pre-mitigation significance of the impact; and
- Description of recommended mitigation measures.

The recommended mitigation measures prescribed for each of the potential impacts contribute towards the attainment of environmentally sustainable operational conditions of the project for various features of the biophysical and social environment.

The following criteria were applied in this impact assessment:

7.1.1 Extent (spatial scale)

Extent is an indication of the physical and spatial scale of the impact. **Table 7-1** shows rating of impact in terms of extent of spatial scale.

| Low (1) | Low/Medium (2) | Medium (3) | Medium/High (4) | High (5) |
|---------------------|--------------------|---------------------|-------------------|------------------|
| Impact is localised | Impact is beyond | Impacts felt within | Impact widespread | Impact extend |
| within the site | the site boundary: | adjacent | far beyond site | National or over |
| boundary: Site | Local | biophysical and | boundary: | international |
| only | | social | Regional | boundaries |
| | | environments: | | |
| | | Regional | | |

Table 7-1: Extent or spatial impact rating

7.1.2 Duration

Duration refers to the timeframe over which the impact is expected to occur, measured in relation to the lifetime of the project. **Table 7-2** shows the rating of impact in terms of duration.

| Low (1) | Low/Medium (2) | Medium (3) | Medium/High (4) | High (5) |
|---|---|--|-------------------------|--|
| Immediate mitigating measures, immediate progress | Impact is quickly reversible, short term impacts (0-5 years) | Reversible over time; medium term (5-15 years) | Impact is long- term | Long term; beyond closure; permanent; irreplaceable or irretrievable commitment of resources |

Table 7-2:Duration impact rating

7.1.3 Intensity, Magnitude / severity

Intensity refers to the degree or magnitude to which the impact alters the functioning of an element of the environment. The magnitude of alteration can either be positive or negative. These were also taken into consideration during the assessment of severity. **Table 7-3** shows the rating of impact in terms of intensity, magnitude or severity.

 Table 7-3:
 Intensity, magnitude or severity impact rating

| Type of | | Negative | | | | | |
|-------------|---|---|---|--|---|--|--|
| criteria | H- | M/H- | M- | M/L- | L- | | |
| | (10) | (8) | (6) | (4) | (2) | | |
| Qualitative | Very high deterioration, high quantity of deaths, injury of illness / total loss of habitat, total alteration of ecological processes, extinction of rare species | Substantial deterioration, death, illness or injury, loss of habitat / diversity or resource, severe alteration, or disturbance of important processes | Moderate deterioration, discomfort, partial loss of habitat / biodiversity or resource, moderate alteration | Low deterioration, slight noticeable alteration in habitat and biodiversity. Little loss in species numbers | Minor deterioration, nuisance or irritation, minor change in species / habitat / diversity or resource, no or very little quality deterioration. | | |

7.1.4 Probability of occurrence

Probability describes the likelihood of the impacts actually occurring. This determination is based on previous experience with similar projects and/or based on professional judgment. See **Table 7-4** for impact rating in terms of probability of occurrence.

Table 7-4:Probability of occurrence impact rating

| Low (1) | Medium/Low (2) | Medium (3) | Medium/High (4) | High (5) |
|---|---|--|---|---|
| Improbable; low likelihood; seldom. No known risk or vulnerability to natural or induced hazards. | Likely to occur from time to time. Low risk or vulnerability to natural or induced hazards | Possible, distinct possibility, frequent. Low to medium risk or vulnerability to natural or induced hazards. | Probable if mitigating measures are not implemented. Medium risk of vulnerability to natural or induced hazards. | Definite (regardless of preventative measures), highly likely, continuous. High risk or vulnerability to natural or induced hazards. |

7.1.5 Significance

Impact significance is determined through a synthesis of the above impact characteristics. The significance of the impact "without mitigation" is the main determinant of the nature and degree of mitigation required. As stated in the introduction to this chapter, for this assessment, the significance of the impact without prescribed mitigation actions was measured.

Once the above factors (**Table 7-1**, **Table 7-2**, **Table 7-3** and **Table 7-4**) have been ranked for each potential impact, the impact significance of each is assessed using the following formula:

SP = (magnitude + duration + scale) x probability

The maximum value per potential impact is 100 significance points (SP). Potential impacts were rated as high, moderate or low significance, based on the following significance rating scale (Table 7-5).

| SIGNIFICANCE | ENVIRONMENTAL SIGNIFICANCE POINTS | COLOUR CODE |
|-------------------|-----------------------------------|-------------|
| High (positive) | >60 | н |
| Medium (positive) | 30 to 60 | м |
| Low (positive) | <30 | L |
| Neutral | 0 | N |
| Low (negative) | >-30 | L |
| Medium (negative) | -30 to -60 | м |
| High (negative) | >-60 | н |

Table 7-5:Significance rating scale

For an impact with a significance rating of high, mitigation measures are recommended to reduce the impact to a low or medium significance rating, provided that the impact with a medium significance rating can be sufficiently controlled with the recommended mitigation measures. To maintain a low or medium significance rating, monitoring is recommended for a period of time to enable the confirmation of the significance of the impact as low or medium and under control.

The impact assessment for the proposed activities is given in subchapter 7.2, 7.3nd 7.4.

7.2 Construction Phase Impact Assessment

The potential impacts associated with the construction of the tower structures have been identified and assessed in this subchapter. The main potential impacts identified are; disturbance to neighbouring property owners, health and safety, and waste generation.

7.2.1 Impact Assessment on Surrounding Property Owners

During the construction of the proposed tower, the presence of the construction team will disturb the surrounding property owners. The construction work is not expected to continue for an extended period. Additionally, the immediate neighbouring properties are currently not occupied. Therefore, the likelihood of this impact is low. The assessment of this impact is presented in Table 7-6.

| Table 7 0. Assessment of the impacts of surrounding property owners | | | | | |
|---|---------|----------|-----------|-------------|--------------|
| | Extent | Duration | Intensity | Probability | Significance |
| Pre- | L/M - 2 | L - 1 | M/L - 4 | M - 3 | M - 21 |
| mitigation | | | | | |
| Post- | L - 1 | L- 1 | L- 2 | L - 1 | L - 4 |
| mitigation | | | | | |

 Table 7-6:
 Assessment of the impacts on surrounding property owners

7.2.1.1 Mitigations and recommendation to disturbance of surrounding property owners

- Construction work to take place during working hours only (08h00 17h00).
- Should construction need to be done outside of working hours, neighbouring property owners need to be informed in writing prior to construction commencing.

7.2.2 Impact Assessment on Health and Safety

Construction workers will be working at heights when constructing the proposed structure. The lack of safety measures will potentially lead to injuries (falling down). Improper handling of construction materials and equipment may cause injuries. With no mitigation measures in place, this impact will receive a "medium to high" significance rating. However, the implementation of applicable safety measures, the impact can significantly be reduced to a low rating. The assessment of this impact is presented in **Table 7-7**.

| | Assessment of the impacts of health and safety | | | | | |
|---------------------|--|----------|-----------|-------------|--------------|--|
| | Extent | Duration | Intensity | Probability | Significance | |
| Pre- mitigation | M - 3 | M/H - 3 | M /H- 8 | M/H - 4 | M - 56 | |
| Post- mitigation | L/M- 2 | L/M- 2 | L- 2 | L/M - 2 | L - 12 | |

 Table 7-7:
 Assessment of the impacts on health and safety

7.2.2.1 Mitigations and recommendation to health and safety

- The contractor(s) should ensure that all personnel are provided with personal protective equipment (PPE), such as gloves, safety boots, safety glasses and hard hats etc at all times during construction hours on site.
- No workers should be allowed to drink alcohol during working hours.
- No workers should be allowed on site if under the influence of alcohol.
- Construction workers should be trained on how to handle materials and equipment on site (if they do not already know how to) in order to avoid injuries.

7.2.3 Impact Assessment of Waste Generation

Construction activities usually generates wastes which leads to environmental pollution, if not properly handled. This may pose a negative visual impact on the surrounding environment. Without any mitigation measures implemented, the impact can be rated as of a "medium" significance. After the implementation of the mitigations, the impact will be significantly reduced to low rating. The assessment of this impact is presented in **Table 7-8**.

| | Assessment of the impacts of waste generation | | | | | |
|---------------------|---|----------|-----------|-------------|--------------|--|
| | Extent | Duration | Intensity | Probability | Significance | |
| Pre- | L/M - 2 | L/M - 2 | M - 6 | M - 3 | M - 30 | |
| mitigation | | | | | | |
| Post- mitigation | L - 1 | L- 1 | L- 2 | L - 1 | L - 4 | |

Table 7-8: Assessment of the impacts of waste generation

7.2.3.1 Mitigations and recommendation to waste generation

- The construction site should be kept tidy at all times.
- All domestic and general construction waste produced on a daily basis should be cleaned and contained daily.
- No waste may be buried or burned on site or anywhere else.
- Waste containers (bins) should be emptied after the construction and removed from site to the municipal waste disposal site.
- Separate waste containers (bins) for hazardous and domestic / general waste must be provided on site.
- Construction labourers should be sensitised to dispose of waste in a responsible manner and not to litter.
- No waste may remain on site after the completion of the project.

7.2.4 Impact Assessment of Dust

Dust generation may occur during construction. Dust suppression interventions need to be incorporated if dust levels are found to be significant. Without any mitigation measures implemented, the impact can be rated as of a "medium" significance. After the implementation of the mitigations, the impact will be significantly reduced to low rating. The assessment of this impact is presented in **Table 7-9**.

| | Extent | Duration | Intensity | Probability | Significance |
|---------------------|---------|----------|-----------|-------------|--------------|
| Pre- mitigation | L/M - 2 | L/M - 2 | M/H - 8 | M - 3 | M - 36 |
| Post- mitigation | L - 1 | L- 1 | M- 6 | M/L - 2 | L - 16 |

7.2.4.1 Mitigations and recommendation to dust generation

• Dust abatement techniques should be implemented e.g. Spraying of water.

7.2.5 Impact Assessment of Noise

Construction equipment and machinery may produce high levels of noise during operations. Without any mitigation measures implemented, the impact can be rated as of a "medium" significance. After the implementation of the mitigations, the impact will be significantly reduced to a low rating. The assessment of this impact is presented in **Table 7-10**.

| Table 7-10. | Assessment | Assessment of the impacts of hoise generation | | | | | | |
|---------------------|------------|---|-----------|-------------|--------------|--|--|--|
| | Extent | Duration | Intensity | Probability | Significance | | | |
| Pre- mitigation | L/M - 2 | L/M - 2 | M/H - 8 | M - 3 | M - 36 | | | |
| Post- mitigation | L - 1 | L- 1 | M- 6 | L/M - 2 | L - 16 | | | |

 Table 7-10:
 Assessment of the impacts of noise generation

7.2.5.1 Mitigations and recommendation to noise

- Construction work to take place during working hours only (08h00 17h00) unless otherwise arranged with neighbouring property owners in proximity.
- Noise levels should adhere to the South African National Standards (SANS) regulations 10103.

7.3 Operational and Maintenance Phase Impact Assessment

The main potential impacts associated with operational and maintenance phases identified are; health and safety and civil aviation concerns.

7.3.1 Impact on Health and Safety (Potential Radiation)

Although health concerns were not specifically raised as a concern during the public participation process, it is a national and international topic that requires investigation due to the close proximity of the structure to neighbouring properties.

Electromagnetic radiation is emitted from electrical appliances commonly used in most homes today, such as TV's, radios, cell phones, microwave ovens, electrical blankets, and computers. Studies have shown that transceiver base stations emit weaker electromagnetic radiation than most household daily appliances i.e. microwave or cell phone used close to your body (Carstens and Kuliwoye, 2012).

The International Commission on Non-Ionizing Radiation Protection (ICNRP) provides guidance on protecting against the adverse health effects associated with electromagnetic fields (EMF). These guidelines are based on short-term, immediate health effects such as stimulation of peripheral nerve muscles, shocks and burn caused by touching conducting objects, and elevated tissue temperatures resulting from absorption of energy during exposure to EMF.

The National Radiation Protection Authority of Namibia (NRPA) is charged with the administration of the Atomic Energy and Radiation Protection Act (Act 5 of 2005) that specifically require that account be taken of any guidelines published by ICNIRP regarding the radiation risks associated with BTS structures (National Radiation Protection Authority, Unknown date).

The following subchapters will assess the impact of short-term and long-term radiation.

7.3.1.1 Short-term Radiation (Health) Effects

The basic restrictions on the effects of exposure are based on established health effects. Different scientific bases were used in the development of basic exposure restrictions for various frequency ranges. Depending on the frequency, the physical quantities used to specify the basic restrictions on exposure to EMF are current density, SAR (Specific Energy Absorption Rate), and power density. For further information on the short-term effect, the reader is referred to the Atomic National Radiation Protection Authority: Energy Board of Namibia Directive referenced in this report. The scanned copy of this Directive is attached in **Appendix H**.

The significance of this impact can be reduced to a low significance rating by ensuring that the sufficient mitigation measures governed by the national and international legal standards such as International Commission on Non-Ionizing Radiation Protection (ICNIRP) on infrastructure EMR emissions are adequately implemented. The impact is assessed in **Table 7-11**.

| | Extent | Duration | Intensity | Probability | Significance |
|---------------------|---------|----------|-----------|-------------|--------------|
| Pre- mitigation | M - 3 | M/H - 4 | M/H - 8 | M - 3 | M - 45 |
| Post- mitigation | L/M - 2 | L/M- 2 | L/M- 4 | L/M - 2 | L - 16 |

| Table 7-11: | Assessment of the impacts of the antennae on health and safety: Short |
|----------------|---|
| term radiation | |

7.3.1.2 Mitigations and recommendation on health and safety: Short-term Radiation

- PowerCom should ensure that the proposed tower and its EMR are within the international standards of The Atomic Energy and Radiation Protection Act, Act 5 of 2005 and Guidelines for Limiting Exposure to Time-Varying Electric, Magnetic, and Electromagnetic Fields (April 1998 developed by the International Commission on ICNIRP).
- The design standards to be applied for the antennae should comply with the internationally accepted public exposure guidelines.
- The National Radiation Protection Authority should be involved during this phase (operational) to assess the possible emissions from antennae.

7.3.1.3 Long-term Radiation (Health) Effects

In the case of potential long-term health effects of exposure, such as an increased risk of cancer, ICNIRP concluded that the available data are insufficient to provide a basis for this setting exposure restriction. Thus, the ICNRIP guidelines alone should not be used as a basis for protection against non-thermal effects or long-term biological effects.

The significance of this impact is considered high, because the long-term effect is unknown. In the context of the above, a cautionary approach is adopted, and in particular the Precautionary Principle, which states that if an action or policy has a suspected risk of causing harm to the public or to the environment, in the absence of scientific consensus that the action or policy is harmful, the burden of proof that it is not harmful falls on those taking the action.

Therefore, ICNIRP uses a reduction factor of 10 to derive at occupational limits for workers and a factor of about 50 to arrive at exposure limits for the public. This factor serves as a precautionary buffer to compensate for uncertainties in the research. By adhering to the threshold levels of ICNIRP, the precautionary measures should be sufficient to adequately address this impact. However, the risk will not be abolished, and it is recommended that the Proponent keep up to date with regards to any new literature published by ICNIRP. The impact is assessed in **Table 7-12**.

| | Extent | Duration | Intensity | Probability | Significance |
|---------------------|---------|----------|-----------|-------------|--------------|
| Pre- mitigation | M - 3 | H - 5 | M/H - 8 | M/H - 4 | H - 64 |
| Post- mitigation | L/M - 2 | L/M- 2 | L/M- 4 | L/M - 2 | L - 16 |

| Table 7-12: | Assessment of the | e impacts of | f the antennae | on health a | nd safety: Long |
|----------------|-------------------|--------------|----------------|-------------|-----------------|
| term radiation | | | | | |

7.3.1.4 Mitigations and recommendation on health and safety: Long-term Radiation

- PowerCom should ensure that tower construction and its EMR are within the international standards of The Atomic Energy and Radiation Protection Act, Act 5 of 2005 and Guidelines for Limiting Exposure to Time-Varying Electric, Magnetic, and Electromagnetic Fields (April 1998 developed by the International Commission on Non-Ionizing Radiation Protection (ICNIRP)).
- The design standards to be applied for the antennae should comply with the internationally accepted public exposure guidelines.
- The National Radiation Protection Authority should be involved during this phase (operational) to assess the possible emissions from antennae.

7.3.2 Impact on Civil Aviation

Potential impact on civil aviation due to the height and location of the site. Generally, the effective utilisation of an aerodrome can significantly be influenced by natural features and man-made constructions inside and outside its boundary. These features may result in limitations on the distance available for take-off and landing and on the range of meteorological conditions in which take-off and landing can be undertaken. For these reasons certain areas of the local airspace are regarded as integral parts of the aerodrome environment (Carstens and Kuliwoye, 2012).

The proposed structure is approximately 8 km from the Swakopmund Airport. As such it is required that the proposed structure comply with the regulations of the Namibia Civil Aviation Act in terms of limitations and markings. Therefore, this impact will receive a significantly low rating. This impact is assessed in **Table 7-13** below.

| Table 7-15. | Assessment | Assessment of the impacts of the antennae of this aviation | | | | | | |
|---------------------|------------|--|-----------|-------------|--------------|--|--|--|
| | Extent | Duration | Intensity | Probability | Significance | | | |
| Pre- mitigation | M - 3 | M/h - 4 | M - 6 | M/h - 4 | M - 52 | | | |
| Post- mitigation | L - 1 | L- 1 | L- 2 | L/M - 2 | L - 8 | | | |

 Table 7-13:
 Assessment of the impacts of the antennae on civil aviation

7.3.2.1 Mitigations and recommendation on civil aviation

• Powercom should ensure that the structures adhere to the Namibia Civil Aviation Regulations (NAMCARs) Part 139 Aerodromes and Heliports: licencing and Operation.

7.4 Decommissioning Phase

7.4.1 Impact of the Decommissioning on Mobile Users

The affected residents and businesses will lose good network coverage in the area, if the antennae are decommissioned and no other alternative cellular service infrastructure is put in place. This is an unlikely case due to the fact that the modern world is advancing on a daily basis, and there will always be a need for improved mobile services. Even if the tower is to be removed in the future, it will most likely be replaced by a better infrastructure for the same purpose. Pre-implementation of the necessary mitigation measures, this impact can be rated as "low to medium" and with the implementation of the necessary mitigation measures, the impact significance will be low. This impact is assessed in **Table 7-14** below.

| | Extent | Duration | Intensity | Probability | Significance |
|---------------------|---------|----------|-----------|-------------|--------------|
| Pre- | L/M - 2 | L/M - 2 | M - 6 | M - 3 | M - 30 |
| mitigation | | | | | |
| Post- mitigation | L/M - 2 | L- 1 | L- 2 | L - 1 | L - 5 |

 Table 7-14:
 Assessment of the impacts of the antennae decommissioning

7.4.1.1 Mitigations and recommendation to antennae decommissioning impact

• The mobile services network provider should ensure that the mobile coverage is not compromised, by putting up an alternative cellular infrastructure.

7.4.2 Impact Assessment on Surrounding Property Owners

During the removal and destruction of infrastructure of the tower, the presence of the construction team will disturb the surrounding property owners. The construction work is not expected to continue for an extended period. Therefore, the likelihood of this impact is low. The assessment of this impact is presented in **Table 7-6**.

| Table 7-15. | Assessment | Assessment of the impacts of surrounding property owners | | | | | | |
|---------------------|------------|--|-----------|-------------|--------------|--|--|--|
| | Extent | Duration | Intensity | Probability | Significance | | | |
| Pre- mitigation | L/M - 2 | L - 1 | M/L - 4 | M - 3 | M - 21 | | | |
| Post- mitigation | L - 1 | L- 1 | L- 2 | L - 1 | L - 4 | | | |

 Table 7-15:
 Assessment of the impacts on surrounding property owners

7.4.2.1 Mitigations and recommendation to disturbance of surrounding property owners

- Construction work to take place during working hours only (08h00 17h00).
- Should construction need to be done outside of working hours, neighbouring property owners need to be informed in writing prior to construction commencing.

7.4.3 Impact Assessment on Health and Safety

Improper handling of construction materials and equipment may cause injuries. With no mitigation measures in place, this impact will receive a "medium to high" significance rating. However, the implementation of applicable safety measures, the impact can significantly be reduced to a low rating. The assessment of this impact is presented in **Table 7-7**.

| Table 7-10. | Assessment | Assessment of the impacts on health and safety | | | | | | |
|---------------------|------------|--|-----------|-------------|--------------|--|--|--|
| | Extent | Duration | Intensity | Probability | Significance | | | |
| Pre- mitigation | M - 3 | M/H - 3 | M /H- 8 | M/H - 4 | M - 56 | | | |
| Post- mitigation | L/M- 2 | L/M- 2 | L- 2 | L/M - 2 | L - 12 | | | |

 Table 7-16:
 Assessment of the impacts on health and safety

7.4.3.1 Mitigations and recommendation to health and safety

- The contractor(s) should ensure that all personnel are provided with personal protective equipment (PPE), such as gloves, safety boots, safety glasses and hard hats etc at all times during construction hours on site.
- No workers should be allowed to drink alcohol during working hours.
- No workers should be allowed on site if under the influence of alcohol.
- Construction workers should be trained on how to handle materials and equipment on site (if they do not already know how to) in order to avoid injuries.

7.4.4 Impact Assessment of Waste Generation

The demolition of infrastructure will result in the generates of waste which leads to environmental pollution, if not properly handled. This may pose a negative visual impact on the surrounding environment. Without any mitigation measures implemented, the impact can be rated as of a "medium" significance. After the implementation of the mitigations, the impact will be significantly reduced to low rating. The assessment of this impact is presented in **Table 7-8**.

| | Extent | Duration | Intensity | Probability | Significance |
|---------------------|---------|----------|-----------|-------------|--------------|
| Pre- | L/M - 2 | L/M - 2 | M - 6 | M - 3 | M - 30 |
| mitigation | | | | | |
| Post- mitigation | L - 1 | L- 1 | L- 2 | L - 1 | L - 4 |

 Table 7-17:
 Assessment of the impacts of waste generation

7.4.4.1 Mitigations and recommendation to waste generation

- The site should be kept tidy at all times.
- All domestic and general waste produced on a daily basis should be cleaned and contained daily.

- No waste may be buried or burned on site or anywhere else.
- Waste containers (bins) should be emptied after the construction and removed from site to the municipal waste disposal site.
- Separate waste containers (bins) for hazardous and domestic / general waste must be provided on site.
- Construction labourers should be sensitised to dispose of waste in a responsible manner and not to litter.
- No waste may remain on site after the completion of the project.

8 RECOMMENDATIONS AND CONCLUSION

8.1 Conclusion

The key potential biophysical impact related to the construction, operational and maintenance and decommissioning phases of the proposed project were identified and assessed. Suitable mitigation measures (where required and possible) were recommended, and the impacts can be summarised as follows:

- Impacts on Surrounding Property Owners (during construction): There is the possibility of disturbance of the surrounding property owners due to the presence of the construction team. The construction work will last for a scheduled period and is not expected to continue for an extended period. Therefore, the significance of this impact is low. However, the impact can be adequately addressed by the recommendations given under subchapter 7.2.1, 7.4.2 and management actions given in the EMP (Chapter 3).
- Impacts on Health and Safety (during construction and decommissioning) Workers
 may be subject to issues of health and safety during construction on site. Improper
 handling of construction materials and equipment may cause injuries. With no
 mitigation measures in place, this impact will receive a "medium to high"
 significance rating. However, the implementation of applicable safety measures,
 the impact can significantly be reduced to a low rating. The impact can be
 adequately addressed by the recommendations given under subchapter 7.2.2,
 7.4.3Table 7-16 and management actions given in the EMP (Chapter 3).
- Impacts on Waste Generation (during construction and decommissioning): Construction activities usually generates wastes which leads to environmental pollution, if not properly handled. This may pose a negative visual impact on the surrounding environment. Without any mitigation measures implemented, the impact can be rated as of a "medium" significance. After the implementation of the mitigations, the impact will be significantly reduced to low rating. The impact can be adequately addressed by the recommendations given under subchapters 7.2.3, 7.4.4 and also management actions given in the EMP (Chapter 3).
- Impacts on dust and noise (during construction): Dust and noise generation may occur during construction. Without any mitigation measures implemented, the impact can be rated as of a "medium" significance. After the implementation of the mitigations, the impact will be significantly reduced to low rating. The impact can be adequately addressed by the recommendations given under subchapter 7.2.4 and 7.2.5 and also management actions given in the EMP (Chapter 3).

- Impacts on Health and Safety (Potential Radiation) (during operational phase): Although health concerns were not specifically raised as a concern during the public participation process, it is a national and international topic that requires investigation due to the close proximity of the structure to neighbouring properties. The impact can be adequately addressed by the recommendations given under subchapters 7.3.1,7.4.3 and also management actions given in the EMP (Chapter 3).
- Impacts on Civil Aviation during (operational phase): Potential impact on civil aviation due to the height and location of the site. The proposed structure is approximately 8 km from the Swakopmund Airport. As such it is required that the proposed structure comply with the regulations of the Namibia Civil Aviation Act in terms of limitations and markings. Therefore, this impact will receive a significantly medium rating. The impact can be adequately addressed by the recommendations given under subchapter 7.3.2 and also management actions given in the EMP (Chapter 3).
- Impact on mobile users (during decommissioning phase): The affected residents and businesses will lose good network coverage in the area, if the tower is decommissioned and no other alternative cellular service infrastructure is put in place. This is an unlikely case due to the fact that, the modern world is advancing on a daily basis, and there will always be a need for improved mobile services. Even if the tower is to be removed in the future, it will most likely be replaced by a better infrastructure for the same purpose. The impact can be adequately addressed by the recommendations given under subchapter 7.4.1 and also management actions given in the EMP (Chapter 3).

8.2 Recommendation

Based on the information provided in this report, GCS is confident the identified risks associated with the proposed development can be reduced to acceptable levels, should the measures recommended in the EMP be implemented and monitored. It is therefore recommended that the project receive Environmental Clearance, provided that the EMP be implemented.

9 REFERENCES

Mendelsohn, J., Jarvis, A., Roberts, C. & Roberston, T. 2002.

Namibia Statistics Agency. 2011. Erongo Census Regional Profile.