# **ENVIRONMENTAL IMPACT ASSESMENT (EIA)**

# **MENETTE NYEUDO HAIPINGE**

# MINING CLAIMS:70753 & 70661

#### Prepared by:

Centre for Geosciences Research cc 128 A Bach street Windhoek Windhoek Cell: 0856419511



#### Proponent:

Menette Nyeudo Haipinge P.O.Box 174 Karibib, NAMIBIA

#### TITLE:

Environmental Impact Assessment and Environmental Management Plan for the proposed small scale surface mining for marble in Menette Nyeudo Haipinge Mining Claims 70753 & 70661 Karibib District, Erongo Region, Namibia.

#### AUTHORS:

• Mr Siyambango Mulife (Centre for Geosciences Research cc)

#### CLIENT:

Menette Nyeudo Haipinge P.O.Box 174 Karibib, NAMIBIA

#### CONSULTANCY:

Centre for Geosciences Research Cc PO Box 31423 Pioneerspark Windhoek, Namibia

Contact: Cell:0856419511

NAME	Mulife Siyambango		
RESPONSIBILITY         Director of Centre for Geosciences Research           Project Director         Project Director			
QUALIFICATIONS	B. Sc. in analytical, inorganic and physical chemistry, M. Sc. in Industrial Rocks and Minerals, MBA in Banking, Accounting and Strategic Management.		

PROFESSIONAL REGISTRATION	Pr.Sci.Nat	
EXPERIENCE	Mr Siyambango is the director and founder of Centre for Geosciences Research cc Mr Siyambango is a qualified geologist, and specialist in industrial minerals and rocks. Obtained an <b>MSc in Industrial Rocks and</b> <b>Minerals</b> with majors in Mineral Resource Assessment & Estimation; Mineral Extraction & Management Marketing of Industrial Rocks and Minerals, Geology and Technology of Industrial Rocks and Minerals. <b>Mr</b> <b>Siyambango</b> is a fully trained and qualified Chemist with a <b>BSc in analytical, inorganic and physical</b> <b>chemistry</b> . Extensively trained and experienced in analytical instruments that are essential for mineral exploration and mineral processing. Academically and experienced trained Manager, with an <b>MBA in</b> <b>Banking, Accounting and Strategic Management</b> . The qualification supplements the economic assessment of commerciality of mineral resources for assessment of the bankability.	

# **Table of Contents**

LIST OF FIGURES				
LIST OF	F TABLES	8		
ABBRE	VIATIONS AND ACRONYMS	9		
PART I:	ENVIRONMENTAL IMPACT ASSESSMENT (EIA) REPORT	10		
1. Intro	oduction	11		
1.1.	Project Background	11		
1.2.	The objectives of the Environmental Assessment Process	12		
1.3.	Terms of Reference	12		
1.4.	Scope of the Environmental Impact Assessment (EIA)	13		
2. Bac	ckground to small scale surface mining for dimension stone (i.e. Marble)	14		
2.1.	What are dimension stones?	14		
2.3.	What is Marble dimension stone	17		
2.4.	Concluding remark on this section	17		
3. Pro	ject description	18		
3.1.	Rationale for the proposed project	18		
3.2.	Proposed locality	18		
3.3.	Geology of the area	19		
3.4.	Climate	22		
3.5.	Infrastructure and exploration equipment's requirement for the project	23		
3.5.1.	Mining equipment's	23		
3.5.2.	On site Infrastructure requirements	24		
3.6.	Concluding remark on this section	24		
4. Leg	al and regulatory framework review	25		

	4.1.	Mineral Act of 1992 and the types of license it regulates	25
	4.2.	Legal instrument relevant to this project	27
	4.3.	Regulatory authorities and permitting	30
	4.4.	Concluding remark on this section	31
5	. Affe	ected environment	32
	5.1.	General description of the project	32
	5.2.	Social environment and archaeology	32
	5.2.1.	Social environment	32
	5.2.2.	Archaeology	34
	5.3.	Biophysical Environment	34
	5.3.1.	Geology	34
	5.3.2.	Biodiversity (fauna and flora)	36
	5.3.3.	Groundwater and surface water hydrogeology	36
	5.4.	Potential impact identified	41
	5.5.	Concluding remark on this section	41
6	. Pub	lic consultation process	42
	6.1.	Legal and policy requirement	42
	6.2.	Consultation process followed during the EIA process	44
	6.3.	Limitation of the public consultation process	45
	6.4.	The interested and affected parties (I & AP's)	46
	6.5.	Outcome of the public engagement	46
	6.6.	Key issues identified during the public engagement process	46
	6.7.	Concluding remark on this section	47
7	. Imp	act assessment	48
	7.1.	Identification of key issues	48

7.2. M	ethodology used or adopted for the impact assessment	
7.3. Bi	ophysical Environment	56
7.3.1.	Impact of oil spills on groundwater aquifer and surface water streams	56
7.3.2.	Loss of Fauna and Flora diversity	
7.3.3.	Dust generation on site	
7.4. So	ocial Economic Environment	64
7.4.1.	Job creation	64
7.4.2.	Potential spread of HIV/AIDS	
7.4.3.	Disturbance or destruction of archaeological sites	67
7.5. So	olid waste: wires, drill bits, and human waste	
7.5.1.	Descriptions	
7.5.2.	Sensitivity of the affected environment	69
7.5.3.	Mitigation and enhancement measures	
7.5.4.	Monitoring	70
7.6. La	and or soil disturbance: on site and the proposed 23km stretch road	70
7.6.1.	Descriptions	70
7.6.2.	Sensitivity of the affected environment	70
7.6.3.	Mitigation and enhancement measures	70
7.6.4.	Monitoring	71
7.7. Co	oncluding remark on this section	71
8. Conclu	usion and recommendations	72
8.1. Co	onclusion	72
8.2. Re	ecommendations	72
9. Refere	nces	73

# LIST OF FIGURES

Figure 1: MINING CLAIMSSite location in Karibib District, Erongo Region	11
Figure 2: Site location in relation to nearby towns, road and parks	19
Figure 3: Geology of the sites	22
Figure 4: Homogeneous marble within the MINING CLAIMS Eas seen in a hand specimen	35
Figure 6: The Karibib Formation (Tordiffe, 2013)	38

# LIST OF TABLES

Table 1: Dimension stone extraction methods and technologies    16
Table 2: The stratigraphy of the Swakop Group (Damara Sequence) based on Miller 2008 20
Table 3: Idealized Geology 21
Table 4: List of machines/equipment and quantity to be used during the mining process
Table 5: Types of license regulated by the Mineral Act of 1992, activities and environmental         requirements         26
Table 6: Legal instruments relevant to this project
Table 7: The regulatory authority and permitting
Table 8: The APV for the Karibib Marble Aquifer in Mining Claims
Table 9: Public consultation process
Table 10: Process of determining the key impacts resulting from certain aspects of the proposedsmall scale surface mining for marble.49
Table 11: Definition of criteria for assessing significant impact    53
Table 12: Definitions of various significant rating or sensitivity    55
Table 13: Expected significance of the project on liquid waste    57
Table 14: Expected significance of the project on Biodiversity: fauna and flora59
Table 15: Expected significance of the project on dust generated on site61
Table 16: Expected significance of the project on social economic implications
Table 17: Expected significance of the project on the spread of HIV/AIDS67
Table 18: Expected significance of the project on archaeological sites
Table 19: Expected significance of the project on solid waste       69
Table 20: Expected significance of the project on soil or land disturbance

# ABBREVIATIONS AND ACRONYMS

EMP	Environmental Management Plan	
EIA	Environmental Impact Assessment	
EC	Environmental Commissioner	
SADC	Southern African Democratic Country	
RSA	Republic of South Africa	
ММЕ	Ministry of Mines and Energy	
MET	Ministry of Environment and Tourism	
MAWF	Ministry of Agriculture Water and Forestry	
DWA	Department of Water Affairs	
OMDEL	Omaruru Delta	
IL Mining License		
DEA	Department of Environmental Affairs	
SM	Site Manager	
ENC	Environmental Coordinator	
SF	Site Foreman	
PS	Project Staff	
PP	Project Proponent	
EIA-C	Environmental Impact Assessment Consultant	
I&Aps	Interested and Affected Parties	
EAs	Environmental Assessments	

# PART I: ENVIRONMENTAL IMPACT ASSESSMENT (EIA) REPORT


#### 1. Introduction

## 1.1. Project Background

MENETTE NYEUDO HAIPINGE is proposing to carry out a quarry or a small scale surface mining for marble near the town of Karibib in the Erongo Region (Figure 1).The associated MENETTE NYEUDO HAIPINGE MINING CLAIMS relating to this undertaking are registered under her name. The mining claims are as follows below:

# (a) MENETTE NYEUDO HAIPINGEMINING CLAIMS

In line with the provisions of the Environmental Management Act (2007) and EIA Regulations (2012) an Environmental Impact Assessment (EIA) is required for "Mining claims Activities".



**Figure 1:** site location of MENETTE NYEUDO HAIPINGE MINING CLAIMS in Karibib District, Erongo Region

In that regard CENTRE FOR GEOSCIENCES RESEARCH has been appointed to conduct an Environmental Impact Assessment (EIA) and develop an Environmental Management Plan (EMP) for the proposed small scale surface mining project. Mulife Siyambango is an Environmental Assessment Practitioners that conducted the EIA, and the CV is (**Appendix A**).

### 1.2. The objectives of the Environmental Assessment Process

The study will involve the investigation and assessment of likely short and longterm positive and negative environmental impacts of the activities related to the proposed possible project with the following objectives:

- To prepare an Environmental Impact Assessment (EIA) report including details of the proposed small scale surface mining or a quarrying;
- Develop an Environmental Management Plan (EMP) based on the outcomes of this study in support of the environmental management of the proposed small scale mining or a quarrying.

#### 1.3. Terms of Reference

Terms of reference" means a document which forms part of an EIA report and sets out how an assessment must be carried out. The term of reference for the proposed project was set out based on the requirement by the Environmental Management Act (2007) and its Regulation (2012). The steps which were followed are described as follows:

- a) a description of all tasks to be undertaken as part of the assessment process, including any specialist to be included if needed;
- b) an indication of the stages at which the Environmental Commissioner is to be consulted;
- c) a description of the proposed method of assessing the environmental issues and alternatives; and

d) The nature and extent of the public consultation processes to be conducted during the assessment process.

### 1.4. Scope of the Environmental Impact Assessment (EIA)

The particular objectives of the EIA in line with the Terms of Reference are to:

- Comply with Namibia's Environmental Assessment Policy, Environmental Management Act (2007) and its Regulations (2012).
- Confirm the justification of the project and to consider all alternatives that would meet the need;
- Consult all Interested and Affected Parties (I&APs) to ensure that their inputs are taken into account;
- Review the legal and policy framework and their relevant requirements for this project;
- Describe the biophysical and socio-economic environment of the project and determine the associated sensitivities to and suitability of the prospecting, mining, and transportation activities.
- Identify and assess impacts related to the construction, operation and decommissioning of the small scale surface mining and to propose suitable mitigation strategies;
- Compile an Environmental Management Plan for the construction; operation and decommissioning of the proposed small scale surface mining for marble.

# 2. Background to small scale surface mining for dimension stone (i.e. Marble)

#### 2.1. What are dimension stones?

According to the provisions of Schedule 1, dimension stones are groups of Minerals, elements and rock (Section 1), Part 2 of the Minerals (Prospecting and Mining) Act, 1992, (Act No. 33, 1992), the dimension Stone Group includes all rock material occurring naturally in, on or under the earth. They are capable of being cut, shaped or used in blocks, slabs, sheets and tiles for the construction or cladding of buildings, paving, monuments and memorials. Exploration or prospecting means any operations carried on in connection with investigations, including any accessing, extraction or incidental winning of any mineral or group of minerals for the purposes of mineralogical examination, assaying, test work or marketability surveys. While exploration area or prospecting area means the land to which an exclusive prospecting license relates.

Dimension stone is one of the oldest and most durable building materials. The Egyptian pyramids were built from quarried stone in about 2800 B.C., and the Babylonians used cut stone in 600 B.C. to build the renowned Hanging Gardens, one of the Seven Wonders of the World. The Greeks and Romans also used cut and finished stone widely as construction, decorative, and statuary material.

The principal rock types used for dimension stone are marble, limestone, granite, sandstone, and slate. Of these, granite, limestone, and marble are the three main materials for construction, decorative and statuary. Physical properties, such as durability, strength, and the ability of the stone to hold a surface finish, are important in the industry. To the customer the esthetic properties such as color, texture and pattern, and surface finish are very important.

Besides meeting the desired physical and esthetic properties, the rock must be relatively free of fractures so that it can be split or cut from a quarry face in large multi-tonne blocks and transported to the processing plant. Prospecting for, and mining and production of dimension stone are more sophisticated and require more care than the same processes or the methods used for natural stone aggregate or sand and gravel.

#### 2.2. Dimension stone mining

In mining dimension stone it is necessary to split or cut the stone into successively smaller pieces until the final desired block size is achieved, and saleable blocks are produced. The mining methods utilized in the extraction of dimension stone range from relatively simple and low technology methods to some quite technologically advanced methods. In general, marble is extracted using relatively advanced *non-explosive* cutting technologies, and is even quarried in underground situations, while granite tends to utilize more low-tech drilling and splitting technologies, although this is changing. For this project marble will be extracted using non-explosive cutting technologies.

For most rocks, the mining stage of dimension stone extraction conforms to one of two general strategies. In the first of these, large volumes of rocks (usually in the 1000s of m 3range) are loosened by means of primary cuts, and then divided stepwise into smaller pieces until commercial blocks are obtained, discarding waste material as the process is performed. The cutting technology is the main method employed in most granite and marble quarries.

There are three methods used in the extraction of dimension stone, such as cutting, splitting and cautious blasting. For this project a cutting method will be used as shown in the table 1 below. A summary of the different extraction methods for dimension stone and the technologies involved are given in table 1 below.

# Table 1: Dimension stone extraction methods and technologies

# (Ashmole and Motloung, 2008)

Extraction methods	Cutting	Splitting	Cautious Blasting
Methods of separating blocks/slabs	Blocks separated by means of kerfs • Sand wire (helicoidal	Blocks separated by fractures induced in pre-determined planes Explosives: Detonating cord	Blasting with minimal breakage
Technology	<ul> <li>wire) ;</li> <li>Diamond wire</li> <li>Chain saw</li> <li>Disc cutter</li> <li>Diamond belt cutter</li> <li>Flame jet</li> <li>Water jet</li> </ul>	<ul> <li>NG based explosives</li> <li>Blasting gunpowder</li> <li>Plug and feather</li> <li>Expansive mortar</li> <li>Hydraulic wedges</li> </ul>	Explosives
Products	Commercial blocks	Commercial blocks	<ul> <li>Natural slabs</li> <li>Kerbs</li> <li>Paving stones</li> <li>Cobbles</li> <li>Building blocks</li> <li>Tiles</li> </ul>

#### 2.3. What is Marble dimension stone

Marble is defined commercially as any crystalline rock composed predominantly of calcite, dolomite, or serpentine that is capable of taking a polish. Calcareous materials account for approximately 57%, siliceous materials for around 38% (of which granites account for probably over 95%), and slates for around 5% of total world production of around 93 million tons in 2007 (Ashmole and Motloung, 2008).

#### 2.4. Concluding remark on this section

In this section information was provided to explain different steps or phases that are involved in mining demission stone, as well as explanation of what marble is pertaining to the dimension stone industry. The following section provides information of what MENETTE NYEUDO HAIPINGE proposes for this project.

#### 3. Project description

#### 3.1. Rationale for the proposed project

The dimension stone industry in Namibia has been in existence for many years; however its potential has not yet been fully developed. Prospecting company should utilize this opportunity to take advantage of this development. The demand for demission stone is increasing in Namibia, SADC and the rest of the world.

Namibia's internal market for dimension stone is small, and is limited mainly to tomb stone manufacturing with occasional building cladding/flooring application. Regionally, Namibia exported 10,830 t and 41,456 t of its 2004 marble and granite production respectively to SADC countries, mainly South Africa.

Annual production of marble and granite has shown a rapid increase in tonnage since 2003. There has been an increase in the variety of dimension stone now available, which is mainly due to the upswing in dimension stone exploration, and mining in Namibia, with more Mining Claims been applied for dimension stone granted and several applications pending.

Against this background, Menette Nyeudo Haipinge is proposing to carry out a quarry for Marble. If the quarry test will be successfully, employment will be created to people within the vicinity of the project area such as those residing near Karibib and Usakos.

#### 3.2. Proposed locality

The MENETTE NYEUDO HAIPINGE MINING CLAIMS is located near Karibib Town. The distance to MENETTE NYEUDO HAIPINGE MINING CLAIMS from Karibib is about 8km in the southwestern direction. From the B2 road, distance to MENETTE NYEUDO HAIPINGE MINING CLAIMS is 6km southward. Both B2 road and the Rail link are on the west side of the Mining Claims(**Figure 2**). Karibib is the major settlement found

18

nearby Mining Claims; furthermore, the MENETTE NYEUDO HAIPINGE MINING CLAIMS is outside the National Park (**Figure 2**).




Figure 2: Site location in relation to nearby towns, road and parks Menette Nyeudo Haipinge Mining Claims

# 3.3. Geology of the area

The general geology of the study area consists of crystalline marble, schist, amphibolite and quartzitic rocks of the Karibib Formation in the Swakop Group of the Damara Sequence. In some places, these lithologies are intruded by granite of the Salem Suite, consequently introducing secondary discontinuities and compartmentalizing lithological continuity.

Since the Swakop Group is the main prevalent part of the Damara Supergroup in the study area, its complete stratigraphic column the Damara Supergroup is presented in **Table 2 and Figure 3**, whereas **Table 3**.presents the idealized geology of the sites.

Table 2: The stratigraphy of the Swakop Group (Damara Sequence) based onMiller 2008

GROUP	FORMATION	MEMBER	LITHOLOGY	COMMENT
	Damint Suite		Granite	Target Resource
	Kuiseb		Schist & minor amphibilite	Wide spread
		Arises River	Calc-silicate rock, calc marble	
OUP	Karibibi	Otjongeama	Main marble member	
SWAKOP GROUP	Arandis	Obserwasser	Schist & phyllitic schist, metagreywacke	
SWAK		Okawayo	Discontinous marble, biotite schist, calc-silicate rocks	
		Spes Bona	Calc-silicate rock, metagreywacke, schist, quartzite	

(Source: Muller, 2008)

Table 3: Idealized Geology

	IDEALIZED	
Depth (m)	GEOLOGY	
100		Granite
300		Schist_KU
450		Marble_KA
1000		Schist _A
EGEND		Phyllite
IEG	<b>(</b>	Greywacke
		Arandis FM
		Kuiseb FM
		Karibib FM




Figure 3: Geology of the proposed in MENETTE NYEUDO HAIPINGE MINING CLAIMS site

#### 3.4. Climate

Annual precipitation in the project area ranges from 150mm to 300mm. The average temperature for MENETTE NYEUDO HAIPINGE mining claims site is between 21°C to 22°C. The area receives very little rainfall during wet season, and thus the possession of Marble potential. The relative humidity of the area range from 16% to 39% and the wind direction is predominantly dominated by southwest wind.

# 3.5. Infrastructure and exploration equipment's requirement for the project

The project is a small scale surface mining and during the mining process the following equipment or technology will be used:

- Sand wire (helicoidal wire);
- Diamond wire
- Chain saw
- Disc cutter
- Diamond belt cutter
- Flame jet
- Water jet

The collected bulk samples will be ship to the Republic of South Africa (RSA) for geotechnical and construction material tests. Besides cutting which induced shallow cracks into the Marble, and no blasting will be conducted.

# 3.5.1. Mining equipment's

Table 4 below shows a summary of machines/equipment that will be used during the small scale surface mining process.

Item	Quantity
Disc cutter	2
Jack Hummer	2
Water jet	1
Diamond Wire Saw	1
Generator	1
Front End Loader	1
Water Tank	1
Diesel Tank	1

#### 3.5.2. On site Infrastructure requirements

#### a. Waste disposal infrastructure

Bins will be provided, and all litter will be disposed of at the nearest municipal dumping site (i.e. Karibib Town Council Dumping site). Industrial waste will be mainly wire, cable, drill bits, these items will be collected and removed from the sites. No unused machines, part will remain on site. Chemical Toilets (Mobi Loo) will be erected on sites for the use of the workers.

#### b. Electrical requirements

The area or sites have no access to the main electrical grid. Therefore during the mining process, diesel generator will be used as a source of power. The diesel to be used on site will be purchased from the nearby towns such as Karibib.

#### c. Road proposed

The B2 will be used for transportation of equipments to and from the site and also the bulk samples collected for testing. To get to the site small stretches of roads will have to be made from the main road to the mining claims site. The road length will be about +-7km long to MENETTE NYEUDO HAIPINGE MINING CLAIMS.

#### 3.6. Concluding remark on this section

In this section information on the rationale for the project, project location, geology of the project location, and climate of the area were provided. Moreover, infrastructure that will be needed for the project, and types and quantity of small scale mining equipments were also described in this section. Human waste from the chemical toilets (Mobi loo) will be dumped at Karibib Town Council Dumping site.

#### 4. Legal and regulatory framework review

The national regulations governing prospecting and mining for dimension stone activities in Namibia fall within the jurisdiction of the Ministry of Mines and Energy (MME). The Minerals (Prospecting and Mining) Act (No 33 of 1992) is the most important legal instrument governing the mining and prospecting industry in Namibia.

The Minerals (Prospecting and Mining) Act (No 33 of 1992) regulates reconnaissance license, prospecting license and mining of minerals and dimension stone or rocks. The Act details reporting requirements for monitoring of activities and compliance to environmental performance, such as disposal methods and rehabilitation. The Mining Commissioner, appointed by the Minister, is responsible for implementing the provisions of this Act as well as the associated regulations such as the Health and Safety Regulations. Several explicit references to the environmental impact assessments, rehabilitation of prospecting and mining areas and minimizing or preventing pollution.

#### 4.1. Mineral Act of 1992 and the types of license it regulates

Below is an outline of the Mineral Act, linking the type of license it regulates, project activities at every license stage and the environmental requirements are (**Table 5**).

# Table 5: Types of license regulated by the Mineral Act of 1992, activitiesand environmental requirements

Types of license	Activities	Environmental Requirements
Exclusive Reconnaissance License (ERL)	<ol> <li>Project</li> <li>Identification,</li> <li>Reconnaissance</li> </ol>	None Complete Environmental Questionnaire
Exclusive Prospecting License	Exploration based on the following steps: Desktop study, Detailed Mapping, Geophysical Methods, Drilling and Bulk Sampling, Test a quarrying	Scoping Report, Environmental Impact Assessment (EIA)
Mining License	Preconstruction and Construction, Operation and, Ongoing Monitoring, Decommissioning, Closure, Restoration and Aftercare	Full Environmental Assessment ,covering, Scoping, Environmental Impact Assessment(EIA) and the development of and Environmental Management Plan (EMP)covering the complete project lifecycle including preconstruction, construction
Mining claims	Preconstruction and Construction, Operation and, Ongoing Monitoring, Decommissioning, Closure, Restoration and Aftercare	operation and ongoing, decommissioning and aftercare. Aspects of the Environmental Management Plan are usually incorporated into an Environmental Management Systems

## 4.2. Legal instrument relevant to this project

There are various legal instruments that advocates for the effects of small scale mining on the environment. Table 6 below shows the summaries of the legislation that are relevant to this project:

Topic	Legislation	Provisions	Regulatory Authority
Small scale Marble Mining	Mineral (Prospecting and Mining) Act of 1992	The Minerals Act of 1990 governs minerals prospecting and mining. The Act provides for the reconnaissance license, prospecting license and mining for, and disposal of, and the exercise of control over minerals in Namibia.	Ministry of Mines and Energy
Environmental Impact Assessment	Environmental Management Act of 2007 and EIA regulation of 2012	Provides list of activities that require an environmental assessment, including: Mining and Quarrying. Activities such as exploration or prospecting for minerals or dimension stone, mining for minerals or dimension stone. The Act also provides procedures for adequate public participation during the environmental assessment process for the interested and affected parties to voice and register their opinions and concern about a project.	Ministry of Environment and Tourism
Water Supply and Effluent Discharge	Water Resources Management Act 2004	<ul> <li>This Act provides provisions for the control, conservation and use of water for domestic, agricultural, urban and industrial purposes.</li> <li>The Act states that a license or permit is required to abstract and use water, and also discharge effluent.</li> <li>In accordance with the Act, and due to the nature of the project, abstraction and use permits won't be required for this project as on site water tank (500L) will be used. The capacity of the onsite tank is less than 20000m3 bench mark for water work permit.</li> <li>Effluent (i.e. Human Waste) from the mobile toilet will be discharge at the Henties Municipality sewerage system. No effluent will be discharge in an water course. Waste water from dust suppression will be minimal and the water is expected to evaporate faster than it infiltrate. Therefore, no effluent discharge permits will be required for this project</li> </ul>	Ministry of Agriculture Water and Forestry

### Table 6: Legal instruments relevant to this project

Торіс	Legislation	Provisions	Regulatory Authority
Hazardous Substance such as used oil which (e.g. diesel)	Hazardous Substance Ordinance 14 of 1974	The Act provides for the control of substances which may cause injury or ill- health to or death of human beings by reason of their toxic, corrosive, irritant, strongly sensitizing or flammable nature or the generation of pressure thereby in certain circumstances; to provide for the prohibition and control of the importation, sale, use, operation, application, modification, disposal or dumping of such substance; and to provide for matters connected therewith"	Ministry of Health and Social Services
Fauna and flora	The Nature Conservation Ordinance, Ordinance of 1975,	In the course of the Mine's activities, care must be taken to ensure that protected plant species and the eggs of protected and game bird species are not disturbed or destroyed. If such destruction or disturbance is inevitable, a permit must be obtained in this regard from the Minister of Environment and Tourism. For this project, due to it areal extend and location outside a protected area a permit will not be required.	Ministry of Environment and Tourism (MET)

Topic	Legislation	Provisions	Regulatory Authority
Used oil	Petroleum Products and Energy Act 13 of 1990	The Act provides provisions for the any certificate holder or other person in control of activities related to any petroleum product is obliged to report any major petroleum product spill (defined as a spill of more than 200 <i>l</i> per spill) to the Minister. Such person is also obliged to take all steps as may be necessary in accordance with good petroleum industry practices to clean up the spill. Should this obligation not be met, the Minister is empowered to take steps to clean up the spill and to recover the costs thereof from the person. Used oil from this project will disposed at the Walvis Bay Municipality Hazardous Waste Site. Permission will be required from the facility owner prior to the dumping of the used oil.	Ministry of Mines and Energy
Employees	The Labour Act, 2007 (Act No. 11 of 2007)	The Labour Act gives effect to the constitutional commitment of Article 95 (11), to promote and maintain the welfare of the people. This Act is aimed at establishing a comprehensive labour law for all employees; to entrench fundamental labour rights and protections; to regulate basic terms and conditions of employment; to ensure the health, safety and welfare of employees	Ministry of Labour and social welfare
Archaeological sites	National Heritage Act 27 of 2004 Ministry of Youth	This Act provides provisions for the protection and conservation of places and objects of heritage significance and the registration of such places and objects. The proposed exploration project will ensure that if any archaeological or paleontological objects, as described in the Act, are found in the course of its construction, mining operations or closure that such find be reported to the Ministry immediately. If necessary, the relevant permits must be obtained before disturbing or destroying any heritage.	National Service, Sport and Culture
Desertification	United Nation Convention to Combat Desertification 1992	The convention objective is to forge a global partnership to reverse and prevent desertification/land degradation and to mitigate the effects of drought in affected areas in order to support poverty reduction and environmental sustainability	United Nation Convention

Торіс	Legislation	Provisions	Regulatory Authority
Biodiversity	Convention on Biological Diversity (CBD) 1992	This convention advocates for the conservation of biological diversity, the sustainable use of its components and the fair and equitable sharing of the benefits arising out of the utilization of genetic resources.	United Nation Convention

# 4.3. Regulatory authorities and permitting

The environmental regulatory authorities responsible for environmental protection and management in relation to the proposed small scale mining project including their role in regulating environmental protection are listed in Table 7. Table 7 below shows an extract from the legal instruments of the regulating authorities with respect to the relevant permits/ licenses required for the proposed small scale surface mining project.

#### Table 7: The regulatory authority and permitting

Activities list	Applicable Legislation	Permitting Authority	Current Status
Small Scale Mining Programme	Minerals (Prospecting and Mining) Act, 1992	Ministry of Mines and Energy	Field Work to follow on issue of Environmental Clearance
EIA Clearance for Exploration	Environmental Policy and Environmental Management Act, (Act No. 7 of 2007)	Ministry of Environment and Tourism (MET)	To be applied on completion of this EIA and EMP Report for Exploration
EIA Clearance for Mining & Mining Claims	Environmental Policy and Environmental Management Act, (Act No. 7 of 2007)	Ministry of Mines and Energy	To apply if Economic Resources are Discovered and Project Advances to Feasibility and if the Feasibility Proves Positive

Activities list	Applicable Legislation	Permitting Authority	Current Status	
Construction, alteration of waterworks with capacity to hold in excess of 20,000L. Abstraction of water other than that provided by Nam Water. Discharge of effluents or construction of effluent facility or disposal site	Water Resources Management Act, 2004 (No. 284 of 2004).	Ministry of Agriculture, Water and Forestry	To Apply when Required	
Removal, disturbances or destruction of bird eggs	Nature Conservation Ordinance 4, 1975.	Nature Conservation Ordinance 4, 1975.		
Removal, destruction of indigenous trees, bushes or plants within 100 yards of stream or watercourse	Forestry Act, 12 of 2001	Ministry of Water Affairs and Forestry (MWAF)		
Discarding or disposing of used oil	Petroleum Products and Energy Act 13 of 1990	Ministry of Mines and Energy (MME).	To Apply when Required	
Construction of waste Disposal sites.	Environmental Policy and Environmental Management Act, (Act No. 7 of 2007)	Ministry of Environment and Tourism (MET)		
License to Purchase, store and use of Explosive	Explosives Act 26 of 1956 (as amended in SA to	Ministry of Safety and Security in		
Magazines for Blasting	April 1978),	consultation with Ministry of Mines and Energy (MME).		

# 4.4. Concluding remark on this section

In this section information on the relevant legislation to the project, the type of licenses required and the permits were presented. The regulatory authorities relevant to the project were also mentioned in this section.

#### 5. Affected environment

#### 5.1. General description of the project

The proposed project under MENETTE NYEUDO HAIPINGE MINING CLAIMS involves undertaking a small scale surface mining for dimension stone in particular Marble. The overall aim of the project is to evaluate for possible development of a viable quarry for Marble that may affect the environment. The mineral groups that are targeted in this Mining Claims are dimension stones in particular Marble.

**Dimension Stone:** In accordance with the provisions of Schedule 1, Groups of Minerals, Elements and Rock (Section 1), Part 2 of the Minerals (Prospecting and Mining) Act, 1992, (Act No. 33, 1992), Dimension Stone Group include all rock material occurring naturally in, on or under the earth which is capable of being cut, shaped or used in blocks, slabs, sheets and tiles for the construction or cladding of buildings, paving, monuments and memorials.

#### 5.2. Social environment and archaeology

#### 5.2.1. Social environment

According to Namibia Statistic agency, (2011), majority of the people in the area of Karibib are heavily depended on dimension stone (i.e. Marble) industry for their livelihood. The area (Karibib Town) has many small scale miners that operate mining for dimension stone at small scale. Most of the small scale miners are previous disadvantage people. Residents of Karibib Town are concerned about small miners selling their exploration/mining license to foreigner investor due to lack of startup capital for potential mining expansion. This could be seen as a threat and at the same time as an opportunity in the sense that local miners could negotiated for shareholding agreement instead of selling their licenses.

The report by Namibia Statistic agency, (2011) also revealed that the Karibib households depend mainly on wages and salaries, farming, business or non-farming activities, pension and cash remittance as their main income. About 58 % of the population depends on wages and salaries. Only a small percentage depends on farming, which is the lowest dependency in the area adding up to 6 % in the year 2011. About 9% of the population is depended on business or non-farming activities (Namibia Statistic agency, 2011). The dependency of the residents on pension only adds up 13% of the total population. The other 7% depends on the cash remittance (Namibia Statistic agency, 2011). Comparing to the Erongo region at large, the Karibib residence has the second highest unemployment rate in the region after the Daures constituency with an unemployment rate of 44% (Namibia Statistic agency, 2011). Karibib district is also one the constituency with a high rate of no proper sanitation, ranking in second after the Daures constituency. Therefore Karibib Town is in a crisis as far as employment, and thus development of the town is concern. However, any developmental activity that is needed should not take advantage of the unemployment situation in the Town at an expense of the environment and thus sustainable developmental project are needed for this town.

It should also be noted that, the population of the Karibib Town is about 13 320, and the town consist of only 9% of the Erongo Region population which is at 150 809 (Namibia Statistics Agency, 2011). The population growth rate is only 1%, depicting a slow growth rate which could be due to the little economic activities in the area to attract more inhabitants. According to the statistics the labor force participation rate is at 76.3% in Karibib, (Namibia Statistics Agency, 2011), were more men are economically active than women.

It anticipated that this project will have little adversely negative impacts on the communities living in Karibib and Usakos Towns, and nearby farms. Instead, the project poses a significantly positive impact to the people living in the area such Karibib and Usakos. The positive impacts are mainly, job creation, support to local retailers and payment of export tax and VAT to the government of Namibia. The little negative

33

impacts identified are on the issues of health and safety of the employees, and the potential spread of HIV/AIDS by the employees. Mitigation measures for the negatives impacts and enhancement measures for positive impacts are all addressed in Section 7.4 of this document and in the EMP.

#### 5.2.2. Archaeology

There are no archaeological sites within and outside the boundary of the mining claims. The available archaeological sites are mainly rock arts. Rock arts are of historical importance to the people it belongs to and the nation at large. These arts are protected by laws in Namibia such as the National Heritage Act of 27 of 2004, hosted under the Ministry of Youth. It's widely spread that every project operating within an area where there are lots of archeological sites is obliged not to destroy or temper with the sites. Therefore, should their be existing rock arts located in the boundary where this project will be operating should not be destroyed or tempered with during the duration of the project. The mitigations measures for the protection of archeological sites are addressed in Sub-section 7.4.3 of this document and the EMP.

#### 5.3. Biophysical Environment

#### 5.3.1. Geology

The geological set up within the two in MENETTE NYEUDO HAIPINGE MINING CLAIMS is comprised of rock units from the Swakop Group of the Damara Supergroup that was formed during the Damara Orogen. According to Porada and Hill, (1974) majority of the marble occurrences within the Karibib District are in favour of the white marble (Refer to figure 4) but there is also however the presence of "fancy" marble (i.e. the red white-veined, yellowish-pink, grey, grey-banded marble) in some parts of the area. Thus it can be said that the rocks are uncolored or banded, folded, flamed or brecciated. Within the MENETTE NYEUDO HAIPINGE MINING CLAIMS there is the presence of white homogeneous marble especially within the location of the target marble quarry and this is an indication that the rock consists of pure calcite and/or dolomite.



**Figure 4:** Homogeneous marble within the in MENETTE NYEUDO HAIPINGE MINING CLAIMS as seen in a hand specimen

The marbles within the in MENETTE NYEUDO HAIPINGE MINING CLAIMS belong to the Karibib Formation which is found within the Khomas Subgroup of the Swakop Group. The formation extends from the Northern Zone (NZ) to the southern Central Zone (sCZ) of Namibia and despite a broad similarity across this region it does however show considerable facies changes between each of the NZ, nCZ and sCZ (Miller, 2008).

In terms of its composition, the Karibib formation consists chiefly of a thick succession of dolomite marble with very subordinate intercalations of biotite-quartz schist. The development of this formation varies considerably from place to place (Porada & Hill, 1974).

#### 5.3.2. Biodiversity (fauna and flora)

The MENETTE NYEUDO HAIPINGE MINING CLAIMS is situated in the Namib Karoo and Western Highlands Savannah Biomes. In the Namib Karoo Biome, tree cover is 2 to 10%, tree height is 2 to 5m, shrub height is 0.5 to 1m, grass cover is 0.1 to 1% and grass height is >1.5m. The dominant vegetation in this biome according to the ranking is acacia montis-ustii, acacia robynasiana, cyohostemma currorii, strcutia africana, and calicorema capitiatia and orthanthyera albiadia (Mendelson, 2002). The above mentioned vegetation hosted in the Namib Karoo Biomes are of medium values.

In the Western Highlands Savannah Biomes, tree cover is 2 to 10%, tree height is 2 to 5m, shrub cover is 2 to 10%, and grass height is >0.1m. The dominant vegetation type in this biome according to the ranking is acacia reficiens, euphorbia geuerichiana, colophospermum mopane, maerua schinzii, and ademolobius garipensis (Mendelson, 2002).

Species number for mammals in the project area is about 61 to 71 species and the area is ranked number 5 in terms of species sensitivity. The area has 75 species of biodiversity compare to Zambezi Region at 120 and the Namib Desert at 9 species. Bird's endemism is ranked number 5 with 8 to 10 endemic species. The species of mammals are medium sensitive in the project areas, therefore mitigation strategies are needed to protect these species during the whole project phases.

#### 5.3.3. Groundwater and surface water hydrogeology

The geologically situated on rocks of the Swakop Group in the Damara Supergroup.

The metamorphic rocks of the Swakop Group largely consist of less porous crystalline schist and marble rock types. For that reason, the groundwater potential of the above referenced mining claims site is closely associated with availability, nature, magnitude and on the persistence of secondary geological structures like joints and fractures.

Supplementary to secondary geological structures, ephemeral stream channels with alluvial deposits thicker than 15 m are important aquifers, particularly where the streams are in cross cutting geometrical relationships with facture zones.

Therefore, it can be said that outside the major fracture zones, the Swakop Group is an aquitard – referring to a geological formation that does not store or/and transport groundwater. To illustrate this statement, Mukendwa (2013) rightfully concludes that the Karibib Formation is not worth considering as an aquifer in the absence of fracture, this is besides it being the most productive layer of the Swakop Group.

Locally, Karibib Formation (**Figure 6**) which consists of the Arises River Member (*coarse grained white calcitic marble beds*), the Otjongema Member (*Calc-silicate dolomitic marble beds*) and the Harmonie Member (*Calc-silicate minor marble beds*) is a source of water supply to local settlements and towns. However, the hydraulic yield of the aquifer is closely related to fracture storage, and is therefore highly variable and dependent on annual recharge.




Figure 5: The Karibib Formation (Tordiffe, 2013)

Due to its carbonate nature, the Karibib Formation maintains good quality water with a dominant calcium magnesium bicarbonate hydrochemical facie (Ca-Mg-HCO<sub>3</sub>).

# Aquifer pollution vulnerability (APV)

The Namibian legal framework advocates and places stewardship responsibility on all parties involved in activities which may have negative affect the environment, in this regard particular reference is made to both the Water Act, Act No. 12 of 1956 and the Environmental Act, Act No.7 of 2007 with respect to the cardinal responsibility of protecting, preserving and sustainable use of water resources.

In recognition of these legal frameworks, the consultant has adopted the **A**quifer confinement **O**verburden and **D**epth to water table (AOD) index scheme to evaluate the pollution vulnerability of the Karibib Formation Marble Aquifer.

Developed by Forster (1987), the AOD index scheme attempts to find the likelihood that a contaminant loaded at the ground surface will reach the water table of an aquifer given the nature of the aquifer, the nature and thickness of the aquifer's overburden.

The AOD index presented in **Table 4** is based on scales 1 to 10 of the Aquifer confinement, the Overburden strata in the unsaturated zone of above the groundwater strikes, and Depth to the water table in unconfined aquifers.

Place	Borehole WWW	Coordir	nates	Aqu Confin (n Rati	ement	Overla Stra (m Rati	nta	Der (m Rati	1)	AOD	APV
IN MENETTE NYEUDO HAIPINGE MINING CLAIMS	8960			3	9	4	8	14	8	441	HIGH

# Table 8: The APV for the Karibib Marble Aquifer in Mining Claims

Allocation ratings as inferred from borehole logs are multiplied with each other to come up with AOD index. The indices reflect the following conditions:

- 0 150 Low APV
- 151 300 Moderate APV (Mod)
- 301 500 High APV
- >500 Extreme APV (Ext)

A primary appraisal of the Karibib Marble Aquifer for Aquifer Pollution Vulnerability (APV) using the AOD index framework indicates that the aquifer is highly vulnerable to pollution, therefore extra care, stewardship and site specific studies should be considered during the Environmental Impact Assessment (EIA).

# 5.4. Potential impact identified

#### 5.4.1. Positive impacts

- Employment creation
- Support to local retailers shops
- Export taxes and VAT payment

# 5.4.2. Negatives impacts

- Effect of oil spillage on groundwater and surface water
- Solid waste: wires, drill bites, and human waste
- Land and soil disturbance: on site and the proposed road
- Loss of biodiversity: fauna and flora
- Effect of dust that will be generated on-site
- Effect of the spread of HIV/AIDS

# 5.5. Concluding remark on this section

In this section the affected environment was described. The social and the biophysical environmental information were provided and also the potential positive and negative impacts of the project were identified.

# 6. Public consultation process

#### 6.1. Legal and policy requirement

#### 6.1.1. Environmental management act (2007) and it EIA regulations (2012)

Public consultation is a crucial part of the EIA process. This provides an opportunity to stakeholders or interested member of the public to find out more about what is being proposed, and to raise any issues or concerns. The Environmental Management Act 2007 and its EIA regulations of 2012 are the key documents governing environmental impact assessment in Namibia.

One of the key objectives of the Act is to prevent and mitigate the significant effects of activities on the environment by:

Ensuring that there are opportunities for timeous participation of interested and affected parties throughout the assessment process; and ensuring that the findings of an assessment are taken into account before any decision is made in respect of activities."

The key principle of the Environmental Management Act 2007 advocates for public participation. The principles states that *"the participation of all interested and affected parties must be promoted and decisions must take into account, the interest, needs and values of interested and affected parties"*.

Section 21 of the EIA Regulations outlines procedure on public participation process as follows:

"(2).The person conducting a public consultation process must give notice to all potential interested and affected parties of the application which is subjected to public consultation by:

- a) Fixing a notice board at a place conspicuous to the public at the boundary or on the fence of the site where the activity to which the application relates is or is to be undertaken;
- b) Giving written notice to:

i. The owners and occupiers of land adjacent to the site where the activity is or is to be undertaken or to any alternative site;

ii. The local authority council, regional council and traditional authority, as the case may be, in which the site or alternative site is situated;

iii. Any other organ of state having jurisdiction in respect of any aspect of the activity; and

c) Advertising the application once a week for two consecutive weeks in at least two newspapers circulated widely in Namibia.

(3) A notice, notice board or advertisement referred to in sub regulation (2) must -

- a) Give details of the application which is subjected to public consultation; and
- b) State:
  - i. That the application is to be submitted to the Environmental Commissioner in terms of these regulations;
  - ii. The nature and location of the activity to which the application relates;

iii. Where further information on the application or activity can he obtained: and

c) The manner in which and the person to whom representations in respect of the application may be made.

(6) When complying with this regulation, the person conducting the public consultation process must ensure that a) information containing all relevant facts in respect of the application is made available to potential interested and affected parties; and b) consultation by potential interested and affected parties is facilitated in such a manner that all potential interested and affected parties are provided with a reasonable opportunity to comment on the application.

For the purpose of the Act and these regulations a notice is given to a person or a person is informed of a decision, if a document to that effect is:

(a) Delivered personally to that person;

(b) Sent by registered post to the persons last known address;

(c) Left with an adult individual apparently residing at or occupying or employed at the person's last known address; or

(d) In the case of a business-

(i) Delivered to the public officer of the business;

(ii) Left with an adult individual apparently residing at or occupying or employed at its registered address;

(iii) Sent by registered post addressed to the business or its public officer at their last known addresses; or

(iv) Transmitted by means of a facsimile transmission to the person concerned at the registered office of the business."

# 6.2. Consultation process followed during the EIA process

Communication with stakeholders about the proposed small scale surface mining project was facilitated through the following ways

- Identification of stakeholders
- Newspaper adverts
- Written notices
- Notice boards
- Information documents
- Stakeholder meetings via electronic remote were invited during the COVID
   19 lockdown restriction
- Reasonable opportunity for the public to register and comment on the project

Table 9, below explains how the communication process was facilitate using the above mentioned ways.

Steps	Description of the process	Time allowed
Identification of stakeholders	Keys stakeholders were identified and included in the register. Contact details for I&APs were obtained from their offices. ( <b>Appendix B</b> )	The registration process was maintained throughout the EIA process
Newspapers adverts	Notices were placed in the press, briefly explaining the development and its locality, inviting the public to register as stakeholders and informing them of the time and venue of the public meeting ( <b>Appendix C</b> ).	On the 1 August and 18 August 2020 in The Republikein and Sun Sun Newspapers.
Written Notices:	Written notices were provided to relevant authority such the farm owner. <b>Appendix</b> <b>D</b>	The farmer was informed two weeks before the public meeting.
Background Information Documents	A Background Information Document (BID) was compiled. The BID contained the information of the project ( <b>Appendix</b> <b>F</b> ). The BID was forwarded to all authorities and registered stakeholders.	Continued throughout the process every time someone registered.
Meetings:	consultation meeting was only invitation through ZOOM or skype, the reason was due to the restriction of movement and a number of people on a meeting	Public meeting was invited to register so a remote meeting via Zoom or skype could be conducted-this was due to the COVID-19 EMMERGENCY RESTRICTION

# Table 9: Public consultation process

# 6.3. Limitation of the public consultation process

The following factors limited the public participation process:

• Delivery of letters, Notice Board Posters and BID by hand is timing consuming.

- A physical meeting was not possible due to COVID -19 emergency law restriction hence CENTRE FOR GEOSCIENCES RESEARCH encouraged the use of electronic meeting once requested.
- Some stakeholders don't have access to email or internet .

# 6.4. The interested and affected parties (I & AP's)

There I&APs for this project were identified using information from the existing CENTRE FOR GEOSCIENCES RESEARCH stakeholder database. Notices were placed in various newspapers inviting the public to register as interested and affected parties. Organizations were also selected whom the consultant considered to be interested in or affected by this particular project. An I&APS can be defined as '(a) any person, group of persons or organization interested in or affected by an activity; and (b) any organ of state that may have jurisdiction over any aspect of the activity.

# 6.5. Outcome of the public engagement

The main issue that is drawn from the public participation is that the public were interested in the project regardless of its magnitude, duration and the number of people to be employed.

# 6.6. Key issues identified during the public engagement process

During the public participation process the following keys issues were identified:

- Rehabilitation of the site after mining
- Number of people to be employed in the project
- The duration of the EIA process
- The start of the mining or quarrying stage
- Management of waste both solid and liquid waste
- Safety measures in place for employees

The identified keys issues during the public participation process together with the issues identified in section 5.5 above were assess for potential impacts in section 7 below.

# 6.7. Concluding remark on this section

In this section, issues on public participation process such as steps or methods that were followed, process, the outcome of the public participation process, and key issues identified were presented. Moreover the legality patterning to public participation was also presented.

# 7. Impact assessment

#### 7.1. Identification of key issues

Potentially significant impact identified from the baseline conditions, legal requirement, and public participation process were screened to obtain issues that require further investigation or assessment and those that doesn't required further investigation. The process shown in the flow chart below was used for the screening of potential issues. Table 12 below, shows the screening of the identified impact using the flow chart.




Table 10: Process of determining the key impacts resulting from certain aspects of the proposed small scale surface mining for marble.

Environmental feature	Potential impacts of project feature	Key impact	Degree of sensitivity	Issue addressed in
	Contaminants of construction process (e.g. oil spills etc)		Medium sensitivity	Addressed in sub- section:7.3.1. and EMP
Surface water and ground water	Effluent discharge from mobile toilet	Deterioration of groundwater quality	Low sensitivity	Addressed in EMP
	Contaminants resulting from the presence of construction workers		Low sensitivity	Addressed in EMP
Fauna	Destruction of flora (vegetation) could result in the loss of faunal biodiversity	Loss of faunal biodiversity	Medium to Low sensitivity	Addressed in sub- section:7.3.2. and EMP
Flora	Flora		Medium to Low sensitivity	Addressed in sub- section:7.3.2. and EMP
	Damage or destruction of protected or high use value trees, shrubs or	Loss of protected or high use value flora	Medium to Low sensitivity	Addressed in sub- section:7.3.2. and EMP

Environmental feature	Potential impacts of project feature	Key impact	Degree of sensitivity	Issue addressed in
	bushes.			
	Employment or job creation	Permanent job creation for local people	Medium sensitivity	Addressed in sub- section:7.4.1. and EMP
Social Economic Environment	Support to local retailers shops and Export taxes and VAT payment	Contribute to the Karibib Town economic growth and the nation at large	Low sensitivity	Addressed in sub- section:7.4.1. and EMP
	Potential spread of HIV/AIDS	Spread	High sensitivity	Addressed in sub- section:7.4.2. and EMP
Archaeology	Disturbance or destruction of archaeological sites as a result of earthmoving operations (construction) and accelerated soil erosion (operation).	Damage to existing or undiscovered archaeological sites in the area	High sensitivity	Addressed in sub- section:7.4.3. and EMP
Solid waste	During mining solid waste such as drill bites, plastic, and wire will be generated on site	Damage to the surrounding environment	Medium sensitivity	Addressed in sub- section:7.5 and EMP
Dust on site and gravel road	During mining or removal of marble block dust will be	Effect the employees and wellbeing	Medium sensitivity	Addressed in sub- section:7.3.3 and EMP

Environmental feature	Potential impacts of project feature	Key impact	Degree of sensitivity	Issue addressed in
	generated			
Disturbance on soil or land	During mining top soil will be removed to access the marble	Losses of top soil that support vegetation growth	High sensitivity	Addressed in sub- section:7.6. and EMP

#### 7.2. Methodology used or adopted for the impact assessment

The assessment process that was developed by CENTRE FOR GEOSCIENCES RESEARCH was formulated based on the collection and interpretation of the available literature pertaining to the dimension stone field in particular marble. The process included the review of previous EIA's and EMP's done in the surrounding areas and those about dimension stone in Namibia. Other relevant documents were identified and collected including:

- Environmental regulations covering environment, water, energy, health and safety as well as all the related policies and guidelines;
- Mining regulations and all the related introductory information obtained from the Office of the Mining Commissioner in the Ministry of Mines and Energy;
- Topographic maps, information and data sets about the location and characteristics of Mining Claims.
- Information and data sets about the environmental regulation, biodiversity, social economic and natural environment around the in MENETTE NYEUDO HAIPINGEMINING CLAIMS obtained from the Directorate of Environmental Affairs in the Ministry of Environment and Tourism; Namibia Statistic agency.
- Information and data sets about the regional and local geology, geological maps and all the related data sets, published materials and open file documents have all been located in the Directorate of the Geological Survey in the Ministry of Mines and Energy;

The following methods were used by all specialists to determine the significance rating of impacts identified:

# 7.2.1. Description of Impact

The specialists identified potential impacts of the proposed project on the receiving environment. They were tasked to consider the following:

- The type of effect that the proposed activity will have on the environment;
- What will be affected; and
- How will it be affected?

The sources of risk are, where possible, based on accepted scientific techniques. Failing this, the specialists made a professional judgment based on expertise and experience. All potential impacts that result from the proposed project have been evaluated for the full life-cycle of the project, namely, construction, operations, and decommissioning phases.

The impact assessment methodology is contained in table 11 below:

Criteria	Description
Nature	Reviews the type of effect that the proposed activity will have on the relevant component of the environment and includes "what will be affected and how?"
Extent	Indicates whether the impact will be site specific; local (limited to within 15 Km of the area); regional (limited to ~100 Km of the area); national (limited to the coastline of Namibia); or international (extending beyond Namibia's borders).
Duration	Reviews the lifetime of the impact, as being short (days, <1 month), medium (months, <1 year), long (years, <10 years), or permanent (generations, or >10 years).
Intensity	Establishes whether the magnitude of the impact is destructive or innocuous and whether or not it exceeds set standards, and is described as none (no impact); low (where natural/ social environmental functions and processes are negligibly affected); medium (where the environment continues to function but in a noticeably modified manner); or high (where environmental functions and processes are altered such that they temporarily or permanently cease and/or exceed legal standards/requirements).

Criteria	Description
Probability	Considers the likelihood of the impact occurring and is described as improbable (low likelihood), probable (distinct possibility), highly probable (most likely) or definite (impact will occur regardless of prevention measures).
Degree of Confidence in Predictions	Is based on the availability of specialist knowledge and other information.

The application of the above criteria (Table 11) to determine the significance of potential impacts uses a balanced combination of nature, extent, duration, and intensity/magnitude, modified by probability, cumulative effects, and confidence. Significance is described as follows as shown in table 12.

# 7.2.2. Sensitivity of the Affected Environment

In the description of the affected environment, specialists provided an indication of the sensitivity of the affected environment. Sensitivity, in this instance, refers to the 'ability' of an affected environment to tolerate disturbance (given existing cumulative impacts). For example, if very little disturbance results in the permanent loss of the biodiversity of a habitat, the affected environment could be categorized as having a low tolerance to disturbance and can consequently be described as being a 'high sensitivity' habitat. If, on the other hand, a habitat is able to withstand significant disturbance without a marked impact on its biodiversity the affected environment could be categorized as having a high tolerance to disturbance (i.e. 'low sensitivity' habitat).

Based on the above considerations, the specialists provided an overall evaluation of the significance of the potential impact, which is described as follows

SIGNIFICANCE RATING	CRITERIA
Low	Where the impact will have a negligible influence on the environment and no modifications or mitigations are necessary for the given development description. This would be allocated to impacts of any severity/ magnitude, if at a local scale/ extent and of temporary duration/time.
Medium	Where the impact could have an influence on the environment, which will require modification of the development design and/or alternative mitigation. This would be allocated to impacts of moderate severity/magnitude, locally to regionally, and in the short term.
High	Where the impact could have a significant influence on the environment and, in the event of a negative impact the activity(i.e.) causing it, should not be permitted (i.e. there could be a 'no-go' implication for the development, regardless of any possible mitigation). This would be allocated to impacts of high magnitude, locally for longer than a month, and/or of high magnitude regionally and beyond.

#### Table 12: Definitions of various significant rating or sensitivity

#### 7.2.3. Mitigation and Enhancement Measures

Where negative impacts are identified, mitigation objectives have been set, and practical, attainable mitigation measures must be recommended that will minimise or eliminate the impacts. Where mitigation is not feasible, this has been stated and reasons given. In the case of positive impacts, enhancement measures are recommended for optimizing the benefit to be derived.

#### 7.2.4. Monitoring

Monitoring requirements with quantifiable standards to assess the effectiveness of mitigation actions have been recommended where appropriate. These must indicate what actions are required, by whom, and the timing and frequency thereof. If further investigations must be undertaken and monitoring programmes implemented before, during and after operations, these have been recommended.

# 7.3. Biophysical Environment

# 7.3.1. Impact of oil spills on groundwater aquifer and surface water streams

#### 7.3.1.1. Description

The dimension stone mining industry or quarrying is a clean industry from a pollution point of view. Various environmental impact assessments conducted identified petrochemical pollution emanating from this industry as the most serious threat in this regard, and in order to maintain the record as a clean industry, this threat is taken very seriously.

There are various waste disposal methods used worldwide in mining industry or dimension stone in particular marble. Management of used oil at a large scale is reported to be a challenge as more significant maintenance is required to minimise the losses of the oil into the environment (Richards, 2009). Used oil once it spill, it causes

detrimental effect to both living and none living things and more especially to groundwater because it's chemical constituents are poisonous. The oil coats and clings to every rock and grain of sand. Sometimes if the oil washes into coastal marshes, mangrove forests or other wetlands, fibrous plants and grasses absorb the oil, which can damage the plants and make the whole area unsuitable as wildlife habitat.

#### 7.3.1.2. Sensitivity of the affected environment

Criteria	Impact of oil spills on groundwater aquifer and surface water streams
Extent	local
Duration	permanent
Intensity	high
Probability	definite
Significance before mitigation	High
Significance after mitigation	Medium
Degree of confidence in predictions	high

 Table 13: Expected significance of the project on liquid waste

# 7.3.1.3. Mitigation and enhancement measures

- Train and supervise staff to ensure minimal spillage of oil.
- Routine inspections before the start of every work schedule involving potential spillage.
- Old oil is collected and stored, and is sold to recycling companies.
- Equip the quarry site with emergency petrochemical spillage kits which are used such events as hydraulic pipes bursting in service and spilling oil.
- Bio-remediate contaminated soil using proprietary products kept on sites for the purpose. The process of bio-remediation involves loosening the

contaminated soil to allow for oxygen penetration. Transported contaminated soil to a specific impervious site for treatment to avoid compaction during the process, and adding agricultural fertilizer and the proprietary products containing appropriate microbes to break down the hydrocarbons.

#### 7.3.1.4. Monitoring

- Daily visual monitoring by site manager.
- Weekly spot checks by environmental manager

# 7.3.2. Loss of Fauna and Flora diversity

#### 7.3.2.1. Description

Biodiversity (i.e. fauna and flora) is likely to be affected by the project during the mining or quarrying process. But due to the size and duration of the project, the impact is manageable.

The types of vegetation found in this area are classified in medium value category. In addition to vegetation various invertebrates also host the area. Regardless of the low value of the existing vegetation on site and along the road, activities that will be undertaken during the mining process is likely to have an effect on the vegetation and the invertebrates thereof. Therefore management measures will be considered to minimize the above impacts.

# 7.3.2.2. Sensitivity of the affected environment

Table 14: Expected significance of the project on Biodiversity: fauna and flora

Criteria	Biodiversity: fauna and flora
Extent	local
Duration	long
Intensity	medium
Probability	definite
Significance before mitigation	high
Significance after mitigation	medium
Degree of confidence in predictions	high

#### 7.3.2.3. Mitigation and enhancement measures

- Avoid damage to protected or high use value trees during mining and usage of heavy machines.
- Disturbance of marginal vegetation at the mountains should be limited.
- Avoid disturbance on invertebrate on site and along the gravel road stretch.
- During operation avoid the creation of multiples roads strips, which could result in the disturbance of breading sites for various mammals.

#### 7.3.2.4. Monitoring

An ENC for Menette Nyeudo Haipinge should accompany drivers or heavy machine operator so that the avoidance of trees and vegetation can be optimized. Other rules in the EMP to avoid vegetation destruction should be monitored monthly.

#### 7.3.3. Dust generation on site

#### 7.3.3.1. Description

During the quarrying process dust will be generated onsite by earth moving equipment and also on the gravel road by trucks and vehicles. On site, marble blocks will be cut into smaller blocks in order to give them the desired smooth shape. During the cutting process about 25% the original marble mass is lost in the form of dust. In addition, processing of marble results in the formation of marble dust, which is suspended in the air and which could be inhaled by the workers. Epidemiological studies indicates that workers exposed to marble dust stand an increased risk of suffering from asthma symptoms, chronic bronchitis, nasal inflammation and impairment of lung function (Camici et al., 1978; Angotzi et al., 2005; Leikin et al., 2009). In their study they found out that, the affected workers were having body problems like headache, backache and stressed due tounder- payment (Dagli et al., 2008). Individuals who were having papilloma have faced problem at work like noise, dust or fumes and poor maintenance of equipment (Dagli et al., 2008). Moreover, their data also demonstrated that long period of chronic exposure to dust induced progressive atrophic changes in the alveoli (Gammal et al, 2011). Therefore, there are some potential risk of dimension stone industry on the environmental, which requires attention, mitigations, and management to protect the existing human and animal health.

It is globally known that the generated dust during mining operations of marble may affect human, plant and animal growth at the surrounding environment (Kirjoitettu, 2014). Exposure between 10 and 15 years is associated with the long term complication, while the short term complication can cause difficulty in breathing" (Kirjoitettu, 2014). The reaction depends on the particle inhaled, as the lung is too exposed to expel particles beyond 10 micro meters (Haruna, 2014). With the inherent natural mechanism of its defence, the lung is supposed to be able to expel such amount of particles but sizes below one to 10 millimeter (mm) can go down to the terminal end of the lung and the macrophages may not be able to expel that (Haruna, 2014). To avoid respiratory or other problems caused by exposure to dust, engineering control methods such as those highlighted in the mitigation measures below and the use of tools that minimized the generation of dust should be introduced.

# 7.3.3.2. Sensitivity of the affected environment

Criteria	Soil or land disturbance:		
Extent	local		
Duration	long to permanent		
Intensity	medium		
Probability	definite		
Significance before mitigation	high		
Significance after mitigation	medium		
Degree of confidence in predictions	high		

# Table 15: Expected significance of the project on dust generated on site

#### 7.3.3.3. Mitigations and enhancement measures

- Measures such as the use of wet processes enclosure of dust-producing processes under negative air pressure (slight vacuum compared to the air pressure outside the enclosure),
- Exhausting air containing dust through a collection system before emission to the atmosphere, and exhaust ventilation should be used in the workplace.
- Use of personal protective equipment for proper dust control for respiratory protection and should be used only where dust control methods are not yet effective or are inadequate.
- Direct skin contact should be prevented by gloves, wearing respiratory protection during cleanup,
- Educational awareness programs for workers should be instituted about hazard of exposure to marble dust and on the use and maintenance of exhaust ventilation systems, and the use and maintenance of personal protective equipment to avoid risk of dust and noise.
- All gravel roads in quarry areas should have a speed limit of 60km/h for light vehicles and 30km/h for heavy vehicles in order to minimise the amount of dust generated by vehicles.
- In addition, where available water allows, roads should be sprayed with water on a regular basis in order to prevent dust creation.

# 7.3.3.4. Monitoring

• Daily inspection by the ENC of the gravel roads and quarry site on possible dust creation that requires attention.

• Daily inspection on site by the ENC to ensure that all workers are wearing their protective clothes at all time during the mining process and the dry skin contact with gloves is prevented.

# 7.4. Social Economic Environment

# 7.4.1. Job creation

# 7.4.1.1. Description

According to the Social Impact Assessment study by Anna, (2014), the employment rate in Karibib has reduced from 71% in 2001 to 59% in 2011 while the unemployment increased from 29% in 2001 to 41% in 2011. Comparing to the Erongo region at large, the Karibib residence has the second highest unemployment rate in the region after the Daures constituency with an unemployment rate of 44%. Karibib district is also one of the constituencies with a high rate of no proper sanitation, ranking in second after the Daures constituency.

It is clear that unemployment is big challenge in the Town of Karibib; hence the necessity of this project which will employ about 12 to 15 people during the mining phase. The employment will be conducted in the company's offices which will be opened in the Town of Karibib once mining has begun, the local authority will be contacted if assistance is needed during the employment process in order to ensure that the local inhabitants can get the full benefit.

It should be noted that the use of manual labour instead of mechanized construction methods, does pose some advantages and disadvantages:

# Advantages:

- If locals are used, housing will be available nearby,
- Contribution to local economy reducing unemployment,
- Development of local skills,
- Smaller ecological footprint.

#### Disadvantages:

- It might increase the costs of the project impacting on the affordability of water;
- It will take longer to complete than if the processed in mechanized;
- The safety risk resulting from open trenches will become bigger;
- It will require a greater management of workforce, quality of work.

# 7.4.1.2. Sensitivity of the affected Environment

By implementing the mining or quarry project the socioeconomic significance of Menette Nyeudo Haipinge can be summarized as follows:

# Table 16: Expected significance of the project on social economic implications

Criteria	Social economics implications
Extent	local
Duration	long to permanent
Intensity	medium
Probability	definite
Significance before mitigation	high
Significance after mitigation	low
Degree of confidence in predictions	high

# 7.4.1.3. Mitigation and enhancement measures

- Where unskilled labour can be used, a 'locals first' policy should be considered.
- It is proposed that local people, meaning the community members from Karibib Town, should be employed as far as possible, especially where no specific skills are required.
- The Karibib Town Councilor could be requested to assist with the recruitment of construction workers.
- Both men and women should be granted the opportunity to be employed by this project.

# 7.4.1.4. Monitoring

It is recommended that Menette Nyeudo Haipinge Mining Manager should employee workers to be obtained from the potentially affected communities in particular Karibib Town. Menette Nyeudo Haipinge in consultation with the Karibib Town Councilor will then be responsible to supervise the employment process when implementing this 'local's first' recommendation.

# 7.4.2. Potential spread of HIV/AIDS

# 7.4.2.1. Description

In the proposed project area, it is estimated that one out of every four people are HIV positive. (Anna, 2014) Previous experience has shown that construction workers or mining workers residing in a construction camp may engage in risky sexual behaviour with members of the community. This can contribute to the spread of HIV both in the project area and beyond to other region.

#### 7.4.2.2. Sensitivity of the affected environment

#### Table 17: Expected significance of the project on the spread of HIV/AIDS

Criteria	Contribution to the spread of HIV/AIDS
Extent	national
Duration	permanent
Intensity	serious effect
Probability	definite
Significance before mitigation	high
Significance after mitigation	medium
Degree of confidence in predictions	high

#### 7.4.2.3. Mitigation and enhancement measures

Menette Ndeyapo Haipinge, ENC should sensitize the risks of sexual behaviour, and also the effects of HIV/AIDS to its employees. Workers should be prohibited to engage in such activities with especially minors. Mitigation measures as outlined in the EMP should be adhered to.

#### 7.4.2.4. Monitoring

The ENC should report back to Menette Nyeudo Haipinge as to when and how the workers received HIV training. Also, how workers were informed about the mitigation measures of the EMP.

# 7.4.3. Disturbance or destruction of archaeological sites

#### 7.4.3.1. Descriptions

The mining activities may partially or completely destroy some small archaeological sites found within and outside the boundary of the mining are.

These archaeological sites are rock arts and are associated with the sun people tribe. Their archaeological significance is low to medium. It is also likely that some damage will occur outside the immediate project area through the establishment of access roads and contractor's lay-down areas. Some cumulative impacts can be expected during operation and decommissioning.

#### 7.4.3.2. Sensitivity of the affected environment

#### Table 18: Expected significance of the project on archaeological sites

Criteria	Contribution to the spread of HIV/AIDS
Extent	local
Duration	permanent
Intensity	serious effect
Probability	definite
Significance before mitigation	medium
Significance after mitigation	Low
Degree of confidence in predictions	high

#### 7.4.3.3. Mitigation and enhancement measures

• The records obtained during this fieldwork are considered adequate and no further work is needed.

#### 7.5. Solid waste: wires, drill bits, and human waste

#### 7.5.1. Descriptions

Solid waste management is a problem in the mining industry or quarrying industry, and sometimes this problems extent beyond the mining industry. In the mining industry or exploration industry, different types of solid waste are generated and some of these wastes contain toxic substance that can affect

living and non-living things. Therefore proper handling and management of these wastes is critical for the protection of the environment.

Solid waste that will be generated from this project if not managed will have an effect on the environment. The effect will mainly be at the project site. Human waste that will be generated during the exploration process, if not managed will have an effect on the environment although at a small scale.

#### 7.5.2. Sensitivity of the affected environment

The significance of the identified problem to the study can summarise as follows:

Criteria	Solid waste :
Extent	local
Duration	short
Intensity	low
Probability	definite
Significance before mitigation	medium
Significance after mitigation	low
Degree of confidence in predictions	high

 Table 19: Expected significance of the project on solid waste

# 7.5.3. Mitigation and enhancement measures

Waste disposal sites should established on site were paper, plastic and wire should be kept. The collected solid waste should be dispose at the Town of Karibib soil waste disposal site. For human waste, mobile toilet should be made available on site for workers and once these facilities are full, the collected human waste should be disposed at the Karibib Town human waste disposal site. Prior to the disposal of the above mentioned wastes Menette Nyeudo Haipinge must entered into agreement with the Karibib Town for permission to use their facility.

# 7.5.4. Monitoring

• Weekly inspection by the ENC, to collect and empty the plastic bag that are full and also the mobile toilet.

# 7.6. Land or soil disturbance: on site and the proposed 23km stretch road

# 7.6.1. Descriptions

During the exploration process, land or soil will be disturb both on site and along the proposed stretch road of about 23km linking the project site to the D1918 road. Top soil will be removed on the surface rocks during the drilling to recover the slabs needed for testing. The removed top soil during drilling if not properly management will affect the growth of vegetation and the development biodiversity hiding or resting spots.

# 7.6.2. Sensitivity of the affected environment

The significance of the identified problem to the study can summarize as follows:

Criteria	Soil or land disturbance:
Extent	local
Duration	permanent
Intensity	serious affected
Probability	definite
Significance before mitigation	high
Significance after mitigation	medium
Degree of confidence in predictions	high

 Table 20: Expected significance of the project on soil or land disturbance

# 7.6.3. Mitigation and enhancement measures

The top soil from 0 to 30cm to removed and stockpile and to be used during the rehabilitation process. The stockpile will seeded with seeds of grasses and shrubs to keep organic activity alive, as well as ensure a fertile seed bank in the topsoil when it is finally used. It is recommended that top soil to be removed

down to the subsoil, where it is significantly thicker than 0.5m, as topsoil is always a scarce resource, and even if this lower material does not contain seed and is poorer in soil organisms, it has been found to be useful in reclamation. Where top soil is less than 150mm thick the unconsolidated material beneath should also be removed and treated as topsoil.

# 7.6.4. Monitoring

• Daily inspection by ENC to ensure that top soil is removed and stock pile on site.

# 7.7. Concluding remark on this section

In this section the identified impact were screened and assessed. The mitigation measures of the identified impact will be addressed in the Environmental Management Plan (EMP) report.

#### 8. Conclusion and recommendations

#### 8.1. Conclusion

The MENETTE NYEUDO HAIPINGE is in the Karibib District in Erongo Region. The mining claims lies outside the National Park. The implementation of the proposed small scale surface mining project by Menette Nyeudo Haipinge will be undertaken with provisions of the EIA regulation of 2012. Based on the assessment of both negative and positive impacts undertaken for the proposed small scale surface mining project, a number of high positive and negative impacts have been identified. Overall, positive impacts of the proposed small scale surface mining project activities outweigh the negative ones at local, regional, nation and global levels.

It is therefore concluded that all significant impacts identified during this Environmental Impact Assessment can be mitigated through management actions implemented during construction and operation. It is important that the Environmental Management Plan developed for the project be implemented during construction and operation otherwise the impacts identified will remain unacceptable.

#### 8.2. Recommendations

Based on the findings of this Environmental Assessment Study, it is recommended that the proposed small scale surface mining project receive an Environmental Clearance provided that an Environmental Plan be implemented.

#### 9. References

- Ashmole, I,. (2004). "Dimension Stone: The Small Scale Mining Potential in South Africa", Paper presented at Small Scale Mining, Johannesburg.
- Barnard, P. (1998). Under protected habitats. In: Barnard, P. (ed.).
   Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.
- Bester, B. (1996). Bush encroachment A thorny problem. Namibia Environment 1: 175-177.
- Bethune, S., Shaw, D. & Roberts, K.S. (2007). Wetlands of Namibia. John Meinert Printing, Windhoek.
- Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.
- Boycott, R.C. & Bourquin, O.(2000). The Southern African Tortoise Book.
   O Bourquin, Hilton, RSA..
- Branch, B. (1998). Field guide to snakes and other reptiles of southern Africa. Struik Publishers, Cape Town, RSA.
- Branch, B. (2008). Tortoises, terrapins & turtles of Africa. Struik Publishers, Cape Town RSA.
- Broadley, D.G. (1983). Fitzsimons' Snakes of southern Africa. Jonathan Ball & AD. Donker Publishers, Parklands, RSA.
- Brown, C.J., Jarvis, A., Robertson, T. & Simmons, R.(1998). Bird diversity.
   In: Barnard, P.(ed.). Biological diversity in Namibia: a country study.
   Windhoek: Namibian National Biodiversity Task Force.
- Burke, A. (1998). Vegetation zones. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.
- Burke, A. (2003). Wild flowers of the Central Namib. Namibia Scientific Society, Windhoek.
- Buys, P.J. & Buys, P.J.C. (1983). Snakes of Namibia. Gamsberg Macmillan Publishers, Windhoek, Namibia.
- Carruthers, V.C. (2001). Frogs and frogging in southern Africa. Struik Publishers, Cape Town, RSA.
- Carvalho, J.F., Henriques, P., Fale, P., Luis, G.,. (2008). "Decision criteria for the exploration of ornamental-stone deposits: Application to the marbles of the Portuguese Estremoz Anticline", International Journal of Rock Mechanics and Mining Sciences.
- Channing, A. & Griffin, M. (1993). An annotated checklist of the frogs of Namibia. Madoqua 18(2): 101-116.
- Channing, A. (2001). Amphibians of Central and Southern Africa. Protea Bookhouse, Pretoria, RSA.
- Coats Palgrave, K. (1983). Trees of Southern Africa. Struik Publishers, Cape Town, RSA.

- Curtis, B. & Barnard, P. (1998). Sites and species of biological, economic or archaeological importance. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.
- Curtis, B. & Mannheimer, C. (2005). Tree Atlas of Namibia. National Botanical Research Institute, Windhoek, Namibia.
- De Graaff, G. (1981). The rodents of southern Africa. Buterworths, RSA.
- De Lukas, M, Janss, G.F.E., Whitfield, D.P. & Ferrer, M. (2008). Collision fatality of raptors in wind farms does not depend on raptor abundance. Journal of Applied Ecology 45(6): 1695-1703.
- Department of Water Affairs (DWA). (2002). The hydrogeological map of Namibia
- Du Preez, L. & Carruthers, V. (2009). A complete guide to the frogs of southern Africa. Struik Publishers, Cape Town, RSA.
- Electricity Control Board (ECB).(2009), Annual Report, Windhoek, Namibia.
- IUCN, (1996). IUCN red list of threatened animals, IUCN, Gland, Switserland.
- IUCN. (2004). IUCN, Gland, Switserland. In: Griffin, M. 2005. Annotated checklist and provisional national conservation status of Namibian mammals. Ministry of Environment and Tourism, Windhoek.
- Joubert, E. & Mostert, P.M.K. 1975. Distribution patterns and status of some mammals in South West Africa. Madoqua 9(1): 5-44.
- Kisting, J., 2008. Opportunities in the renewable energy sector in Namibia, Baobab Equity Management (Pty) Ltd, Windhoek, Namibia
- Mendelson, J., Jarvis, A., Roberts, C., and Robertson, T. (2002). Atlas of Namibia: A portrait of the land and its people. Windhoek, Namibia: Ministry of Environment and Tourism.
- Miller ,R. (2008).The geology of Namibia, neoproterozoic to lower palaeozoic
- Miller, R. McG., (1983a). The Pan African Damara Orogen od S.W.A. / Namibia, Special Publication of the Geological Society of South Africa, 11, 431 - 515.
- Miller, R. McG., (1983b). Economic implications of plate tectonic models of the Damara Orogen, Special Publication of the Geological Society of South Africa, 11, 115 -138.
- Miller, R. McG., (1992). Stratigraphy. The mineral resource of Namibia, Geological Survey of Namibia, Ministry of Mines and Energy, Windhoek, 1.2 .1 -1.2.13.
- Ministry of Environment and Tourism. Republic of Namibia. (2008). Guide to the Environmental Management Act No. 7 of 2007. 56 pp
- Ministry of Environment and Tourism. Republic of Namibia. (2012). Environmental Impact Assessment Regulation: Environmental Management Act, 2007. Government Gazette No.4878.
- NamPower, 2010. Network Map (www. nampower.com.na) Retrieved on 06th February 2014.

- NamWater.(1998).The hydrogeological conceptual model of the Omaruru Delta (OMDEL).
- Ransom, A. H., (1981). Interim Report on Prospecting Grant No. M46/3/758 – Tumas Project No. 53 - Namib Desert Park – Namibia, Period April 1978 - April 1981, Falconbridge of S.W.A. (PTY) LTD, Bulletin No. 2267 (Annex 4).
- Republic of Namibia. (2005). Namibia's Environmental Assessment Policy for Sustainable Development and Environmental Conservation.
- Republic of Namibia. (2007). Environmental Management Act No. 7 of 2007. Government Gazette No. 3966.
- Richards, J.P. (2009). Mining society and a sustainable world. Springer, New York.
- Risk Based Solution. (2011). Final EIA and EMP for the proposed exploration and possible testing a mine for the MINING CLAIMSno-4458, Karas Region. Swedish Exploration.
- SARDB, 2004. CBSG Southern Africa. In: Griffin, M.(2005). Annotated checklist and provisional national conservation status of Namibian mammals. Ministry of Environment and Tourism, Windhoek.
- Shadmon, A,. (1993). "Dimension Stone its Impact on environment and constructional applications the role of engineering geology", Bulletin of the International Association of Engineering Geology, No 48, pp 119-122.
- Simmons R.E. & Brown C.J. (2009). Birds to watch in Namibia: red, rare and endemic species. National Biodiversity Programme, Windhoek.
- Simmons, R.E. (1998a). Important Bird Areas (IBA's) in Namibia. In: Barnard, P. (ed.).
- Simmons, R.E. (1998b). Areas of high species endemism. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.
- Simmons, R.E. (1998c). Flamingos: declining in southern Africa. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.
- Skinner, J.D. & Smithers, R.H.N. (1990). The mammals of the southern African subregion. University of Pretoria, RSA.
- Steven, N. M., (1993). A study of epigenetic mineralization in the Central Zone of the Damara Orogen, Namibia, with special reference to gold, tungsten, tin, and rare earth element. Geological Survey of Namibia, Memoir 16,166 pp.
- Tapscott, C., (1999). An overview of the socio-economics of some key maritime industries in the Benguela Current region. A Report Prepared on Behalf of the Benguela Current Large Marine Ecosystem Project, Windhoek, October 1999