



Excel Dynamic Solutions

**ENVIRONMENTAL MANAGEMENT PLAN FOR THE
RENEWAL AND SUBSEQUENT QUARRYING
ACTIVITIES ON MINING CLAIMS NO. 65989, 65990,
65991, 65992, 66681 & 66682 LOCATED SOUTHWEST
OF RIETOOG SETTLEMENT IN THE HARDAP REGION,
NAMIBIA**

FINAL REPORT

ECC Application No. 002195

Author(s): **Ms. Althea Brandt & Ms. Rose
Mtuleni**
Reviewer: **Mr. Nerson Tjelos**
Company: **Excel Dynamic Solutions (Pty)
Ltd**
Telephone: **+264 (0) 61 259 530**
Fax2email: **+264 (0) 886 560 836**
Email: **info@edsnamibia.com**

Client: **Nicolaas Carolus Januarie**

Contact Person: **Nicolaas Carolus Januarie**

Telephone:

Cellphone: **+264 (0) 81 145 5084**

Email: **januariesam75@gmail.com /**

omssam@afol.com.na

November 2020

TABLE OF CONTENTS

LIST OF FIGURES	ii
LIST OF TABLES	ii
1 INTRODUCTION	1
1.1 Project Background	1
1.2 Aim of the Draft Environmental Management (EMP)	2
1.3 Appointed Environmental Assessment Practitioner	4
1.4 Details of the Project Proponent	4
1.5 Environmental Assessment Legal Requirements	4
1.6 Draft EMP Limitations	8
2 EMP ROLES AND RESPONSIBILITIES	8
2.1 Management of Key Potential Environmental Impacts to be managed	10
2.2 Aim of the Environmental Management Plan Actions	10
2.3 Phase 1: Operation Phase Management Action Plans (Mitigation Plan)	11
2.4 Phase 2: Monitoring Phase Management Action Plans (Monitoring Plan).....	20
2.5 Phase 3: Decommissioning and Rehabilitation Phase	25
3 ENVIRONMENTAL MONITORING	26
4 CONCLUSION	26

LIST OF FIGURES

Figure 1: Locality map of the MCs No. 65989-65992, 66681 & 66682 located near Rietoog Settlement, in the Hardap Region	1
--	---

LIST OF TABLES

Table 1: Proponent contact details and purpose of the required ECC	4
Table 2: Applicable legal requirements and permits to the activities of MCs No. 65989-65992, 66681 & 66682	5
Table 3: Summary of key potential environmental impacts per project phase	10
Table 4: Management action plans for the Operation and Maintenance Phase	11
Table 5: Management action plans for the Monitoring Phase	20

1 INTRODUCTION

1.1 Project Background

Mr. Nicolaas Carolus Januarie (hereinafter referred to as the *Proponent*), the holder of the Mining Claims (MCs) 65989-65992, 66681 & 66682, granted by the Ministry of Mines and Energy (MME), intends to acquire an ECC to be able to conduct small-scale quarrying activities on the MCs (upon the renewal thereof). The Proponent focuses on acquisition, prospecting and development of mineral properties. The locality map of the licenses where the small-scale quarrying activities will be undertaken is shown in **Figure 1**.

In terms of section 27 (1) of the Environmental Management Act (EMA), No. 7 of 2007, and in line with Sections 32-37 of the EMA Regulations as gazetted in 2012, the proposed small-scale quarrying activities on the MCs form part of the listed activities that may not be conducted without an EIA being undertaken and an ECC obtained. The relevant listed activities as per EIA regulations are:

- *3.1 The construction of facilities for any process or activities which requires a license, right of other forms of authorization, and the renewal of a license, right or other form of authorization, in terms of the Minerals (Prospecting and Mining Act, 1992).*
- *3.2 Other forms of quarrying or extraction of any natural resources whether regulated by law or not.*
- *3.3 Resource extraction, manipulation, conservation and related activities.*

This statutory document has been prepared as per requirement in accordance to Section 8 of the EMA, No. 7 of 2007 and its 2012 EIA regulations. The compilation of this EMP was also one of the requirements (scope of work) presented to Excel Dynamic Solutions (Pty) Ltd by The Proponent. It is required of the Environmental Consultant (Environmental Assessment Practitioner (EAP)) to comply with the EMA and provide for the following:

- Prepare an explicit Environmental Management Plan to be used as a guideline to monitor compliance to the recommendations stipulated in the EIA and to assist in managing and monitoring activities throughout the operation and maintenance of the proposed continued small-scale quarrying activities on the MCs.
- The Environmental Consultant must clearly elucidate in the EMP, the roles and responsibilities of the Proponent, contractors and any other identified stakeholders.




Figure 1: Locality map of the MCs No. 65989-65992, 66681 & 66682 located near Rietoog Settlement, in the Hardap Region

1.2 Aim of the Draft Environmental Management (EMP)

Regulation 8 (j) of the EIA Regulations (2012) requires that a draft Environmental Management Plan (EMP) be included as part of the Environmental Assessment (EA) scoping report. A 'Management Plan' is defined as:

“...a plan that describes how activities that may have significant environments effects on the environment are to be mitigated, controlled and monitored.”

An EMP is one of the most important outputs of the EA process as it synthesizes all of the proposed mitigation and monitoring actions, set to a timeline and with specific assigned responsibilities. It provides a link between the impacts identified in the EA process and the required environmental management on the ground during project implementation and operation. It is important to note that an EMP is a statutory document and a person who contravenes the provisions of this EMP may face imprisonment and/or a fine. This EMP is a living document, and should be amended to adapt to addressing project changes and/or environmental conditions and feedback from compliance monitoring.

The purpose of this document is, therefore, to guide environmental management throughout the different phases of the proposed activities, namely: operation and maintenance phase, and decommissioning phase:

- **Operation and Maintenance** - This is the phase where the Proponent will do small-scale quarrying activities for the commodity group and undertake related activities on site. It is also the phase during which maintenance of the area, equipment and machinery is done by The Proponent.
- **Decommissioning and Rehabilitation** – This is the phase during which the quarrying activities on the MCs will cease. The decommissioning of the small-scale quarrying operations may be considered as a result of poor reconnaissance and/or quarrying results or declining in the focus commodity market price. Before the decommissioning phase, The Proponent will need to put site rehabilitation measures in place. Where necessary, stockpiling of top soil for rehabilitation at a later stage will be undertaken. Necessary landscaping of quarrying areas will be undertaken upon completion of each phase of quarrying.

Environmental Monitoring Requirements: In order to support and ensure that the proposed mitigation measures are achieving the desired results, a Monitoring Plan must be implemented alongside the mitigation plan.

This draft EMP will be used by The Proponent, employees and/or contractors to provide management measures to be undertaken during the small-scale quarrying activities, in order to address the environmental impacts identified in the scoping report and ensure that the impacts on the environment are avoided, or limited if they cannot be avoided completely.

1.3 Appointed Environmental Assessment Practitioner

In order to fulfill the requirements of the EMA and its 2012 EIA Regulations, The Proponent appointed Excel Dynamic Solutions (Pty) Ltd (EDS), an independent consulting company to conduct the required EA process on their (Proponent's) behalf. This draft EMP will be submitted as part of an application for an ECC to the Environmental Commissioner at the Department of Environmental Affairs (DEA), at Ministry of Environment, Forestry and Tourism (MEFT).

The EIA project is headed by Mr. Nerson Tjelos, a qualified geoscientist and experienced Environmental Assessment Practitioner (EAP). The consultation process and reporting are done by Ms. Althea Brandt with Support from Ms. Rose Mtuleni. Mr. Nerson Tjelos contributed to the overall report review.

1.4 Details of the Project Proponent

The details of the Proponent are presented in **Table 1** below.

Table 1: Proponent contact details and purpose of the required ECC

Full name of Proponent	Physical Address & Contact number	Postal Address	ECC Application for:
Nicolaas Carolus Januarie	5911 Ext 23 Swakopmund Telephone: +264 81 145 5084 Cellphone: +264 (0) 81 145 5084	P O Box 7445 Swakopmund, Namibia	Mining Claims (MCs) No. 65989-65992, 66681 & 66682 Located near the Rietoog Settlement in the Hardap Region, Namibia

1.5 Environmental Assessment Legal Requirements

The content of the EMP must meet the requirements of Section 8 (j) of the EIA Regulations. The EMP must address the potential environmental impacts of the small-scale quarrying activities on the environment throughout the project life-cycle. It must also include a system for assessment of the effectiveness of monitoring and management arrangements after project implementation.

The Proponent therefore has the responsibility to ensure that the small-scale quarrying activities as well as the EA process conform to the principles of the EMA and must ensure that employees act in accordance with such principles. **Table 2** below lists the requirements of an EMP as

stipulated by Section 8(e) of the EIA Regulations, primarily on specific approvals and permits that may be required for the activities required of MCs No. 65989-65992, 66681 & 66682.

Table 2: Applicable legal requirements and permits to the activities of MCs No. 65989-65992, 66681 & 66682

Legislation/Policy/ Guideline	Relevant Provisions	Implications for this project
Environmental Management Act EMA (No 7 of 2007)	<p>Requires that projects with significant environmental impacts are subject to an environmental assessment process (Section 27).</p> <p>Details principles which are to guide all EAs.</p>	<p>The EMA and its regulations should inform and guide this EA process.</p> <p>Should the ECC be issued to the Proponent, it should be renewed every 3 years, counting from the date of issue.</p>
Environmental Impact Assessment (EIA) Regulations GN 28-30 (GG 4878)	<p>Details requirements for public consultation within a given environmental assessment process (GN 30 S21).</p> <p>Details the requirements for what should be included in a Scoping Report (GN 30 S8) and an Assessment Report (GN 30 S15).</p>	<p>Contact details at the Department of Environmental Affairs (DEA), Ministry of Environment, Forestry and Tourism (MEFT)</p> <p>Contact person(s) at MEFT and their details:</p> <p>Mr. Damian Nchindo or Mr. Josafat Hiwana (Chief and Senior Conservation Scientists and EIA Report Reviewers/evaluators)</p> <p>Tel: +264 61 284 2717 / +264 61 284 2962</p> <p>Email: damian.nchindo@met.gov.na and josafat.hiwana@met.gov.na, respectively</p>

Legislation/Policy/ Guideline	Relevant Provisions	Implications for this project
Minerals (Prospecting and Mining) Act (No. 33 of 1992)	Section 48 (3): In order to enable the Minister to consider any application referred to in section 47 the Minister may (b) require the person concerned by notice in writing to (i) carry out or cause to be carried out such environmental impact studies as may be specified in the notice. Section 54(2): details provisions pertaining to the decommissioning or abandonment of a mine	The Proponent should ensure that all necessary permits/authorization for the small-scale quarrying activities (if any) are obtained from the Ministry of Mines and Energy (MME). Contact person and details at the MME (Mining Commissioner) Mr. Erasmus Shivolo Tel: +264 61 284 8167 Email: Erasmus.Shivolo@mme.gov.na
Petroleum Products and Energy Act (No. 13 of 1990) Regulations (2001)	Regulation 3(2)(b) states that “No person shall possess [sic] or store any fuel except under authority of a licence or a certificate, excluding a person who possesses or stores such fuel in a quantity of 600 litres or less in any container kept at a place outside a local authority area”	The Proponent should obtain the necessary authorisation from the MME for the storage of fuel on-site. Carlo Mcleod (Ministry of Mines and Energy: Acting Director – Petroleum Affairs) Tel: +264 61 284 8291
Labour Act 11 of 2007 Health and Safety Regulations (HSR) GN 156/1997 (GG 1617).	Adhere to all applicable provisions of the Labour Act and the Health and Safety regulations.	Division of Labour Services at the Ministry of Labour, Industrial Relations and Employment Creation. Tel: +264 61 206 6111

Legislation/Policy/ Guideline	Relevant Provisions	Implications for this project
Forestry Act 12 of 2001, Amended Act 13 of 2005	Prohibits the removal of any vegetation within 100 m from a watercourse (Forestry Act S22 (1)). The Act prohibits the removal of and transport of various protected plant species.	<p>Should there be protected plant species, which are known to occur within the project sites, these are required to be removed and a permit should be obtained from the nearest Forestry office (Ministry of Environment, Forestry and Tourism (MEFT)) prior to removing them.</p> <p>Contact Details at MEFT (Director of Forestry)</p> <p>Mr. Joseph Hailwa</p> <p>Tel: +264 61 208 7663</p> <p>Email: Joseph.Hailwa@mawf.gov.na</p>
National Heritage Act No. 76 of 1969	Call for the protection and conservation of heritage resources and artefacts.	<p>Should any archaeological material, e.g., bones, old weapons/equipment etc be found on the sites, work should stop immediately and the National Heritage Council of Namibia must be informed as soon as possible. The Heritage Council will then decide to clear the area or decide to conserve the site or material.</p> <p>Contact Details at National Heritage Council of Namibia</p> <p>Mr. Salomon April or Dr. Alma Nankela</p> <p>Tel: +264 81 244 375</p>

Legislation/Policy/ Guideline	Relevant Provisions	Implications for this project
Road traffic and transport Act 52 of 1999 and its 2001 Regulations	Provides for the control of traffic on public road and the regulations pertaining to road transport, including the licensing of vehicles and drivers.	Eugene de Paauw (Roads Authority- specialist Road legislation) Tel: +264 61 284 7072

1.6 Draft EMP Limitations

This EMP has been drafted with the acknowledgment of the following limitations:

- This EMP has been drafted based on the Environmental Assessment (EA) conducted for small-scale quarrying activities of Dimension Stones on the MCs.
- The mitigation measures recommended in this EMP document are based on the risks/impacts in the EIA Report which were identified based on the project description as provided by the Proponent, site investigation and public input. Should the scope of the proposed project change, the risks/impacts will have to be reassessed and mitigation measures provided accordingly.

2 EMP ROLES AND RESPONSIBILITIES

The Proponent is ultimately responsible for the implementation of the EMP. Alternatively, the Proponent may delegate this responsibility at any time, as they deem necessary during the project phases. The roles and responsibilities of all delegates/parties involved in the effective implementation of this EMP are set out below:

Competent Monitoring authority (Ministry of Environment, Forestry and Tourism: Department of Environmental Affairs (DEA)): Responsible for enforcing compliance with the EMA, its regulations and full implementation of this EMP. The competent authority also reviews biannual reports and grants ECC renewal after 3 years following a bi-annual environmental Audits.

Proponent's Representative (PR): If the Proponent does not personally manage all aspects of operation and maintenance, and decommissioning and rehabilitation phase activities referred to in this EMP, they should assign this responsibility to a suitably qualified individual referred to in this plan as the Proponent's Representative (PR). The Proponent may decide to assign the role

of a PR to one person for both phases or a PR may be appointed to manage the EMP aspects for each project phase. The PR's responsibilities include:

- Managing the implementation of this EMP and updating and maintaining it when necessary.
- Management and monitoring of individuals and/ or equipment on-site in terms of compliance with this EMP.
- Issuing fines for contravening EMP provisions.

Project Manager (as appropriate): This individual(s) will be responsible to ensure that the small-scale quarrying activities of the project are completed on time. The manager's duties and responsibilities will include:

- Ensure that the relevant commitments contained in the EMP Action Plans are adhered to.
- Ensure relevant staff are trained in procedures.
- Maintain records of all relevant environmental documentation.
- Reviewing the EMP annually and amending the document when necessary.
- Issuing fines to individuals who may be in breach of the EMP provision and if necessary, removing such individuals from the site.
- Cooperate with all relevant interested and affected parties/stakeholders.
- Development and management of schedules for daily activities.

Alternatively, the Proponent may delegate an external/internal Environmental Control Officer (ECO) or Safety, Health & Environment (SHE) Officer to ensure EMP compliance throughout the project life cycle.

Environmental Control Officer or Safety, Health & Environment Officer: The Proponent should assign the responsibility of overseeing the implementation of the whole EMP to a designated member of staff or external qualified and experienced person, referred to in this EMP as the Environmental Control Officer (ECO) or Safety, Health & Environment, (SHE) Officer. The ECO/SHE will have the following responsibilities:

- Management and facilitation of communication between the Proponent, PR and Interested and Affected Parties (I&APs) with regard to this EMP.
- Conducting site inspections (recommended frequency is monthly during the operation phase and bi-annually for the operation and maintenance) of all areas with respect to the implementation of this EMP (monitor and audit the implementation of the EMP).

- Advising the PR on the removal of person(s) and/or equipment not complying with the provisions of this EMP.
- Making recommendations to the PR with respect to the issuing of fines for contraventions of the EMP.
- Undertaking an annual review of the EMP and recommending additions and/or changes to this document.

2.1 Management of Key Potential Environmental Impacts to be managed

From the assessment conducted, the following key potential negative impacts have been identified per project phase and are summarized in **Table 3** below.

Table 3: Summary of key potential environmental impacts per project phase

	Project Phase	Potential negative impacts identified in the EA
1	Operation and maintenance	Health and safety, visual, waste, noise.
3	Small-scale quarrying and processing	The monitoring of the small-scale quarrying work impact in remote locations can be problematic due to difficulties of access.
2	Decommissioning	Loss of employment by workers at the quarrying site(s) and contribution to the national economy.

2.2 Aim of the Environmental Management Plan Actions

The aim of the management actions of the EMP is to avoid potential negative impacts where possible. Where impacts cannot be avoided, measures are provided to reduce the significance of these impacts.

Management actions recommended for the potential impacts rated in the EIA carried out for the small-scale quarrying activities were based on the three project phases listed below:

- Operation Phase (**Table 4**)
- Monitoring (**Table 5**)
- Decommissioning and Rehabilitation

The responsible person(s) should assess these commitments in detail and should acknowledge their commitment to the specific management actions detailed in the phases given under the following subsections.

2.3 Phase 1: Operation Phase Management Action Plans (Mitigation Plan)

The management action plans recommended for this phase are presented in **Table 4** below.

Table 4: Management action plans for the Operation and Maintenance Phase

Environmental Feature	Impact	Management Actions	Responsible person(s) / Implementation responsibility	Timeframe (When?)
EMP training	Lack of EMP awareness and the implications thereof	<ul style="list-style-type: none"> All personnel should be educated about the necessary health, safety and environmental considerations applicable to their respective works. 	ECO/SHE Officer	<p>Prior to site setup activities</p> <p>Ongoing</p>
Monitoring	EMP non-compliance	<ul style="list-style-type: none"> The implementation of this EMP should be monitored. An EMP non-compliance penalty system should be implemented on site 	ECO/SHE Officer	During the course of small-scale quarrying Phase
Water Resources Use	Over-abstraction leading to the depletion of local aquifer resources	<ul style="list-style-type: none"> Water reuse/recycling methods should be implemented as far as practicable especially for digging and drilling works. Water used for equipment should be captured and used for the cleaning of equipment if possible. In the case that the small-scale quarrying works will mainly rely on the local boreholes which cannot provide the required water volumes, the Proponent should consider transporting water from sources with sufficient supply or from beyond the area. 	ECO	Throughout the and small-scale quarrying phase
	Visual		Manager	

Environmental Feature	Impact	Management Actions	Responsible person(s) / Implementation responsibility	Timeframe (When?)
Visual (sense of place)		<ul style="list-style-type: none"> • All the necessary options to improve the aesthetic of the site should be considered and incorporated in the activities of the small-scale quarrying program. • The Proponent should consider the implementation of continuous rehabilitation programme, by using overburden waste rocks. 	ECO / SHE Officer	Throughout the small-scale quarrying phase
Biodiversity	Loss of biodiversity	<ul style="list-style-type: none"> • Vegetation found on the site, but not in the targeted areas of small-scale quarrying should not be removed, but left to preserve biodiversity on the site. • Even if a certain shrub or tree is found along spots on sites, this does not mean that it should be removed. Therefore, care should be taken when exploring for/quarrying mineral species without destroying the vegetation. • Where vegetation clearing and/or damage is unavoidable, permits for clearing protected plant species should be obtained from the nearest Forestry office. These permits can be obtained from the Hardap Forestry office. • Environmental awareness on the importance of biodiversity preservation should be provided to the workers. • Personnel should refrain from damaging or cutting down vegetation that is not within the site footprints and not necessarily require removal for small-scale quarrying activities. 	ECO/SHE Officer/ Manager/ Personnel	Throughout the small-scale quarrying phase

Environmental Feature	Impact	Management Actions	Responsible person(s) / Implementation responsibility	Timeframe (When?)
		<ul style="list-style-type: none"> • The movement of vehicles and machinery should be restricted to existing roads and tracks to prevent unnecessary damage to the vegetation. • No personnel are allowed to without permission cut down or damage trees belonging to the landowners. 		
Air Quality	Generation of dust and emissions of hydrocarbons from vehicles	<ul style="list-style-type: none"> • The small-scale quarrying schedule should be limited to between 08h00 and 17h00 in order to keep the vehicle-related to dust level minimal in the area. • Vehicles and machinery on site should be serviced regularly to prevent emission of harmful gases. • Vehicle and machinery on site should be serviced regularly to prevent emission of harmful. 	Quarrying Manager ECO/SHE Officer	Throughout the small-scale quarrying phase

Environmental Feature	Impact	Management Actions	Responsible person(s) / Implementation responsibility	Timeframe (When?)
Waste Generation	General waste	<ul style="list-style-type: none"> • Workers should be sensitized to dispose of waste in a responsible manner and not to litter. • After each daily works, the Proponent should ensure that there are no wastes left on site. • All domestic and general operational waste produced on a daily basis should be contained until such that time it will be transported to designated waste sites. • No waste may be buried or burned on site or anywhere else. • The small-scale quarrying site(s) should be equipped with separate waste bins for hazardous and general waste/domestic. • A penalty system for irresponsible disposal of waste on site and anywhere in the area should be implemented. 		
	Solid waste during quarrying operations	<ul style="list-style-type: none"> • Provision of animal-proof waste storage containers for storage of waste until disposal at a designated disposal site. • Personnel should dispose of waste in a responsible manner and not to litter. • The project sites should be equipped with different waste bins for each waste type (except for sewage that will be contained in the provided chemical toilets and/ or periodical type of pit latrine). • After each daily works, no waste should be left scattered on sites. 		

Environmental Feature	Impact	Management Actions	Responsible person(s) / Implementation responsibility	Timeframe (When?)
		<ul style="list-style-type: none"> • No waste may be buried or burned on site or anywhere else throughout the quarrying duration. • All domestic and general waste produced on a daily basis should be contained until such that time it will be transported to designated waste sites on a weekly basis or as required. 		
Health and Safety	Health and safety of the workers associated with small-scale quarrying activities	<ul style="list-style-type: none"> • A comprehensive health and safety plan should be compiled for all digging activities. • All personnel should be trained in/sensitised to the potential health and safety risks associated with their respective jobs. • As part of their induction, the workers should be provided with an awareness training of the risks of mishandling equipment and materials on site • When working on site, employees should be properly equipped with personal protective equipment (PPE) such as coveralls, masks, gloves, safety boots, earplugs, safety glasses, etc. • No employee should be allowed to drink alcohol prior to and during working hours as this may lead to mishandling of equipment which results into injuries and other health and safety risks. • Employees should not be allowed on site if under the influence of alcohol. 	Quarrying Manager ECO/SHE Officer	Prior to site setup activities and as required throughout the small-scale quarrying phase

Environmental Feature	Impact	Management Actions	Responsible person(s) / Implementation responsibility	Timeframe (When?)
	Accidental fire outbreak	<ul style="list-style-type: none"> • Portable fire extinguishers should be provided on site. • No open fires to be created by and quarrying personnel. 	ECO / SHE Officer	Throughout the and small-scale quarrying phase
Noise & Vibration	Potential Increase in noise levels and vibrations in the area of operations	<ul style="list-style-type: none"> • During , the operational times should be set such that, no activity is carried out during the night or very early in the mornings. • digginng and drilling activities usually done every day of the week in order to meet deadlines and because of this there will be no limitation to days allocated to this. However, in order to limit the noise from equipment and the movement of vehicles, works should be limited to or only be done between 08h00 and 17h00. • When operating the digging/excavation machinery onsite, workers should be equipped with appropriate personal protective equipment (PPE) such as earplugs to reduce noise exposure. • Machinery and vehicles should be serviced regularly so that they function normally without excessive noise. 	Quarrying Manager ECO/ SHE Officer	Throughout thed small-scale quarrying phase
Vehicular Safety	The increase in traffic density and	<ul style="list-style-type: none"> • Drivers should drive slowly (40km/hour or less), and on the lookout for local livestock and wildlife 	ECO/SHE Officer	Throughout small-scale quarrying phase

Environmental Feature	Impact	Management Actions	Responsible person(s) / Implementation responsibility	Timeframe (When?)
	slow moving trucks may lead to road accidents	<ul style="list-style-type: none"> • All drivers of the project vehicles should be in possession of valid and appropriate driving licenses to operate such vehicles. • Vehicle drivers should adhere to the road safety rules. • Project vehicles should be in a road worthy condition and serviced regularly in order to avoid accidents as a result of mechanical faults of vehicles. • Vehicle drivers should only make use of designated site access roads provided. • Vehicles drivers should not be allowed to operate vehicles while under the influence of alcohol. • All project related heavy trucks and others vehicles should only be parked within the allocated or designated project site boundaries. 		
Soils	Land Degradation	<ul style="list-style-type: none"> • Overburden material (if any) should be handled more efficiently during small-scale quarrying operations to avoid erosion when subjected erosional processes. • Prevent the creation of huge piles of waste rocks by performing sequential backfilling. • Site soils should not be disturbed, if not needed or related to the actual works. <p>Spill control preventative measures should be put in place to manage soil contamination, no matter how small the amount of pollution (spill) is.</p>	Quarrying Manager ECO/SHE Officer	Throughout small-scale quarrying phase

Environmental Feature	Impact	Management Actions	Responsible person(s) / Implementation responsibility	Timeframe (When?)
Water and soil pollution	Compromised water quality due to fuel and lubricant spills	<ul style="list-style-type: none"> • Regular inspections and servicing of vehicles and machinery offsite or in designated areas. • Fuels and lubricants must be stored in containers. If stored on the ground, these containers should be placed on a non-permeable surface (e.g. high-density polyethylene plastic sheets). • Polluted soil must be collected and transported away from the site to an approved and appropriately classified hazardous waste treatment facility. • Soil contamination should be minimised by lining the ground with durable plastic where necessary. • Washing of equipment contaminated hydrocarbons, as well as the washing and servicing of vehicles should take place at a dedicated area, where contaminants are prevented from contaminating soil or water resources. • The effluent/wet waste and hydrocarbons should be contained on site in designated containers and disposed of in accordance to municipal wastewater discharge standards, so that they do not reach to local groundwater systems. • Any Chemical used for excavation activity should be non-hazardous and biodegradable (Resilient Environmental Solutions, 2019) 	ECO / SHE Officer	Throughout the small-scale quarrying phase
Poaching of wildlife	Illegal hunting of wildlife (Poaching) by /quarrying workers	<ul style="list-style-type: none"> • and small-scale quarrying personnel should not hunt wildlife on and around the project sites. 	Quarrying Manager ECO/SHE Officer	Throughout the small-scale quarrying phase

Environmental Feature	Impact	Management Actions	Responsible person(s) / Implementation responsibility	Timeframe (When?)
		<ul style="list-style-type: none"> • Site personnel should refrain from killing/poaching or snaring or intentionally disturbing local animals that may be found on and around the sites. • Personnel are not allowed to kill or in any way disturb local livestock. • Any project personnel to be found poaching wildlife in the area should be reported to the nearest Police Station or Anti-Poaching Unit. • The Proponent should work together with the Police and/or the Anti-Poaching Unit in the area to raise awareness on the negative impact of poaching to the local and regional economy. 		
<p>Archaeology and cultural heritage</p>	<p>Potential disturbance to archaeological and cultural heritage resources</p>	<ul style="list-style-type: none"> • The Proponent should consider having a qualified and experienced Archaeologist on standby during the entire operational phase. This action will be to assist on the possible of uncovering of sub-surface graves or other Cultural/heritage objects and advice the Proponent accordingly. • The small-scale quarrying workers should be informed to not destroy /damage any unknown object or archeological materials found/discovered on site during operations, but to report these objects to the Quarrying Manager or ECO who then informs the National Heritage Council of Namibia (NHC). • Caution should be exercised when carrying out excavations associated with the /quarrying activities in the event that archaeological/heritage reamains are discovered. 	<p>Quarrying Manager ECO/SHE Officer</p>	<p>Prior to site setup activities. Ongoing observation</p>

Environmental Feature	Impact	Management Actions	Responsible person(s) / Implementation responsibility	Timeframe (When?)
HIV and AIDS (Other STIs)	Potential increase of prevalence of HIV and AIDS, as well as other STIs prevalence	<ul style="list-style-type: none"> The workers should be engaged in health talks and training about the dangers of engaging in unprotected sexual relations which results in contracting HIV/AIDS and other sexual related infections Provision of condoms and sex education through distribution of pamphlets. These pamphlets can be obtained from local health facilities 	SHE Officer	During site setup and throughout small-scale quarrying phase

2.4 Phase 2: Monitoring Phase Management Action Plans (Monitoring Plan)

In order to support and ensure that the proposed mitigation measures are achieving the desired results, a Monitoring Plan must be implemented. The management action plans recommend for work are presented in **Table 5** below.

Table 5: Management action plans for the Monitoring Phase

Environmental Feature	Impact	Management Actions	Responsible person(s) / Implementation responsibility	Frequent	Threshold	Action if threshold is exceeded
Soils	Loss of top soil	<ul style="list-style-type: none"> All measures should be considered to prevent the loss of top soil 	SHE Officer/ Quarrying Manager	Weekly	Proliferation of new vehicle tracks	Rehabilitation of affected areas

Environmental Feature	Impact	Management Actions	Responsible person(s) Implementation responsibility	Frequent	Threshold	Action if threshold is exceeded
Monitoring	EMP non-compliance	<ul style="list-style-type: none"> The ECO or the Proponent/Contractor should monitor the implementation of this EMP to ensure compliance. The ECO(s) should inspect the site throughout the and small-scale quarrying period and after completion. 	ECO/ SHE Officer	Daily	Increase in health, safety and environmental damage incidence	Daily safety talks, Remedy the consequences
Biodiversity	Loss of biodiversity	<ul style="list-style-type: none"> Clear only footprint areas to maintain as much of the remaining natural vegetation on site and to prevent loss of habitat 	ECO Workers involved in this phase	Weekly	Vegetation clearance outside of marked areas.	Rehabilitation of affected areas to the satisfaction of the SHE Officer
Health and Safety	Health and safety of the workers	<ul style="list-style-type: none"> workers should be trained on how to handle materials and equipment on site (if they do not already know how to) in order to avoid injuries. equipment and materials transported to site should be 	ECO/SHE Officer	Daily/Weekly	Health and safety incident	Remedy the consequences

Environmental Feature	Impact	Management Actions	Responsible person(s) / Implementation responsibility	Frequent	Threshold	Action if threshold is exceeded
		<p>securely fastened to the vehicles (trucks and cars). This is to ensure that the materials and equipment do not fall off the vehicles and cause injuries to anyone while transporting them.</p> <ul style="list-style-type: none"> The proponent and ECO/SHE Officer should ensure that all personnel are provided with appropriate personal protective equipment (PPE), such as gloves, masks, safety boots, safety glasses and hard hats at all times during and small-scale quarrying (operation) hours on site to prevent serious injuries or loss of life No employee should be allowed to drink alcohol prior to and during working hours as this may lead to mishandling of equipment which results into injuries and other health and safety risks. 	<p>Worker Involved in this phase</p>			

Environmental Feature	Impact	Management Actions	Responsible person(s) / Implementation responsibility	Frequent	Threshold	Action if threshold is exceeded
Neighbours to the site	Disturbance	<ul style="list-style-type: none"> and small-scale quarrying works schedule should be limited to normal working hours, between 08h00 and 17h00. This is to ensure generated noise does not become nuisance to the neighbours. 	ECO/ Quarrying Manager	Weekly	A logged complaint about excessive noise	Revision of site activities
Waste	Environmental Pollution	<ul style="list-style-type: none"> The site should be kept tidy at all times. All domestic and general construction waste produced on a daily basis should be cleaned and contained daily to prevent environmental pollution. Separate waste containers (bins) for hazardous and domestic / general waste must be provided on site to avoid mixing of waste. 	ECO/SHE Officer Workers involved in this phase	Daily	Visible littering around project site A logged complaint	Clean-up of the affected areas and ensuring workers utilise waste containers provided.
Transport		<ul style="list-style-type: none"> project workers will be transported, in an SUV/ bus 	ECO/ SHE Officer	Daily	A logged complaint about	

Environmental Feature	Impact	Management Actions	Responsible person(s) / Implementation responsibility	Frequent	Threshold	Action if threshold is exceeded
		(or similar suitable passenger vehicle) to and from site prevent inhaling of dust.			bad form of transport	
HIV and AIDS or STIs infections	Potential increase in HIV and AIDS prevalence	<ul style="list-style-type: none"> To prevent new infections in the area 	SHE Officer	Monthly		
Vehicular traffic safety	Increase in local traffic flow	<ul style="list-style-type: none"> All drivers of the project vehicles should be in possession of valid and appropriate driving licenses to operate such vehicles. Project vehicles should be in a road worthy condition and serviced regularly in order to avoid accidents as a result of mechanical faults of vehicles. Vehicles drivers should not be allowed to operate vehicles while under the influence of alcohol. No heavy trucks or project related vehicles should be 	ECO/SHE Officer	Weekly	A logged complaint about traffic increase or damage to RA roads	Find alternative access roads for the team. Rehabilitation of affected roads

Environmental Feature	Impact	Management Actions	Responsible person(s) / Implementation responsibility	Frequent	Threshold	Action if threshold is exceeded
		parked next to the residents' properties or obstruct the local traffic in any way.				

2.5 Phase 3: Decommissioning and Rehabilitation Phase

Decommissioning and rehabilitation will involve the following:

- Capping or backfilling of all drilled holes with loose materials.
- Collecting and disposing domestic waste at a nearest landfill/ dumpsite.
- Leveling the stockpiled top soil during and small-scale quarrying activities.
- Any temporary setup of camps should be dismantled, and the area should be rehabilitated as far as possible to their original state.

3 ENVIRONMENTAL MONITORING

In order to minimize the "medium" and uphold the "low" significance ratings of impacts identified and assessed in the EA report; bi-annual EMP compliance audits must be carried out during the course of the project cycle. The first bi-annual audit exercise should be conducted six (6) months after the date of ECC issuance. Monitoring reports are to be compiled and submitted to the Department of Environmental Affairs (DEA) for archiving. This practice will make any considerations for ECC renewal easy when it is about to expire. Therefore, the Proponent should meritoriously monitor and ensure that bi-annual reports are submitted to the DEA. The submission is not only done for record-keeping purposes, but also in compliance with the environmental legislation.

4 CONCLUSION

Potential negative and positive impacts stemming from the proposed small-scale quarrying activities were acknowledged, assessed and mitigation measures made thereof. The mitigation measures indorsed in this report and management action plans provided in the draft Environmental Management Plan can be considered adequate to elude and/or reduce the risks to acceptable levels. Therefore, Excel Dynamic Solutions (Pty) Ltd assures that these measures are sufficient and thus recommends that the Proponent be issued with the ECC to enable the small-scale quarrying works on MCs No. 65989-65992, 66681 & 66682. However, the ECC should be issued on condition that the provided management measures and action plans are effectively implemented on site and monitored. Predominantly, monitoring of the environmental components described in the impact assessment chapter should be conducted by the proponent and applicable Competent Authorities. This is to ensure that all potential impacts identified in this study and other impacts that might arise during implementation are properly identified in time and accordingly addressed. Should the ECC be issued, the proponent will be expected to be compliant with the ECC conditions as well as legal requirements governing the small-scale quarrying activities.