Kalapuse General Dealer CC

MEFT ECC APPLICATION REFERENCE No.: APP-003224

Final Updated Environmental Scoping and Environmental Management Plan (EMP) Report to Support the Application for the Renewal of the Environmental Clearance Certificate (ECC) for Ongoing and Proposed Exploration / Prospecting Activities in the Exclusive Prospecting License (EPL) No. 5469

KARIBIB DISTRICT, ERONGO REGION



PROPONENT, LISTED ACTIVITIES AND RELATED INFORMATION SUMMARY

TYPE OF AUTHORISATIONS REQUIRING ECC

Exclusive Prospecting License (EPL) No. 5469
MEFT ECC APPLICATION REFERENCE No: APP-003224

NAME OF THE PROPONENT

Kalapuse General Dealer CC

COMPETENT AUTHORITY

Ministry of Mines and Energy (MME)

ADDRESS OF THE PROPONENT AND CONTACT PERSON

P.O. Box 11427 23 Schanzen Rd WINDHOEK, NAMIBIA

CONTACT PERSON:

Mr. Ambrosius Mobile: +264 811273549 Email: kalapusegd@gmail.com

PROPOSED PROJECT

Proposed Minerals Exploration / Prospecting in the Exclusive Prospecting License (EPL) No. 5469

PROJECT LOCATION

Karibib District, Erongo Region (Latitude: -22.066389, Longitude: 15.279444)

ENVIRONMENTAL CONSULTANTS

Risk-Based Solutions (RBS) CC

(Consulting Arm of Foresight Group Namibia (FGN) (Pty) Ltd)
41 Feld Street Ausspannplatz
Cnr of Lazarett and Feld Street
P. O. Box 1839, WINDHOEK, NAMIBIA

Tel: +264 - 61- 306058. Fax: +264 - 61- 306059

Cell: + 264-811413229. Email: smwiya@rbs.com.na
Global Office / URL: www.rbs.com.na

ENVIRONMENTAL ASSESSMENT PRACTITIONER (EAP)

Dr. Sindila Mwiya PhD, PG Cert, MPhil, BEng (Hons), Pr Eng

Summary Profile and Qualifications of the Environmental Assessment Practitioner (EAP) / International Resources Consultant – Dr Sindila Mwiya

Dr Sindila Mwiya has more than eighteen (18) years of practical field-based technical industry experience in Environmental Assessment (SEA, EIA, EMP, EMS), Energy (Renewable and Non-renewable energy sources), onshore and offshore resources (minerals, oil, gas and water) exploration / prospecting, operation and utilisation, covering general and specialist technical exploration and recovery support, Health, Safety and Environment (HSE) permitting for Geophysical Surveys such as 2D, 3D and 4D Seismic, Gravity and Electromagnetic Surveys for mining, energy and petroleum (oil and gas) operations support, through to engineering planning, layout, designing, logistical support, recovery, production / operations, compliance monitoring, rehabilitation, closure and aftercare projects lifecycles. He continues to work internationally in the resources (mining and petroleum) and energy sectors, from permitting through to exploration and production. From the frontier regions (high risk hydrocarbons exploration zones) of South Africa and Namibia, to the prolific oil and gas fields of the Middle East, Angola and the West African Gulf of Guinea, Dr Mwiya has been directly involved in field-based aerial, ground and marine geophysical (gravity, magnetics and seismic) surveys, been onboard exploration drilling rigs, onboard production platforms, conducted public and stakeholder consultations and engagements, and worked with highly technical and well organised and committed clients and third-party teams from emerging and well established global resources and energy companies from many countries such as the UK, France, USA, Russia, Canada, Croatia, Norway, the Netherland, Spain, Brazil, China, South Africa, Equatorial Guinea, Angola and Nigeria. He is fully aware of all the competing interests and niche donation-based business environmental advocacy opportunism that exists in the resources sector from the local, regional, and international perspectives.

Through his companies, Risk-Based Solutions (RBS) CC and Foresight Group Namibia (FGN) (Pty) Ltd which he founded, he has undertaken more than 200 projects for Local (Namibia), Continental (Africa) and International (Global) based clients. He has worked and continue to work for Global, Continental and Namibian based reputable resources (petroleum and mining / minerals) and energy companies such as Dundee Precious Metals (Namibia / Canada), Headspring Investment (Namibia/ Russia), Green Energy (Namibia/UK/Russia), EMGS (UK/ Norway), Lepidico (Australia / UK), Best Sheer / Bohale (Namibia / China), CGG Services UK Limited (UK/ France/Namibia), BW Offshore (Norway/Singapore /Namibia), Shell Namibia B. V. Limited (Namibia/ the Netherlands), Tullow Oil (UK/Namibia), Debmarine (DBMN) (Namibia), Reconnaissance Energy Africa Ltd (ReconAfrica) (UK/Canada/Namibia), Osino Resource Corporation (Canada/USA/Namibia), Petrobras Oil and Gas (Brazil) / BP (UK)/ Namibia, REPSOL (Spain/ Namibia), ACREP (Namibia/Angola), Preview Energy Resources (UK), HRT Africa (Brazil / USA/ Namibia), Chariot Oil and Gas Exploration (UK/ Namibia), NABIRM (USA/ Namibia), Serica Energy (UK/ Namibia), Eco (Atlantic) Oil and Gas (Canada / USA/ Namibia), ION GeoVentures (USA), PGS UK Exploration (UK), TGS-Nopec (UK), Maurel & Prom (France/ Namibia), GeoPartners (UK), PetroSA Equatorial Guinea (South Africa / Equatorial Guinea/ Namibia), Preview Energy Resources (Namibia / UK), Sintezneftegaz Namibia Ltd (Russia/ Namibia), INA Namibia (INA INDUSTRIJA NAFTE d.d) (Croatia/ Namibia), Namibia Underwater Technologies (NUTAM) (South Africa/Namibia), InnoSun Holdings (Pty) Ltd and all its subsidiary renewable energy companies and projects in Namibia (Namibia / France), HopSol (Namibia/Switzerland), Momentous Solar One (Pty) Ltd (Namibia / Canada), OLC Northern Sun Energy (Pty) Ltd (Namibia) and more than 100 local companies. Dr Sindila Mwiya is highly qualified with extensive practical field-based experience in petroleum, mining, renewable energy (Solar, Wind, Biomass, Geothermal and Hydropower), Non-Renewable energy (Coal, Petroleum, and Natural Gas), applied environmental assessment, management, and monitoring (Scoping, EIA, EMP, EMP, EMS) and overall industry specific HSE, cleaner production programmes, Geoenvironmental, geological and geotechnical engineering specialist fields.

Dr Sindila Mwiya has undertaken and continue to undertake and manage high value projects on behalf of global and local resources and energy companies. Currently, (2020-2023) Dr Sindila Mwiya is responsible for permitting planning through to operational and completion compliance monitoring, HSE and engineering technical support for multiple major upstream onshore and offshore petroleum, minerals, and mining projects, Solar and Wind Energy Projects, manufacturing and environmentally sustainable, automated / smart and Climate Change resilient homes developments in different parts of the World including Namibia. He continue to worked as an International Resources Consultant, national Environmental Assessment Practitioner (EAP) / Environmentally Sustainable, automated / smart and Climate Change resilient homes developer, Engineering / Technical Consultant (RBS / FGN), Project Manager, Programme Advisor for the Department of Natural and Applied Sciences, Namibia University of Science and Technology (NUST) and has worked as a Lecturer, University of Namibia (UNAM), External Examiner/ Moderator, NUST, National (Namibia) Technical Advisor (Directorate of Environmental Affairs, Ministry of Environment, Forestry and Tourism / DANIDA – Cleaner Production Component) and Chief Geologist for Engineering and Environment Division, Geological Survey of Namibia, Ministry of Mines and Energy and a Field-Based Geotechnician (Specialised in Magnetics, Seismic, Gravity and Electromagnetics Exploration and Survey Methods) under the Federal Institute for Geoscience and Natural Resources (BGR) German Mineral Exploration Promotion Project to Namibia, Geophysics Division, Geological Survey of Namibia, Ministry of Mines and Energy.

He has supervised and continue to support a number of MScs and PhDs research programmes and has been a reviewer on international, national and regional researches, plans, programmes and projects with the objective to ensure substantial local skills development, pivotal to the national socioeconomic development through the promotion of sustainable natural resources coexistence, management, development, recovery, utilisation and for development policies, plans, programmes and projects financed by governments, private investors and Namibian development partners. Since 2006 until 2017, he has provided extensive technical support to the Department of Environmental Affairs (DEA), Ministry of Environment, Forestry and Tourism (MEFT) through GIZ in the preparation and amendments of the Namibian Environmental Management Act, 2007, (Act No. 7 of 2007), Strategic Environmental Assessment (SEA) Regulations, Environmental Impact Assessment (EIA) Regulations as well as the SEA and EIA Guidelines and Procedures all aimed at promoting effective environmental assessment and management practices in Namibia. Among his academic achievements, Dr Sindila Mwiya is a holder of a PhD within the broader fields of Engineering Geology/Geotechnical / Geoenvironmental / Environmental Engineering and Artificial Intelligence with a research thesis titled Development of a Knowledge-Based System Methodology (KBSM) for the Design of Solid Waste Disposal Sites in Arid and Semiarid Environments, MPhil/PG Cert and BEng (Hons) (Engineering Geology and Geotechnics) qualifications from the University of Portsmouth, School of Earth and Environmental Sciences, United Kingdom. During the 2004 Namibia National Science Awards, organised by the Namibian Ministry of Education, and held in Windhoek, Dr Sindila Mwiya was awarded the Geologist of the Year for 2004, in the professional category. Furthermore, as part of his professional career recognition, Dr Sindila Mwiya is a life member of the Geological Society of Namibia, Consulting member of the Hydrogeological Society of Namibia and a Professional Engineer registered with the Engineering Council of Namibia.

WINDHOEK NOVEMBER 2021

Content List

NON-TI	ECHNICAL SUMMARY	VIII
1. BA	ACKGROUND	11 -
1.1	Introduction	11
1.1	REGULATORY REQUIREMENTS	
1.3	LOCATION, SITE DESCRIPTION, LAND USE AND INFRASTRUCTURE	
1.3	· · · · · · · · · · · · · · · · · · ·	
1.3		
1.3		
1.4	PROJECT MOTIVATION AND BENEFITS	
1.5	TERMS OF REFERENCE, APPROACH AND METHODOLOGY	
1.6	ASSUMPTIONS AND LIMITATIONS	
1.7	STRUCTURE OF THE REPORT	
2. DE	ESCRIPTION OF THE PROPOSED PROSPECTING ACTIVITIES INITIAL DESKTOP EXPLORATION ACTIVITIES	
2.1	REGIONAL RECONNAISSANCE FIELD-BASED EXPLORATION ACTIVITIES	
2.2	INITIAL LOCAL FIELD-BASED EXPLORATION ACTIVITIES	
2.3	DETAILED LOCAL FIELD-BASED EXPLORATION ACTIVITIES	
2.5	PREFEASIBILITY AND FEASIBILITY STUDIES	
2.0	T REFEASIBILITY AND T EASIBILITY STODIES	20 -
	EGULATORY FRAMEWORK	
3.1	MINERALS EXPLORATION LEGISLATION AND REGULATIONS	
3.2	ENVIRONMENTAL REGULATIONS	
3.2		
3.2		
3.3	OTHER APPLICABLE LEGISLATIONS	
3.4	INTERNATIONAL AND REGIONAL TREATIES AND PROTOCOLS	
3.5	STANDARDS AND GUIDELINES	
3.6	RECOMMENDATIONS ON PERMITTING REQUIREMENTS	28 -
4. SU	JMMARY OF NATURAL ENVIRONMENT	29 -
4.1	CLIMATE	- 29 -
4.2	Topography	
4.3	VERTEBRATE FAUNA AND FLORA DIVERSITY	
4.3		
4.3		
4.3		
4.3		
4.3		
4.3		
4.3		
4.4	SOCIOECONOMIC SETTING	
4.4		
4.4		
4.4	· · · · · · · · · · · · · · · · · · ·	
4.4		
4.4		
4.5	GROUND COMPONENTS	
4.5		
4.5		
4.5 4.5	5	
4.5 4.5		
4.5 4.5		
	ARCHAEOLOGY	

4.6	6.1 Regional Archaeological Setting	
4.6	6.2 Local Archaeological Setting and Recommendation	
4.7	PUBLIC CONSULTATIONS AND ENGAGEMENT	
4.7	7.1 Overview	38 -
5. IM	IPACT ASSESSMENT AND RESULTS	41 -
5.1	IMPACT ASSESSMENT PROCEDURE	
5.2	ALTERNATIVES AND ECOSYSTEM ASSESSMENTS	41 -
5.3	KEY ISSUES CONSIDERED IN THE ASSESSMENT PROCESS	42 -
5.3	3.1 Sources of Impacts (Proposed Project Activities)	
	3.2 Summary of Receptors Likely to be Negatively Impacted	
5.4	IMPACT ASSESSMENT METHODOLOGY	
	4.1 Impact Definition	
_	4.3 Likelihood (Probability) of Occurrence	
_	4.4 Project Activities Summary of Impacts Results	
5.5	EVALUATION OF SIGNIFICANT IMPACTS	
	5.1 Overview	
	5.2 Significance Criteria	
5.6	5.3 Assessment Likely Significant Impacts	
	6.1 Summary of the Results of the Impact Assessment	
0.0	2.1 Canimary of the results of the impact research	
6. TH	1E EMP	59 -
6.1	SUMMARY OF THE EMP OBJECTIVES	
6.2	IMPLEMENTATION OF THE EMP	
	2.1 Roles and Responsibilities	
_	2.2 Proponent's Representative (PR) / Project Manager (PM)	
_	2.3 Project Health, Safety and Environment (Project HSE)	60 -
_	2.4 Contractors and Subcontractors	
6.3	SPECIFIC MITIGATION MEASURES	
	3.1 Hierarchy of Mitigation Measures Implementation	
6.4	3.2 Mitigation Measures Implementation	
_	4.1 Rehabilitation Process	
6.5	Monitoring of the Environmental Performance	
	5.1 Rehabilitation Evaluation and Performance Monitoring	
	4.2 Overall Environmental Performance Monitoring and Reporting	80 -
		_
	ONCLUSION AND RECOMMENDATION	
7.1	CONCLUSIONS	
7.2	RECOMMENDATIONS	
7.3	SUMMARY TOR FOR TEST MINING AND MINING STAGES	83 -

List of Figures

Figure 1.1:	Copy of the ECC granted on the 30 th November 2016 to Kalapuse General Dealer CC and expired on the 30 th November 2021 need to be renewed	12 -
Figure 1.2:	Regional location of the EPL 5469.	
Figure 1.3:	Detailed regional location of the EPL 5469	
Figure 1.4:	Detailed regional location of the EPL 5469 showing all the corner	
900	coordinates	- 16 -
Figure 1.5:	Detailed topographic, land use, existing infrastructure (roads and powerlines), commercial and communal farmland covered by or within the surrounding of	. 10
	the EPL 5469 area.	_ 17 _
Figure 1.6:	RBS Schematic presentation of Namibia's Environmental Assessment Procedure.	
Figure 4.1:	Copy of the public notice that was published local Windhoek Observer newspapers for Friday 1st July 2016	
Figure 4.2:	Copy of the public notice that was published local Windhoek Observer	33 -
rigule 4.2.	newspapers for Friday 15 th July 2016	40
	newspapers for Friday 13 - July 2010	40 -
	List of Tables	
Table 1.1:	Summary of the proposed / ongoing activities, alternatives and key issues	
Table 1.1.	considered during the Environmental Assessment (EA) process covering	
	Scoping and Environmental Management Plan (EMP)	10
Table 3.1:		
	Government agencies regulating environmental protection in Namibia	
Table 3.2:	Liquid effluent emission levels (MIGA /IFC).	
Table 3.3:	Noise emission levels (MIGA /IFC).	26 -
Table 3.4:	R553 Regional Standards for Industrial Effluent, in Government Gazette No	26
Table 2.5.	217 dated 5 April 1962.	
Table 3.5:	Comparison of selected guideline values for drinking water quality	21 -
Table 4.1:	Partial Lithostratigraphy of the Damara Sequence in Central Namibia (Karibib-	24
Table 4.0.	Swakopmund Area	
Table 4.2:	General rock structure scheme	
Table 5.1:	Definition of impact categories used in this report.	
Table 5.2:	Definitions used for determining the sensitivity of receptors.	
Table 5.3:	Scored on a scale from 0 to 5 for impact magnitude	45 -
Table 5.4:	Scored time period (duration) over which the impact is expected to last	45 -
Table 5.5:	Scored geographical extent of the induced change	45 -
Table 5.6:	Summary of the qualitative scale of probability categories (in increasing order of likelihood)	_ 15 _
Table 5.7:	Results of the sensitivity assessment of the receptors (physical,	45 -
Table 5.7.	socioeconomic, and biological environments) with respect to the proposed	
	exploration / prospecting activities.	- 17 -
Table 5.8:	Results of the scored time (duration) over which the impact is	47 -
Table 5.6.	expected to last	- 40 -
Table 5.9:	Results of the scored geographical extent of the induced change	
Table 5.3.	Results of the qualitative scale of probability occurrence.	
Table 5.10.	Scored impact significance criteria.	
Table 5.11.	Significant impact assessment matrix for the proposed exploration activities	
Table 5.12.	Project planning and implementation.	
Table 6.1.	Implementation of the EMP	
Table 6.2:	Public and stakeholders relations	
Table 6.4:	Measures to enhance positive socioeconomic impacts.	
Table 6.5:	Environmental awareness briefing and training.	
Table 6.6: Table 6.7:	Erection of supporting exploration infrastructure	
I AVIC U./	vae vi exiauliu guueaa tugua. Hguka giiu uehetgi Vehicle Hiovehienia	()() -

Table 6.8:	Mitigation measures for preventing flora and ecosystem destruction and promotion of conservation	67 -
Table 6.9:	Mitigation measures for preventing faunal and ecosystem destruction and	07 -
	promotion of conservation	68 -
Table 6.10:	Mitigation measures to be implemented with respect to the exploration camps	
	and exploration sites	69 -
Table 6.11:	Mitigation measures for surface and groundwater protection as well as general	
	water usage	70 -
Table 6.12:	Mitigation measures to minimise negative socioeconomic impacts	71 -
Table 6.13:	Mitigation measures to minimise health and safety impacts	72 -
Table 6.14:	Mitigation measures to minimise visual impacts	73 -
Table 6.15:	Mitigation measures to minimise vibration, noise, and air quality	74 -
Table 6.16:	Mitigation measures for waste (solid and liquid) management	75 -
Table 6.17:	Rehabilitation plan.	75 -
Table 6.18:	Environmental data collection.	77 -

NON-TECHNICAL SUMMARY

Kalapuse General Dealer CC (the **Proponent**) holds minerals rights under the Exclusive Prospecting License (EPL) No. 5469. The EPL 5469 was granted on the 24/06/2015 and expired on the 09/06/2021. A renewal application has been submitted and is currently pending with the Competent Authority, the Ministry of Mines and Energy (MME). The Proponent intends to continue with minerals prospecting activities with special focus on base and rare, industrial minerals, precious metals with nuclear fuels applied to be added to the group of minerals.

The EPL 5469 area totalling 29501.0043 Ha is situated in the Karibib District, Erongo Region, and cover parts of the following farms: Eureka, 99, Usakos West 65, Gross Aukas 68, Lukasbank 63, Stinkbank North 73, Stinkbank 62, Safier 62, Namibfontein 91, Sukses 90, Haskskeen 89 and Marenica 114. The EPL area falls within the well-established commercial and communal small stock and cattle farming area supported by game farming, tourism, hospitality, and conservations activities falling under the #Gaingu Conservancy. The exploration activities to be undertaken and as assessed in this updated Scoping and Environmental Management Plan (EMP) Report are as follows:

- (i) Initial desktop exploration activities (no field-work undertaken).
- (ii) Regional reconnaissance field-based mapping and sampling activities (Subject to the positive results of (i).
- (iii) Initial local field-based mapping and sampling activities (Subject to the positive results of (i) and (ii) above).
- (iv) Detailed local field-based activities such as local geological mapping, geochemical mapping, and sampling, trenching, and drilling of closely spaced boreholes and bulk sampling (Subject to the positive results of (i) (iii) above).
- (v) Prefeasibility and feasibility studies (Subject to the positive results of (i) and (iv) above).

The proposed exploration activities are listed in the Environmental Management Act, 2007, (Act No. 7 of 2007) and cannot be undertaken without an Environmental Clearance Certificate (ECC). A Scoping and Environmental Management Plan (EMP) Report was prepared by the Risk-Based Solutions (RBS) CC on behalf of the Proponent and submitted to the Environmental Commissioner in the Ministry of Environment and Tourism (MET) renamed the Ministry of Environment, Forestry and Tourism (MEFT), together with the application for an ECC on the 26th July 2016. An ECC was granted by the Environmental Commissioner dated 30th November 2016 and expired on the 30th November 2020. This updated Environmental Scoping and EMP report has been prepared by Risk-Based Solutions on behalf of the Proponent to support the application for the renewal of the ECC granted on the 30th November 2016.

It is estimated that at least 54 reptile, 5 amphibian, 45 mammal, 129 bird species (breeding residents), 20-47 species of larger trees and shrubs (>1m in height) and up to 50 grasses are known to or expected to occur within or general/immediate EPL area of which a large proportion are endemics. Endemics include at least 54% of the reptiles, 40% of the amphibians, 16% of the mammals and 50% (7 of the 14 Namibian endemics) of all the breeding and/or resident birds known and/or expected to occur in the general area. Although these endemics are known to occur from the general area, it is currently not clear if any of these are associated with the actual EPL area or how exactly they will be affected by proposed / ongoing activities.

Vertebrate fauna species most likely to be adversely affected by the proposed / ongoing exploration activities would be sedentary reptile species associated with specific geology such as dolorite and marble ridges/hills/outcrops in the EPL area which may be potential exploration targets. Sedentary reptile species that may be associated with such terrains include: Pedioplanis husabensis and various Pachydactylus and Rhoptropus species. Important flora potentially adversely affected would be Aloe asperifolia, A. namibensis, various Commiphora species and Lithops ruschiorum var. ruschiorum and L. gracilidelineata var. gracilidelineata.

There are various anthropomorphic activities throughout the general area (e.g. existing roads and tracks, rail line, transmission line activities, farm infrastructure, exploration and mining activities, etc.). The environmental consequence that the proposed / ongoing exploration and associated infrastructure such as access and campsite would have on the receiving environment will depend on the extent of the proposed / ongoing activities over the development area, management of the area and how the proposed mitigations are eventually implemented by the Proponent. Avoiding sensitive habitats such as Ephemeral River channels, rock heads, mountainous terrains, granite features that might hold archaeological resources as well as track discipline (including no killing/poaching of fauna and unnecessarily cutting down of trees) must be adhered to and/or always enforced. The following is the assessment summary of the likely environmental impacts that the proposed / ongoing exploration / prospecting activities will have on the receiving environment (physical, biological, socioeconomic environments and ecosystem functions, services, use and non-use values or passive uses) without mitigations:

- (i) Initial desktop exploration activities: Overall likely negative impact on the receiving environment will be negligible with extremely unlikely probability of occurrence without mitigations. Overall significant impacts will be negligible and no field work will take place.
- (ii) Regional reconnaissance field-based activities: Overall likely negative impact on the receiving environment will be negligible with extremely unlikely probability of occurrence without mitigations. Overall significant impacts will be negligible. Some field-based activities will have localised low impacts with low probability of occurrence without mitigations and negligible with mitigations. Overall significant impacts will be negligible.
- (iii) Initial local field-based activities: Initial field-based activities will have localised low impacts with low probability of occurrence without mitigations and negligible with mitigations. Overall significant impacts will be negligible. All desktop related activities and laboratory assessments will have negligible impacts with extremely unlikely probability of occurrence without mitigations. Overall significant impacts will be negligible.
- (iv) Detailed local field-based activities: Overall likely negative impact on the receiving environment will be high and localised impacts without mitigations and localised low impacts with mitigations. Overall significant impacts will be medium without mitigations and low with mitigations, and.
- (v) Prefeasibility and feasibility studies to be implemented on a site-specific area if the local field-based studies prove positive: Overall likely negative impact on the receiving environment will be high and localised impacts without mitigations and localised medium impacts with mitigations. Overall significant impacts will be high without mitigations and low with mitigations for bulk sampling, and field coordination including exploration camp.

Based on the findings of this updated Scoping and EMP Report, it is hereby recommended that the proposed / ongoing exploration activities be issued with a renewed Environmental Clearance Certificate (ECC) with the following key conditions:

- (i) The Proponent shall negotiate Access Agreements with the land owners as may be applicable.
- (ii) In consultation with the land owners and where possible and if key and core conservation, tourism or archaeological resources areas are identified within the EPL area, such areas shall be excluded from the proposed minerals exploration activities.
- (iii) The Proponent shall adhere to all the provisions of the EMP and conditions of the Access Agreement to be entered between the Proponent and the land owner/s in line with all applicable national legislations and regulations.
- (iv) Before entering any private property such as private farms or communal areas, the Proponent shall give advance notices to the surface land rights holders and always

obtain permission to access the land to undertake prospecting activities in any given area.

- (v) Mitigation measures shall be implemented as detailed in Section 6 (EMP) of this Scoping and EMP report, and.
- (vi) Where possible, and if good quality freshwater is found during the detailed exploration borehole drilling operations, the Proponent shall support other land users in the area in terms of access to good quality freshwater resources for both human consumption, wildlife and agricultural uses as may be requested by the local community / land owner/s. With permission from the Department of Water Affairs in the Ministry of Agriculture, Water and Land Reform (MAWLR), the abstraction of the groundwater resources shall include water levels monitoring, sampling and quality testing on a bi-annual basis, and that the affected landowner/s must have access to the results of the water monitoring analyses as part of the ongoing stakeholder disclosure requirements on shared water resources as may be applicable.

Once economic resources are discovered for possible mining operations, a separate field-based and site-specific Environmental Impact Assessment (EIA) and Environmental Management Plan (EMP) shall be undertaken as part of the prefeasibility and feasibility studies. The site-specific EIA and EMP shall cover the area/s identified to have potential economic minerals resources and the assessment shall include the entire planned mine layout areas such as the pit / shaft, waste rock, tailings dump, access, office blocks, mechanical workshop, water, and energy infrastructure support areas (water, energy, and road / access).

In addition to the site-specific possible mining EIA and EMP Terms of Reference (ToR) to be developed during the prefeasibility study phase, the following field-based and site-specific specialist studies shall be undertaken in an event that economic minerals resources and discovered for possible development of a mining project within the EPL 5469 area:

- (i) Groundwater studies including modelling as may be applicable.
- (ii) Field-based flora and fauna assessments.
- (iii) Dusts, noise and sound assessments and modelling linked to engineering studies.
- (iv) Socioeconomic assessment, and.
- (v) Others as may be identified / recommended by the stakeholders/ land owners/ Environmental Commissioner or specialists during the prefeasibility and feasibility phases.

1. BACKGROUND

1.1 Introduction

Kalapuse General Dealer CC (the Proponent) hold minerals rights under the Exclusive Prospecting License (EPL) No. 5469. The following is the summary of the EPL 5469 (Annexes 1-3):

- ❖ Type of License: Exclusive Prospecting License (EPL) No. 5469.
- ❖ EPL Holder: Kalapuse General Dealer CC.
- **❖ Granted Date:** 24/06/2015.
- ❖ Expiry Date: 09/06/2021 (Note: A renewal application has been submitted and is currently pending with the Competent Authority, the Ministry of Mines and Energy (MME).
- **Commodities:** Base and rare, industrial minerals, precious metals with nuclear fuels applied to be added to the group of minerals.
- **❖ Size of the EPL:** 29501.0043 Ha, and.
- ❖ Current Environmental Clearance Certificate (ECC): Granted on the 30th November 2016 and expired on 30th November 2021.

Kalapuse General Dealer CC intend to undertake exploration activities covering desktop studies, followed by field-based regional and detailed site-specific explorations activities using techniques such as geophysical surveys, geological mapping, trenching, drilling and bulk sampling.

1.2 Regulatory Requirements

The proposed minerals exploration / prospecting activities in the EPL 5469 falls under the activities that are listed in the Environmental Management Act, 2007, (Act No. 7 of 2007) and cannot be undertaken without an Environmental Clearance Certificate (ECC).

To obtain the ECC for the listed activities, the Proponent was required to have undertaken Environmental Assessment comprising Environmental Scoping and Environmental Management Plan (EMP) for the proposed minerals prospecting programme.

The Environmental Assessment process was undertaken in accordance with the provisions of the Environmental Impact Assessment Regulations, 2012 and the Environmental Management Act, 2007, (Act No. 7 of 2007). In fulfilment of the environmental requirements, the Proponent appointed Risk-Based Solutions (RBS) CC as the Environmental Consultant, led by Dr Sindila Mwiya as the Environmental Assessment Practitioner (EAP) to undertake the Scoping and EMP to support the application for Environmental Clearance Certificate (ECC).

The ECC application together with the supporting Scoping and EMP Report were submitted to the Environmental Commissioner in Ministry of Environment, and Tourism (MET) now the Ministry of Environment, Forestry and Tourism (MEFT) on the 26th July 2016.

The ECC which was granted on the 30th November 2016 and expired 30th November 2020 and need to be renewed (Fig. 1.1). This updated Scoping and EMP Report has been prepared by Risk-Based Solutions (RBS) CC on behalf of the Proponent to support the application for the renewal as shown in Fig. 1.1.



MINISTRY OF ENVIRONMENT AND TOURISM

Tel: (00 26461) 284 2111 Fax: (00 26461) 229 936

E-mail: salmo.djuulume@met.gov.na Enquiries: Mr. Salmo Djuulume Cnr Robert Mugabe & Dr Kenneth Kaunda Street Private Bag 13306 Windhoek Namibia

29 November 2016

OFFICE OF THE ENVIRONMENTAL COMMISSIONER

The Managing Director Kalapuse General Dealers cc P. O. Box 11427 Windhoek, Namibia

Dear Sir/Madam

SUBJECT: ENVIRONMENTAL CLEARANCE CERTIFICATE FOR A PROPOSED EXPLORATION/PROSPECTING PROGRAMME, FOR THE EXCLUSIVE PROSPECTING LICENSE (EPL) NO. 5469, IN KARIBIB/OMARURU DISTRICT, WEST OF USAKOS, ERONGO REGION

The Environmental Scoping Report and Environmental Management Plan submitted is sufficient as it made provisions of the environmental management concerning the proposed activities. From this perspective regular environmental monitoring and evaluations on environmental performance should be conducted. Targets for improvements should be established and monitored throughout the process.

This Ministry reserves the right to attach legislative and regulatory conditions during the operational phase of the project.

On the basis of the above, this letter serves as an environmental clearance certificate for the project to commence. However, this clearance letter does not in any way hold the Ministry of Environment and Tourism accountable for misleading information, nor any adverse effects that may arise from this project's activities. Instead, full accountability rests with Kalapuse General Dealers cc and his/her consultant.

This environmental clearance is valid for a period of 3 (three) years, from the date of issue unless withdrawn by this office.




Figure 1.1: Copy of the ECC granted on the 30th November 2016 to Kalapuse General Dealer CC and expired on the 30th November 2021 need to be renewed.

1.3 Location, Site Description, Land Use and Infrastructure

1.3.1 Location

The Exclusive Prospecting License (EPL) No 5469 is located in the Karibib District, Erongo Region (Figs. 1.2 - 1.5). The license covers portions of the following privately owned commercial farmland: Eureka, 99, Usakos West 65, Gross Aukas 68, Lukasbank 63, Stinkbank North 73, Stinkbank 62, Safier 62, Namibfontein 91, Sukses 90, Haskskeen 89 and Marenica 114 (Figs. 1.4 and 1.5).

1.3.2 Current Land Uses

The general land use of the area is mainly dominated by agriculture (small stock and limited cattle farming due low desert land carrying capacities). The EPL area falls within the well-established commercial and communal farming areas supported by game farming, tourism, hospitality, and conservations activities falling under the #Gaingu Conservancy (Fig. 1.5).

Game farms are important conservation areas for endemic and protected flora and are key sanctuaries for endangered and problem faunal species. Game farms offers visitors the opportunity to be close to nature with a variety of tailor-made tourism products such game viewing, trails and hunting activities. The summary of other land uses activities found in the general areas includes: prospecting and small-scale mining operations.

1.3.3 Supporting Infrastructure and Services

The EPL area is accessible through the B2 road linking the Town of Usakos to Port of Walvis Bay and Swakopmund (Figs. 1.2-1.5).

Several minor gravel roads cut across these EPL area and will be used to access the area of interest within the EPL 5469. There is limited to no mobile services networks within the EPL area.

Regional water and electricity supply infrastructure networks are available within or nearer to the EPL area. However, the proposed exploration activities programme will not require major water and energy supplies.

Sources of water supply for minerals exploration will be obtained from local boreholes to be drilled based on the results of the groundwater exploration activities that will be undertaken as part of the geological mapping and drilling operations. Alternatively, a water tanker collecting water from the Town of Karibib has been considered as another means of supply water for the proposed minerals exploration operations.

Electricity supply will be provided by diesel generators and solar as maybe required.

However, in an event of a discovery of economic minerals deposit that could be developed into a mining project, the sources of water supply will be provided by NamWater from possible limited local borehole to be drilled in the short-term and from pipeline from any nearby NamWater Scheme.

Electricity supply will be provided by NamPower from already existing infrastructure in the region as shown in Fig. 1.5 in addition to use of renewable energy sources such as solar and possible wind.



Figure 1.2: Regional location of the EPL 5469.




Figure 1.3: Detailed regional location of the EPL 5469 (Source: MME, 2021).




Figure 1.4: Detailed regional location of the EPL 5469 showing all the corner coordinates.




Figure 1.5: Detailed topographic, land use, existing infrastructure (roads and powerlines), commercial and communal farmland covered by or within the surrounding of the EPL 5469 area.

1.4 Project Motivation and Benefits

The proposed exploration activities have limited to no local socioeconomic benefits for the local communities. The only tangible benefits of the proposed exploration activities are mainly centred around the payment of the annual license rental fees to the central Government through the Ministry of Mines and Energy (MME), payment of services and land access agreement.

The following is the summary of other likely proposed project benefits:

- Provisional contractual employment opportunities for specialist services companies involved in minerals explorations during the minerals prospecting process that could take many years and only if potential minerals targets are discovered within the EPL area.
- Expansion of the subsurface knowledge-base: The exploration data to be generated will be highly useful in the search for future subsurface resources such as minerals, water, geothermal and general geoscience research, and development.
- Contribution to the subsurface knowledge-base that will promote the coexistence of subsurface operations with surface activities where compatible, and.
- Contribution to the development of local infrastructures as may be applicable especially in event that potential minerals targets requiring field-based studies to be conducted are identified.

1.5 Terms of Reference, Approach and Methodology

Risk-Based Solutions (RBS) was appointed by the Proponent to prepare the Environmental Scoping and Environmental Management Plan (EMP) report to support the Application for renewal of the Environmental Clearance Certificate (ECC) for the EPL No. 5469 with respect to the proposed exploration activities. The following is summary of the key guiding principles and objectives of this updated Environmental Scoping and Environmental Management Plan (EMP)

- Inform the stakeholders about the proposed / ongoing exploration / prospecting programme.
- Update the main stakeholders and their concerns and values.
- Define the reasonable and practical alternatives to the proposed / ongoing project activities.
- Identify the important issues and significant impacts to be addressed in the Scoping and EMP Sections of the Report, and.
- Define the boundaries of the updated Scoping and EMP in time, space, and subject matter.

The Scoping desktop study reviewed the receiving environmental settings (physical, biological, socioeconomic and ecosystem services, function, use values and non-use) and proposed / ongoing exploration activities and then assessed the likely impacts (positive and negative) on the receiving environment (Table 1.1). The key deliverable comprised this Environmental Scoping and Environmental Management Plan (EMP) detailing appropriate mitigation measures that will enhance the positive impacts and reduce the likely negative impacts identified.

The Final Environmental Scoping and Environmental Management Plan (EMP) report and the completed Application for Environmental Clearance Certificate (ECC) shall be submitted to the client (Proponent) and the Office of the Environmental Commissioner, Department of Environmental Affairs (DEA), Ministry of Environment, Forestry and Tourism (MEFT) for review and final decision.

The Environmental Scoping and EMP has been performed with reasonable skill, care and diligence in accordance with professional standards and practices existing at the date of performance of the assessment and that the guidelines, methods and techniques that have been applied are all in conformity to the national regulatory requirements, process and specifications in Namibia as required by Ministry of Mines and Energy (MME), Ministry of Environment, Forestry and Tourism (MEFT) and

the client (Proponent) and as detailed in Fig. 1.6. The Scoping and EMP has been prepared in line with the January 2015 MET Environmental Assessment Reporting Guideline.

Table 1.1: Summary of the proposed / ongoing activities, alternatives and key issues considered during the Environmental Assessment (EA) process covering Scoping and Environmental Management Plan (EMP).

	PROPOSED / ONGOING PROJECT ACTIVITIES	ALTERNATIVES CONSIDERED	KEY ISSUES EVALUATED AND ASSESSED WITH ENVIRONMENTAL MANAGEMENT PLAN (EMP) / MITIGATION MEASURES DEVELOPED			
(i)	Initial desktop exploration activities (review of existing information and all previous activities in order identify any potential target/s)	(i) Location for Minerals Occurrence: Several economic deposits are known to exist in different parts of	coexistence be exploration and	use conflicts / opportunities for between proposed / ongoing d other existing land uses such in, tourism, and agriculture Natural Environment such as		
(ii)	Regional reconnaissance field- based activities such mapping and sampling to identify areas with potential targets based on the recommendations of the desktop work	Namibia and some have been explored by different companies over the years. The Proponent intends to explore / prospect for possible economic minerals occurrence in the EPL area.	Impacts on the Physical	air, noise, water, dust etc. Built Environment such as existing houses, roads, transport systems, Buildings, energy and water and other supporting infrastructure		
(iii)	Initial local field-based activities such as widely spaced mapping, sampling,	(ii) Other Alternative Land Uses: Game Farming, Tourism and Agriculture(iii) Ecosystem Function (What the	Environment	Socioeconomic, Archaeological and Cultural impacts on the local societies and communities		
(iv)	surveying and possible drilling in order to determine the viability of any delineated local target Detailed local field-based	Ecosystem Does. (iv) Ecosystem Services. (v) Use Values.	Impacts on the Biological Environment	Flora Fauna Habitat Ecosystem functions, services, use values and non-Use or passive use		
	activities such very detailed mapping, sampling, surveying and possible drilling in order to determine the feasibility of any delineated local target	(vi) Non-Use, or Passive Use.(vii) The No-Action Alternative		dentified during the exploration rarious project implementation		
(v)	Prefeasibility and feasibility studies to be implemented on a site-specific area if the local field-based studies prove positive					

1.6 Assumptions and Limitations

The following assumptions and limitations underpin the approach adopted, overall outcomes and recommendations for this updated Scoping and EMP study:

- The proposed exploration activities as well as all the plans, maps, EPL Boundary / coordinates and appropriate data sets received from the Proponent, project partners, regulators, Competent Authorities and specialist assessments are assumed to be current and valid at the time of conducting the studies and compilation of this environmental report.
- ❖ The impact assessment outcomes, mitigation measures and recommendations provided in this report are valid for the entire duration of the proposed exploration / prospecting activities.
- A precautionary approach has been adopted in instances where baseline information was insufficient or unavailable or site-specific locations of the proposed project activities is not yet available, and.
- Mandatory timeframes as provided for in the Environmental Impact Assessment (EIA) Regulations No. 30 of 2012 and the Environmental Management Act, (EMA), 2007, (Act No. 7

of 2007) have been observed and will apply to the review and decision of this report by the Environmental Commissioner.




Figure 1.6: RBS Schematic presentation of Namibia's Environmental Assessment Procedure.

1.7 Structure of the Report

The following is the summary structure outline of this updated scoping and EMP report.

- **1. Section 1:** Background covering the proposed / ongoing project location with available infrastructure and services.
- **2. Section 2:** Project Description covering the summary of the proposed / ongoing project exploration activities.
- **3. Section 3:** Regulatory Framework covering the proposed / ongoing exploration with respect to relevant legislation, regulations and permitting requirements.
- **4. Section 4:** Receiving Environment covering physical, biological, and socioeconomic environments of the proposed / ongoing project area.
- **5. Section 5: Impact Assessment** covering the likely positive and negative impacts the proposed / ongoing project activities are likely to have on the receiving environment.
- **6. Section 6:** Environmental Management Plan (EMP) describing the detailed mitigation measures with respect to the identified likely impacts.
- **7. Section 7: Conclusions and Recommendations** Summary of the findings and way forward.

2. DESCRIPTION OF THE PROPOSED PROSPECTING ACTIVITIES

2.1 Initial Desktop Exploration Activities

Initial desktop exploration activities (without field-work being conducted) lasting for up to six (6) months or more will include the following:

- (i) General evaluation of satellite, topographic, land tenure, accessibility, supporting infrastructures and socioeconomic environment data.
- (ii) Purchase and analysis of existing Government high resolution magnetics and radiometric geophysical data.
- (iii) Purchase and analysis of existing Government aerial hyperspectral, and.
- (iv) Data interpretation and delineating of potential targets for future reconnaissance regional field-based activities for delineated targets.

2.2 Regional Reconnaissance Field-Based Exploration Activities

Regional reconnaissance field-based exploration activities lasting between six (6) months to year will involve the following:

- (i) Regional geological, geochemical, topographical and remote sensing mapping and data analysis.
- (ii) Regional geochemical sampling aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken.
- (iii) Regional geological mapping aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken.
- (iv) Limited field-based support and logistical activities lasting between one (1) to two (2) days, and.
- (v) Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets for future detailed site-specific exploration if the results are positive and supports further exploration of the delineated targets.

2.3 Initial Local Field-Based Exploration Activities

Initial local field-based exploration activities lasting between 1-2 years will include the following:

- (i) Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during regional reconnaissance field activities.
- (ii) Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken.
- (iii) Ground geophysical survey (Subject to the positive outcomes of i and ii above).
- (iv) Possible Trenching (Subject to the outcomes of i iii above).
- (v) Field-based support and logistical activities will be very limited focus on a site-specific area for a very short time (maximum five (5) days), and.

(vi) Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets.

2.4 Detailed Local Field-Based Exploration Activities

Detailed local field-based exploration activities that can take many years will include the following:

- (i) Access preparation and related logistics to support activities.
- (ii) Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during the initial field-based activities.
- (iii) Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken.
- (iv) Ground geophysical survey, trenching, drilling, and sampling (Subject to the positive outcomes of i and ii above).

2.5 Prefeasibility and Feasibility Studies

The preparation of the prefeasibility and feasibility studies forms the final stages of the minerals exploration process and can take many years to complete and prove that a specific mineral deposit is viable for developing a mine.

A positive feasibility study outcome is required to support an application for a Mining License (ML). The following is summary of the activities that will form part of a prefeasibility and or feasibility study:

- (i) Detailed site-specific field-based support and logistical activities, surveys, detailed geological mapping.
- (ii) Detailed drilling and bulk sampling and testing for ore reserve calculations.
- (iii) Geotechnical studies for mine design.
- (iv) Mine planning and designs including all supporting infrastructures (water, energy, and access) and test mining activities.
- (v) EIA and EMP to support the ECC for mining operations, and.
- (vi) Preparation of feasibility report and application for Mining License if the feasibility study proves positive and supportive to develop a mining project.

3. REGULATORY FRAMEWORK

3.1 Minerals Exploration Legislation and Regulations

The Ministry of Mines and Energy (MME) is the competent authority with respect to minerals prospecting and mining activities in Namibia. The Minerals (Prospecting and Mining) Act (No 33 of 1992) is the most important legal instrument governing minerals prospecting / exploration and mining activities. Several explicit references to the environment and its protection are contained in the Minerals Act, which provides for environmental impact assessments, rehabilitation of prospecting and mining areas and minimising or preventing pollution.

3.2 Environmental Regulations

3.2.1 Environmental Assessment Requirements and Procedures

Environmental Assessment (EA) process in Namibia is governed by the Environmental Impact Assessment (EIA) Regulations No. 30 of 2012 gazetted under the Environmental Management Act, (EMA), 2007, (Act No. 7 of 2007). The proposed / ongoing field–based exploration activities fall within the categories of listed activities that cannot be undertaken without an Environmental Clearance.

3.2.2 Regulatory Authorities

The environmental regulatory authorities responsible for environmental protection and management in relation to the proposed / ongoing project including their role in regulating environmental protection are listed in Table 3.1.

Table 3.1: Government agencies regulating environmental protection in Namibia.

AGENCY	RESPONSIBILITY
Ministry of Environment, Forestry and Tourism (MEFT)	Issue of Environmental Clearance Certificate (ECC) based on the review and approval of the Environmental Assessments (EA) reports comprising Environmental Scoping, Environmental Impact Assessment (EIA) and Environmental Management Plan (EMP) prepared in accordance with the Environmental Management Act (2007) and the Environmental Impact Assessment Regulations, 2012. The National Botanical Research Institute's (NBRI) mandate is to study the flora and vegetation of Namibia, to promote the understanding, conservation, and sustainable use of Namibia's plants for the benefit of all. The Directorate of Forestry (DOF) is responsible for issuing of forestry permits with respect to harvest, transport, and export or market forest resources.
Ministry of Mines and Energy (MME)	The competent authority for minerals prospecting and mining activities in Namibia. Issues Exclusive prospecting License (EPL), Mining Licenses (ML) and Mining Claims (license) as well as all other minerals related permits for processing, trading and export of minerals resources
Ministry of Agriculture, Water and Land Reform (MAWLR)	The Mission of the Ministry of Agriculture, Water and Land Reform (MAWLR) is to realize the potential of the Agricultural, Water and Forestry sectors towards the promotion of an efficient and sustainable socio-economic development for a prosperous Namibia. It has a mandate to promote, develop, manage, and utilise Agriculture, Water and Land resources. The Directorate of Resource Management within the Department of Water Affairs (DWA) at the MAWLR is currently the lead agency responsible for management of surface and groundwater utilisation through the issuing of abstraction permits and waste water disposal permits. DWA is also the Government agency responsible for water quality monitoring and reporting.

3.3 Other Applicable Legislations

The following is the summary of the applicable legalisation with respect to the proposed minerals processing in the EPL 5469:

Namibian Constitution Articles 91(c) and 95.

- Water Act, 1956, Act No. 54 of 1956.
- ❖ Hazardous Substances Ordinance (1974).
- ❖ Health Act (No. 21 of 1988).
- Air Quality Act (No. 39 of 2004).
- Atmospheric Pollution Prevention Act (No. 45 of 1965).
- ❖ Forestry Act (No. 12 of 2001) and Forest Amendment Act (No. 13 of 2005).
- ❖ The Labour Act, 1992, Act No. 6 of 1992 as amended.
- ❖ Labour Act (No. 11 of 2004) Health & Safety Regulations (1997).
- National Heritage Act (No. 27 of 2004).
- Nature Conservation Amendment Act (No. 5 of 1996).
- ❖ Nature Conservation Ordinance (No. 4 of 1975), and.
- Soil Conservation Act (No. 70 of 1969).

3.4 International and Regional Treaties and Protocols

Article 144 of the Namibian Constitution provides for the enabling mechanism to ensure that all international treaties and protocols are ratified. All ratified treaties and protocols are enforceable within Namibia by the Namibian courts and these include the following:

- The Paris Agreement, 2016.
- Convention on Biological Diversity, 1992.
- ❖ Vienna Convention for the Protection of the Ozone Layer, 1985.
- Montreal Protocol on Substances that Deplete the Ozone Layer, 1987.
- United Nations Framework Convention on Climate Change, 1992.
- Kyoto Protocol on the Framework Convention on Climate Change, 1998.
- Basel Convention on the Control of Transboundary Movement of Hazardous Wastes and Their Disposal, 1989.
- World Heritage Convention, 1972.
- Convention to Combat Desertification, 1994. and
- Stockholm Convention of Persistent Organic Pollutants, 2001.
- Southern Africa Development Community (SADC) Protocol on Mining, and.
- Southern Africa Development Community (SADC) Protocol on Energy.

3.5 Standards and Guidelines

The only key missing components to the regulatory frameworks in Namibia are the standards, and guidelines with respect to gaseous, liquid, and solid emissions. However, in the absence of national

gaseous, liquid, and solid emission limits for Namibia, the proposed project shall target the Multilateral Investment Guarantee Agency (MIGA) gaseous effluent emission level and liquid effluent emission levels (Table 3.2). Noise abatement measures must target to achieve either the levels shown in Table 3.3 or a maximum increase in background levels of 3 dB (A) at the nearest receptor location off-site (MIGA guidelines). Industrial effluent likely to be generated by the proposed activities must comply with provisions of the Government Gazette No 217 dated 5 April 1962 (Table 3.4) while the drinking water quality comparative guideline values are shown in Table 3.5.

Table 3.2: Liquid effluent emission levels (MIGA /IFC).

Pollutant	Max. Value
pH	6-9
Total suspended solids	50 mg/l
Total metals	10 mg/l
Phosphorous (P)	5 mg/l
Fluoride (F)	20 mg/l
Cadmium (Cd)	0.1 mg/l

Table 3.3: Noise emission levels (MIGA /IFC).

	Maximum Allowable Leq	(hourly), in dB(A)
Receptor	Day time (07:00 – 22:00)	Night time (22:00 – 07:00)
Residential, institutional, educational	55	45
Industrial, commercial	70	70

Table 3.4: R553 Regional Standards for Industrial Effluent, in Government Gazette No 217 dated 5 April 1962.

Colour, odour and	The effluent shall contain no substance in concentrations capable of producing colour, odour							
taste	or taste							
pН	Between 5.5 and 9.5							
Dissolved oxygen	At least 75% saturation							
Typical faecal coli	No typical faecal coli per 100 ml							
Temperature	Not to exceed 35 °C							
Chemical demand oxygen	Not to exceed 75 mg/l after applying a corre	ection for chloride in the method						
Oxygen absorbed	Not to exceed 10 mg/l							
Total dissolved solids (TDS)	The TDS shall not have been increased by	more than 500 mg/l above that of the intake water						
Suspended solids	Not to exceed 25 mg/l							
Sodium (Na)	The Na level shall not have been increased by	The Na level shall not have been increased by more than 50 mg/l above that of the intake water						
Soap, oil and grease	Not to exceed 2.5 mg/l							
	Residual chlorine	0,1 mg/l as Cl						
	Free & saline ammonia	10 mg/l as N						
	Arsenic	0,5 mg/l as As						
	Boron	1,0 mg/l as B						
	Hexavalent Cr	0,05 mg/l as Cr						
Other constituents	Total chromium	0,5 mg/l as Cr						
	Copper	1,0 mg/l as Cu						
	Phenolic compounds	0,1 mg/l as phenol						
	Lead	1,0 mg/l as Pb						
	Cyanide and related compounds	0,5 mg/l as CN						
	Sulphides	1,0 mg/l as S						
	Fluorine	1,0 mg/l as F						
	Zinc	5,0 mg/l as Zn						

Table 3.5: Comparison of selected guideline values for drinking water quality (after Department of Water Affairs, 2001).

Parameter and Expression of the results			for Drinking- Water Quality 2 nd 1995 intended for T edition 1993 (95/C/13- 1/03) consumption EEC 80/778/EEC				Drin Star Healt	.S. EPA king water idards and in Advisories in December 1995	Namibia, Department of Water Affairs Guidelines for the evaluation of drinking-water for human consumption with reference to chemical, physical and bacteriological quality July 1991				
			Guideline Value (GV)		Proposed Parameter Value	Level (GL)	Admissible Concentrati on (MAC)	Contai	aximum ninant Level (MCL)	Group A Excellent Quality	Group B Good Quality	Group C Low Health Risk	Group D Unsuitable
Temperature Hydrogen ion	t pH, 25° C	'n	R	- <8.0	6.5 to 9.5	12 6.5 to	25 10		-	6.0 to 9.0	5.5 to 9.5	4.0 to 11.0	- <4.0 to
concentration	•		.`			8.5							>11.0
Electronic conductivity	EC, 25° C	mS/ m		-	280	45	-		-	150	300	400	>400
Total dissolved solids	TDS	mg/l	R	1000	-	-	1500		-	=	-	-	-
Total Hardness	CaCO ₃	mg/l		-	-	-	-		-	300	650	1300	>1300
Aluminium	Al	μg/l	R	200	200	50	200	S	50-200	150	500	1000	>1000
Ammonia	NH ₄ ⁺	mg/l	R	1.5	0.5	0.05	0.5		-	1.5	2.5	5.0	>5.0
Antimony	N Sb	mg/l µ g/l	Р	1.0	3	0.04	0.4 10	С	- 6	1.0 50	2.0 100	4.0 200	>4.0 >200
Anumony	As	μg/I μg/I	r	10	10	-	50	C	50	100	300	600	>600
Barium	Ba	μg/l	Р	700	-	100	-	C	2000	500	1000	2000	>2000
Berylium	Be	μ g/l		-	-	-	-	C	4	2	5	10	>10
Bismuth	Bi	μg/l		-	-	-	-		-	250	500	1000	>1000
Boron	В	μg/l		300	300	1000	-		-	500	2000	4000	>4000
Bromate	BrO ₃ -	μg/l		-	10	-	-	Р	10	-		-	-
Bromine	Br	μ g/l		-	-	-	-	_	-	1000	3000	6000	>6000
Cadmium	Cd	μg/l		3	5	- 100	5	С	5	10	20	40	>40
Calcium	Ca CaCO₃	mg/l		-	-	100	-		-	150	200	400 1000	>400 >1000
Cerium	CaCO ₃	mg/l μ g/l		-	-	250	-		-	375 1000	500 2000	4000	>1000
Chloride	CI.	mg/l	R	250	-	25	-	S	250	250	600	1200	>1200
Chromium	Cr	μg/l	P	50	50	-	50	C	100	100	200	400	>400
Cobalt	O1	μg/l		-	-	-	-	Ŭ	-	250	500	1000	>1000
Copper after 12	Cu	μg/l	Р	2000	2	100	-	С	TT##	500	1000	2000	>2000
hours in pipe		μg/l		-	-	3000 ¹	-	S	1000	-	-	-	-
Cyanide	CN-	μg/l		70	50	-	50	С	200	200	300	600	>600
Fluoride	F	mg/l mg/l		1.5	1.5	-	at 8 to 12 °C: 1.5 at 25 to 30	C P,S	2	1.5	2.0	3.0	>3.0
0.11		ŭ					°C: 0.7	۲,۵					
Gold	Au	μ g/l	-	-	-	-	-		-	2	5	10	>10
Hydrogen sulphide	H ₂ S	μg/l	R	50	-	-	undetectable		-	100	300	600	>600
lodine	Γ ₀	μg/l	В	300	-	- 50	-		300	500	1000	2000	>2000
Iron Lead	Fe Pb	μg/l μg/l	R	10	200 10	-	200 50	S	TT#	100 50	1000 100	2000	>2000 >200
Lithium	Li	μ g/I		-	-	-	- 50	C	- 11#	2500	5000	10000	>10000
Magnesium	Mg	mg/l		-	_	30	50		-	70	100	200	>200
magnosiam	CaCO₃	mg/l		-	-	7	12		-	290	420	840	>840
Manganese	Mn	μg/l	Р	500	50	20	50	S	50	50	1000	2000	>2000
Mercury	Hg	μg/l		1	1	-	1	С	2	5	10	20	>20
Molybdenum	Мо	μg/l		70	-	-	-		-	50	100	200	>200
Nickel	Ni	μg/l		20	20	-	50		-	250	500	1000	>1000
Nitrate*	NO₃⁻ N	mg/l	Р	50	50	25	50		45	45	90	180	>180
Nitrite*	NO ₂ -	mg/l mg/l		3	0.1	5	11 0.1	С	10 3	10 -	20	40	>40
	N	mg/l		-	-	-	0.1	С	1	-		-	
Oxygen,	O ₂	%		-	50	-	-		-	-	-	-	-
dissolved		sat.											
Phosphorus	P ₂ O ₅	μg/l		-	-	400	5000		-	-	-	-	-
5	PO ₄ ³⁻	μg/l		-	-	300	3350		-	-	-	-	-
Potassium	K	mg/l		- 40	- 10	10	12	_	-	200	400	800	>800
Selenium	Se	μg/l		10	10	-	10 10	C S	50 100	20	50 50	100 100	>100
Silver Sodium	Ag Na	μg/l mg/l	R	200	-	20	175	3	100	20 100	400	800	>100 >800
Sulphate	SO ₄ ²⁻	mg/l	R	250	250	25	250	S	250	200	600	1200	>1200
Tellurium	Te	μ g/l		-	-	-	-		-	2	5	10	>10
Thallium	TI	μg/l		-	-	-	-	С	2	5	10	20	>20
Tin	Sn	μg/l		-	-	-	-		-	100	200	400	>400
Titanum	Ti	μg/l		-	-	-	-		-	100	500	1000	>1000
Tungsten	W	μg/l		-	-	-	-		-	100	500	1000	>1000
Uranium	U	μ g/l		-	-	-	-	Р	20	1000	4000	8000	>8000
Vanadium	V 7n	μg/l	C	-	-	- 100	-		- 5000	250	500	1000	>1000
Zinc after 12 hours in pipe	Zn	μg/l μg/l	R	3000	-	100 5000	-	S	5000	1000	5000	10000	>10000
1 1 °			P: Prov R: Ma consum	risiona y giv	al		nplaints from	T#: T		osed. S: Seco nique in lieu o	ndary. f numeric MCL. red at action lev	•	

3.6 Recommendations on Permitting Requirements

It is hereby recommended that the Proponent shall follow the provisions of all relevant national regulatory during the implementation of the proposed / ongoing prospecting activities and shall obtain the following permits/ authorisations as may be applicable / required:

- (i) Valid Exclusive Prospecting Licenses (EPLs) as may be applicable from Department of Mines in the Ministry of Mines and Energy (MME).
- (ii) Valid Environmental Clearance Certificate (ECC) from the Department of Environmental Affairs in the Ministry of Environment, Forestry and Tourism (MEFT).
- (iii) Permission to drill a borehole in protected groundwater zone, fresh water abstraction permits and waste water discharge permits from the Department of Water Affairs (DWA) in the Ministry of Agriculture, Water and Land Reform (MAWLR), and.
- (iv) All other permits as maybe become applicable during the proposed exploration operations.

4. SUMMARY OF NATURAL ENVIRONMENT

4.1 Climate

The EPL 5469 is located in the Karibib District, Erongo Region in central Namibia with daytime warm to hot temperatures throughout the year, while the nights are mild to cool in winter. The mean annual rainfall is highly variable and may range between 200 - 300 mm in some parts of the EPL Area. The distribution of rainfall is extremely seasonal with almost all the rain falling in summer - from November to April with occasional with mean annual gross evaporation of about 3300 mm. The local project area has the following three distinct seasons:

- ❖ A dry and relatively cool season from April to August with average daytime highs of 23°C and virtually no rainfall during this period.
- ❖ A hot and dry season from September to December with minimal and variable rainfall falling (<20 mm per month) and average daytime highs of 30°C, which regularly exceed 40°C, and.
- ❖ A hot and rainy season from January through to March with >50 mm per month falling during this period (although this is extremely variable) and average high temperatures of 29°C.

The project area does not have a weather station with reliable wind records. However, based on the regional wind patterns, the prevailing wind in the area seems to be dominated by winds from the north eastern and southwest quadrants. Locally, the situation may be different dues various influences including topographic effects.

4.2 Topography

The terrain around the EPL 5469 is rocky and rugged in nature with steep slopes characterising the mountainous sections whilst the foothills of the mountains are flat and gently undulating. The drainage of the area is dendritic in nature with ephemeral streams, often steeply incised, forming small early stage tributaries of the Khan Ephemeral River and a tributary of the Swakop River which one of the major ephemeral rivers of western Namibia.

4.3 Vertebrate Fauna and Flora Diversity

4.3.1 Reptiles

The high percentage of endemic reptile species (54%) known and/or expected to occur in the general EPL area underscores the importance of this area for reptiles. Geckos, with 13 of the 15 species expected to occur in the general area being endemic, are the group of reptiles viewed as most important. The reptile species of greatest concern and expected to occur in the general area, are probably the endemic Afroedura africana africana (African flat gecko), Pedioplanis husabensis (Husab sand lizard), Leptotyphlops occidentalis (western thread snake) and Lycophidion namibianum (Namibian wolf snake).

4.3.2 Amphibians

Of the 5 species of amphibians expected to occur in the general EPL area, 40% (2 species) are of conservation value – i.e. Poyntonophrynus hoeschi and Phrynomantis annectens. However, with the exception of the temporary pools after rains, the general area is viewed as marginal for amphibians.

4.3.3 Mammals

Of the 45 species of mammals expected to occur in the general EPL area, 7 species (15.6%) are endemic and 12 species (26.7%) are classified under international conservation legislation. The most important species from the general area are the Namibian wing-gland bat (*Cistugo seabrai*) listed as

endemic and rare; Littledale's whistling rat (*Protomys littledalei namibensis*) – of which the subspecies "*namibensis*" is known to occur in the ephemeral river courses in the "Swakopmund area" – listed as endemic; brown hyena (*Hyaena brunnea*) and leopard (*Parthera pardus*) listed as near threatened and vulnerable (population trends decreasing), respectively by the IUCN (2020). However, brown hyena and leopard are only expected to occasionally pass through the Arandis area as the general area is not viewed as favored habitat.

4.3.4 Avifauna

The high proportion of endemics – 7 of the 14 endemics to Namibia (i.e., 50% of all endemics) – expected to occur in the general Arandis area underscore the importance of this area. Furthermore, 43 species have a southern African conservation rating with 9 species classified as endemic (20.1% of southern African endemics or 7% of all the birds expected) and 34 species classified as near endemic (79.1% of southern African endemics or 26.4% of all the birds expected) (Hockey et al. 2006). The most important birds known/expected to occur in the general EPL area are all the endemic species, especially Rüppels korhaan, Gray's lark and Herero chat. Gray's lark one of the species with the most restricted range in Namibia (Simmons 1998a). Other important species are the birds listed as endangered (Ludwig's bustard, white-backed vulture, black harrier, martial eagle, tawny eagle, booted eagle, black stork), vulnerable (Lappet-faced vulture, secretarybird) and near threatened (Rüppell's parrot, Cape eagle owl, kori bustard, Verreaux's eagle and peregrine falcon) by Simmons et al. (2015) and the species classified as critically endangered (white-backed vulture), endangered (Ludwig's bustard, lappet-faced vulture, black harrier), vulnerable (martial eagle, tawny eagle, secretary bird) and near threatened (kori bustard) by the IUCN (2020).

4.3.5 Trees, Shrubs and Grasses

The Namib Desert is an important area in Namibia with numerous endemics and near-endemic species as well as a host of other plant species classified with formal protection. Adenia pechuelii (protected Forestry, endemic and least concern – IUCN 2020), Capparis hereroensis (endemic), Commiphora dinteri, C. saxicola, C. virgata (protected and endemic) as well as Welwitschia mirabilis (protected Forestry and Nature Conservation, near-endemic, CITES Appendix 2) are probably the most important larger trees/shrubs that occur in the general area. Threats include unscrupulous collectors (e.g. Adenia pechuelii, Aloe and Lithop species) and off-road desert driving (Welwitschia mirabilis). The most important grasses expected in the area are the endemics (Eragrostis omahekensis, Pennisetum foermeranum and Stipagrostis sabulicola) although they probably do not make up a large proportion of the grass biomass which is usually dominated by Stipagrostis obtusa in the general area and this only after rains.

4.3.6 Other Species

All the aloes are protected in Namibia (Nature Conservation Ordinance No. 4 of 1975). Other than Aloe dichotoma, Aloe asperifolia, A. hereroensis and A. namibensis probably also occur in the general area (Rothmann 2004).

Many endemic Commiphora species are found throughout Namibia (Steyn 2003) with other important and endemic Commiphora species from the area are Commiphora dinteri, C. saxicola, C. virgata and C. wildii. Furthermore, C. wildii is also known to have an economic potential – i.e. resin properties used in the perfume industry (Knott and Curtis 2006).

At least 64 species of ferns, of which 13 species being endemic, occur throughout Namibia. Ferns in the general Arandis area include at least 2 endemic species (Cheilanthes nielsii, Isoetes giessii,) and 9 indigenous species (Actiniopteris radiata, Asplenium cordatum, Cheilanthes dinteri, C. inaequalis, C. marlothii, C. parviloba, Isoetes aequinoctialis, Ophioglossum polyphyllum, Pellaea calomelanos) (Crouch et al. 2011). Although the Arandis area is marginal habitat for ferns the general area is undercollected with more species probably occurring than presented above.

Lithop species – all protected – are also known to occur in the general Arandis area and often difficult to observed, especially during the dry season when their aboveground structures wither. Lithop species known to occur in the general Arandis area include Lithops ruschiorum var. ruschiorum and L. gracilidelineata var. gracilidelineata (Cole and Cole 2005, Loots 2005).

The overall diversity of lichens is poorly known from Namibia, especially the coastal areas and statistics on endemicity is even sparser (Craven 1998). More than 100 species are expected to occur in the Namib Desert with the majority being uniquely related to the coastal fog belt. Lichen diversity is related to air humidity and generally decreases inland form the Namibian coast (Schults and Rambold 2007). Off road driving is the biggest threat to these lichens which are often rare and unique to Namibia. To indicate how poorly known lichens are from Namibia, the recent publication by Schultz et al. (2009) indicating that 37 of the 39 lichen species collected during BIOTA surveys in the early/mid 2000's was new to science (i.e. new species), is a case in point. Lichens are expected to occur in the general Arandis area, but what and how many species in currently unknown.

Often deserts and plants associated with this marginal area look "dead" although are not, and thus not viewed as important. All desert vegetation serves as a source of habitat and/or food for desert dwelling fauna – e.g. arthropods and reptiles. Although the focus during this literature survey was on the more visible trees, shrubs, grasses, and more important other species potentially occurring in the general Arandis area, many more species occur throughout the area and are viewed as important.

4.3.7 Fauna and Flora Conclusions / Sensitive Areas

The most important areas in the general Arandis area are:

- (i) Rocky area e.g. Dolerite hills/ridges and marble outcrops: Rocky areas generally have high biodiversity and consequently viewed as important habitat for all vertebrate fauna and flora. Escarpments, mountains and inselbergs are generally considered as sites of special ecological importance with granite domes (e.g. Karibib and Omaruru districts) high in biotic richness and endemism (Curtis and Barnard 1998). Dolerite hills/ridges have unique fauna e.g. *Pachydactylus* and *Rhoptropus* species and flora e.g. *Aloe asperifolia*, *A. namibensis*, various *Commiphora* species, etc. Marble outcrops (white geology) have unique fauna e.g. the endemic and range restricted *Pedioplanis husabensis*.
- (ii) Ephemeral drainage lines: Ephemeral drainage lines usually support larger trees and consequently viewed as important habitat for all vertebrate fauna and flora. Ephemeral rivers are viewed as sites of special ecological importance mainly for its biotic richness; large desert-dwelling mammals; high value for human subsistence and tourism (Curtis and Barnard 1998). Such vegetated rivers in an otherwise extreme arid environment are unique habitat and a virtual lifeline to many deserts dwelling fauna. The Khan River is an important ephemeral drainage line in the area with large trees which include Acacia erioloba and Faidherbia albida, etc. Temporary pools and seeps are also known to occur here making this a virtual lifeline to various desert dwelling fauna, and.
- (iii) Gravel plains: Gravel plains in the area are known to host a variety of important lichen species as well as patches of *Aloe asperifolia*, while quartz dominated areas are known habitat for Lithop species.

4.4 Socioeconomic Setting

4.4.1 Overview

The nearest towns to the EPL 5469 area are the mining Town of Arandis and Usakos. The development of this project will have some socioeconomic contributions to the Town of Usakos and Arandis. There will be temporary employment opportunities and workers from the project area will be staying in the

Town of Usakos. Potential for the development of a viable mining project will bring added local benefits and contribute to the national economy through taxes, royalty, and direct investment.

4.4.2 Agriculture

As an important cattle, game, and small stock (goats and sheep) farming area (and consequently a source of employment) as well as renewed interest from a tourism point of view, the importance of the western central Namibia to the GDP of Namibia is invaluable. The area surrounding EPL 5469 area falls within the long established private commercial farming communities.

The carrying capacity for the general area is 10-20kg/ha (Mendelsohn et al. 2002) or 12-15LAU/ha (van der Merwe 1983) and the risk of farming is viewed as relatively high. Small stock farming is the dominant farming activity in the eastern parts of the EPL area with between 70-80% of stock farmed with being sheep and 20-30% goats and cattle, respectively (van der Merwe 1983). The stock density is estimated at <3sheep/km² (1.5% of total sheep in Namibia) and <1cattle/km² (1.3% of total cattle in Namiba) (van der Merwe 1983). There are numerous existing tourism ventures in the area with the tourism potential viewed as relatively high (Mendelsohn et al. 2002).

4.4.3 Conservation and Tourism

The fall within the ‡Gaingu Communal Conservancy with a total area of 7,731 km². The major wildlife resources of the ≠Gaingu Communal Conservancy are viewed as kudu, gemsbok, springbok and leopard while the most important features are the Spitzkoppe National Monument Area and Rössing Mountain (NACSO 2010). The general surrounding area has major tourism products such as unique natural landscapes, cultural resources, endemic flora and fauna species.

4.4.4 Safety, Security and Obstructions

Current safety issues include steep slopes / gullies / valleys, excavations, and minor scattered scrap metals. Generally, there will be a need to ensure that all employees and the public and visitors to the EPL area are safe. The entire proposed development will not cause any obstruction to human or fauna.

4.4.5 Overall Socioeconomic Summary

According to the 2011 Population and Housing Census 150,809 people live in this region or approximately 7.14% of the total Namibian population (NSA, 2014a; 2014b). Most of the population (87%) lives in urban areas mostly in towns along the coast (NSA, 2014b). The Erongo Region has 7 constituencies: Arandis, Daures (formerly Brandberg), Karibib, Omaruru, Swakopmund, Walvis Bay Rural and Walvis Bay Urban (Government of Namibia (GRN), 2014; NSA, 2014b). Swakopmund, the largest constituency but the second largest urban centre (44,725 residents), is the regional capital as well as the seat of the government, referred to as the Erongo Regional Council.

Of the 53 proclaimed towns and villages in Namibia, 7 are located in the Erongo Region. Walvis Bay and Swakopmund are the largest with 62,096 and 44,725 residents respectively. These two towns are also the third and fourth largest towns in Namibia, preceded by Windhoek with 325,858 residents and Rundu with 63,431 residents (NSA, 2014a). Henties Bay, Karibib, Omaruru, Swakopmund, Usakos and Walvis Bay are governed by municipalities and Arandis by a town council. Uis in the Daures Constituency is governed by a village council and Otjimbingwe in the Karibib Constituency is classified as a settlement area (MURD, n.d.).

The important industries in the region are transport, mining, fishing, agriculture, and tourism. The transport industry includes the port at Walvis Bay, the Trans-Kalahari Corridor, and the Trans-Caprivi Corridor. The fishing industry is the largest employer at the coast providing employment on vessels at sea as well as at onshore processing plants. Mining is an important contributor to the local economy with the mining and exporting of uranium, gold, marble, granite, and gem stones. In the eastern parts of the Erongo Region livestock farming, especially commercial cattle farming, communal goat, and sheep farming, is the chief agricultural activity of the districts of Karibib, Usakos and Omaruru, and in the communal areas at Okongwe, Otjohongoro, Otjongoro, Ozondati, Omatjette, Okombahe, Tubusis,

Goabeb and Otjimbingwe. Hunting activities, guest establishments, game farms and reserves cater for the local and international tourist sector making the Erongo Region a popular tourist destination with many activities and places to visit (ERC, 2013).

The Exclusive Prospecting Licence (EPL) No 5469 falls within the Karibib constituency of the Erongo Region. The demographic characteristics of the regional and local area are summarised as following:

- ❖ There has been a proportional increase in the Erongo Region's population as 7.14% of the country's population live in the region, up from 5.9% in 2001. The region's population is growing at a much faster rate (2.6%) than the national growth rate (1.4%);
- ❖ Most of the population in the Erongo Region (87%) live in urban areas, mostly in towns along the coast Walvis Bay and Swakopmund are the largest towns in the region and 99% of the region's population lives in and near the two towns. They are ranked 3rd and 4th in Namibia terms of size. The other towns in the Erongo region all have less than 6,400 residents: Arandis (5,170 residents), Henties Bay (4,720), Karibib (5,132), Omaruru (6, 300) and Usakos (3,585 residents) (NSA, 2014b; 2014c);
- ❖ The Erongo Region's sex ratio may reflect the high level of male in-migration from other regions of Namibia (Caprivi/Zambezi Region Ohangwena, Omusati, Kavango and Oshikoto) as more than 40% of the region's residents were born elsewhere:
 - A high proportion (64%) of the population is of working age (between 15 and 59 years);
 - The main source of income are wages and salaries;
 - The important industries in the region are transport, mining, fishing, agriculture and tourism.

The socioeconomic characteristics of the regional and local area are summarised as follows:

- There is a shortage of skills which hampers development projects;
- Infrastructure and facilities are available in the region, but are not sufficient;
- Educational and health facilities are available but with an influx of people, may not be able to meet the demand;
- ❖ A high level of inequality exists, especially in urban areas with around 8% of the regional population with no access to toilet facilities;
- ❖ The main health concerns in the Erongo region are HIV/Aids, tuberculosis (TB), substance abuse, other respiratory system diseases and children in need of care. Mobility and migration increases vulnerability to HIV infection;
- ❖ Alcohol use increases with the increase in income and is a contributing factor to the HIV/Aids epidemic;
- ❖ Of all the regions, Erongo Region has the lowest poverty incidence rate of 7.1%, appreciably lower than the national rate of 28.7%. However, rural areas are noticeably more impoverished than urban areas, and;
- Crime is on the increase and in rural areas poaching and stock theft is a concern and high levels of unemployment, alcohol abuse and population density contributes to higher crime rates.

4.5 Ground Components

4.5.1 Regional Geology

The EPL 5469 falls within the Central Zone of the Damara Sequence which underlies most of Namibia. The oldest rocks within the Central Zone are the pre-Damaran basement that consists of gneiss and granite lithologies found in different parts of the zone (Miller, 1992). According to Miller, (1983a), the sequence was deposited during successive phases of rifting, spreading, subduction and continental collision. Much of the basal succession (Nosib Group), laid down in or marginal to intracontinental rifts, consists of quartzite, arkose, conglomerate, phyllite, calc-silicate, subordinate, limestone and evaporitic rocks. Local alkaline ignimbrites with associated subvolcanic intrusions ranging from 840 to 720 million years in age also form part of the regional geology (Miller, 1992).

According to Miller, (1992), widespread carbonate deposition followed and overlapped far beyond early rift shoulders (Kudis, Ugab and basal Khomas Subgroups). interbedded mica and graphitic schist, quartzite (some ferruginous), massflow deposits, iron-formation and local within-plate basic lava point to fairly variable depositional conditions south of a stable platform where only carbonates with very minor clastics occur (Otavi Group). Near the southern margin of the orogen, deep-water fans, facies equivalents of the carbonates were deposited on either side of a Southern Zone ocean separating Kalahari and Congo Cratons (Auas and Tinkas Formations). Thick schistose metagreywacke and metapelite (Kuiseb Formation) overlie the above rocks.

The lithostratigraphy of the Damara Sequence in the Central Zone (CZ) in which the EPL 5469 falls has been reviewed and significantly revised by Badenhorst (1987), who has also correlated the stratigraphy across the Omaruru Lineament. The stratigraphy of the CZ taken from Steven (1993) as slightly modified after Badenhorst, (1987) and (1988) is given in Table 4.1.

Table 4.1: Partial Lithostratigraphy of the Damara Sequence in Central Namibia (Karibib-Swakopmund Area) (Source: Venmyn Deloitte, 2014).

GROUP	SUB-GROUP	FORMATION	THICKNES S (m)	LITHOLOGICAL DESCRIPTION			
	Khomas	Kuiseb	3,000	Biotite-rich quartzo-feldspathic schist, biotite-garnet-cordierite schist, minor amphibolite schist, quartzite, calc-silicate rock and marble.			
Swakop		Karibib	700	Marble, biotite schist, quartz schist and calc-silicate rock.			
		Chuos	700	Diamictite, pebble- and boulder-bearing schist and minor quartzite			
	Discordance						
	Ugab	Rössing	200	Very variable marble, quartzite, conglomerate, biotite schist, biotite cordierite schist and gneiss, aluminous gneiss, biotite-hornblende schist, and calc-silicate schist.			
		Unconformity or co	onformable tra	nsition			
Nosib		Khan	1,100	Various gneisses, quartzite, schist, conglomerate, minor marble, amphibolite and calc-silicate rock.			
		Etusis	3,500	Layered light-red to greyish-brown quartzites with high feldspar content. Inbetween para-gneisses, biotite schists and conglomerates occur.			

4.5.2 Local Geological Units

The local geology of the area comprises the following rock units from bottom to top:

- (i) Palaeoproterozoic Abbabis Metamorphic Complex: Para-/orthogneiss, metasedimentary rocks, granite, metabasite dykes (Mab). The rocks occur in an anticlinal structure which forms the base of rock units of the overlying;
- (ii) Neoproterozoic to Early Palaeozoic Damaran Supergroup, which comprises the Swakop and Nosib Groups:
 - Quartzite, conglomerate, schist, marble;
 - ❖ Marble, schist, quartzite, calc-silicate, graphitic schist;
 - Mica schist, minor quartzite, graphitic schist, marble;
 - Marble, schist, ortho-amphibolite, quartzite;
 - The successive Swakop Group units progressively overstep each other from the NW to the SE.
- (iii) The metasedimentary rocks of the Nosib and Swakop Groups are intruded by Damaran granites of Syn- to post-tectonic granite, granodiorite, monzonite, diorite.

The recent deposits consist of variable sand /silt / calcrete in some places and are not thick enough to be major source of water supply in the area (Department of Water Affairs, 2001). Some of these deposits, such as the gravels, sands and calcretes, are also potential local construction materials that can be used in the various construction activities associated with different infrastructure development at various developmental stages of the proposed activities as may be required.

4.5.3 Geotechnical Engineering Considerations

Rocks of varying geotechnical characteristics are expected within the pegmatite zones and alternating bands within the banded dolomitic marble and biotite-quartz schist country rock and covered by a variety of sediments in some places.

No field and laboratory assessment of rock mass and detailed discontinuities survey were undertaken as part of this study.

Table 4.2 outlines an indicative classification of the various discontinuities that are likely to be found in the area. Both low and high order discontinuities are likely to be found around the EPL area.

It is highly recommended that a field-based geotechnical engineering assessment followed by laboratory assessments must be undertaken before the implementation deep excavation in order to have accurate figures of all the key geotechnical parameters.

Table 4.2: General rock structure scheme (Source: Mwiya, 2004).

	GEON	IETRY		СНА	RACTERIST	IC		JOR
DISCONTINUITY	LENGTH	SPACING m	WIDTH m	TRANSMISSIVITY m²/s	HYE		EXAMPLE	INFLUENCE INDICATOR
	•	LOW	ORDER DI	SCONTINUI	TIES. ZONES	OUTC	ROPS	
1 ST ORDER	>104	>10³	>10²	10 ⁻⁵ - 10 ⁻²	10 ⁻⁷ - 10 ⁻⁵ AV. [10 ⁻⁶]	10º	Regional major fault systems	
2 ND ORDER	10³ - 10⁴	10²- 10³	10¹ – 10²	10 ⁻⁷ - 10 ⁻⁴	10 ⁻⁸ – 10 ⁻⁶ AV. [10 ⁻⁷]	10-1	Local major fault zones	4 V. High
3 RD ORDER	10 ² – 10 ³	10 ¹ – 10 ²	10º - 10¹	10 ⁻⁹ – 10 ⁻⁶	10 ⁻⁹ – 10 ⁻⁷ AV. [10 ⁻⁸]	≤10-2	Local minor fault zones	
		HIGH OR	DER DISCO	NTINUITIE	S: INDEPEND	ENT OL	JTCROPS	
4 TH ORDER	10¹ – 10²	10º- 10¹	-	-	10 ⁻¹¹ -10 ⁻⁹ AV.[10 ⁻¹⁰]	-	Local major joint set or bedding	3
5 TH ORDER	10º - 10¹	10 ⁻¹ - 10 ⁰	-	-	10 ⁻¹² -10 ⁻¹⁰ AV. [10 ⁻¹¹]	-	Local minor joints/ fractures	High
6 TH ORDER	10 ⁻¹ - 10 ⁰	10-2 - 10-1	-	-	10 ⁻¹³ -10 ⁻¹¹ AV. [10 ⁻¹²]	-	Local minor fissures / schistosity	2 Low
7 TH ORDER	<10 ⁻¹	<10-2	-	-	<10 ⁻¹³	-	Crystalline voids	1 V. Low

4.5.4 Water Sources

Groundwater as well as surface water (only during the rainy season) from ephemeral river channels is the sources of water supply in the area as well as much of the Erongo Region. According to the Department of Water Affairs, (2001), the Erongo Region, Karibib and the EPL areas generally have low groundwater potential. The area with aquifer potential, reflects the rainfall distribution, decreasing westwards. Knowledge of the aquifers in this area is sparse, due to the low number of boreholes and few on groundwater.

Recharge from rainfall is an important parameter determining the groundwater potential, but the degree of metamorphism affects the groundwater potential too. The groundwater potential of rocks decreases, as the degree of metamorphism increases. Crystalline rocks normally exhibit a very low tendency to store water, typical of the pegmatite zones and the alternating bands within the banded dolomitic marble and biotite-quartz schist found within the project area. The groundwater potential of these rock units is generally low, to locally moderate.

Possible targets for water resources in this area are mainly fractured zones and faults that outcrop on the surface without impermeable infillings. But the success rate and yields for these rock types are generally low. The area along major ephemeral rivers may be more promising due to well developed fractures and faults that give rise to good recharge potential during the rainy season.

There is a NamWater Navachab mine water supply pipeline from the Swakoppoort Dam in the area, which dams the ephemeral Swakop River. The water supply pipeline dedicated for Navachab Gold Mine is located to south of the EPL area.

4.5.5 Evaluation of Water Vulnerability

Vulnerability assessment of surface water covered possible runoff, the presence of source factors and major flow routes such as major high order discontinuities (Table 4.2), ephemeral river channels, valleys and gullies as pathways and the presence of surface water body as a target. The groundwater

assessments covered hydraulic properties and thickness of the unsaturated and saturated zones derived from geological and hydrogeological data. The assessment of the unsaturated characteristics was based on the ability for source factors to influence the system through known pathway factors such as discontinuities. The combined effects of unsaturated and saturated flow probabilities were used as indicator for groundwater vulnerability. However, groundwater or surface water will only be vulnerable to contamination if the following three (3) component are all present at the same time and at a site specific area within the EPL:

- (i) Contaminant sources resulting from proposed exploration programme.
- (ii) Potential pathways for contaminant migration such as major high order discontinuities (Table 4.2), ephemeral river channels, valleys and gullies, and.
- (iii) Targets (economic water resources) present within the project area.

Overall, the limited local groundwater resources found in the area form part of the poorly developed metamorphic rocks based confined and unconfined aquifer system that is moderately vulnerable to any sources of pollution. During the rainy season, surface water bodies can be found along the local ephemeral river system. This surface water often recharges the local groundwater resources along the faults, solutions holes, and other discontinuities along the ephemeral rivers in the general surrounding EPL area.

Therefore, surface water in the local EPL area is more vulnerable to pollution sources associated with some of the proposed local field-based detailed prospecting / exploration activities such as drilling and trenching as well as supporting activities such as campsite and discharge of liquid and solid waste. It is important that all polluting activities must not be placed or undertaken in areas with high order discontinuities, valleys, or gullies systems in the area. Discharge of solid or liquid waste into a public stream is prohibited.

4.6 Archaeology

4.6.1 Regional Archaeological Setting

Modern humans and their ancestors have lived in Namibia for more than one million years, and there are fossil remains of lineal hominin ancestors as early as the Miocene Epoch (Kinahan, 2017). Namibia has a relatively complete sequence covering the mid-Pleistocene to Recent Holocene period, represented by thousands of archaeological sites mainly concentrated in the central highlands, escarpment and Namib Desert.

According to Kinahan, (2017), the Recent Holocene archaeological sequence in Namibia, i.e. the last 5 000 years, is of particular importance because it provides the background evidence for the development and recent history of the indigenous peoples of Namibia before the advent of written historical records during the colonial era. Many archaeological sites from this period are of great significance to the understanding of Namibian history, and some are considered to be of global importance.

4.6.2 Local Archaeological Setting and Recommendation

In the absence of field-based assessment being undertaken, it is likely that the general area around the EPL area may have archaeological resources that are protected by the National Heritage Act, 2004 (Act No. 27 of 2004) under the National Heritage Council of Namibia. The EPL area is likely to have evidence from the early colonial period related to a combination of mining, trade, missionary and indigenous tribes' activities. The expectation is therefore:

(i) A high likelihood of Holocene age archaeological sites, including rock art, associated with outcropping granite in the EPL area, and.

(ii) A high likelihood of late precolonial and colonial settlement sites.

The following are the key recommended actions related to archaeology in the EPL Area:

- (i) The exploration team should be made aware that under the National Heritage Act, 2004 (Act No. 27 of 2004) any items protected under the definition of heritage found in the course of the prospecting process should be reported to the National Heritage Council.
- (ii) The chance finds procedure as outlined in the EMP must be implemented at all times, and.
- (iii) Detailed field survey should be carried out if suspected archaeological resources or major natural cavities / shelters have been unearthed during the prospecting process.

4.7 Public Consultations and Engagement

4.7.1 Overview

Public consultation and engagement process has been part of the environmental assessment process for this project. Public notices were published in the local newspapers (Figs. 4.1 and 4.2). Through the newspaper advertisements as shown in Figs. 4.1 and 4.2 the public were invited to submit written comments / inputs / objections with respect to the proposed minerals exploration programme by Kalapuse General Dealer CC.

A stakeholder register was opened and despite telephonic inquiries with respect to contracts and employment opportunities, no written comments / inputs / objections were received during the month of July 2016 that was dedicated for public consultations.




Figure 4.1: Copy of the public notice that was published local Windhoek Observer newspapers for Friday 1st July 2016.

PUBLIC NOTICE FOR APPLICATION FOR ENVIRONMENTAL CLEARANCE CERTIFICATE (ECC)

KALAPUSE GENERAL DEALER CC- EPL No. 5469, KARIBIB / OMARURU DISTRICTS, WEST OF USAKOS, ERONGO REGION

KALAPUSE GENERAL DEALER CC (the Proponent) holds mineral rights under the Exclusive Prospecting Licence (EPL) No. 5469 covering a total area of 42829.3619 Ha. The EPL No. 5469 was granted on the 24/06/2015 and the initial three (3) years period will expire on the 23/06/2018. The proponent intends to undertake prospecting for base and rare metals, industrial minerals and precious metals with special focus over a small Area of Interest (AOI) shown in red and marked 1, 2, 3 and 4 on the map and mainly covering Farm Eureka No. 99. The prospecting activities covering mapping, geophysical surveys, sampling and drilling will be undertaken in phases starting with desktop studies, followed by regional and local field-based activities. The proponent is required to undertake Environmental Assessment comprising Environmental Scoping and Environmental Management Plan (EMP) for the proposed minerals prospecting. The Environmental Assessment process must be undertaken in accordance with the provisions of the Environmental Impact Assessment Regulations, 2012 and the Environmental Management Act, 2007. (Act No. 7 of 2007). In fulfilment of the environmental requirements, the proponent has appointed Risk-Based Solutions (RBS) CC as the Environmental Consultants which is led by Dr. Sindila Mwiya as the Environmental Assessment Practitioner to undertake the Scoping and EMP in order to support the application for Environmental Clearance Certificate. All interested and affected parties are hereby invited to register and submit written comments / objections / inputs with respect to the proposed minerals prospecting in the EPL No. 5469.

REGISTER AND SUBMIT WRITTEN OBJECTIONS / COMMENTS / INPUTS BY EMAIL OR FAX TO: frontdesk@rbs.com.na or FAX 061-306059 DEADLINE IS FRIDAY 22nd JULY 2016




Figure 4.2: Copy of the public notice that was published local Windhoek Observer newspapers for Friday 15th July 2016.

THE P NAC 0 WALVI FOLLO

> HOSEA 0 -

> > 5.

4-

15 MIN 1-2. 3-

> 5-6-7-8-9-

10 -11-12-

LOST TIC WHEEL C

5. IMPACT ASSESSMENT AND RESULTS

5.1 Impact Assessment Procedure

The Environmental Assessment process that has been undertaken with respect to the proposed exploration programme for the EPL No. 5469 has been conducted in accordance with the provisions of the Environmental Impact Assessment (EIA) Regulations No. 30 of 2012 gazetted under the Environmental Management Act, (EMA), 2007, (Act No. 7 of 2007).

5.2 Alternatives and Ecosystem Assessments

The following alternatives have been considered:

- (i) EPL Location: A number of potential economic minerals deposits are known to exist in the general area and linked to the regional geology of the EPL area. The Proponent intend to explore / prospect for all the licensed minerals groups likely to be associated with the regional and local geology. The minerals occurrences are site-specific and related to the regional and local geology of a specific area to which there are no alternatives sites to consider with respect to the license location. The only other alternative is the no-action option (no exploration activities are implemented in a specific area).
- (ii) The No-Action Alternative A comparative assessment of the environmental impacts of the 'no-action' alternative (a future in which the proposed exploration activities do not take place) has been undertake. An assessment of the environmental impacts of a future, in which the proposed exploration and possible discovery of economic minerals resources does not take place, may be good for the receiving environment because there will be no negative environmental impacts due to the proposed minerals exploration or possible mining operation that may take place in the EPL area.

The environmental benefits will include:

- No negative impacts because of no mineral exploration taking place, and.
- Potential future mining related negative environmental impact on the receiving environment.

However, it is important to understand that even if the proposed exploration activities do not take place, to which the likely negative environmental impacts are likely to be low and localised, the other current and future land uses such as agriculture and tourism will still have some negative impacts on the receiving environment. The likely negative environmental impacts of the other current and future land use that may still happen in the absence of the proposed minerals exploration activities includes:

- Land degradation due to drought.
- Overgrazing / over stocking beyond the land carrying capacity.
- Poor land management practices, and.
- Erosion and overgrazing.

Furthermore, it's also important to understand what benefits might be lost if the proposed exploration activities do not take place. Key loses that may never be realised if the proposed project activities do not go-ahead include: Loss of potential added value to the unknown underground minerals resources that maybe found within the EPL No. 5469, socioeconomic benefits derived from current and future exploration, direct and indirect contracts and employment opportunities, export earnings, foreign direct investments, license rental fees, royalties and various other taxes payable to the Government.

- (iii) Other Alternative Land Uses: The EPL area fall within the well-known commercial agricultural land uses area dominated by cattle, game, and small stock farming activities. The growing game farming is also making tourism a vital socioeconomic opportunity in the general area. Minerals exploration and mining activities are well known land use options in Namibia and the surrounding EPL area. Due to the limited scope of the proposed exploration and the implementation of the EMP, it is likely that the proposed exploration can coexist with the current and potential future land uses within the general area.
- (iv) **Potential Land Use Conflicts:** Considering the current land use practices (agriculture and tourism) as well as potential other land uses including minerals exploration, it is likely that potential economic derivatives from any positive exploration outcomes leading to the development of a mine in the general area can still co-exist with the existing and potential future land use options of the general area. However, much more detailed assessments of any likely visual and other socioeconomic impacts will need to be included in the EIA that must be undertaken as part of the prefeasibility and feasibility studies if economic minerals resources are discovered. The use of thematic mapping and delineation of various land use zones for specific uses such as agriculture, conservation, mining, or tourism etc, within the EPL area will greatly improve the multiple land use practices and promote coexistence for all the possible land use options.
- (v) Ecosystem Function (What the Ecosystem Does): Ecosystem functions such as wildlife habitats, carbon cycling or the trapping of nutrients and characterised by the physical, chemical, and biological processes or attributes that contribute to the self-maintenance of an ecosystem in this area are vital components of the receiving environment. However, the proposed exploration activities will not affect the ecosystem function due to the limited scope of the proposed activities because the ecosystem of this EPL area is part of the larger local and regional ecosystems which are all interlinked.
- (vi) Ecosystem Services: Food chain, harvesting of animals or plants, and the provision of clean water or scenic views are some of the local ecosystem services associated with the EPL area. However, the proposed exploration activities will not affect the ecosystem services due to the limited scope and area of coverage of the proposed activities because the ecosystem of this EPL area is part of the larger local and regional ecosystems which are all interlinked.
- (vii) Use Values: The EPL area has direct values for other land uses such as agriculture, conservation, and tourism as well as indirect values which includes: Watching a television show about the general area and its wildlife, food chain linkages that sustains the complex life within this area and bequest value for future generations to enjoy. The proposed exploration activities will not destroy the current use values due to the limited scope of the proposed activities as well as the adherence to the provisions of the EMP as detailed in Chapter 6 of this report, and.
- (viii) Non-Use or Passive Use: The EPL area has an existence value that is not linked to the direct use / benefits to current or future generations. The proposed exploration activities will not affect the ecosystem current or future none or passive uses due to the limited scope of the proposed activities that will leave much of the EPL area untouched because the ecosystem of this EPL area is part of the larger local and regional ecosystems which are all interlinked.

5.3 Key Issues Considered in the Assessment Process

5.3.1 Sources of Impacts (Proposed Project Activities)

The ongoing exploration activities being undertaken in the EPL 5469 and as assessed in this EIA Report with mitigation measures provided in the EMP Report are as follows:

(i) Initial desktop exploration activities (no field-work undertaken).

- (ii) Regional reconnaissance field-based mapping and sampling activities.
- (iii) Initial local field-based mapping and sampling activities.
- (iv) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling, and.
- (v) Prefeasibility and feasibility studies leading to test mining and mining if proves positive.

5.3.2 Summary of Receptors Likely to be Negatively Impacted

Based on the finding of this EIA Report, the following is the summary of the key environmental receptors that are may be negatively impacted by the proposed activities:

- ❖ Physical environment: Water quality, physical infrastructure and resources, air quality, noise and dust, landscape and topography, soil quality and, Climate change influences.
- ❖ **Biological environment:** Habitat, protected areas and resources, flora, fauna, and ecosystem functions, services, use values and non-use or passive use, and.
- Socioeconomic, cultural, and archaeological environment: Local, regional and national socioeconomic settings, commercial and subsistence agriculture, community protection areas tourism and recreation cultural, biological and archaeological resources.

5.4 Impact Assessment Methodology

5.4.1 Impact Definition

In this EIA Report, a natural and/or human environmental impact is defined as: "Change to the environment, whether adverse or beneficial, wholly or partially resulting from an organisation's environmental aspects." (ISO 14001).

All proposed project activities (routine and non-routine) were considered during the Scoping, EIA and EMP Phases in terms of their potential to:

- ❖ Interact with the existing environment (physical, biological and social elements), and.
- Breach relevant national legislation, relevant international legislation, standards and guidelines, and corporate environmental policy and management systems.

Where a project activity and receptor were considered to have the potential to interact, the impact has been defined and ranked according to its significance. Table 5.1 provides the definition of different categories of impacts identified and used in this report.

This EIA Report has assessed the potential impacts resulting from routine Project activities, if the Project activities that may cause an impact that will occur but the impact itself will be dependent on the likelihood (Probability) (Table 5.2).

Correct control measures through the implementation of the EMP and monitoring thereof, often reduce any negative significant impacts on the receiving environment as the results of the project activities. The assessment therefore, has focussed on the measures aimed at preventing the occurrence of an impact as well as mitigation measures that may be employed.

Table 5.1: Definition of impact categories used in this report.

Nature of	Adverse	Considered to represent an adverse change from the baseline, or to introduce a new undesirable factor.
Nature of Impact	Beneficial	Considered to represent an improvement to the baseline or to introduce a new desirable factor.
	Direct	Results from a direct interaction between a planned or unplanned Project activity and the receiving environment.
Type of	Indirect	Results from the Project but later or at a removed distance or which may occur as a secondary effect of a direct impact.
Impact	Cumulative	Results from (i) interactions between separate Project-related residual impacts. and (ii) interactions between Project-related residual impacts in combination with impacts from other projects and their associated activities. Cumulative impacts can result from individually minor but collectively significant actions taking place over a period.
	Short-term	Predicted to last only for a limited period but will cease on completion of the activity, or because of mitigation/reinstatement measures and natural recovery typically within a year of the project completion.
	Medium-	Predicted to last only for a medium period after the Project finishing, typically one to five years.
Duration of Impact	Long-term	Continues over an extended period, typically more than five years after the Project's completion.
or impact	Permanent	Occurs during the development of the Project and causes a permanent change in the affected receptor or resource that endures substantially beyond the Project lifetime.
	Local	Affects locally important environmental resources or is restricted to a single habitat/biotope, a single community.
	Regional	Affects nationally important environmental resources, or an area that is nationally important/protected or has macro-economic consequences.
	National	Affects nationally important environmental resources, or an area that is nationally important/protected or has macro-economic consequences.
Scale of Impact	International	Affects internationally important resources such as areas protected by international Conventions
	Transboundary	Impacts experienced in one country as a result of activities in another.
	Negligible	Possibility negligible
	Improbable	Possibility very low
Probability	Probable	Distinct possibility
	Highly Probable	Most likely
	Definite	Impact will occur regardless of preventive measures

The overall impact severity has been categorised using a semi-quantitative subjective scale as shown in Table 5.2 for sensitivity of receptors, Table 5.3 for magnitude, Table 5.4 for duration, Table 5.5 for extent and Table 5.6 showing probability.

Table 5.2: Definitions used for determining the sensitivity of receptors.

SENSI	TIVITY RATING	CRITERIA
1	Negligible	The receptor or resource is resistant to change or is of little environmental value.
2	Low	The receptor or resource is tolerant of change without detriment to its character, is of low environmental or social value, or is of local importance.
	Medium	The receptor or resource has low capacity to absorb change without fundamentally altering its present character, is of high environmental or social value, or is of national importance
4	High	The receptor or resource has moderate capacity to absorb change without significantly altering its present character, has some environmental or social value, or is of district/regional importance.
5	Very High	The receptor or resource has little or no capacity to absorb change without fundamentally altering its present character, is of very high environmental or social value, or is of international importance.

Table 5.3: Scored on a scale from 0 to 5 for impact magnitude.

SCALE (-) o	r (+)	DESCRIPTION						
0		no observable effect						
1		low effect						
2		tolerable effect						
3		medium high effect						
4		high effect						
5		very high effect (devastation)						

Table 5.4: Scored time period (duration) over which the impact is expected to last.

SCALE (-) o	r (+)	DESCRIPTION
Т		Temporary
Р		Permanent

Table 5.5: Scored geographical extent of the induced change.

SCALE (-)	or (+)	DESCRIPTION
L		limited impact on location
0		impact of importance for municipality.
R		impact of regional character
N		impact of national character
М		impact of cross-border character

5.4.3 Likelihood (Probability) of Occurrence

The likelihood (probability) of the pre-identified events occurring has been ascribed using a qualitative scale of probability categories (in increasing order of likelihood) as shown in Table 5.6. Likelihood is estimated on the basis of experience and/ or evidence that such an outcome has previously occurred. Impacts resulting from routine/planned events under normal operations are classified under category (E).

Table 5.6: Summary of the qualitative scale of probability categories (in increasing order of likelihood).

SCAL	E (-) or (+)	DESCRIPTION										
Α		Extremely unlikely (e.g. never heard of in the industry)										
В		Unlikely (e.g. heard of in the industry but considered unlikely)										
С		Low likelihood (egg such incidents/impacts have occurred are uncommon)										
D		Medium likelihood (e.g. such incidents/impacts occur several times per year within the industry)										
E		High likelihood (e.g. such incidents/impacts occurs several times per year at each location where such works are undertaken)										

5.4.4 Project Activities Summary of Impacts Results

The results of the impacts assessment and evaluation has adopted a matrix framework like the Leopold matrix. Assessment results of the magnitude, duration, extent, and probability of the potential impacts due to the proposed project activities interacting with the receiving environment are presented in form of a matrix table as shown in Tables 5.7-5.10.

The overall severity of potential environmental impacts of the proposed project activities on the receiving environment will be of low magnitude (Table 5.7), temporally duration (Table 5.8), localised extent (Table 5.9) and low probability of occurrence (Table 5.10) due to the limited scope of the proposed activities and the use of step progression approach in advancing exploration.

The step progressional approach will allow the Proponent to evaluate the results of exploration success and the implementation of the next stage of exploration will be subject to the positive outcomes of previous activities as graded (Tables 5.7-5.10).

It is important to note that the assessment of the likely impacts as shown in Tables 5.7 - 5.10, have been considered without the implementation of mitigation measures detailed in Section 6 of this Report.

The need for implementation of the appropriate mitigation measures as presented in the Section 6 of this report have to be determined on the results of the impact assessment (Tables 5.7 - 5.10) and the significant impacts as detailed in Tables 5.11 and 5.12.

Table 5.7: Results of the sensitivity assessment of the receptors (physical, socioeconomic, and biological environments) with respect to the proposed exploration / prospecting activities.

			RECEPTOR SENSITIVITY		E	PHYS ENVIRO	SICAL ONMEN	IT				LOGIO				CUL1	TURAL	GICAL	
l	CENCI	TIVITY RATIN	G CRITERIA		S														<u></u>
l h	3EN3I	Negligible			rce									use					Archaeological s
l ⊢					nos	nst	_		es						nal s	σ.	Areas	l '	မွ
	2	Low	The receptor or resource is tolerant of change without detriment to its character, is of low environmental or social value, or is of local importance.		Re	ΔĎ	, h		enc		,,			services, r passive	national ettings	ture	Are	l '	thae
	3	Medium	The receptor or resource has low capacity to absorb change without fundamentally altering its present character, is of high environmental or social value, or is of national importance	Nater Quality	ture and	Noise and	Topogra	Soil Quality	nge Influ	Habitat	Protected Areas	Flora	Fauna		al and na omic sett	al Agricul	rotected	Tourism and Recreation	l and Arc ources
	The receptor or resource has moderate capacity to absorb change without significantly altering its present character, has some environmental or social value, or is of district/regional importance. The receptor or resource has little or no capacity to absorb change without fundamentally altering its present character, is of very high		Water	infrastruc	Air Quality, Noise and Dust	Landscape Topography	Soil	Climate Change Influences	Ha	Protect	Ь	Fa	Ecosystem functions, values and non-Use o	Local, regional and nation socioeconomic settings	Commercial Agriculture	Sommunity Protected	Touris	Siologica Reso	
	5 Very High The receptor without fundal environmental		The receptor or resource has little or no capacity to absorb change without fundamentally altering its present character, is of very high environmental or social value, or is of international importance.		Physical infrastructure and Resources	Air (La		Clin					Ecosyst values a	Loca	ŏ	Com		Cultural, Biological and A Resources
-			(i) General evaluation of satellite, topographic, land tenure, accessibility,																\vdash
			supporting infrastructures and socioeconomic environment data	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1.		l Desktop oration	(ii) Purchase and analysis of existing Government high resolution magnetics and radiometric geophysical data	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Activ		(iii) Purchase and analysis of existing Government aerial hyperspectral		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			(iv) Data interpretation and delineating of potential targets for future reconnaissance regional field-based activities for delineated targets	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			(i) Regional geological, geochemical, topographical and remote sensing		_	_	_	_	_	_	_	_	_	_	_		_		
			mapping and data analysis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2.		onal nnaissan eld-Based	(ii) Regional geochemical sampling aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Activ		(iii) Regional geological mapping aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			(iv) Limited field-based support and logistical activities including exploration camp site lasting between one (1) to two (2) days	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			 (v) Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets for future detailed site- specific exploration if the results are positive and supports further exploration of the delineated targets 	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Table 5.7: Cont.

				RECEPTOR SENSITIVITY		E		SICAL	IT		BIOLOGICAL ENVIRONMENT						SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT					
F	SENSI 1	Negligib		CRITERIA The receptor or resource is resistant to change or is of little environmental value.		and Resources	to			v					e nse	al		SR S		Archaeological s		
	2	Low		The receptor or resource is tolerant of change without detriment to its character, is of low environmental or social value, or is of local importance.		r Res	d Dus	aphy		ience		S			vices	ation; tings	llture	A Area		chaec		
	3	Medium	1	The receptor or resource has low capacity to absorb change without fundamentally altering its present character, is of high environmental or social value, or is of national importance	er Quality	acture and	Air Quality, Noise and Dust	Landscape Topography	Soil Quality	Climate Change Influences	Habitat	Protected Areas	Flora	Fauna	Ecosystem functions, services, values and non-Use or passive	Local, regional and national socioeconomic settings	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	al and Arr sources		
	4	High		The receptor or resource has moderate capacity to absorb change without significantly altering its present character, has some environmental or social value, or is of district/regional importance.	Water	Physical infrastructure	r Quality,	-andscap	Soi	imate Ch		Protec			stem func	cal, regio socioecor	Commerc	mmunity	Tou	Cultural, Biological and A Resources		
	Very High without fundamentally altering its present character, is of very environmental or social value, or is of international importance. (i) Local geochemical sampling aimed at verifying the prostarget/s delineated during regional reconnaissance field		The receptor or resource has little or no capacity to absorb change without fundamentally altering its present character, is of very high environmental or social value, or is of international importance.		Physica	Ā			Ö					Ecosy	이 "		රි		Cultural			
			(i)	Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during regional reconnaissance field activities	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
				Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
3.	Initial			Ground geophysical survey (Subject to the positive outcomes of i and ii above)	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
		-Based	(iv)		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
	Activ	ities	(v)	Field-based support and logistical activities will be very limited focus on a site-specific area for a very short time (maximum five (5) days)	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
			(vi)	Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
			(i)	Access preparation and related logistics to support activities	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3		
4.	Detai	led Local	(ii)	Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during the initial field-based activities	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
		-Based	(iii)	Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
			(iv)	Ground geophysical survey, trenching, drilling and sampling (Subject to the positive outcomes of i and ii above).	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3		
			(i)	Detailed site-specific field-based support and logistical activities, surveys, detailed geological mapping	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3		
5.			(ii)	Detailed drilling and bulk sampling and testing for ore reserve calculations	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3		
	Studies	(iii)	<u> </u>	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3			
			, ,	Mine planning and designs including all supporting infrastructures (water, energy, and access) and test mining activities	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
			(v)	EIA and EMP to support the ECC for mining operations	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
			(vi)	Preparation of feasibility report and application for Mining License	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		

Table 5.8: Results of the scored time (duration) over which the impact is expected to last.

		RECEPTO	DR SENSITIVITY			E	PHYS ENVIRO	SICAL ONMEN	IT				DLOGIC			SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT					
		SCALE T P	DESCRIPTION Temporary Permanent		Water Quality	Physical infrastructure and Resources	Air Quality, Noise and Dust	Landscape Topography	Soil Quality	Climate Change Influences	Habitat	Protected Areas	Flora	Fauna	Ecosystem functions, services, use values and non-Use or passive use	Local, regional and national socioeconomic settings	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	Cultural, Biological and Archaeological Resources	
			ation of satellite, topographic, land te		Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
1.	supporting infrastructures and socioeconomic environment data Initial Desktop (iii) Purchase and analysis of existing Government high resolution				Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
	Exploration Activities		analysis of existing Government ae	rial hyperspectral	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
	Activities		ation and delineating of potential e regional field-based activities for o		Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
			gical, geochemical, topographical a		Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
2.	Regional Reconnaissan	(ii) Regional geod targeted based	chemical sampling aimed at idd d on the results of the initial explor ographical and remote sensing map	ation and regional	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
	Activities (iii) Regional geological mapping aimed at identifying possible target based on the results of the initial exploration and regional geologic topographical and remote sensing mapping and analysis undertak				Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
		exploration car	pased support and logistical amp site lasting between one (1) to tw	wo (2) days	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	
	(v) Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets for future detailed site- specific exploration if the results are positive and supports further exploration of the delineated targets				Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	

Table 5.8: Cont.

			DURATION OF IMPACT		E		SICAL	ΙΤ		BIOLOGICAL ENVIRONMENT						SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT					
				Water Quality	Physical infrastructure and Resources	Air Quality, Noise and Dust	Landscape Topography	Soil Quality	Climate Change Influences	Habitat	Protected Areas	Flora	Fauna	Ecosystem functions, services, use values and non-Use or passive use	Local, regional and national socioeconomic settings	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	Cultural, Biological and Archaeological Resources		
		(i)	Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during regional reconnaissance field activities	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т		
		(ii)	Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т		
3.	Initial Local	(iii)	Ground geophysical survey (Subject to the positive outcomes of i and	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т		
	Field-Based	(iv)	ii above) Possible Trenching (Subject to the outcomes of i - iii above)	Т	-	Т	_	Т	<u> </u>	т	Т	Т		Т	_	т	Т	Т			
	Activities	(v)	Field-based support and logistical activities will be very limited focus on	•	-	<u>'</u>	-		-	<u> </u>			-	-	-	-	-	'	-		
		(•)	a site-specific area for a very short time (maximum five (5) days)	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т		
		(vi)	Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т		
		(i)	Access preparation and related logistics to support activities	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т		
4.	Detailed Local	(ii)	Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during the initial field-based activities	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т		
	Field-Based Activities	(iii)	Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т		
	ACUVILICS.	(iv)	Ground geophysical survey, trenching, drilling and sampling (Subject to the positive outcomes of i and ii above).	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т		
			Detailed site-specific field-based support and logistical activities, surveys, detailed geological mapping	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т		
5.	Prefeasibility	(ii)	Detailed drilling and bulk sampling and testing for ore reserve	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т		
	and Feasibility	(iii)	calculations Geotechnical studies for mine design	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	_		
	(iv) Mine planning and designs including all supporting infrastructures (water, energy and access) and test mining activities		<u> </u>		<u> </u>				<u> </u>	•	-	_	-								
			Т	Т	Т	Т	Т	T	Т	Т	Т	T	Т	Т	Т	Т	Т	Т			
1		(v)	EIA and EMP to support the ECC for mining operations	T	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т		
		(vi) Preparation of feasibility report and application for Mining License					Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т		

Table 5.9: Results of the scored geographical extent of the induced change.

		GE	OGRAPHICAL EXTENT OF IMPACT			E	PHYS ENVIRO	SICAL DNMEN	IT				BIOLOGICAL ENVIRONMENT				SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT			
	SCALI	 E	DESCRIPTION			Physical infrastructure and Resources	st			Se					s, use re use	ıal		as		Archaeological s
	L		limited impact on location			d Re	Air Quality, Noise and Dust	Landscape Topography		Climate Change Influences		S			, services, or passive	nd national settings	Commercial Agriculture	d Areas		chae
	0		impact of importance for municipality		uality	e an	se ar	ıbodı	ality	llufle	at	Area	m m	B	s, se e or p	ρŏ	\gric	ecte	and tion	nd Ar ces
	R		impact of regional character		Water Quality	uctur	, Noi	De To	Soil Quality	lange	Habitat	cted	Flora	Fauna	ction n-Use	regional and peconomic se	cial /	Prof	Fourism and Recreation	sal ar
	N		impact of national character		Wat	rastr	ality	dscal	So	te C		Protected Areas			Ecosystem functions, values and non-Use o	ical, regional an socioeconomic	ımer	Community Protected	Tou	Cultural, Biological and A Resources
	M		impact of riational character			al inf	ir Q	Land		lima					yster s an	Local, socid	Con	mmo		al, Bic
	IVI	impact of cross-border character				nysic	∢								=cos ⁄alue	ר		O		ultura
						ā														ರ
		(i)	General evaluation of satellite, topographic, land tenure, access supporting infrastructures and socioeconomic environment data		L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
1.	Initial Desktop	(ii)	Purchase and analysis of existing Government high reso magnetics and radiometric geophysical data		L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	Exploration Activities	(iii)	Purchase and analysis of existing Government aerial hypersper	ctral	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	Activities	(iv)	Data interpretation and delineating of potential targets for reconnaissance regional field-based activities for delineated tar	future	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
		(i)	Regional geological, geochemical, topographical and remote se		L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
		(ii)	mapping and data analysis Regional geochemical sampling aimed at identifying pos																	
2.	Regional		targeted based on the results of the initial exploration and regeological, topographical and remote sensing mapping and an		L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	Reconnaissan ce Field-Based		undertaken																	
	ce Field-Based Activities (iii) Regional geological mapping aimed at identifying possible targeted based on the results of the initial exploration and regional geological			L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	
			topographical and remote sensing mapping and analysis under	taken																
		(iv)	Limited field-based support and logistical activities incl exploration camp site lasting between one (1) to two (2) days	uding	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	(v) Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets for future detailed site-specific exploration if the results are positive and supports further exploration of the delineated targets		l site-	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	

Table 5.9: Conti.

		G	EOGRAPHICAL EXTENT OF IMPACT		E		SICAL	ΙΤ				LOGI IRONI			SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT					
	SCAL	.E	DESCRIPTION		and Resources									nse use					and Archaeological urces	
	L		limited impact on location		Sesoi	Dust	hy		nces					ces,	Local, regional and national socioeconomic settings	ıre	Community Protected Areas		aeolc	
	0		impact of importance for municipality	<u>l</u> j	and F	Air Quality, Noise and Dust	Landscape Topography	≥	Climate Change Influences		eas			servi r pas	d nat settir	Commercial Agriculture	ted /	pc c	Arch	
	R		impact of regional character	Qua	ture	loise	Торс	Soil Quality	l agu	Habitat	ed Aı	Flora	Fauna	ions, Jse c	al an omic	al Agı	rotec	sm al eatio	and	
	N		impact of national character	Water Quality	struc	ity, N	cape	Soil (Char	Ha	Protected Areas	IL.	Fa	uncti J-uor	giona	ercia	lity P	Tourism and Recreation	gical	
	M		impact of riational character	>	infra	Qual	ands		nate		P			tem f and r	al, re ocioe	omr	nmu		Biolc	
	IVI		impact of cross-border character		Physical infrastructure	Air	ت		Ö					Ecosystem functions, services, values and non-Use or passive	Loc	0	Cor		Cultural, Biological and A Resources	
				Phy									Ec					Cult		
		(i)	Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during regional reconnaissance field activities	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	
		(ii)	Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	
3.	Initial Local	(iii)	Ground geophysical survey (Subject to the positive outcomes of i and	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	
	Field-Based	(iv)	ii above) Possible Trenching (Subject to the outcomes of i - iii above)	L	L	L	L	L	L	L	L	L	L	L	L	L	L		L	
	Activities	(v)	Field-based support and logistical activities will be very limited focus on	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	
		(vi)	a site-specific area for a very short time (maximum five (5) days) Laboratory analysis of the samples collected and interpretation of the	1		L	1	1	1	1	1	1	1		1	1	1			
		(i)	results and delineating of potential targets Access preparation and related logistics to support activities	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
		(ii)	Local geochemical sampling aimed at verifying the prospectivity of the		-	L			ı	-	ı	L		L	ı			L		
4.	Detailed Local Field-Based	(iii)	target/s delineated during the initial field-based activities Local geological mapping aimed at identifying possible targeted based	-	-		-	-	_	-	_		-	_	_		_		_	
	Activities		on the results of the regional geological and analysis undertaken	L	<u> </u>	L	L	L	L	L	L	L	L	_	L	L	L	L	L	
	(iv) Ground geophysical survey, trenching, drilling and sampling (Subject to the positive outcomes of i and ii above).		L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L		
		(i)	Detailed site-specific field-based support and logistical activities, surveys, detailed geological mapping	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	
5.	Prefeasibility	(ii)	Detailed drilling and bulk sampling and testing for ore reserve calculations	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	
	Studies (iii) Geotechnical studies for mine design		L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L		
	Studies	(iv)	Mine planning and designs including all supporting infrastructures (water, energy and access) and test mining activities	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	
	(water, energy and access) and test mining activities (v) EIA and EMP to support the ECC for mining operations (vi) Preparation of feasibility report and application for Mining License		L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L		
		L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L			

Table 5.10: Results of the qualitative scale of probability occurrence.

		IMI	PACT PROBABILITY OCCURRENCE		E	PHYS ENVIRO	SICAL	ΙΤ		BIOLOGICAL ENVIRONMENT					SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT				
$ \cdot $					ırces									nse use					Archaeological s
l	SCALE		DESCRIPTION		SOL	ust	>		Ses					es, u	national ettings	Ф	Areas		oloe
	Α		Extremely unlikely (e.g. never heard of in the industry)		Re L	др	aph		nenc		S			, services, or passive	atio ting	lltur	Ā		chae
	В		Unlikely (e.g. heard of in the industry but considered unlikely)	JE A	anc	an	ogr	<u> </u>	Influ		rea			sel or p	nd n set	ricu	ctec	pu c	Arc 3S
	С		Low likelihood (egg such incidents/impacts have occurred but are uncommon)	Water Quality	acture	Noise	е Тор	Soil Quality	Change Influences	Habitat	Protected Areas	Flora	Fauna	functions, non-Use	regional and peconomic se	sial Ag	Prote	Tourism and Recreation	al and source
	D		Medium likelihood (e.g. such incidents/impacts occur several times per year within the industry)	Wat	ıfrastrı	Air Quality, Noise and Dust	Landscape Topography	Soi	ate Ch	_	Prote		_	nd fun		Commercial Agriculture	Sommunity Protected	Tou	iologic Re
	E		High likelihood (e.g. such incidents/impacts occurs several times per year at each location where such works are undertaken)		Physical infrastructure and Resources	Air G	Lar		Climate					Ecosystem functions, values and non-Use o	Local, soci	ပိ	Comr		Cultural, Biological and A Resources
					Phy									Ec					Cult
		(i)	General evaluation of satellite, topographic, land tenure, accessibility, supporting infrastructures and socioeconomic environment data	Α	Α	Α	Α	Α	А	Α	Α	Α	Α	Α	Α	Α	А	А	Α
1.	Initial Desktop Exploration	(ii)	Purchase and analysis of existing Government high resolution magnetics and radiometric geophysical data	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
	Activities	(iii)	Purchase and analysis of existing Government aerial hyperspectral	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
		` '	Data interpretation and delineating of potential targets for future reconnaissance regional field-based activities for delineated targets	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	А
		(i)	Regional geological, geochemical, topographical and remote sensing mapping and data analysis	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
2.			Regional geochemical sampling aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken	А	Α	А	Α	А	А	Α	Α	А	Α	А	А	Α	А	А	А
	Activities	(111)	Regional geological mapping aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken	А	Α	А	А	А	А	А	А	А	Α	А	Α	Α	А	А	А
		` ,	Limited field-based support and logistical activities including exploration camp site lasting between one (1) to two (2) days	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
		(v)	Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets for future detailed site-specific exploration if the results are positive and supports further exploration of the delineated targets	А	А	А	Α	Α	Α	Α	Α	Α	Α	А	Α	Α	А	А	А

Table 5.10: Cont.

		IMPACT PROBABILITY OCCURRENCE			E	PHY: ENVIRO	SICAL	NT				LOGI			SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT				
lη	SCALE		DESCRIPTION		and Resources									esn nse					gical
	Α		Extremely unlikely (e.g. never heard of in the industry)		nos	nst	>		Ses					ss, u	nal	m	eas		olog
	В		Unlikely (e.g. heard of in the industry but considered unlikely)		Re l	ďρ	aph		nenc		S			rvice	atio	llture	A Are		chae
	С		Low likelihood (egg such incidents/impacts have occurred but are uncommon)	Quality	ure and	oise an	Landscape Topography	Soil Quality	Climate Change Influences	Habitat	d Area	Flora	Fauna	ons, se se or p	ll and n mic set	Commercial Agriculture	otectec	Tourism and Recreation	and Archaeological urces
	D Medium likelihood (e.g. such incidents/impacts occur several times per year within the industry) E High likelihood (e.g. such incidents/impacts occurs several times		Water Quality	astruct	cal mirastructure and Reso		Soil Q	- Chan	Hab	Protected Areas	Flo	Fau	functic non-U	egiona	mercial	ınity Pr	Touris	ogical	
				Physical infrastructure	Air Qua	Lands		Climate		<u>а</u>			Ecosystem functions, services, values and non-Use or passive	Local, regional and national socioeconomic settings	Comr	Community Protected Areas		Cultural, Biological and A Resources	
					Physi									Eco					Cultur
		(i)	Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during regional reconnaissance field activities	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
	_	(ii)	Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В
3.	Initial Local	(iii)	Ground geophysical survey (Subject to the positive outcomes of i and ii above)	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В
	Field-Based Activities	(iv)	Possible Trenching (Subject to the outcomes of i - iii above)	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В
	Activities	(v)	Field-based support and logistical activities will be very limited focus on a site-specific area for a very short time (maximum five (5) days)	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В
		(vi)	Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets	Α	Α	Α	Α	Α	А	Α	Α	Α	Α	Α	Α	Α	Α	Α	А
		(i)	Access preparation and related logistics to support activities	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
4.	Detailed Local	(ii)	Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during the initial field-based activities	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
	Field-Based Activities	(iii)	Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
		(iv)		С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
		(i)	Detailed site-specific field-based support and logistical activities, surveys, detailed geological mapping	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
5.	Prefeasibility and Feasibility	(ii)	Detailed drilling and bulk sampling and testing for ore reserve calculations	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
	Studies	(iii)	Geotechnical studies for mine design	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
	2.30100		(water, energy and access) and test mining activities	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
	(v) EIA and EMP to support the ECC for mining operations		Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	
	(vi) Preparation of feasibility report and application for Mining License		Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	

5.5 Evaluation of Significant Impacts

5.5.1 Overview

The significance of each impact has been determined by assessing the impact severity against the likelihood (probability) of the impact occurring as summarised in the impact significance assessment matrix provided in Table 5.11.

5.5.2 Significance Criteria

Significance criteria for negative/adverse impacts (i.e., relative ranking of importance) are defined in Table 5.11. It is important to note that impacts have been considered without the implementation of mitigation measures. The need for and appropriate mitigation measures as presented in the EMP report have been determined on the basis of the impact assessment presented in this report.

Table 5.11: Scored impact significance criteria.

IMPACT SEVERITY	RECEPTOR CHARACTERISTICS (SENSITIVITY)											
Magnitude, Duration, Extent, Probability	Very High (5)	High (4)	Medium (3)	Low (2)	Negligible (1)							
Very High (5)	Major [5/5]	Major [4/5[Moderate [3/5]	Moderate [2 /5]	Minor 1/5							
High (4)	Major [5/4]	Major [4/4]	Moderate [3/4]	Moderate [2/4]	Minor [1/4]							
Medium (3)	Major [5/3]	Moderate [4/3]	Moderate [3/3]	Minor [2/3]	None [1/3]							
Low (2)	Moderate [5/2]	Moderate [4/2]	Minor [3/2]	None [2/2]	None [1/2]							
Negligible (1)	Minor [5/1]	Minor [4/1]	None [3/1]	None [2/1]	None [1/1]							

5.5.3 Assessment Likely Significant Impacts

The assessment of significant impacts depended upon the degree to which the proposed project activities are likely to results in unwanted consequences on the receptor covering physical and biological environments (Table 5.12). Overall, the assessment of significant impacts has focused on the ecosystem-based approach that considers potential impacts to the ecosystem. The main key sources of impacts that have been used in the determination of significant impacts posed by the proposed minerals exploration comprised activities. Each of the main areas of impact have been identified and assessed as follows:

- ❖ Positive Impacts are classified under a single category. they are then evaluated qualitatively with a view to their enhancement, if practical.
- Negligible or Low Impacts will require little or no additional management or mitigation measures (on the basis that the magnitude of the impact is sufficiently small, or that the receptor is of low sensitivity).
- Medium or High Impacts require the adoption of management or mitigation measures.
- High Impacts always require further management or mitigation measures to limit or reduce the impact to an acceptable level.

Overall, the results of the significant impact assessment matrix for the proposed minerals exploration activities on the physical and biological environments are shown in Tables 5.12.

Table 5.12: Significant impact assessment matrix for the proposed exploration activities.

		SIGNIFICANT IMPACT				PHYSICAL ENVIRONMENT				BIOLOGICAL ENVIRONMENT					SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT							
	IMPACT SEVERITY		RECEPTOR CH	ARACTERISTIC:	S (SENSITIVITY	7)		Irces									nse use					gical
		ery High	(5) High(4)	Medium (3)	Low (2)	Negligible (1)	Quality	Physical infrastructure and Resources	Air Quality, Noise and Dust	Landscape Topography	ılity	Change Influences	ıt	Areas	_	æ	services, or passive	and national nic settings	Commercial Agriculture	Community Protected Areas	and ion	Cultural, Biological and Archaeological Resources
	Very High (5)	Major [5/	[5] Major [4/5]	Moderate [3/5]	Moderate [2 /5]	Minor 1/5	er Qu	ucture	, Nois	эе То	Soil Quality	ange	Habitat	Protected Areas	Flora	Fauna	Ecosystem functions, values and non-Use c	ocal, regional and socioeconomic s	cial A	Prote	Tourism and Recreation	sal an sourc
	Medium (3) Major [5/3] Moderate[4/3] Moderate[3/3] Minor[2/3] None[1/2]			Minor[1/4]	Water	frastr	uality	dscal	S	te CF		Prote			m fun d nor	regic ioecc	nmer	unity	Tou	ologic		
				None[1/3]		in in	ğ	Lan		Climate					ystei s an	Local, soci	Cor	omn		al, Bi		
	moderate [6/2] moderate[4/2] minor[6/2]			None[1/2]		nysic	•								∃cos ⁄alue			O		ultura		
	Negligible (1) Minor [5/1] Minor [4/1] None [3/1] None [2/1] None [7/1]			None [1/1]		۵									ш /					ರ		
			eneral evaluation of poorting infrastruc				1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
1.	Initial Desktop	(ii) Pu	irchase and ana	lysis of existing	Government		1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
	Exploration		agnetics and radiourchase and analy			hyperspectral	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
	Activities	(iv) Da	ata interpretation	and delineating	of potential ta	rgets for future	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
			connaissance regi egional geological						1/1		1/1											
		m	apping and data a	nalysis	• .		1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
2.	Reconnaissan geological, topographical and remote sensing mapping and analys			on and regional ng and analysis	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1		
	Ce Field-Based Activities (iii) Regional geological mapping aimed at identifying possible targeted based on the results of the initial exploration and regional geological topographical and remote sensing mapping and analysis undertaken			onal geological, ysis undertaken	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1		
	(iv) Limited field-based support and logistical activities including exploration camp site lasting between one (1) to two (2) days				1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1		
	 (v) Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets for future detailed sit specific exploration if the results are positive and supports furth exploration of the delineated targets 			rpretation of the re detailed site-	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1		

Table 5.12: Cont.

	SENSITIVITY					PHYSICAL ENVIRONMENT				BIOLOGICAL ENVIRONMENT					SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT				•			
	IMPACT SEVERITY		RECEPTOR CH	IARACTERISTIC	S (SENSITIVITY	()		rces									nse use					gical
		/ery High (5) High(4)	Medium (3)	Low (2)	Negligible (1)	Quality	Physical infrastructure and Resources	Quality, Noise and Dust	Topography	ality	Change Influences	at	Protected Areas	w.	a	s, services, or passive	ocal, regional and national socioeconomic settings	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	Biological and Archaeological Resources
	Very High (5)	Major [5/5]	Major [4/5[Moderate [3/5]	Moderate [2 /5]	Minor 1/5	i Q	ctur	Nois	e To	Soil Quality	ange	Habitat	ted	Flora	Fauna	functions non-Use	nal a nomi	ial A	Prot	rism creat	al an sour
	High (4)	Major [5/4]	Major [4/4]	Moderate [3/4]	Moderate [2/4]	Minor[1/4]	Water	astru	ality,	Landscape	Soil	e Ch	=	rotec			fund	regio	merc	unity	Toul	logic Res
	Medium (3)	Major [5/3]	Moderate[4/3]	Moderate[3/3]	Minor[2/3]	None[1/3]		ll infr	r Qu	and-		Climate (stem and	Local, I socic	Com	JU W		, Bio
	1 (2)	Moderate [5/2	2] Moderate[4/2]	Minor[3/2]	None[2/2]	None[1/2]		/sica	Air	_		ਹ					Ecosys	٦		ပိ		Cultural,
	Negligible (1)	Minor [5/1]	Minor [4/1]	None [3/1]	None [2/1]	None [1/1]		Ą									ш»					Sol
				ampling aimed at			1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
				uring regional rec		Id activities e targeted based																
		on th	e results of the re	egional geologica survey (Subject to	al and analysis ι	undertaken	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
3.	Initial Local Field-Based	ì ii abo	ove)	, ,	·		2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2
	Activities	. ,	• ,	Subject to the out		bove) / limited focus on	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2
		` a site	e-specific area fo	r a very short tim	e (maximum five	e (5) days)	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2
				of the samples co		erpretation of the	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
		(i) Acce	ess preparation a	nd related logistic	cs to support ac		2\2	2\2	2\2	2\2	2\2	2\2	3/2	3/2	3/2	3/2	3/2	2\2	2\2	2\2	2\2	2\2
4.	Detailed Local			ampling aimed at uring the initial fie			2\2	2\2	2\2	2\2	2\2	2\2	3/2	3/2	3/2	3/2	3/2	2\2	2\2	2\2	2\2	2\2
٦.	Field-Based	(iii) Loca	l geological map	ping aimed at ide egional geologica	entifying possible	e targeted based	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2
	Activities	(iv) Grou	ınd geophysical s	survey, trenching,	drilling and sam	npling (Subject to	2\2	2\2	2\2	2\2	2\2	2\2	3/2	3/2	3/2	3/2	3/2	2\2	2\2	2\2	2\2	2\2
				s of i and ii above c field-based su		istical activities							3/2	3/2	0, _	3/2	3/2					
		surve	eys, detailed geo	logical mapping			2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2
5.	Prefeasibility		iled drilling and ulations	d bulk sampling	and testing	for ore reserve	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3
	Studies (iii) Geotechnical studies for mine design		2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2				
	(iv) Mine planning and designs including all supporting infrastructures (water, energy and access) and test mining activities		3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3				
	(water, energy and access) and test mining activities (v) EIA and EMP to support the ECC for mining operations			1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1			
	(v) EIA and EMP to support the ECC for mining operations (vi) Preparation of feasibility report and application for Mining License			ing License	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1		

5.6 Assessment of Overall Impacts

5.6.1 Summary of the Results of the Impact Assessment

In accordance with Tables 5.7 - 5.12, the following is the summary of the overall likely negative and significant impacts of the proposed exploration activities on the receiving environment (physical, biological and socioeconomic environments) without and with mitigations:

- (i) Initial desktop exploration activities: Overall likely negative impact on the receiving environment will be negligible with extremely unlikely probability of occurrence without mitigations. Overall significant impacts will be negligible [1/1] (Table 5.12). Except for the socioeconomic components which carry a (+), the rest of the likely impacts are negative (-).
- (ii) Regional reconnaissance field-based activities: Overall likely negative impact on the receiving environment will be negligible with extremely unlikely probability of occurrence without mitigations. Overall significant impacts will be negligible [1/1]. Some field-based activities will have localised low impacts with low probability of occurrence without mitigations and negligible with mitigations. Overall significant impacts will be negligible [1/1] (Table 5.12). Except for the socioeconomic components which carry a (+), all the other likely impacts are negative (-).
- (iii) Initial local field-based activities: Initial field-based activities will have localised low impacts with low probability of occurrence without mitigations and negligible with mitigations. Overall significant impacts will be negligible [2/2]. All desktop related activities and laboratory assessments will have negligible impacts with extremely unlikely probability of occurrence without mitigations. Overall significant impacts will be negligible [2/2] (Table 5.12). Except for the socioeconomic components which carry a (+), all the other likely impacts are negative (-).
- (iv) Detailed local field-based activities: Overall likely negative impact on the receiving environment will be high and localised impacts without mitigations and localised low impacts with mitigations. Overall significant impacts will be medium [2/2] without mitigations and low with mitigations (Table 5.12). Except for the socioeconomic components which carry a (+), all the other likely impacts are negative (-), and.
- (v) Prefeasibility and feasibility studies to be implemented on a site-specific area if the local field-based studies prove positive: Overall likely negative impact on the receiving environment will be high and localised impacts without mitigations and localised medium impacts with mitigations. Overall significant impacts will be medium [3/3] without mitigations and low with mitigations for bulk sampling, test mining and field logistics (Table 5.12). Except for the socioeconomic components which carry a (+), all the other likely impacts are negative (-).

6. THE EMP

6.1 Summary of the EMP Objectives

The Environmental Management Plan (EMP) provides a detailed plan of action required in the implementation of the mitigation measures for minimising and maximising the identified negative and positive impacts respectively. The EMP gives commitments including financial and human resources provisions for effective management of the likely environmental liabilities during and after the exploration. Regular assessments and evaluation of the environmental liabilities during the exploration will need to be undertaken and will ensure adequate provision of the necessary resources towards good environmental management at various stages of the project development.

6.2 Implementation of the EMP

6.2.1 Roles and Responsibilities

Management of the environmental elements that may be affected by the different activities of the proposed / ongoing exploration is an important element of the proposed / ongoing exploration activities. The EMP also identifies the activity groups / environmental elements, the aspects / targets, the indicators, the schedule for implementation and who should be responsible for the management to prevent major impacts that the different exploration activities may have on the receiving environment (physical and biological environments).

6.2.2 Proponent's Representative (PR) / Project Manager (PM)

The Proponent is to appoint a **Proponent's Representative (PR) / Project Manager (PM)** with the following responsibilities with respect to the EMP implementation:

- ❖ Act as the site project manager and implementing agent.
- ❖ Ensure that the Proponent's responsibilities are executed in compliance with the relevant legislation.
- Ensure that all the necessary environmental authorizations and permits have been obtained.
- Assist the exploration contractor/s in finding environmentally responsible solutions to challenges that may arise.
- Should the PR be of the opinion that a serious threat to, or impact on the environment may be caused by the exploration activities, he/she may stop work. the Proponent must be informed of the reasons for the stoppage as soon as possible.
- ❖ The PR has the authority to issue fines for transgressions of basic conduct rules and/or contravention of the EMP.
- ❖ Should the Contractor or his/her employees fail to show adequate consideration for the environmental aspects related to the EMP, the PR can have person(s) and/or equipment removed from the site or work suspended until the matter is remedied.
- ❖ Maintain open and direct lines of communication between the landowners and Proponent, as well as any other identified Interested and Affected Parties (I&APs) with regards to environmental matters, and
- Attend regular site meetings and inspections as may be required for the proposed / ongoing exploration programme.

6.2.3 Project Health, Safety and Environment (Project HSE)

The Proponent is to appoint a Project Health, Safety and Environment (Project HSE) with the following responsibilities with respect to the EMP implementation:

- Assist the PR in ensuring that the necessary environmental authorizations and permits have been obtained.
- Assist the PR and Contractor in finding environmentally responsible solutions to challenges that may arise.
- Conduct environmental monitoring as per EMP requirements.
- Carry out regular site inspections (on average once per week) of all exploration areas with regards to compliance with the EMP. report any non-compliance(s) to the PR as soon as possible.
- Organize for an independent internal audit on the implementation of and compliance to the EMP to be carried out half way through each field-based exploration activity. audit reports to be submitted to the PR.
- Continuously review the EMP and recommend additions and/or changes to the EMP document.
- Monitor the Contractor's environmental awareness training for all new personnel coming onto site.
- Keep records of all activities related to environmental control and monitoring. the latter to include a photographic record of the exploration activities, rehabilitation process, and a register of all major incidents. and
- Attend regular site meetings.

6.2.4 Contractors and Subcontractors

The responsibilities of the **Contractors and Subcontractors** that may be appointed by the Proponent to undertake certain field-based activities of the proposed / ongoing exploration programme include:

- Comply with the relevant legislation and the EMP provision.
- Preparation and submission to the Proponent through the Project HSE of the following Management Plans:
 - Environmental Awareness Training and Inductions.
 - Emergency Preparedness and Response.
 - Waste Management. and.
 - Health and Safety.
- Ensure adequate environmental awareness training for senior site personnel.
- Environmental awareness presentations (inductions) to be given to all site personnel prior to work commencement. the Project HSE is to provide the course content and the following topics, at least but not limited to, should be covered:
 - The importance of complying with the EMP provisions.

- Roles and Responsibilities, including emergency preparedness.
- Basic Rules of Conduct (Do's and Don'ts).
- EMP: aspects, impacts and mitigation.
- Fines for Failure to Adhere to the EMP.
- Health and Safety Requirements.
- Record keeping of all environmental awareness training and induction presentations. and
- Attend regular site meetings and environmental inspections.

6.3 Specific Mitigation Measures

6.3.1 Hierarchy of Mitigation Measures Implementation

A hierarchy of methods for mitigating significant adverse effects has been adopted in order of preference and as follows:

- (i) Enhancement, e.g. provision of new habitats.
- (ii) Avoidance, e.g. sensitive design to avoid effects on ecological receptors.
- (iii) Reduction, e.g. limitation of effects on receptors through design changes. and
- (iv) Compensation, e.g. community benefits.

6.3.2 Mitigation Measures Implementation

The Environmental Management Plan (EMP) provides a detailed plan of action required in the implementation of the mitigation measures for minimising and maximising the identified negative and positive impacts respectively. The EMP also provides the management actions with roles and responsibilities requirements for implementation of environmental management strategies by the Proponent through the Contractors and Subcontractors who will be undertaking the exploration activities. The EMP gives commitments including financial and human resources provisions for effective management of the likely environmental liabilities during and after the implementation of the proposed / ongoing exploration programme.

Based on the findings of the Scoping work, Table 6.1 - 6.18 provides the detailed specific mitigations measures to be implemented by the Proponent with respect to the proposed / ongoing exploration programme activities and in particular for the field-based exploration activities. The following is the summary of the key areas of the migration measures provided in Tables 61-6.18:

- 1. Project planning and implementation.
- 2. Implementation of the EMP.
- 3. Public and stakeholders relations.
- 4. Measures to enhance positive socioeconomic impacts.
- 5. Environmental awareness briefing and training.

- 6. Erection of supporting exploration infrastructure.
- 7. Use of existing access roads, tracks and general vehicle movements.
- 8. Mitigation measures for preventing flora destruction.
- 9. Mitigation measures for preventing faunal destruction.
- 10. Mitigation measures to be implemented with respect to the exploration camps and exploration sites.
- 11. Mitigation measures for surface and groundwater protection as well as general water usage.
- 12. Mitigation measures to minimise negative socioeconomic impacts.
- 13. Mitigation measures to minimise health and safety impacts.
- 14. Mitigation measures to minimise visual impacts.
- 15. Mitigation measures to minimise vibration, noise and air quality.
- 16. Mitigation measures for waste (solid and liquid) management.
- 17. Rehabilitation plan, and.
- 18. Environmental data collection.

Table 6.1: Project planning and implementation.

OBJECTIVES	INDICATOR	SCHEDULE	RESPONSIBILITY
Establish a strong environmental awareness protocol from project implementation to final closure in order to ensure the least possible impact to the environment.	 Resources (Human and Financial) are provided for the Environmental Awareness and Training, Regular Safety, Health and Environment meetings and for internal and external Environmental Monitoring Costs as well as for any rehabilitation costs that may arise. Appointment of a senior and experienced persons as Proponent's Representative (PR), Project Manager (PM) and Project HSE to assume responsibility for environmental issues. All individuals including sub-contractors who work on, or visit, the sites are aware of the contents of the Environmental Policy and the EMP. The EMP and Environmental Policy will be included in Tender Documents. Field visit will take place during which main access tracks will be discussed in cooperation with the land owner/s 	 Regional reconnaissance field-based mapping and sampling activities. Initial local field-based mapping and sampling activities. Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. Prefeasibility and feasibility studies. 	 (i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 6.2: Implementation of the EMP.

OBJECTIVES	INDICATOR	SCHEDULE	RESPONSIBILITY
 Define roles and responsibilities in terms of the EMP. To make all personnel, contractors and subcontractors aware of these roles and responsibilities to ensure compliance with the EMP provisions. Implement environmental management that is preventative and proactive. Establish the resources, skills, etc. required for effective environmental management. 	 Senior staff and senior contractors are aware of, and practice the EMP requirements. These persons shall be expected to know and understand the objectives of the EMP and will, by example, encourage suitable environmentally friendly behaviour to be adopted during the exploration Recognition will be given to appropriate environmentally acceptable behaviour. Inappropriate behaviour will be corrected. An explanation to why the behaviour is unacceptable must be given, and, if necessary, the person will be disciplined. e.g. fees set out for non-compliance 	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies. 	Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor

Table 6.3: Public and stakeholders relations.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
Maintain sound relationships with the Other land users/ land owner/s and another stakeholders / public	 No littering or any other activity prohibited Permission to utilise water as well as all applicable permits are obtained. 	sampling activities. 2. Initial local field-based mapping and sampling activities. 3. Detailed local field-based activities such as local geological mapping, geochemical mapping and	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 6.4: Measures to enhance positive socioeconomic impacts.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
Measures to enhance positive socioeconomic impacts in order to: 1. Avoid exacerbating the influx of unemployed people to the area. 2. Develop a standardised recruitment method for subcontractor and field workers.	 Stipulate a preference for local contractors in its tender policy. Preference to local contractors should still be based on competitive business principles and salaries and payment to local service providers should still be competitive. Develop a database of local businesses that qualify as potential service providers and invite them to the tender process. Scrutinise tender proposals to ensure that minimum wages were included in the costing. Stipulate that local residents should be employed for temporary unskilled/skilled and where possible in permanent unskilled/skilled positions as they would reinvest in the local economy. Must ensure that potential employees are from the area, they need submit proof of having lived in the area for a minimum of 5 years. Must ensure that contractors adhere to Namibian Affirmative Action, Labour and Social Security, Health and Safety laws. This could be accomplished with a contractual requirement stipulating that monthly proof should be submitted indicating payment of minimum wages to workers, against their ID numbers, payment of social security and submission of affirmative action data. Encouraged to cater for the needs of employees to increase the spending of wages locally. 	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies. 	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 6.5: Environmental awareness briefing and training.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
Implement environmental awareness briefing / training for individuals who visit, or work, on site.	 Every senior/supervisory member of the team shall familiarise themselves with the contents of the EMP. They shall understand their roles and responsibilities with regard to personnel and project compliance with the EMP. Subject to agreement of the parties, the Environmental Coordinator will hold an Environmental Awareness Briefing meeting, which shall be attended by all contractors before the start of the mineral exploration activities. Briefings on the EMP and Environmental Policy shall discuss the potential dangers to the environment of the following activities: public relations, littering, off-road driving, waste management, poaching and plant theft etc. The need to preserve soil, conserve water and implement water saving measures shall be presented. Individuals can be questioned on the Environmental Philosophy and EMP and can recall contents. 	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies. 	 (i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 6.6: Erection of supporting exploration infrastructure.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
 Get Environmental Clearance before implementation Establishment of the supporting exploration infrastructure done on an area with the least disturbance to the environment and within the non-sensitive areas 	 Documented Environmental Clearance from MET. All on site exploration infrastructure (e.g. water tanks, sewage tanks, waste disposal) are not situated on environmental sensitive area and have disturbed as less as possible. No littering. 	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies. 	 (i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 6.7: Use of existing access roads, tracks and general vehicle movements.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
 Plan a road/track network that considers the environmental sensitivity of the area and a long-term tourism potential, and which is constructed in a technically and environmentally sound manner. Stick to the recommended track and sensitivity management zones. 	 Avoid unnecessary affecting areas viewed as important habitat i.e. Ephemeral River and its network of tributaries of ephemeral rivers. rocky outcrops. clumps of protected tree species. Make use of existing tracks/roads as much as possible throughout the area. Do not drive randomly throughout the area (could cause mortalities to vertebrate fauna and unique flora. accidental fires. erosion related problems, etc.). Avoid off-road driving at night as this increase's mortalities of nocturnal species. Implement and maintain off-road track discipline with maximum speed limits (e.g.30km/h) as this would result in fewer faunal mortalities and limit dust pollution. Use of "3-point-turns" rather than "U-turns". Where tracks have to be made to potential exploration sites off the main routes, the routes should be selected causing minimal damage to the environment – e.g. use the same tracks. cross drainage lines at right angles. avoid placing tracks within drainage lines. avoid collateral damage (i.e. select routes that do not require the unnecessary removal of trees/shrubs, especially protected species). Leave vehicles on tracks and walk to point of interest, when possible. Rehabilitate all new tracks created. 	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies. 	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 6.8: Mitigation measures for preventing flora and ecosystem destruction and promotion of conservation.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
Prevent flora and ecosystem destruction and promote conservation	 Limit the development and avoid rocky outcrops throughout the entire area. Avoid development and associated infrastructure in sensitive areas – e.g. Ephemeral River, in/close to drainage lines, cliffs, boulder and rocky outcrops in the area, etc. This would minimise the negative effect on the local environment especially unique features serving as habitat to various species. Avoid placing access routes (roads and tracks) trough sensitive areas – e.g. over rocky outcrops/ridges and along drainage lines. This would minimise the effect on localised potentially sensitive habitats in the area. Avoid driving randomly through the area (i.e. "track discipline"), but rather stick to permanently placed roads/racks – especially during the construction phase. This would minimise the effect on localised potentially sensitive habitats in the area. Stick to speed limits of maximum 30km/h as this would result in less dust pollution which could affect certain flora – e.g. lichen species. Speed humps could also be used to ensure the speed limit. Remove unique and sensitive flora (e.g. all Aloe sp.) before commencing with the development activities and relocate to a less sensitive/disturbed site if possible. Prevent and discourage the collecting of firewood as dead wood has an important ecological role – especially during the development phase(s). Such collecting of firewood, especially for economic reasons, often leads to abuses – e.g. chopping down of live and/or protected tree specially with the development of access routes – as these serve as habitat for a myriad of fauna. Prevent and discourage fires – especially during the development phase(s) – as this could easily cause runaway veld fires causing problems (e.g. loss of grazing and domestic stock mortalities, etc.) for the neighbouring farmers. Rehabilitation of the disturbed areas – i.e. initial development access route "scars" and associated tracks as well	(i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies.	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 6.9: Mitigation measures for preventing faunal and ecosystem destruction and promotion of conservation.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
1. Prevent faunal and ecosystem destruction and promote conservation	 Limit the development and avoid rocky outcrops throughout the entire area. Avoid development & associated infrastructure in sensitive areas – e.g. in/close to drainage lines, cliffs, boulder and rocky outcrops in the area, etc. This would minimise the negative effect on the local environment especially unique features serving as habitat to various species. Avoid placing access routes (roads & tracks) trough sensitive areas – e.g. over rocky outcrops/ridges and along drainage lines. This would minimise the effect on localised potentially sensitive habitats in the area. Avoid driving randomly through the area (i.e. "track discipline"), but rather stick to permanently placed roads/tracks – especially during the construction phase. This would minimise the effect on localised potentially sensitive habitats in the area. Stick to speed limits of maximum 30km/h as this would result in fewer faunal road mortalities. Speed humps could also be used to ensure the speed limit. Remove (e.g. capture) unique fauna and sensitive fauna before commencing with the development activities and relocate to a less sensitive/disturbed site if possible. Prevent and discourage the setting of snares (poaching), illegal collecting of veld foods (e.g. tortoises, etc.), indiscriminate killing of perceived dangerous species (e.g. snakes, etc.) and collecting of wood as this would diminish and negatively affect the local fauna – especially during the development phase(s) Attempt to avoid the removal of bigger trees during the development phase(s) – especially with the development of access routes – as these serve as habitat for a myriad of fauna. Prevent and discourage fires – especially during the development phase(s) – as this could easily cause runaway veld fires affecting the local fauna, but also causing problems (e.g. loss of grazing & domestic stock mortalities, etc.) for the neighbouring farmers. Rehabilitati	(i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies.	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 6.10: Mitigation measures to be implemented with respect to the exploration camps and exploration sites.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
1. Promotion of conservation through preservation of flora, fauna and ecosystem around the exploration camps and exploration sites	 Select camp sites and other temporary lay over sites with care – i.e. avoid important habitats. Use portable toilets to avoid faecal pollution around camp and exploration sites. Initiate a suitable and appropriate refuse removal policy as littering could result in certain animals becoming accustomed to humans and associated activity and result in typical problem animal scenarios – e.g. baboon, black-backed jackal, etc Avoid and/or limit the use of lights during nocturnal exploration activities as this could influence and/or affect various nocturnal species – e.g. bats and owls, etc. Use focused lighting for least effect. Prevent the killing of species viewed as dangerous – e.g. various snakes – when on site. Prevent the setting of snares for ungulates (i.e. poaching) or collection of veld foods (e.g. tortoises) and unique plants (e.g. various Aloe and Lithop) or any form of illegal hunting activities. Avoid introducing dogs and cats as pets to camp sites as these can cause significant mortalities to local fauna (cats) and even stock losses (dogs). Remove and relocate slow moving vertebrate fauna (e.g. tortoises, chameleon, snakes, etc.) to suitable habitat elsewhere on property. Avoid the removal and/or damaging of protected flora potentially occurring in the general area – e.g. various Aloe, Commiphora and Lithop species. Avoid introducing ornamental plants, especially potential invasive alien species, as part of the landscaping of the camp site, etc., but rather use localised indigenous species, sould landscaping be attempted, which would also require less maintenance (e.g. water). Remove all invasive alien species on site, especially Prosopis sp., which is already becoming a major ecological problem along various water courses throughout Central Namibia. This would not only indicate environmental commitment, but actively contribute to a better landscape. <l< td=""><td>(i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies.</td><td>(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors</td></l<>	(i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies.	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 6.11: Mitigation measures for surface and groundwater protection as well as general water usage.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
1. Effective management / protection of surface and groundwater resources and general water resources usage	 Always use as little water as possible. Reduce, reuse and re-cycle water where possible. All leaking pipes / taps must be repaired immediately they are noticed. Never leave taps running. Close taps after you have finished using them. Never allow any hazardous substance to soak into the soil. Immediately tell your Contractor or Environmental Control Officer / Site Manager when you spill, or notice any hazardous substance being spilled anywhere in the solar park areas. Report to your Contractor or Environmental Control Officer / Site Manager when you notice any container, which may hold a hazardous substance, overflow, leak or drip. Immediately report to your Contractor or Environmental Control Officer / Site Manager when you notice overflowing problems or unhygienic conditions at the ablution facilities. No washing of vehicles, equipment and machinery, containers and other surfaces. Limit the operation to a specific site and avoid sensitive areas and in particular the Ephemeral River Channel. This would sacrifice the actual area for other adjacent Ephemeral River areas and thus minimise any likely negative effect on water resources. Disposal of wastewater into any public stream is prohibited. The Proponent must obtain permission of the land owners before utilising any water resources or any associated infrastructure. If there is a need to drilling a water borehole to support the exploration programme the Proponent (Proponent) must obtain permission form the land owner and Department of Water Affairs in the Ministry of Agriculture and Forestry. In an event of discovery of economic minerals resources, the sources of water supply for the mining related operations will be supplied by NamWater. If there are any further (larger scale) exploration/drilling activities and/or mining activities to follow from the initial planned drill holes, groundwater mo	(i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies.	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 6.12: Mitigation measures to minimise negative socioeconomic impacts.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
1. Effective management of socioeconomic benefits of the proposed / ongoing project activities	 The employment of local residents and local companies should be a priority. To ensure that potential employees are from the area, they need submit proof of having lived in the area for a minimum of 5 years. Providing information such as the number and types of jobs available, availability of accommodation facilities and rental costs and living expenses, could make potential job seekers wary of moving to the area. Addressing unrealistic expectations about large numbers of jobs would be created. Exploration camp if required should be established in close consultation with the land owners. Exploration camp should consider provision of basic services. When employees' contracts are terminated or not renewed, contractors should transport the employees out of the area to their hometowns within two days of their contracts coming to an end. Tender documents could stipulate that contractors have HIV/Aids workplace policies and programmes in place and proof of implementation should be submitted with invoicing. Develop strategies in coordination with local health officers and NGO's to protect the local communities, especially young girls. Contract companies could submit a code of conduct, stipulating disciplinary actions where employees are guilty of criminal activities in and around the vicinity of the EPL. Disciplinary actions should be in accordance with Namibian legislation. Contract companies could implement a no-tolerance policy regarding the use of alcohol and workers should submit to a breathalyser test upon reporting for duty daily. Request that the Roads Authority erect warning signs of heavy exploration vehicles on affected public roads. Ensure that drivers adhere to speed limits and that speed limits are strictly enforced. Ensure that vehicles are road worthy and drivers are qualified. Train drivers in potential safety issues.	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies. 	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 6.13: Mitigation measures to minimise health and safety impacts.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
Promotion of health and safe working environment in line with national Labour Laws	 Physical hazards: Follow national and international regulatory and guidelines provisions, always use of correct Personal Proactive Clothing, training programme, as well as the implementation of a fall protection program in accordance with the Labour Act. Some of the public access management measures that may be considered in an event of vandalism occurring are: All exploration equipment must be in good working condition and services accordingly. Control access to the exploration site through using gates on the access road(s) if required. The entire site, must be fenced off. the type of fencing to be used would, however, be dependent on the impact on the visual resources and/or cost. and. Notice or information boards relating to public safety hazards and emergency contact details to be put up at the gate(s) to the exploration area. There is a comprehensive First Aid Kit on site and that suitable anti-histamine for bee stings / snake bites should be available. Rubber gloves are used in case of an accident to reduce the risk of contracting HIV/AIDS. All individuals have received instructions concerning the dangers of dehydration or hyperthermia. Encourage all to drink plenty of clean water not directly from the surface water bodies. No person under the influence of alcohol or drugs is allowed to work on site. The Exploration Manager ensures compliance with the requirements of the relevant Namibian Labour, Mining and Health and Safety Regulations. Dangerous or protected / sensitive areas are clearly marked and access to these areas is controlled or restricted. Due care must be taken when driving any vehicles on any roads particularly the gravel roads. ALL Drivers must drive with their headlights switched on when travelling on the gravel roads (day and night). Persons drivin	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies. 	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 6.14: Mitigation measures to minimise visual impacts.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
	 Consider the landscape character and the visual impacts of the exploration area including camp site from all relevant viewing angles, particularly from public roads. 	(i) Regional reconnaissance field-based mapping and sampling activities.	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors
Preserve the landscape character in the development of supporting infrastructure and choice of visual screening	Use vegetation screening where applicable. Do not cut down vegetation unnecessary around the site and use it for site screening.		
9	3. Avoid the use of very high fencing.	activities such as local geological mapping,	
	 Minimise access roads and no off-road that could result in land scarring is allowed. 	geochemical mapping and sampling, trenching and drilling of closely	
	Minimise the presence of secondary structures: remove inoperative support structures.	spaced boreholes and bulk sampling. (iv) Prefeasibility and	
	 Remove all infrastructure and reclaim, or rehabilitate the project site after exploration activities are completed. 	feasibility studies.	

Table 6.15: Mitigation measures to minimise vibration, noise, and air quality.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
1. Promote of effective management of vehicle movement, drilling and blasting operations and use of Personal Protective Equipment (PPE) in mitigating air quality and vibrations impacts in line with national laws	 Limit vehicle movements and adhere to the speed of 60 km/h. Vehicles and all equipment must be properly serviced to minimise noise pollution. Use of Personal Protective Equipment (PPE) to minimise Occupational Health Safety impacts dues to noise pollution around the site. National or international acoustic design standards must be followed. Drilling and blasting operations can major sources of vibration, noise and dust and where required the following mitigation measure shall be implemented. Drilling and blasting operations shall only be done by a qualified person who must at all times adhere to the required blasting protocol. Prior warning shall be given to all persons, neighbour and visitors before the blasting takes place. Careful planning and timing of the blast program to minimise the size of the charge. Where practicable, use of explosive products with lower detonation velocities, but noting that this would require more explosives to achieve the same blast result. Use of detonating caps with built-in time delays, as this effectively reduces each detonation into a series of small explosions. Use of a procedure ("decking the charge") which subdivides the charge in one blast hole into a series of smaller explosions, with drill patterns restricted to a minimum separation from any other loaded hole. Over-drilling the holes to ensure fracturing of the rock. Staggering the detonation for each blast hole in order to spread the explosive's total overpressure over time. Matching, to the extent possible, the energy needed in the "work effort" of the borehole to the rock mass to minimise excess energy vented into the receiving environment. 	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies. 	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 6.16: Mitigation measures for waste (solid and liquid) management.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
1. Promotion of effective waste (solid and liquid) management through the adoption of sound and hierarchical approach to waste management, which would include waste minimisation, reuse, recovery, recycling, treatment, and proper disposal.	 Burial of waste on anywhere within the EPL area is not allowed and all generated solid waste must be disposed at the at an approved municipal waste disposal site. Toilet and ablution facilities must be provided on site and should not be located close to Ephemeral Rivers or visible discontinuities (fractures, joints, or faults). Provide site information on the difference between the two main types of waste, namely: General Waste. and Hazardous Waste. Sealed containers, bins, drums, or bags for the different types of wastes must be provided. Never dispose of hazardous waste in the bins or skips intended for general waste or construction rubble. All solid and liquid wastes generated from the proposed / ongoing project activities shall be reduced, reused, or recycled to the maximum extent practicable. Trash may not be burned or buried, except at approved sites under controlled conditions in accordance with the municipal regulations. Never overfill any waste container, drum, bin or bag. Inform your Contractor or the Environmental Control Officer / Site Manager if the containers, drums, bins or skips are nearly full. Never litter or throwaway any waste on the site, in the field or along any road. No illegal dumping. Littering is prohibited. Latrines and French drains built >100m from watercourses or pans to avoid pollution of primary and secondary aquifers. Chemical toilets or suitable waste water management system shall be provided on site and around the camp as may be required. 	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies. 	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
	The following rehabilitation actions are practiced:		
Contributions toward environmental preservation and sustainability through rehabilitation of disturbed areas such as exploration sites and remove all unwanted part of the fixtures and restore the sites to close an approximation of the pristine state as is technically, financially and reasonably possible.	 Small samples are preferably removed from site to avoid additional scars in the landscape. Litter from the site has been taken to the appropriate disposal site. Debris, scrap metal, etc is removed before moving to a new site or closure of the mine. Water tanks are dismantled and removed if not need for after use. Tracks on site and the access road are rehabilitated by smoothing the 'middle mannetjie' (middle ridge between the tracks) and raking the surface. The following should be undertaken at all disturbed areas that require further rehabilitation: if applicable the stockpiled subsoil to be replaced (spread) and/or the site is neatly contoured to establish effective wind supported landscape patterns. Replace the stored topsoil seed bank layer. Five (5) years after rehabilitation the sites are not visible from 500 m away. 	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies. 	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

- 76 -

Table 6.18: Environmental data collection.

	OBJECTIVES		MITIGATION MEASURES		SCHEDULE	RESPONSIBILITY
1.	Collect data that will add value to	1.	Environmental Monitoring Report Compiled and submitted by the Environmental Coordinator to the regulators			
	environmental monitoring and reporting to the regulators	2.	The following types of information should be gathered:Fauna. What tracks or signs of animal activity have been	(i)	field-based mapping and	
2.	Collect data that will add to the general scientific and geographic knowledge of the environment in		seen? (photographs and GPS recording) What animals, birds etc were identified? Alternatively provide a description and/ or photo if unidentified.	(ii	sampling activities.) Initial local field-based mapping and sampling activities.	(i) Proponent's Representative (PR) (ii) Project Manager (PM)
	which the exploration process takes place.		 Unusual weather conditions, e.g. records of the prevailing wind direction and the direction from which storm events come. Was there fog or rain, frost overnight or intense heat? 	`	 Detailed local field-based activities such as local geological mapping, 	(iii) Project HSE (iv) Contractor (v) Subcontractors
3.	Acknowledged that the required skills and knowledge to collect all the suggested data may not be available within the mine /exploration team, however, as much data as is practical should be collected.		 Preferably have a thermometer and rain gauge on site. Vegetation. Record trees, shrubs, grass, etc. that are found in the vicinity along each of the profiles. Some plants do only occur after rainfall and might not have been seen for decades. 		geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. y) Prefeasibility and	
			 Any archaeological, cultural or historical sites that may be found. GPS coordinates, photograph and plot the position on a 1: 50 000 maps. 		feasibility studies.	
			 other including surface water, spring, large scale geological features etc 			

6.4 Rehabilitation and Closure Plan

6.4.1 Rehabilitation Process

The following is the summary of key rehabilitation process to be implemented by the proponent:

Step 1: Backfilling excavated or disturbed areas:

- o Transporting all stockpiled overburden back to the excavated voids.
- Backfilling the trenches, pits and quarries using original excavated and stockpiled materials.
- o If applicable, backfill the various layers of overburden in the reverse order in which they were removed, i.e. Last out should be first in as far as possible, and.
- When backfilling, bear in mind that some space must be left for the backfilling of the soil on top of the overburden.

❖ Step 2: Remove all waste and unwanted materials:

- Once the drilling slimes ponds have dried sufficiently, scrape out the slimes and transporting back to an exploration excavated voids during the overburden backfilling stage.
- Allow the pollution control dam to evaporate completely, scrape all waste that has collected in the pond and dispose of these and the pond lining at a suitable site.
- o Bulldoze the walls of the pollution control pond over and contour.
- Collect remaining domestic waste on site and transport to an approved municipal waste disposal site.
- Clean out the oil traps, collect the waste material in drums and transport to a suitable site for disposal, and.
- o Manually remove all weedy species that are present at the site (the entire plant can easily be removed because the plants tend not to root deeply).

Step 3: Remove all structures:

- o Remove all building materials from the exploration / test mining site and either:
 - Transporting to a new site if it is to be used or stored elsewhere. or
 - Disposing at a suitable approved municipal waste disposal site. or
 - Making them available to the farmer or local persons, or,
 - Selling at an auction.
- Remove all machinery from the site and transport to a new site where it is to be used or stored or sell at an auction.
- Remove all fences that have been constructed and either make the material available to the local persons/farmer, dispose at a suitable site or sell at an auction.
- Remove the generators from the sites from site and either transport to a new site for storage or sell it to the farmer or an Auction.

- Seal all petrol, diesel, oil and grease containers and remove from the site to a storage facility or make it available to the farmer.
- o Collect all scrap metal and dispose at a suitable site or sell at an auction, and.
- Break up all concrete slabs and structures on site and transport the fragments to a suitable site for disposal.

Step 4: Rehabilitate the excavated voids:

- Replace the subsoil layer by backfilling the soil on top of the overburden and contour cap the subsoil with a topsoil layer about 10cm deep, and.
- o Cap the topsoil containing the seedbank with a layer of gravel by manually spreading the fragments across the surface using a rake.

❖ Step 5: Rehabilitate site-specific storm-water channel:

- o Remove all the site structures created.
- Dispose of the plastic/wire and use the fill material to backfill the storm-water channel.
- Cap with a layer of topsoil to a depth of about 10cm, and.
- o Cap the topsoil containing the seedbank with a gravel layer by manually spreading the fragments across the surface using a rake.

Step 6: Rehabilitate all adjacent exploration / test mining sites affected:

- o Rip the surfaces to a depth of 40 cm to 50 cm using a multi-toothed ripper and tractor.
- o Cover with a layer of topsoil to a depth of about 10 cm, and.
- o Cap the topsoil containing the seedbank with a layer of gravel by manually spreading the fragments across the surface using a rake.

Step 7: Rehabilitate all unwanted access roads created:

- o Rip the road surface to a depth of at least 50 cm using a multi-toothed ripper and tractor.
- Disk the ripped surface to break up the lumps.
- Cover with a layer of topsoil to a depth of about 10 cm, and.
- Cap the topsoil containing the seedbank with a gravel layer by manually spreading the fragments across the surface using a rake.

6.5 Monitoring of the Environmental Performance

6.5.1 Rehabilitation Evaluation and Performance Monitoring

The following is the summary of key rehabilitation evaluation and performance monitoring to be implemented by the proponent:

Monitoring: Monitoring program is instituted to ensure that the requirements of the mining site rehabilitation program are met. Rehabilitation program may be subjected to various natural or man-made forces that can hinder the progress and lead to problems or failure or

- the rehabilitation program. Regular monitoring will ensure that these factors are identified early so they may be resolved through appropriate recommendations.
- ❖ Frequency: All rehabilitated areas should be monitored over a three (3) years period from the onset of the rehabilitation procedures. The frequency of monitoring suggested above is dependent on satisfactory performance. If, however, the requirements are not being met, the frequency of monitoring can be increased. It is suggested that the monitoring be conducted once a year around September when the grasses and forbs are flowering.
- ❖ Methods: The rehabilitated areas might be monitored by the sampling randomly located 1m² quadrates. Approximately 10 quadrates per hectare (or a minimum of 3) should be sampled per plant community. The factors that will be examined in each quadrate include:
 - o Percentage basal cover.
 - Percentage aerial cover.
 - Species composition and diversity.
 - Vigor and health of plants.
 - o Presence of and evidence of fauna, and.
 - Nature of the substrate.
- ❖ Controls: To enable a comparison, control plots located within the surrounding un-mining areas should also be monitored. This will give an indication of the progress of rehabilitated areas versus the natural vegetation and will set the goals, which ultimately should be achieved. By monitoring the natural vegetation annually, it will also be possible to assess the natural changes that are taking place. These findings can then be applied to the rehabilitated areas so as to account for the changes, which may have resulted from natural events. Approximately 5 to 10 quadrates of 1m² should be sampled per community type to set the controls.
- Maintenance: Maintenance requirements may include seeding (if there is poor germination of the seedbank), fertiliser applications, correcting erosion problems, removing weeds, etc. Maintenance of the rehabilitated areas will be necessary periodically. The need for and extent of maintenance activities will be determined during the regular monitoring of the site, and.
- Qualified Personnel: The rehabilitation procedures from implementation to monitoring should be overseen by qualified personnel. Any persons involved in the rehabilitation of the mining site should be trained in the techniques involved.

6.4.2 Overall Environmental Performance Monitoring and Reporting

The monitoring of the environmental performances for the proposed / ongoing exploration project can be divided into two (2) parts and these are:

- (i) Routine / ongoing daily monitoring activities to be undertaken by the Project HSE Officer with the support of the external specialist consultants as maybe required, and.
- (ii) Preparation of annual Environmental Monitoring Report and Environmental Closure covering all activities related to the Environmental Management Plan during exploration / prospecting stages and at closure of the proposed / ongoing exploration to be undertaken by the Project HSE Officer with the support of the external specialist consultants as maybe required.

Environmental Commissioner in the Ministry of Environment and Tourism (MET), the environmental performances as part of the ongoing environmental monitoring programme. Environmental monitoring programme is part of the EMP performances assessments and will need to be compiled and submitted as determined by the Environmental Commissioner. The process of undertaking appropriate monitoring as per specific topic (such as fauna and flora) and tracking performances against the objectives and documenting all environmental activities is part of internal and external auditing to be coordinated by the Project HSE Officer.

The second part of the monitoring of the EMP performance will require a report outlining all the activities related to effectiveness of the EMP at the end of the planned mineral exploration to be undertaken by the Project HSE Officer with the support of the external specialist consultants as maybe required. The objective will be to ensure that corrective actions are reviewed and steps are taken to ensure compliance for future EIA and EMP implementation.

The report shall outline the status of the environment and any likely environmental liability after the completion of the proposed / ongoing project activities. The report shall be submitted to the Environmental Commissioner in the Ministry of Environment and Tourism and will represent the final closure and fulfilment of the conditions of the Environmental Clearance Certificate (ECC) issued by the Environmental Commissioner and the conditions of the Pro-Forma Environmental Contract signed by the Proponent, Environmental Commissioner and the Mining Commissioner.

7. CONCLUSION AND RECOMMENDATION

7.1 Conclusions

Kalapuse General Dealer CC (**the Proponent**) intends to undertake exploration activities in the Exclusive Prospecting Licence (EPL) No. 5469, with special focus on base and rare, industrial minerals and precious metals. The exploration activities to be undertaken as assessed in this environmental assessment are as follows:

- (i) Initial desktop exploration activities.
- (ii) Regional reconnaissance field-based activities.
- (iii) Initial local field-based activities including detailed mapping, sampling, and drilling operations.
- (iv) Detailed local field-based activities including detailed mapping, sampling, and drilling operations, and.
- (v) Prefeasibility and feasibility studies including possible test mining.

The overall severity of potential environmental impacts of the proposed / ongoing prospecting activities on the receiving environment (physical, biological, socioeconomic environments and ecosystem functions, services, use and non-use values or passive uses) will be of low magnitude, temporally duration, localised extent, and low probability of occurrence. Mitigation measures must be implemented as detailed in Section 6 (EMP) of this report. The Proponent must obtain permission of the land owners (surface rights holders) before exercising their subsurface rights in all the farms covered by the EPL 5469.

7.2 Recommendations

It is hereby recommended that the proposed / ongoing exploration activities be issued with an Environmental Clearance Certificate (ECC) with the following key conditions:

- (i) The Proponent shall negotiate Access Agreements with the land owners as may be applicable.
- (ii) In consultation with the land owners and where possible and if key and core conservation, tourism or archaeological resources areas are identified within the EPL area, such areas shall be excluded from the proposed minerals exploration activities.
- (iii) The Proponent shall adhere to all the provisions of the EMP and conditions of the Access Agreement to be entered between the Proponent and the land owner/s in line with all applicable national legislations and regulations.
- (iv) Before entering any private property such as private farms or communal areas, the Proponent shall give advance notices to the surface land rights holders and always obtain permission to access the land to undertake prospecting activities in any given area.
- (v) Mitigation measures shall be implemented as detailed in Section 6 (EMP) of this Scoping and EMP report, and.
- (i) Where possible, and if good quality freshwater is found during the detailed exploration borehole drilling operations, the Proponent shall support other land users in the area in terms of access to good quality freshwater resources for both human consumption, wildlife and agricultural uses as may be requested by the local community / land owner/s. With permission from the Department of Water Affairs in the Ministry of Agriculture,

Water and Land Reform (MAWLR), the abstraction of the groundwater resources shall include water levels monitoring, sampling and quality testing on a bi-annual basis, and that the affected landowner/s must have access to the results of the water monitoring analyses as part of the ongoing stakeholder disclosure requirements on shared water resources as may be applicable.

The Proponent must take all the necessary steps to implement all the recommendations of the EMP for the successful implementation and completion of the proposed / ongoing exploration programme covering the EPL 5469. Recommended actions to be implemented by the Proponent as part of the management of the likely impacts through implementations of the EMP are:

- (i) The Proponent shall obtain permission from the land owners to enter the EPL area to undertake field-based exploration / prospecting activities.
- (i) The Proponent shall implement precautionary measures / approach to environmental management. Once a viable and potential economic resource have been identified, the Proponent shall develop and implement a separate EIA and EMP inclusive of the specialist studies such as fauna and flora to be undertaken by specialist consultants as part of the feasibility study stage.
- (ii) Before detailed site-specific exploration activities such as extensive drilling operations and access routes are selected, the Project HSE Officer with the support of the external specialist consultants as maybe required, should consider the flora, fauna and archaeological sensitivity of the area and commission a field survey in advance of any site development as may be required based on the assessment undertaken.
- (iii) The Project HSE Officer shall lead, implement, and promote environmental culture through awareness raising of the workforce, contractors, and sub-contractors in the field during the whole duration of the proposed / ongoing exploration period.
- (iv) The Proponent to provide all the necessary support including human and financial resources, for the implementation of the proposed / ongoing mitigations and effective environmental management during the planned exploration activities for the EPL 5469.
- (v) Project HSE Officer with the support of the external specialist consultants as maybe required to develop a simplified environmental induction and awareness programme for all the workforce, contractors and sub-contractors.
- (vi) Where contracted service providers are likely to cause environmental impacts, these will need to be identified and contract agreements need to be developed with costing provisions for environmental liabilities.
- (vii) Implement internal and external monitoring of the actions and management strategies developed during the mineral exploration process. Final Environmental Monitoring report shall be prepared by the Project HSE Officer with the support of the external specialist consultants as maybe required to be submitted to the regulators and to mark the closure of the proposed / ongoing mineral exploration.
- (viii) Develop and implement a monitoring programme that will fit into the overall company's Environmental Management Systems (EMS) as well as for any future EIA for possible mining projects.

7.3 Summary ToR for Test Mining and Mining Stages

Once economic resources are discovered for possible mining operations, a separate field-based and site-specific Environmental Impact Assessment (EIA) and Environmental Management Plan (EMP) shall be undertaken as part of the prefeasibility and feasibility studies. The site-specific EIA and EMP shall cover the area/s identified to have potential economic minerals resources and the assessment

shall include the entire planned mine layout areas such as the pit / shaft, waste rock, tailings dump, access, office blocks, mechanical workshop, water, and energy infrastructure support areas (water, energy, and road / access).

In addition to the site-specific possible mining EIA and EMP Terms of Reference (ToR) to be developed during the prefeasibility study phase, the following field-based and site-specific specialist studies shall be undertaken in an event that economic minerals resources and discovered for possible development of a mining project within the EPL 5469 area:

- (i) Groundwater studies including modelling as may be applicable.
- (ii) Field-based flora and fauna assessments.
- (iii) Dusts, noise and sound assessments and modelling linked to engineering studies.
- (iv) Socioeconomic assessment, and.
- (v) Others as may be identified / recommended by the stakeholders/ land owners/ Environmental Commissioner or specialists during the prefeasibility and feasibility phases.

The aims and objectives of the Environmental Assessment (EA) covering Environmental Impact Assessment (EIA) and Environmental Management Plan (EMP) to be implemented as part of the feasibility study if a variable resource is discovered are:

- (i) To assess all the likely positive and negative short- and long-term impacts on the receiving environment (physical, biological, and socioeconomic environments) at local (EPL Area), regional, national (Namibia) and Global levels using appropriate assessment guidelines, methods and techniques covering the complete project lifecycle. The EIA and EMP to be undertaken shall be performed with reasonable skill, care and diligence in accordance with professional standards and practices existing at the date of performance of the assessment and that the guidelines, methods and techniques shall conform to the national regulatory requirements, process and specifications in Namibia and in particular as required by the Ministry of Mines and Energy, Ministry of Environment, Forestry and Tourism and Ministry of Agriculture, Water Affairs and Land Reform, and.
- (ii) The development of appropriate mitigation measures that will enhance the positive impacts and reduce the likely negative influences of the negative impacts identified or anticipated. Such mitigation measures shall be contained in a detailed EMP report covering the entire project lifecycle.

8. REFERENCES

1. FURTHER GENERAL READING

Department of Water Affairs and Forestry, 2001. Groundwater in Namibia: An explanation to the hydrogeological map. *MAWRD*, Windhoek, 1, 128 pp.

Geological Survey of Namibia, 1999. Regional geological map of Namibia. Ministry of Mines and Energy, Windhoek, Namibia.

Kinahan, J., 2017. Archaeological desk assessment of EPL 5439 conducted for Risk-Based Solutions by J. & J. Kinahan, Archaeologists t/a Quaternary Research Services, QRS Job 257, Windhoek, Namibia.

Miller, R.McG. 2008. The geology of Namibia. Geological Survey, Ministry of Mines and Energy, Windhoek, Vol. 3.

Miller, R. McG., 1992. Stratigraphy. *The mineral resource of Namibia, Geological Survey of Namibia, MME*, Windhoek, 1.2.1 -1.2.13.

Miller, R. McG., 1983a. The Pan – African Damara Orogen od S.W.A. / Namibia, Special Publication of the Geological Society of South Africa, **11**, 431 - 515.

Miller, R. McG., 1983b. Economic implications of plate tectonic models of the Damara Orogen, Special Publication of the Geological Society of South Africa, **11**, 115 -138.

Ministry of Environment and Tourism, 2002. Atlas of Namibia. Comp. J. Mendelsohn, A. Jarvis, T. Roberts and C. Roberts, David Phillip Publishers, Cape Town.

Müller, M.A.N. 1984. Grasses of South West Africa/Namibia. John Meinert Publishers (Pty) Ltd, Windhoek, Namibia.

Mwiya, S. 2003. Development of a knowledge-based system methodology for design of solid waste disposal sites in arid and semiarid environments. Unpublished PhD thesis, University of Portsmouth, UK, 348 pp.

Mwiya and Giles, 2004. A knowledge-based approach to Municipal Solid Waste Disposal Site Development in the Karstified Dolomitic Terrain around the town of Tsumeb in North-Central Namibia Communications, Geological Survey of Namibia, 13 (2004), 9-22, Windhoek, Namibia.

National Planning Commission (NPC) (2013). Policy Brief: Trends and Impacts of Internal Migration in Namibia. National Planning Commission: Windhoek.

National Statistic Agency (NSA) (2012). Poverty Dynamics in Namibia: A Comparative Study Using the 1993/94, 2003/04 and the 2009/2010 NHIES Surveys. National Statistics Agency: Windhoek.

National Statistics Agency (NSA) (2013). Profile of Namibia: Facts, Figures and other Fundamental Information. National Statistics Agency: Windhoek.

National Statistics Agency (NSA) (2014a). Namibia 2011 Population and Housing Census Main Report. National Statistics Agency: Windhoek.

National Statistics Agency (NSA) (2014b). 2011 Population and Housing Census: Oshikoto Regional Profile. National Statistics Agency: Windhoek.

National Statistics Agency (NSA) (2014c). Namibia 2011 Census Atlas. National Statistics Agency: Windhoek.

National Statistics Agency (NSA) (2014d). The Namibia Labour Force Survey 2013 Report. National Statistics Agency: Windhoek

National Statistics Agency (NSA) (2014e). Gross Domestic Product: First Quarter 2014. National Statistics Agency: Windhoek

Roesener, H., Schneider, G., and Petzel, V., 2004. Okahandja – Otjiwarongo –Tsumeb – Tsumeb: The Roadside Geology of Namibia, (G. Schneider ed.), Gebruder Borntraeger, Berlin, 9.19: 214 – 219.

Schneider, G.I.C. and Seeger, K.G. 1992. Copper, 2.3,118 pp. In: The Mineral Resources of Namibia, Geological Survey of Namibia, Windhoek.

Seeger, K.G. 1990. An evaluation of the groundwater resources of the Grootfontein karst area. Department of Water Affairs, Windhoek, Namibia.

Stankevica, V., 2015. Development of mining settlements in Namibia: an investigation into prospects for Rosh Pinah, Klein Aub and Tsumeb., PhD Thesis, University of Namibia, Windhoek,

Steven, N. M., 1993. A study of epigenetic mineralization in the Central Zone of the Damara Orogen, Namibia, with special reference to gold, tungsten, tin, and rare earth element. *Geological Survey of Namibia, Memoir* 16,166 pp.

Van Wyk, B. and Van Wyk, P. 1997. Field guide to trees of Southern Africa. Cape Town: Struik Publishers.

Van Oudtshoorn, F. 1999. Guide to grasses of southern Africa. Briza Publications, Pretoria, South Africa.

World Travel and Tourism Council, 2013, Travel and Tourism Economic impact 2013, Namibia, London, United Kingdom.

South African National Standards (SANS), 2005. South African National Standard, Ambient Air Quality – Limits for Common Pollutants. SANS 1929:2005. Standards South Africa, Pretoria.

2. REFERENCES AND FURTHER READING ON FAUNA AND FLORA

Alexander, G. and Marais, J. 2007. A guide to the reptiles of southern Africa. Struik Publishers, Cape Town, RSA.

Anajariyya, S., Zafar-Ul Islam, M., Ismail, K. and Boug A. 2008. Impact of plastic bags on Arabian Oryx in Mahazat As-Sayd Protected Area in central-western Saudi Arabia. *Wildlife Middle East News* 3(3): 3.

Barnard, P. 1998. Underprotected habitats. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Branch, B. 1998. Field guide to snakes and other reptiles of southern Africa. Struik Publishers, Cape Town, RSA.

Branch, B. 2008. Tortoises, terrapins and turtles of Africa. Struik Publishers, Cape Town, RSA.

Boycott, R.C. and Bourguin, O. 2000. The Southern African Tortoise Book. O Bourguin, Hilton, RSA.

Broadley, D.G. 1983. Fitzsimons' Snakes of southern Africa. Jonathan Ball and AD. Donker Publishers, Parklands, RSA.

Brown, C.J., Jarvis, A., Robertson, T. and Simmons, R. 1998. Bird diversity. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Burke, A. 2003a and b. Wild flowers of the Central Namib. Namibia Scientific Society, Windhoek.

Buys, P.J. and Buys, P.J.C. 1983. Snakes of Namibia. Gamsberg Macmillan Publishers, Windhoek, Namibia.

Carruthers, V.C. 2001. Frogs and frogging in southern Africa. Struik Publishers, Cape Town, RSA.

Channing, A. 2001. Amphibians of Central and Southern Africa. Protea Bookhouse, Pretoria, RSA.

Channing, A. and Griffin, M. 1993. An annotated checklist of the frogs of Namibia. *Madoqua* 18(2): 101-116.

Coats Palgrave, K. 1983. Trees of Southern Africa. Struik Publishers, Cape Town, RSA.

Cole, D.T. and Cole, N.A. 2005. Lithops Flowering Stones. Cactus and Co. Libri

Craven, P. 1998. Lichen diversity in Namibia. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Craven, P. (ed.). 1999. A checklist of Namibian plant species. Southern African Botanical Diversity Network Report No. 7, SABONET, Windhoek.

Crouch, N.R., Klopper, R.R., Burrows, J.E. & Burrows, S. M. 2011. Ferns of southern Africa – a comprehensive guide. Struik Nature, Cape Town, RSA.

Cunningham, P.L. 2006a. A guide to the tortoises of Namibia. Polytechnic of Namibia, Windhoek, Namibia.

Cunningham, P.L. 2006b. Vertebrate fauna of the Trekkopje area: Reptiles, Amphibians, Mammals and Birds. Unpublished Report, Enviro Dynamics Environmental Management Consultants, Windhoek.

Cunningham, P.L. 2007. Reptiles associated with the Valencia Mine area. Unpublished Report, Digby Wells Environmental Consultants, Johannesburg.

Cunningham, P.L. 2010. Vertebrate fauna and flora associated with the uranium EPL 3497 – INCA and TRS areas. Unpublished Report, Softchem, South Africa.

Cunningham, P.L. 2011. Vertebrate fauna and flora associated with the uranium EPL 3602 – Khan River – area. Unpublished Report, Risk Based Solutions, Windhoek.

Cunningham, P.L. 2013. Vertebrate fauna and flora associated with Reptile Uranium EPL's – Ongolo and Tumas. Unpublished Report, Softchem, South Africa.

Cunningham, P.L., Wassenaar, T. and Henschel, J. 2012. Notes of some aspects of the ecology of the Husab sand lizard, *Pedioplanis husabensis*, from Namibia. *African Herp News* 56: 1-11.

Curtis, B. and Barnard, P. 1998. Sites and species of biological, economic or archaeological importance. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Curtis, B. and Mannheimer, C. 2005. Tree Atlas of Namibia. National Botanical Research Institute, Windhoek, Namibia.

De Graaff, G. 1981. The rodents of southern Africa. Buterworths, RSA.

Du Preez, L. and Carruthers, V. 2009. A complete guide to the frogs of southern Africa. Struik Publishers, Cape Town, RSA.

Estes, R.D. 1995. The behavior guide to African mammals. Russel Friedman Books, Halfway House, RSA.

Giess, W. 1971. A preliminary vegetation map of South West Africa. *Dinteria* 4: 1 – 114.

Griffin, M. 1998a. Reptile diversity. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Griffin, M. 1998b. Amphibian diversity. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Griffin, M. 1998c. Mammal diversity. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Griffin, M. 2003. Annotated checklist and provisional national conservation status of Namibian reptiles. Ministry of Environment and Tourism, Windhoek.

Griffin, M. 2005. Annotated checklist and provisional national conservation status of amphibians, reptiles and mammals known, reported or expected to occur in the Valencia Uranium Mine area. Unpublished Report, Westport Resources, Windhoek.

Griffin, M. and Coetzee, C.G. 2005. Annotated checklist and provisional national conservation status of Namibian mammals. Ministry of Environment and Tourism, Windhoek.

Hebbard, S. n.d. A close-up view of the Namib and some of its fascinating reptiles. ST Promotions, Swakopmund, Namibia.

Henschel, J., Pallet, J., Parenzee, L., Makuti, O., Mutaleni, V. Seely, M. 2000. Fauna and Flora of Gobabeb with a description of the long-term trapping project. Unpublished Report, Desert Research Foundation of Namibia.

Hockey, P.A.R., Dean, W.R.J. and Ryan, P.G. 2006. Roberts Birds of Southern Africa VII Edition. John Voelcker Bird Book Fund.

IUCN, 2020. IUCN red list of threatened species. Version 2020.1, IUCN, Gland, Switzerland.

Joubert, E. and Mostert, P.M.K. 1975. Distribution patterns and status of some mammals in South West Africa. *Madoqua* 9(1): 5-44.

Kavari, R. 2007. A comparison of lizard diversity between disturbed and undisturbed areas within the gravel plains at Gobabeb. Unpublished Report, Department of Nature Conservation, Polytechnic of Namibia.

Knott, K. and Curtis, B. 2006. Aromatic resins from *Commiphora* trees. Roan News Special Anniversary Edition 2006: 22-24.

Komen, L. n.d. The Owls of Namibia – Identification and General Information. NARREC, Windhoek.

Loots, S. 2005. Red Data Book of Namibian Plants. NBRI, Windhoek.

Maclean, G.L. 1985. Robert's birds of southern Africa. John Voelcker Bird Book Fund.

Maggs, G. 1998. Plant diversity in Namibia. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Mannheimer, C. and Curtis, B. (eds) 2009. Le Roux and Müller's field guide to the trees and shrubs of Namibia. Macmillan Education Namibia, Windhoek.

Mannheimer, C. and Curtis, B. (eds) 2018. Le Roux and Müller's field guide to the trees and shrubs of Namibia. Macmillan Education Namibia, Windhoek.

Marais, J. 1992. A complete guide to the snakes of southern Africa. Southern Book Publishers, Witwatersrand University Press, Johannesburg, RSA.

Monadjem, A., Taylor, P.J., F.P.D. Cotterill and M.C. Schoeman. 2010. Bats of southern and central Africa. Wits University press, Johannesburg, RSA.

Müller, M.A.N. 1984. Grasses of South West Africa/Namibia. John Meinert Publishers (Pty) Ltd, Windhoek, Namibia.

Müller, M.A.N. 2007. Grasses of Namibia. John Meinert Publishers (Pty) Ltd, Windhoek, Namibia.

NACSO, 2010. Namibia's communal conservancies: a review of progress and challenges in 2009. NACSO, Windhoek.

Passmore, N.I. and Carruthers, V.C. 1995. South African Frogs - A complete guide. Southern Book Publishers, Witwatersrand University Press, Johannesburg, RSA.

Rothmann, S. 2004. Aloes, aristocrats of Namibian flora. ST promotions, Swakopmund.

SARDB, 2004. CBSG Southern Africa. In: Griffin, M. 2005. Annotated checklist and provisional national conservation status of Namibian mammals. Ministry of Environment and Tourism, Windhoek.

Schultz, M. and Rambold, G. 2007. Diversity shifts and ecology of soil lichens in central Namibia. Talk, Ecological Society of Germany, Austria and Switzerland (GfÖ), 37th Annual Meeting, Marburg: 12/9/2007 to 15/9/2007.

Schultz, M., Zedda, L. and Rambold, G. 2009. New records of lichen taxa from Namibia and South Africa. Bibliotheca Lichenologica 99: 315-354.

Simmons, R.E. 1998a. Important Bird Areas (IBA's) in Namibia. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Simmons, R.E. 1998b. Areas of high species endemism. In: Barnard, P. (ed.). Biological diversity in Namibia: a country study. Windhoek: Namibian National Biodiversity Task Force.

Simmons R.E., Brown, C.J. and Kemper, J. 2015. Birds to watch in Namibia: red, rare and endemic species. Ministry of Environment and Tourism and Namibia Nature Foundation, Windhoek, Namibia.

Skinner, J.D. and Smithers, R.H.N. 1990. The mammals of the southern African subregion. University of Pretoria, RSA.

Skinner, J.D. and Chimimba, C.T. 2005. The mammals of the southern African subregion. Cambridge University Press, Cape Town, RSA.

Stander, P. and Hanssen, L. 2003. Namibia large carnivore atlas. Unpublished Report, Ministry of Environment and Tourism, Windhoek.

Tarboton, W. 2001. A guide to the nests and eggs of southern African birds. Struik Publishers, Cape Town, RSA.

Tolley, K. and Burger, M. 2007. Chameleons of southern Africa. Struik Nature, Cape Town, RSA.

Van Oudtshoorn, F. 1999. Guide to grasses of southern Africa. Briza Publications, South Africa.

Van Wyk, B. and Van Wyk, P. 1997. Field guide to trees of Southern Africa. Cape Town: Struik Publishers.