Rainmen Investments (Pty) Ltd (the Proponent)

Environmental Impact Management Plan (EMP) to support the Application for Environmental Clearance Certificate (ECC) for the Proposed Exploration Activities in the Exclusive Prospecting License (EPL) No. 7875, Rehoboth District, Hardap Region



P. O Box 26826 6 Amasoniet Street WINDHOEK, NAMIBIA

PROPONENT, LISTED ACTIVITIES AND RELATED INFORMATION SUMMARY

Proponent

Rainmen Investments (Pty) Ltd

Type of Authorisation Requiring Environmental Clearance Certificate (ECC)

Exploration / Prospecting activities under the Exclusive Prospecting License (EPL) No. 7875

Competent Authority

Ministry of Mines and Energy (MME)

Project Title / Subject on the ECC

Proposed Minerals Exploration / Prospecting activities in the Exclusive Prospecting License (EPL) No. 7875, Rehoboth District, Hardap Region

Location of the Project Area

Rehoboth District, Hardap Region (-23.621389, 17.174444)

Environmental Regulator and National Regulatory Framework

Ministry of Environment, Forestry and Tourism (MEFT), Environmental Management Act, (EMA), 2007, (Act No. 7 of 2007) and Environmental Impact Assessment (EIA) Regulations No. 30 of 2012

Address of the Proponent and Contact Person

P. O Box 26826 6 Amasoniet Street WINDHOEK, NAMIBIA

Contact Person:

Ms Ming Shi- General Manager Tel: +264 -61-402036 **Email**:maggieming2012@hotmail.com

Permitting / De-Risking Advisors / Environmental Consultants

Risk-Based Solutions (RBS) CC 10 Schützen Street, Erf No. 7382, Sivieda House Windhoek Central Business District (CBD), P. O. Box 1839, **WINDHOEK, NAMIBIA**

Tel: +264-61-306058 / 224780 / 236598, Fax: +264-61-245001 Email: smwiya@rbs.com.na, Global Office / URL: www.rbs.com.na

Environmental Assessment Practitioner (EAP)

Environmental Assessment Practitioner (EAP)
Dr Sindila Mwiya
(PhD, PG Cert, MPhil, BEng (Hons), Pr Eng)

Contents List

N	ON-TE	CHNICAL SUMMARY	١	/
1.	BAC	CKGROUND	- 1	-
	1.1	INTRODUCTION	- 1	_
	1.2	PROPOSED SCOPE OF WORK		
	1.3	REGULATORY REQUIREMENTS		
	1.4	LOCATION, LAND USE, INFRASTRUCTURE AND SERVICES		
	1.4.1	$^{\prime}$		
	1.4.2			
	1.4.3			
	1.5	SUMMARY OF THE RECEIVING ENVIRONMENT		
	1.5.1	Climate	- 3	-
	1.5.2	? Topography	- 5	-
	1.5.3	,		
	1.5.4			
	1.5.5			
	1.5.6			
	1.5.7	7 Archaeology, Historical and Cultural Resources	10	-
2.	OBJ	ECTIVES OF THE EMP	12	_
	2.1	SUMMARY OBJECTIVES		
	2.2	EMP MANAGEMENT LINKAGES		
	2.3	SUMMARY OF IMPACT ASSESSMENT RESULTS		
	2.3.1			
	2.3.2			
	2.4	IMPLEMENTATION OF THE EMP		
	2.4.1			
	2.4.2			
	2.4.3			
	2.4.4		26	-
3.	EME	MITIGATION MEASURES 2	27	_
٠.				
	3.1 3.2	HIERARCHY OF MITIGATION MEASURES IMPLEMENTATION MITIGATION MEASURES IMPLEMENTATION		
	_			
4.	REH	IABILITATION COMMITMENTS	44	-
	4.1	REHABILITATION PROCESS	44	-
	4.2	MONITORING OF THE ENVIRONMENTAL PERFORMANCE	45	-
	4.2.1			
	4.2.2	Properties Overall Environmental Performance Monitoring and Reporting	46	-
5.	CON	ICLUSION AND RECOMMENDATION	48	-
	5.1	CONCLUSIONS	48	_
	5.2	RECOMMENDATIONS		
	5.3	SUMMARY TOR FOR TEST MINING AND MINING STAGES		

List of Figures

Figure 1.1:	Regional location of the EPL No 7875 Area.	
Figure 1.2:	Regional location of the EPL No 7875 Area	2 -
Figure 1.3:	Detailed regional location of the EPL 7875 showing all the corner coordinates	- 3 -
Figure 1.4:	Commercial / communal farmland covered by the EPL 7875 and related	0
1 19410 1111	supporting infrastructure networks.	4 -
Figure 1.5:	General topographic settings around the EPL 7875 area	
Figure 1.6:	Overview of the local land use and ownership.	7 -
Figure 1.7:	General overview of the vegetation map of the EPL area	8 -
Figure 1.8:	General geology of the EPL 7875 area	9 -
Figure 1.9:	Surface and groundwater systems around the EPL 7875 area	11 -
Figure 2.1:	RBS Schematic presentation of Namibia's Environmental Assessment	
	Procedure	13 -
	List of Tables	
Table 2.1:	Summary of the proposed activities, alternatives and key issues considered	
	during the Environmental Assessment (EA) process covering Scoping, EIA and EMP Processes.	1.1
Table 2.2:	Results of the sensitivity assessment of the receptors (Physical,	14-
Table 2.2.	Socioeconomic and Biological environments) with respect to the proposed	
	exploration / prospecting activities.	- 15 -
Table 2.3:	Results of the scored time period (duration) over which the impact is expected	. 15
1 4510 2.0.	to last	17 -
Table 2.4:	Results of the scored geographical extent of the induced change	
Table 2.5:	Results of the qualitative scale of probability occurrence.	
Table 2.6:	Significant impact assessment matrix for the proposed exploration activities	
Table 3.1:	Project planning and implementation.	
Table 3.2:	Implementation of the EMP	29 -
Table 3.3:	Public and stakeholders relations	30 -
Table 3.4:	Measures to enhance positive socioeconomic impacts	
Table 3.5:	Environmental awareness briefing and training	31 -
Table 3.6:	Creation of supporting exploration infrastructure	31 -
Table 3.7:	Use of existing access roads, tracks and general vehicle movements	32 -
Table 3.8:	Mitigation measures for preventing flora and ecosystem destruction and	
	promotion of conservation	33 -
Table 3.9:	Mitigation measures for preventing faunal and ecosystem destruction and	
	promotion of conservation	34 -
Table 3.10:	Mitigation measures to be implemented with respect to the exploration camps and exploration sites.	35 -
Table 3.11:	Mitigation measures for surface and groundwater protection as well as general	
	water usage	36 -
Table 3.12:	Mitigation measures to minimise negative socioeconomic impacts.	
Table 3.13:	Mitigation measures to minimise health and safety impacts	
Table 3.14:	Mitigation measures to minimise visual impacts	39 -
Table 3.15:	Mitigation measures to minimise vibration, noise and air quality.	
Table 3.16:	Mitigation measures for waste (solid and liquid) management	41 -
Table 3.17:	Rehabilitation plan.	
Table 3.18:	Environmental data collection.	43 -

NON-TECHNICAL SUMMARY

1. Background

Rainmen Investments (Pty) Ltd (the "**Proponent**") has applied for mineral rights under the Exclusive Prospecting License (EPL) No. 7875 with respect to Base and Rare Metals, Industrial Minerals, and Precious Metals groups (http://portals.flexicadastre.com/Namibia). The license was granted on the 04/08/2020 and will expire on the 03/08/2023.

The EPL 7875 falls within the Rehoboth District, in the Hardap Region. The EPL 7875 has a total area of 19436.8054 Ha and covers the following commercial privately owned farmlands: Awasab No. 333, Nakaeis Nos. 373/2/3 and REM, Naris No. 375 REM, Kojeka Nos. 376/1/2 and REM, Alwynkoppies Nos. 377/1 and REM, Olifantsvloer No. 453/2, Tsumis No. 576 REM, Farm No. 581, Koichas Suid No. 671, Januariesrus No. 672, Farm No. 673, Niemandsdal No. 678, Alwynkoppies No. 686, Diergaards Aub Oos No. 797 and, Nooitgedog No. 898.

The Proponent intends undertake exploration activities covering desktop studies, followed by site-specific activities on targets that may be delineated and using exploration techniques/ methods such as geophysical surveys, geological mapping, trenching, drilling and bulk sampling for laboratory testing.

The proposed exploration activities are listed in the Environmental Impact Assessment (EIA) Regulations, 2012 and the Environmental Management Act, 2007, (Act No. 7 of 2007) and cannot be undertaken without an Environmental Clearance Certificate (ECC). This Environmental Management Plan (EMP) report has been prepared by Risk-Based Solutions (RBS) CC to support the application for ECC for the proposed exploration activities. The preparation of this EMP Reports is based on the outcomes of the Environmental Impact Assessment (EIA)

The environmental impacts that the proposed exploration activities and associated infrastructures and facilities will have on the receiving environment (physical, biological and socioeconomic) will depend on the extent of the proposed activities over the development area, management of the area and how the mitigations as detailed in this EMP report are eventually implemented by the Proponent.

2. Summary of the Proposed Mitigation Measures

Avoiding sensitive habitats such as Ephemeral River channels, rock heads and mountainous terrains as well as track discipline (including not killing/poaching of fauna and unnecessarily cutting down of trees) must be adhered to and/or enforced at all times. Mitigation measures shall be implemented as detailed in this EMP report and includes the following:

- 1. Project planning and implementation.
- 2. Implementation of the EMP.
- 3. Public and stakeholders relations.
- 4. Measures to enhance positive socioeconomic impacts.
- 5. Environmental awareness briefing and training.
- 6. Erection of supporting exploration infrastructure.
- 7. Use of existing access roads, tracks and general vehicle movements.
- 8. Mitigation measures for preventing flora destruction.
- 9. Mitigation measures for preventing faunal destruction.
- 10. Mitigation measures to be implemented with respect to the exploration camps and exploration sites.

- 11. Mitigation measures for surface and groundwater protection as well as general water usage.
- 12. Mitigation measures to minimise negative socioeconomic impacts.
- 13. Mitigation measures to minimise health and safety impacts.
- 14. Mitigation measures to minimise visual impacts.
- 15. Mitigation measures to minimise vibration, noise and air quality.
- 16. Mitigation measures for waste (solid and liquid) management.
- 17. Rehabilitation plan, and.
- 18. Environmental data collection.

3. Conclusions and Recommendations of the EMP

Based on the findings of the EIA and the mitigation measures provided in this EMP Report, it is hereby recommended that the proposed exploration activities be issued with an Environmental Clearance Certificate (ECC). The following is the summary of the key conditions that shall be implemented by the Proponent for the proposed project activities:

- (i) The Proponent will undertake to implement the conditions of the Access Agreements to be concluded with the owners of the land as may be required to support the proposed exploration activities.
- (ii) The proponent shall implement and adhere to all the provisions of this EMP report.
- (iii) Mitigation measures shall be implemented as detailed in this EMP report.
- (iv) Rehabilitation must be always undertaken in consultation with the land owners.
- (v) The Proponent shall adhere to all the applicable national regulations and standards as well as Good International Industry Practice (GIIP) that defines leading industry best practices as provided for in the Equator Principles and International Finance Corporation (IFC) environmental management guidelines and frameworks, and.
- (vi) The Proponent shall adopt the precautionary approach / principles in instances where baseline information, national or international guidelines or mitigation measures have not been provided or do not sufficiently address the site-specific project impact.

The following are the recommended actions (roles and responsibility) to be implemented by the Proponent as a part of the management of the impacts through implementations of this EMP Report:

- (i) Appoint an Environmental Control Officer to lead and further develop, implement and promote environmental culture through awareness raising of the workforce, contractors and sub-contractors in the field during the whole duration of the proposed project.
- (ii) Provide with other support, human and financial resources, for the implementation of the proposed mitigations, rehabilitation plans and effective environmental management during the planned mine project life cycle.
- (iii) Develop a simplified environmental induction and awareness programme for all the workforce, contractors and sub-contractors.

- (iv) Where contracted service providers are likely to cause environmental impacts, these will need to identified and contract agreements need to be developed with costing provisions for environmental liabilities.
- (v) Implement internal and external monitoring of the actions and management strategies developed during the project duration and a final Environmental Monitoring report to be prepared by the Environmental Control Officer and to be submitted to the regulators, and.
- (vi) Develop and implement a monitoring programme that will fit into the overall company's Environmental Management Systems (EMS) as well as for any future EIA related to the expansion of the current delineated resources or development of completely new mine site within the EPL area.

All the responsibilities to ensure that the recommendations and provisions of this EMP Report are executed accordingly, rest with the Proponent. The Proponent shall provide all appropriate resource requirements for the implementation of this EMP as well as an independently managed (not directly controlled by the Proponent) funding instrument for rehabilitation and associated environmental liabilities.

It is the responsibility of the Proponent to make sure that all members of the workforce including contractors and subcontractors are aware of the provisions of this EMP and its objectives. It is hereby recommended that the Proponent take all the necessary steps to implement all the recommendations of this EMP for the successful execution of the proposed exploration programme.

All the liabilities for environmental damage or damage to any existing public or private property or infrastructure rests with the Proponent.

1. BACKGROUND

1.1 Introduction

Rainmen Investments (Pty) Ltd, the Proponent, holds mineral rights under Exclusive Prospecting License (EPL) No. 7875. The following is the summary of the EPL 7875 (Annexes 1 and 2):

- ❖ Type of License: Exclusive Prospecting License (EPL) No. 7875 covering subsurface rights.
- Authorised Activities: Prospecting / explorations for subsurface solid state minerals resources.
- ❖ EPL Holder and Proponent: Rainmen Investments (Pty) Ltd.
- ❖ EPL Status: Granted on the 04/08/2020 and will expire on the 03/08/2023.
- ❖ Commodities: Base and rare metals, industrial minerals, and precious metals groups, and.
- **❖ Size of the EPL:** 19436.8054 Ha.

The Proponent intends to conduct prospecting activities and looking specifically at greenfield areas, historically not known to have minerals potential or no detailed exploration has taken place in some these areas.

1.2 Proposed Scope of Work

Under an EPL 7875 regime, the Proponent is only authorised by the Ministry of Mines and Energy to conduct prospecting, not mining. Mining is undertaken under a separate authorisation called a Mining License (ML) which is only granted if an applicant has discovered and proved that the discovered minerals deposit is viable and can be developed into a profitable mine.

The following is the summary of the proposed minerals exploration activities:

- (i) Initial desktop exploration activities covering the review of existing information and all previous prospecting activities undertaken in the general area in order identify any potential target/s. This initial stage will also include the purchase and interpretation of the existing Government high resolution airborne geophysical data sets. No field-based visit or activities undertaken at this stage.
- (ii) Regional reconnaissance assessment covering field-based activities such as reginal mapping and sampling to identify and verify potential targeted areas as delineated during the desktop stage (i) above. This stage is only undertaken if stage (i) has found some potential targets needing further investigation / verification. Alternatively, the licence is abandoned if no potential target is found.
- (iii) Initial local field-based activities such as widely spaced geological mapping, sampling, surveying and possible widely spaced trenching and drilling to test the viability of any delineated local target based on the regional data collected under (ii) above. The level or depth of investigation undertaken at this stage is subject to finding a viable / potential minerals deposit that need to be defined. Alternatively, the licence is abandoned if the identified target/s proves not variable, and.
- (iv) Detailed local field-based activities such as localised site-specific detailed geological mapping, trenching, bulk sampling, surveying, and detailed drilling to determine the feasibility of the delineated local targets. If the detailed exploration activities lead to positive results, the exploration data collected will then be put together into a prefeasibility report and if the prefeasibility results prove positive, a detailed feasibility study supported by detailed site-specific drilling, bulk sampling and laboratory testing will be undertaken on the identified site-specific area. A positive feasibility study will be required to support the application for a Mining License (ML) together with a new site-specific Environmental Impact Assessment (EIA) and

Environmental Management Plan (EMP) with specialist site-specific studies such as flora, fauna, socioeconomic, water, traffic, dust, and noise modelling and archaeology being undertaken to support the application for the new ECC for mining and minerals process operations (opening a mine).

Currently, there no minerals deposits or target known to exist within the EPL 7875 area and the Proponent intend to conduct prospecting activities as part of the search for economic minerals deposits based on the testing of the developed theoretical geological and minerals depositional models. There is no guarantee whatsoever that the proposed prospecting activities will find economic minerals resources that could led to the development of a mine. To find the targets, the company will buy airborne geophysical data (magnetics and radiometric) held by the Ministry of Mines and Energy, and the data will be processed and using this information, the Proponent will look for possible targets. The targets will then be visited to see how the surface looks like if possible collect surface samples (Geochemical sampling) followed by further field-based assessments such as geological mapping to validating the airborne-based data delineated targets.

1.3 Regulatory Requirements

The proposed prospecting activities are listed in the Environmental Management Act, 2007, (Act No. 7 of 2007) and the EIA Regulations, 2012 and cannot be undertaken without an Environmental Clearance Certificate (ECC). The Proponent is required to have undertaken Environmental Assessment comprising this Environmental Impact Assessment (EIA) and Environmental Management Plan (EMP) reports for the proposed minerals prospecting activities.

In fulfilment of the environmental requirements, the Proponent appointed Risk-Based Solutions (RBS) CC as the Environmental Consultants led by Dr Sindila Mwiya as the Environmental Assessment Practitioner in the preparation of the EIA and EMP Reports in order to support the application for ECC.

1.4 Location, Land Use, Infrastructure and Services

1.4.1 Location and Land Use

The EPL 7875 is in the Rehoboth District, Hardap Region (Figs. 1.1-1.3). The EPL 7875 has a total area of 19436.8054 Ha and covers the following commercial privately owned farmlands (Fig. 1.4): Awasab No. 333, Nakaeis Nos. 373/2/3 and REM, Naris No. 375 REM, Kojeka Nos. 376/1/2 and REM, Alwynkoppies Nos. 377/1 and REM, Olifantsvloer No. 453/2, Tsumis No. 576 REM, Farm No. 581, Koichas Suid No. 671, Januariesrus No. 672, Farm No. 673, Niemandsdal No. 678, Alwynkoppies No. 686, Diergaards Aub Oos No. 797, and, Nooitgedog No. 898.

1.4.2 Land Access

Before any site visit, permission will be requested from the land owner/s and an access agreement could be negotiated with the land owner/s if the Proponent want to continue with further field-based activities such as detailed mapping, trenching or drilling activities as may be required.

It is the responsibility of the Proponent to negotiate access agreements with the land owners and to make sure that all security measures to protect the farmland and interests of the land owner/s are always observed and as may be agreed with the individual land owners.

1.4.3 Supporting Infrastructure and Services

The EPL area is accessible along the B1 Road from Rehoboth to Mariental via Kalkrand and the minor road D1262 that comes off the B1 (Figs. 1.2 -1.4). Within the EPL 7875 area, a network of local tracks and private farm roads linked to the B1 and, D1262 gravel roads may be used to access the EPL area.

Private minor roads may require high clearance 4 x 4 vehicles and may only be used with permission from the land owners (Fig. 1.4).

The following supporting infrastructures and services will be required if detailed field-based studies such as geological mapping, trenching, or drilling need to be conducted following the delineation of potential targets requiring field verifications and / or investigations:

- (i) External and internal roads network: The Proponent will use the already existing external and internal road networks during the exploration phase.
- (ii) Water supply: Raw water will be sourced from local groundwater resources. The Proponent will utilise the existing boreholes with permission from the land owners. The exploration activities such as drilling operations will require limited water resources which could also be supplied by a tanker truck.
- (iii) Energy: The proposed exploration operations will use diesels and solar energy as may be required for exploration equipment and lighting, respectively, and.
- (iv) Accommodation and other supporting facilities and services: The exploration team will utilise the exiting accommodation facilities and services in the area. In absence of such facilities and services, the Proponent will provide onsite camping accommodation and supporting portable infrastructures such as chemical toilets as well as other requirements as may be applicable. The establishment of an exploration camp will only be done with the permission of the land owner.

If, required, field-based exploration activities will only be conducted once an Access Agreement has been concluded with the affected land owner/s.

1.5 Summary of the Receiving Environment

1.5.1 Climate

The EPL area receives summer rainfall which is brought by northeast winds, generally from October to April. The average rainfall varies considerably and ranges between 380 mm and 450 mm. The mean annual gross evaporation is between 3000 mm - 3200 mm.

The numbers of rainfall events expressed as an annual average in days as determined from the regional data is 10-30 days. The sun shines for an annual average of 10 hours a day.

The annual mean temperature for Otjiwarongo area is around 24°C with the mean monthly temperatures ranging between 23°C to 14°C throughout the year. Based on regional data sets, temperatures at 08h00, 14h00 and 20h00 are estimated to be around 14°C, 24°C and 18°C respectively.

Seasonal variations in the wind fields are presented by the average wind data for January, April, July and October. An increase in the north to north-easterly winds during summer (January) and autumn (April) is likely.




Figure 1.1: Regional location of the EPL No 7875 Area.





Figure 1.2: Regional location of the EPL No 7875 Area.



Detailed regional location of the EPL 7875 showing all the corner coordinates (Source: MME, 2022). Figure 1.3:

- 3 -




Figure 1.4: Commercial / communal farmland covered by the EPL 7875 and related supporting infrastructure networks.

- 4 -

1.5.2 Topography

The general topography is very rugged and comprises topographic high areas characterised by dendritic ephemeral rivers network linked to the local major Ephemeral Rivers. Ephemeral Rivers are key habitats and are a vital link to the local ecosystems.

Topography around the EPL area average around 1350 mams to 1400mams (Fig. 1.5). Other land use activities found in the general surrounding areas includes: agriculture, minerals exploration and growing tourism activities (Fig. 1.6).

1.5.3 Habitats and Ecosystem

It is estimated that at least 77 reptile, 9 amphibian, 73 mammal and 209 bird species (breeding residents) are known to or expected to occur in the general area of which a high proportion are endemics. The EPL area falls within the greater Kalahari Biome characterised by Acacia woodlands and classified by Giess (1971) as Mixed Tree & Shrub Savannah (Southern Kalahari). The local vegetation cover comprises Nama-Karoo and Acacia Hereroensis (Fig. 1.7).

All developments have potential negative environmental consequences, identifying the most important faunal and flora species including high risk habitats beforehand, coupled with environmentally acceptable mitigating factors, lessens the overall impact of such development. The following is the summary of the key habitats that have been identified:

- ❖ Hills / topographically high areas: Rocky areas generally have high biodiversity and consequently viewed as important habitat for all vertebrate fauna and flora.
- ❖ Ephemeral drainage lines: The various ephemeral drainage lines are important habitat to larger trees, especially Acacia erioloba (protected), Euclea pseudebenus (protected), Faidherbia albida (protected) and Ziziphus mucronata (protected), and.
- ❖ Plains / Topographically low area: Topographically low areas are also important habitats with Acacia erioloba, Albizia anthelmintica and Boscia albitrunca being found in these areas.


There are various anthropomorphic activities throughout the general EPL area such as existing roads and tracks, land infrastructure and previous excavations activities, etc., and the proposed mineral exploration would have a limited footprint and not be expected to affect the whole EPL area and associated unique amphibians, mammals, reptiles, and flora species negatively. The implementation and monitoring of the mitigation measures as detailed in the EMP Report is likely to lessen the extent of the likely negative impacts.

1.5.4 Geology

Locally, Sinclair intrusive rocks are found within the proposed EPL Area with much of the eastern part of the EPL area covered by extensive Kalahari Group (Fig. 1.8). The Kalahari Group is a stratigraphic group consists of a fairy monotonous sequence of red sandstone which ranges in thickness from less than 50 metres to greater than 275 metres. The thickest development occurs within a broad NE – SW trending pre-Kalahari valley.

The base of the Kalahari Group is locally marked by a conglomeratic zone consisting of angular blocks sandstone, siltstone or dolerite in a red sandstone matrix. The Kalahari-Karoo contact is usually well defined except where the underlying Karoo rock is weathered sandstone.

Loose Kalahari Desert Sands forming longitudinal dune belt which are vegetated in some place dominate the eastern landscape of the EPL area. Calcretes and gravel with silty-clays sands can be found in topographically low laying areas.



Fig<u>ure 1.5: General topographic settings around the EPL 7875 area.</u>

Rainmen Investments EPL No. 7875 - 6 - Final EN Figure 1.5:




Figure 1.6: Overview of the local land use and ownership.




Figure 1.7: General overview of the vegetation map of the EPL area.




Figure 1.8: General geology of the EPL 7875 area.

1.5.5 Water

According to the Department of Water Affairs and Forestry, (2001) and the regional and local geology, the EPL 7875 falls within an area with very limited economic groundwater water resources (aquifers) (Fig. 1.9). Water supply in the general area is from local groundwater resources (Department of Water If there is a need to drilling a water borehole to support the proposed exploration programme, the Proponent must obtain permission from the land owner and Department of Water Affairs in the MAWLR.

In an event of discovery of economic minerals resources, the sources of water supply for the mining related operations will be supplied from groundwater resources if proven to be available following a detailed hydrogeological and groundwater modelling study that must be undertaken as part of the EIA supporting the feasibility study.

Affairs, 2001). The proposed project activities (exploration programme) will utilise local groundwater resources. No site-specific hydrogeological specialist study, groundwater modelling or water sampling and testing activities have been undertaken for this study.

1.5.6 Socioeconomic

The Hardap Region comprises the following Constituencies: Aranos, Daweb, Gibeon, Mariental Rural, Mariental Urban, Rehoboth Rural, Rehoboth Urban East and Rehoboth Urban West. The EPL 7875 falls within the Rehoboth Rural Constituency.

Rehoboth Rural constituency had a population of 7,288 in last census undertaken way back in 2011, down from 7,524 compared the census of 2001. Among the settlements in Rehoboth Rural are Klein Aub, Khauxas, and Schlip. As of 2020, the constituency had 4,701 registered voters.

The development of this project will have very limited socioeconomic contributions to the local area or the Hardap Region. There will be no employment created during the exploration phase. However, if there is a discovery of economic minerals resources that could led to the development of a viable mining project in area this could create limited job opportunities and bring added local benefits and contribute to the national economy through taxes, royalty, and direct investment.

1.5.7 Archaeology, Historical and Cultural Resources

The EPL area falls within a mixture of granitic and surficial (calcrete and sand) terrain areas. The granitic or hard rock terrains has the potential to preserve archaeological remains that could be linked to early human settlements in the area.

The central and eastern half of the EPL 7875 area is likely to holds sensitive archaeological sites that may be directly impacted by the proposed exploration activities in the event that archaeological field survey is not carried out.

In the unlikely event that heritage traces are exposed during field-based exploration activities, the expected nature of impact would be in the form of direct physical disturbance or destruction.

The following is the summary of the recommended actions to be implemented by the Proponent:

- (i) Contractors working on the site should be made aware that under the National Heritage Act any items protected under the definition of heritage found in the course of development should be reported to the National Heritage Council.
- (ii) The provisions of the EMP must be implemented and always monitored to protected potential archaeological sites that may occur in the local area, and.
- (iii) Detailed field survey should be carried out when the Proponent / licence holder has identified specific targets for detailed exploration such trenching or drilling, or before any form of site-specific invasive exploration activities commences.




Figure 1.9: Surface and groundwater systems around the EPL 7875 area.

2. OBJECTIVES OF THE EMP

2.1 Summary Objectives

This EMP provides a detailed plan of actions required in the implementation of the mitigation measures for minimising and maximising the identified negative and positive impacts respectively. The EMP also provides the management actions with roles and responsibilities requirements for the successful implementation of environmental management strategies by Proponent.

2.2 EMP Management Linkages

The mitigation measures described in this EMP report are based on the impacts assessment results detailed in the EIA Report. The EMP must be continuously updated during the implementation of the proposed project activities and throughout the project lifecycle. This EMP Reports incorporates the provisions of the Namibian Environmental regulations and policies as well as international environmental best practices in mining development, operational, rehabilitation, closure and aftercare activities.

2.3 Summary of Impact Assessment Results

2.3.1 Summary of Impacts Assessment Methodology

The EIA and EMP process used for this project took into considerations the provisions of the Environmental Impact Assessment (EIA) Regulations, 2012 and the Environmental Management Act (EMA), 2007, (Act No. 7 of 2007) as outlined in Fig. 2.1.

The Proponent intends undertake exploration activities covering desktop studies, followed by site-specific activities on targets that may be delineated and using exploration techniques/ methods such as geophysical surveys, geological mapping, trenching, drilling, bulk sampling and test mining. The detailed outline of all the activities associated with each of the exploration stages as sources of potential environmental impacts are outlined in Table 2.1. The impact assessment methodology adopted a two-dimensional matrix approach in predicting the potential impacts of the proposed project on the receiving environment. The two-dimensional matrix consisted of the following cross-referencing (Tables 2.2 and 2.3):

- The activities linked to the project that could have an impact on the receiving environment, and.
- The existing environmental and social conditions that could possibly be affected by the project.

The impact assessment considerations included land disturbance/land use impacts. potential impacts to specially designated areas. impacts to soil, water and air resources. impacts to vegetation, wildlife, wildlife habitat, and sensitive species. visual, cultural, paleontological, socioeconomic and potential impacts from hazardous materials are provided in the EIA Report.

2.3.2 Summary of Impact Assessment Results

In order to determine the likely environmental impacts as well as the overall significant impacts of individual sources associated with the proposed exploration activities within the EPL area (Table 2.1), an impact identification and assessment process was undertaken as detailed in this report. Details of the impact assessment results, definitions, methodology as well as the baseline \ receiving environment are provided in the EIA Report.

As detailed in the EIA Report, the significant impact identification and assessment processes focused on the evaluation of the influences of the proposed project activities pathways and the likely targets or receptor (receiving environment). In this process, components of the project activities that are likely to impact the natural environment (physical, biological and socioeconomic) were broken down into individual development stages and activities.

The summary of the overall impact and significant impact assessment results as detailed in the EIA Report associated with the proposed activities / sources of potential impacts with respect to the receiving environment that could potentially be affected are presented in Tables 2.2-2.4 and Table 2.5 respectively.




Figure 2.1: RBS Schematic presentation of Namibia's Environmental Assessment Procedure.

Table 2.1: Summary of the proposed activities, alternatives and key issues considered during the Environmental Assessment (EA) process covering Scoping, EIA and EMP Processes.

	PROJECT	ACTIVITIES		ALTERNATIVES CONSIDERED	with Environmenta	aluated and Assessed al Management Plan Measures Developed
1.	Project Implementation and Initial Desktop Exploration Activities	Review of existing information and all previous activities in order identify any potential target/s in within the EPL Area	(i)	Location for Minerals Occurrence: A number of economic deposits are known to exist in different parts of Namibia and some have been explored by different	coexistence between	nflicts / opportunities for proposed exploration land uses such as and agriculture Water Quality Physical
2.	Regional Reconnaissance Field-Based	Reginal mapping and sampling to identify and verify potential targeted areas based on the recommendations of the desktop work undertaken under (1) above May include: Widely	-	companies over the years. The proponent intends to explore / prospect for possible economic minerals occurrence in the EPL area as licensed. Minerals occurrence is linked to the geology or local rock outcrops and	PHYSICAL ENVIRONMENT	infrastructure and Resources Air quality, Noise and dust Landscape and topography value Soil quality Climate Change Influences
3.	Initial Local Field-Based Activities	spaced geological mapping, sampling, surveying and possible trenching and drilling in order to determine the viability of any delineated local target/s	(ii) (iii)	Other Alternative Land Uses: Game farming, tourism and agriculture Ecosystem Function (What the Ecosystem	BIOLOGICAL ENVIRONMENT	 Habitat Protected Areas Flora Fauna Ecosystem functions,
		Following the delineation of potential target/s, conduct detailed	(iv)	Does.) Ecosystem Services.	LIVIIIONWENT	services, use values and non- Use or passive use
4.	Detailed Local Field-Based Activities on Delineated Targets If Any	mapping, trenching, sampling, surveying and drilling in order to determine the viability of the project.	(vi)	Use Values.) Non-Use, or Passive Use. i) The No-Action	SOCIOECONOMIC,	 Local, regional and national socioeconomic settings Commercial Agriculture Community
5.	Prefeasibility and Feasibility Studies	Assess the viability of any delineated local target/s and more detailed mapping, trenching, bulk sampling, drilling and test mining activities where applicable. If the project proves viable, a feasibility report and application for Mining License will be undertaken.	(vii	Alternative ii) Others to be identified during the public consultation process and preparation of the EIA and EMP Reports	CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT	Protected Areas Tourism and Recreation Cultural, Biological and Archaeological Resources

Table 2.2: Results of the sensitivity assessment of the receptors (Physical, Socioeconomic and Biological environments) with respect to the proposed exploration / prospecting activities.

			RECEPTOR SE	NSITIVITY		E	PHY: ENVIRO	SICAL	ΙΤ				LOGIO IRONN				CUL1	ΓURAL	OGICAL	
·	CENICI	TIVITY RATIN	31	CRITERIA		S														ਲ
3	1	Negligibl		resistant to change or is of little environmental value.		nrce									use					ogic
	2	Low		tolerant of change without detriment to its character, ocial value, or is of local importance.		Reso	d Dust	aphy		ences					services, r passive	national ettings	lture	Areas		Archaeological s
	3	Medium		e has low capacity to absorb change without resent character, is of high environmental or social rtance	Quality	ture and	Joise and	Topogra	Soil Quality	Change Influences	Habitat	Protected Areas	Flora	Fauna		regional and na	al Agricu	rotected	Tourism and Recreation	l and Arc
	4	High		has moderate capacity to absorb change its present character, has some environmental or /regional importance.	Water	nfrastruc	Air Quality, Noise and Dust	Landscape Topography	Soil	Climate Cha	Ha	Protect	ш	Fa	Ecosystem functions, values and non-Use c	ocal, regional and nation socioeconomic settings	Commercial Agriculture	Community Protected	Touris	3iologica Resc
	5	Very High	without fundamentally alter	e has little or no capacity to absorb change ing its present character, is of very high lue, or is of international importance.		Physical infrastructure and Resources	Air (La		Clin					Ecosyst values a	Local, soci	ŏ	Com		Cultural, Biological and A Resources
			(i) General evaluation of	satellite, topographic, land tenure, accessibility,	1	1	1	-1	1	-1	1	1	1	1	1	-1	-1	1	1	4
				ures and socioeconomic environment data	'	'	'		'	'	'	'			'	'		-		'
1.		l Desktop		rsis of existing Government high resolution netric geophysical data	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Activ	oration		s of existing Government aerial hyperspectral	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	ACIIV	ities		and delineating of potential targets for future nal field-based activities for delineated targets	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
				geochemical, topographical and remote sensing	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2.		nnaissan	targeted based on th	eal sampling aimed at identifying possible e results of the initial exploration and regional ical and remote sensing mapping and analysis	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Activ	eld-Based ities	based on the results topographical and rer	napping aimed at identifying possible targeted of the initial exploration and regional geological, note sensing mapping and analysis undertaken	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			exploration camp site	support and logistical activities including lasting between one (1) to two (2) days	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			(v) Laboratory analysis or results and delineating	f the samples collected and interpretation of the ng of potential targets for future detailed site- the results are positive and supports further	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Table 2.2: Cont.

				RECEPTOR SENSITIVITY		E	PHYS ENVIRO	SICAL	IT				LOGI	_			CUL ⁻ ARCH	ΓURAL	GICAL	
-	CENC	ITIVITY DATI	NO.	CONTEDIA		S														B
3	SENSI 1	Negligibl		CRITERIA e receptor or resource is resistant to change or is of little environmental value.		urce									use					Archaeological s
4-	2	Low		e receptor or resource is tolerant of change without detriment to its character,		esoı	nst	ج		ces					es, sive	onal JS	e e	Areas		leolc
94	2	Low		of low environmental or social value, or is of local importance.		g B	ρ D	raph		nen		3S			ervic	natic tting	ultu	d A		rcha
	3	Medium	fun	e receptor or resource has low capacity to absorb change without idamentally altering its present character, is of high environmental or social lue, or is of national importance	er Quality	ucture an	Quality, Noise and Dust	e Topog	Soil Quality	ange Infl	Habitat	Protected Areas	Flora	Fauna	ctions, se -Use or p	nal and I	ial Agric	Protecte	Tourism and Recreation	al and A
	4	High	with	e receptor or resource has moderate capacity to absorb change hout significantly altering its present character, has some environmental or cial value, or is of district/regional importance.	Water	Physical infrastructure and Resources	r Quality,	Landscape Topography	Soi	Climate Change Influences		Prote			Ecosystem functions, services, values and non-Use or passive	Local, regional and national socioeconomic settings	Commercial Agriculture	Sommunity Protected	Tou	Cultural, Biological and A Resources
	5	Very Hig	h with	e receptor or resource has little or no capacity to absorb change hout fundamentally altering its present character, is of very high vironmental or social value, or is of international importance.		Physica	Air	_		ਹ					Ecosy	ol ,		S		Cultural
			(i) Lo	ocal geochemical sampling aimed at verifying the prospectivity of the arget/s delineated during regional reconnaissance field activities	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
			(ii) Lo	ocal geological mapping aimed at identifying possible targeted based	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
3.	Initial	I Local	(iii) G	on the results of the regional geological and analysis undertaken Ground geophysical survey (Subject to the positive outcomes of i and	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
ا.		-Based		above)																
	Activ	rities		Possible Trenching (Subject to the outcomes of i - iii above) Field-based support and logistical activities will be very limited focus on	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
			`´ a	site-specific area for a very short time (maximum five (5) days)	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
				aboratory analysis of the samples collected and interpretation of the esults and delineating of potential targets	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
				access preparation and related logistics to support activities	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
4.	Detai	iled Local		ocal geochemical sampling aimed at verifying the prospectivity of the arget/s delineated during the initial field-based activities	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Field- Activ	-Based	(iii) Lo	ocal geological mapping aimed at identifying possible targeted based in the results of the regional geological and analysis undertaken	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	ACIIV	ines	(iv) G	Ground geophysical survey, trenching, drilling and sampling (Subject to the positive outcomes of i and ii above).	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
			(i) D	Detailed site-specific field-based support and logistical activities, urveys, detailed geological mapping	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
5.		easibility	(ii) D	Detailed drilling and bulk sampling and testing for ore reserve alculations	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	and F	Feasibility		Geotechnical studies for mine design	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	Studi	163	(iv) M	In the planning and designs including all supporting infrastructures water, energy and access) and test mining activities	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			(v) E	IA and EMP to support the ECC for mining operations	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			(vi) P	Preparation of feasibility report and application for Mining License	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Table 2.3: Results of the scored time period (duration) over which the impact is expected to last.

		RECEPTOR SENSITIVITY		E	PHYS		ΙΤ				LOGIO IRONN				CUL1	ΓURAL	GICAL	
		SCALE DESCRIPTION T Temporary P Permanent	Water Quality	Physical infrastructure and Resources	Air Quality, Noise and Dust	Landscape Topography	Soil Quality	Climate Change Influences	Habitat	Protected Areas	Flora	Fauna	Ecosystem functions, services, use values and non-Use or passive use	Local, regional and national socioeconomic settings	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	Cultural, Biological and Archaeological Resources
		(i) General evaluation of satellite, topographic, land tenure, accessibility, supporting infrastructures and socioeconomic environment data	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
1.	Initial Desktop Exploration	(ii) Purchase and analysis of existing Government high resolution magnetics and radiometric geophysical data	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
	Activities	(iii) Purchase and analysis of existing Government aerial hyperspectral (iv) Data interpretation and delineating of potential targets for future	T	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	T	T	Т	T	Т
		reconnaissance regional field-based activities for delineated targets	Т	Т	Т	Т	Т	T	Т	T	Т	T	Т	Т	T	T	Т	Т
		(i) Regional geological, geochemical, topographical and remote sensing mapping and data analysis	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
2.	Regional Reconnaissan	(ii) Regional geochemical sampling aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
	ce Field-Based Activities	(iii) Regional geological mapping aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Τ	Т	Т	Τ	Т
		(iv) Limited field-based support and logistical activities including exploration camp site lasting between one (1) to two (2) days	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
		(v) Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets for future detailed site-specific exploration if the results are positive and supports further exploration of the delineated targets	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т

Table 2.3: Cont.

		DURATION OF IMPACT		E	PHYS ENVIRO	SICAL	IT				LOGI				CUL ⁻ ARCH	ΓURAL	GICAL	
		SCALE DESCRIPTION T Temporary P Permanent	Water Quality	Physical infrastructure and Resources	Air Quality, Noise and Dust	Landscape Topography	Soil Quality	Climate Change Influences	Habitat	Protected Areas	Flora	Fauna	Ecosystem functions, services, use values and non-Use or passive use	Local, regional and national socioeconomic settings	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	Cultural, Biological and Archaeological Resources
		 Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during regional reconnaissance field activities 	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
		Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
3.	Initial Local	(iii) Ground geophysical survey (Subject to the positive outcomes of i and ii above)	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
	Field-Based	(iv) Possible Trenching (Subject to the outcomes of i - iii above)	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
	Activities	(v) Field-based support and logistical activities will be very limited focus on	Т	T	Т	T	T	T	Т	T	T	T	T	T	T	T	Т	Т
		a site-specific area for a very short time (maximum five (5) days) (vi) Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
		(i) Access preparation and related logistics to support activities	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
4.	Detailed Local	(ii) Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during the initial field-based activities	T	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
-	Field-Based Activities	(iii) Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
	Activities	Ground geophysical survey, trenching, drilling and sampling (Subject to the positive outcomes of i and ii above).	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
		Detailed site-specific field-based support and logistical activities, surveys, detailed geological mapping	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
5.	Prefeasibility	Detailed drilling and bulk sampling and testing for ore reserve calculations	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
	and Feasibility	(iii) Geotechnical studies for mine design	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
	Studies	(iv) Mine planning and designs including all supporting infrastructures (water, energy and access) and test mining activities	Т	T	Т	Т	Т	T	Т	Т	T	Т	Т	Т	Т	Т	Т	T
		(v) EIA and EMP to support the ECC for mining operations	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т
		(vi) Preparation of feasibility report and application for Mining License	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т

Table 2.4: Results of the scored geographical extent of the induced change.

		GE	OGRAPHICAL EXTENT OF IMPACT			E	PHYS NVIRO	SICAL ONMEN	IT				LOGIC				CUL ¹	ΓURAL	GICAL	
	SCALI	E	DESCRIPTION			Physical infrastructure and Resources	st			Se					s, services, use or passive use	ıal		as		Cultural, Biological and Archaeological Resources
	L		limited impact on location			d Re	Air Quality, Noise and Dust	Landscape Topography		Change Influences		gg			Ecosystem functions, services, values and non-Use or passive	regional and national oeconomic settings	Commercial Agriculture	Community Protected Areas		chae
	0		impact of importance for municipality	- 1	<i>N</i> ater Quality	re an	se ar	bodc	ality	e Infl	at	Protected Areas	਼ੁਲ	В	is, se e or p	and r	Agric	tecte	Tourism and Recreation	nd Ar rces
	R		impact of regional character		ter Q	ructu	, Noi	tpe T	Soil Quality	hang	Habitat	ected	Flora	Fauna	functions non-Use	ical, regional an socioeconomic	rcial ,	y Pro	urism	cal a esou
	N		impact of national character		× ×	ıfrast	uality	ıdsca	Š	ate C		Prot			ım fuı on bı		mme	nunit	[2	iologi R
	M	9.5	impact of cross-border character			cal in	Air Q	Lan		Climate					syste es ar	Local, socie	Ö	Somr		ʻal, Bi
	<u> </u>	10.00				Physi									Eco					Sultur
		(i)	General evaluation of satellite, topographic, land tenure, accessibili	.V		_						_						_		
		()	supporting infrastructures and socioeconomic environment data		L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
1.	Initial Desktop Exploration	(ii)	Purchase and analysis of existing Government high resolution magnetics and radiometric geophysical data		L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	Activities	(iii)	Purchase and analysis of existing Government aerial hyperspectra		L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
		(iv)	Data interpretation and delineating of potential targets for future connaissance regional field-based activities for delineated target		L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
		(i)	Regional geological, geochemical, topographical and remote sensi mapping and data analysis		L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
2.	Regional Reconnaissan	(ii)	Regional geochemical sampling aimed at identifying possible targeted based on the results of the initial exploration and region geological, topographical and remote sensing mapping and analysundertaken	al	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	ce Field-Based Activities	. ,	Regional geological mapping aimed at identifying possible target based on the results of the initial exploration and regional geologic topographical and remote sensing mapping and analysis undertak	al, en	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
		(iv)	Limited field-based support and logistical activities includi exploration camp site lasting between one (1) to two (2) days	ng	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
		(v)	Laboratory analysis of the samples collected and interpretation of t results and delineating of potential targets for future detailed sit specific exploration if the results are positive and supports furth exploration of the delineated targets	e-	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L

Table 2.4: Conti.

		GI	OGRAPHICAL EXTENT OF IMPACT		E		SICAL DNMEN	ΙΤ				LOGIO IRONI	_			CUL1	TURAL	GICA	
	SCAL	.E	DESCRIPTION		and Resources									nse use					Cultural, Biological and Archaeological Resources
	L		limited impact on location		Resor	Air Quality, Noise and Dust	hy		Climate Change Influences					Ecosystem functions, services, values and non-Use or passive	Local, regional and national socioeconomic settings	a.	Community Protected Areas		aeolc
	0		impact of importance for municipality	lity	and F	and	Landscape Topography	<u>}</u>	uflue		eas			servi r pas	id nation settings	Commercial Agriculture	ted /	<u> 2</u> د	Arch
	R		impact of regional character	Nater Quality	inre 8	oise	Торс	Soil Quality	ige Ir	Habitat	Protected Areas	Flora	Fauna	ons, Ise o	al and mic s	l Agr	rotec	Tourism and Recreation	and
	N		impact of national character	ater	struci	t, N	ape	Soil C	Char	Hat	tecte	正	Fa	uncti on-U	ical, regional an socioeconomic	ercia	ity P	ouris	gical Reso
	9			>	nfras	Juali	ndsc		nate (Pro			em fi nd n	al, re cioe	шш	mum		Siolo
	M		impact of cross-border character		ical i	Air (La		Clir					syst ies a	Loca	Ö	Com		ral, E
					Physical infrastructure									Ecc					Sultu
		(1)			_														
		(i)	Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during regional reconnaissance field activities	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
		(ii)	Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	nitial Local	(iii)	Ground geophysical survey (Subject to the positive outcomes of i and ii above)	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
	ield-Based	(iv)	Possible Trenching (Subject to the outcomes of i - iii above)	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
A	ctivities	(v)	Field-based support and logistical activities will be very limited focus on a site-specific area for a very short time (maximum five (5) days)	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
		(vi)	Laboratory analysis of the samples collected and interpretation of the	1	1		1	1	1					L	1	1	1	1	1
		(i)	results and delineating of potential targets Access preparation and related logistics to support activities		_	-		_	-			-	_	_	-	-		-	_
		, ,	Local geochemical sampling aimed at verifying the prospectivity of the		<u> </u>	L	L	L	<u> </u>	<u> </u>	L	<u> </u>	<u> </u>	L	L	<u> </u>		L	
	etailed Local	/:::\	target/s delineated during the initial field-based activities Local geological mapping aimed at identifying possible targeted based			L	L	L	L	L		L	L	L	L		L	L	L
	ield-Based ctivities	` '	on the results of the regional geological and analysis undertaken	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
		(iv)	Ground geophysical survey, trenching, drilling and sampling (Subject to the positive outcomes of i and ii above).	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
		(i)	Detailed site-specific field-based support and logistical activities,	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
5. P	refeasibility	(ii)	surveys, detailed geological mapping Detailed drilling and bulk sampling and testing for ore reserve				1	L	1		1			L		1	ı	1	
	nd Feasibility	(iii)	calculations Geotechnical studies for mine design		_	-		_				-						-	_
S	tudies		Mine planning and designs including all supporting infrastructures		_ L		_ L	L	L	<u> </u>	_ L	<u> </u>		L	_ L	<u> </u>		<u> </u>	L
			(water, energy and access) and test mining activities	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
		(v)	EIA and EMP to support the ECC for mining operations	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L
		(vi)	Preparation of feasibility report and application for Mining License	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L	L

Table 2.5: Results of the qualitative scale of probability occurrence.

		IMF	PACT PROBABILITY OCCURRENCE		E	PHYS ENVIRO	SICAL DNMEN	ΙΤ				LOGIO				CUL1	TURAL	GICAL	
	SCALE A B C D		DESCRIPTION Extremely unlikely (e.g. never heard of in the industry) Unlikely (e.g. heard of in the industry but considered unlikely) Low likelihood (egg such incidents/impacts have occurred but are uncommon) Medium likelihood (e.g. such incidents/impacts occur several times per year within the industry) High likelihood (e.g. such incidents/impacts occurs several times per year at each location where such works are undertaken)	Water Quality	Physical infrastructure and Resources	Air Quality, Noise and Dust	Landscape Topography	Soil Quality	Climate Change Influences	Habitat	Protected Areas	Flora	Fauna	Ecosystem functions, services, use values and non-Use or passive use	Local, regional and national socioeconomic settings	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	Cultural, Biological and Archaeological Resources
		(i)	General evaluation of satellite, topographic, land tenure, accessibility, supporting infrastructures and socioeconomic environment data	Α	Α	Α	Α	Α	Α	А	Α	Α	Α	Α	Α	Α	Α	Α	Α
1.	Initial Desktop Exploration	(ii)	Purchase and analysis of existing Government high resolution magnetics and radiometric geophysical data	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
	Activities	(iii)	Purchase and analysis of existing Government aerial hyperspectral Data interpretation and delineating of potential targets for future	Α	Α	A	A	A	A	A	A	Α	Α	Α	Α	Α	Α	Α	Α
		(i)	reconnaissance regional field-based activities for delineated targets Regional geological, geochemical, topographical and remote sensing	Α	Α	Α	Α	Α	Α	Α	Α	Α	A	Α	Α	A	Α	Α	Α
		. ,	mapping and data analysis	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
2.	Regional Reconnaissan	(ii)	Regional geochemical sampling aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken	Α	Α	А	А	Α	А	Α	Α	Α	Α	А	А	Α	Α	Α	Α
	ce Field-Based Activities		Regional geological mapping aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken	А	Α	Α	А	А	А	Α	А	Α	Α	А	Α	Α	Α	А	А
		(iv)	Limited field-based support and logistical activities including exploration camp site lasting between one (1) to two (2) days	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
		(v)	Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets for future detailed site-specific exploration if the results are positive and supports further exploration of the delineated targets	Α	Α	А	Α	Α	Α	Α	Α	А	А	А	А	Α	А	Α	Α

Table 2.5: Cont.

		IIV	IPACT PROBABILITY OCCURRENCE		E		SICAL	IT				LOGI IRONI				CUL1	ΓURAL	OGICAL	^
Î	SCALE		DESCRIPTION		ses									esn nse					jical
	Α		Extremely unlikely (e.g. never heard of in the industry)		sour	St			SS					s, u	ıal		as	ļ	olo
1	В		Unlikely (e.g. heard of in the industry but considered unlikely)		Res	DO	phy) Juc					/ice	ıtion ngs	ture	Are		hae
	С		Low likelihood (egg such incidents/impacts have occurred but are uncommon)	Quality	ure and	Air Quality, Noise and Dust	Landscape Topography	uality	Climate Change Influences	Habitat	Protected Areas	Flora	ına	ins, serv se or pa	regional and national oeconomic settings	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	and Archaeological urces
	D		Medium likelihood (e.g. such incidents/impacts occur several times per year within the industry)	Water Quality	astructi	ality, No	scape -	Soil Quality	Chan	Hab	rotecte	표	Fauna	functic non-U	egiona econor	nercial	nity Pr	Tourisi	ogical Resot
į.	E		High likelihood (e.g. such incidents/impacts occurs several times per year at each location where such works are undertaken)		Physical infrastructure and Resources	Air Qua	Land		Climate		а.			Ecosystem functions, services, values and non-Use or passive	Local, regional and socioeconomic s	Comi	Commu		Cultural, Biological and A Resources
		(i)	Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during regional reconnaissance field activities	Α	Α	А	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
		(ii)	Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В
3.	Initial Local	(iii)	Ground geophysical survey (Subject to the positive outcomes of i and ii above)	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В
	Field-Based Activities	(iv)	Possible Trenching (Subject to the outcomes of i - iii above)	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В
	Activities	(v)	Field-based support and logistical activities will be very limited focus on a site-specific area for a very short time (maximum five (5) days)	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В
		(vi)	Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets	Α	Α	А	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
		(i)	Access preparation and related logistics to support activities	С	С	С	С	С	С	С	С	С	С	С	С	C	С	С	С
4.	Detailed Local	(ii)	Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during the initial field-based activities	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
	Field-Based Activities	(iii)	Local geological mapping aimed at identifying possible targeted based on the results of the regional geological and analysis undertaken	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
	71011711100	(iv)	Ground geophysical survey, trenching, drilling and sampling (Subject to the positive outcomes of i and ii above).	С	С	С	С	С	С	С	С	С	С	С	С	С	С	O	С
		(i)	Detailed site-specific field-based support and logistical activities, surveys, detailed geological mapping	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
5.	Prefeasibility and Feasibility	(ii)	Detailed drilling and bulk sampling and testing for ore reserve calculations	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
	Studies	(iii)	Geotechnical studies for mine design	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
	J.34100	(iv)	Mine planning and designs including all supporting infrastructures (water, energy and access) and test mining activities	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С	С
1		(v)	EIA and EMP to support the ECC for mining operations	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
		(vi)	Preparation of feasibility report and application for Mining License	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α

Table 2.6: Significant impact assessment matrix for the proposed exploration activities.

		SIGNIFICANT IMPACT		E	PHYS NVIRC		IT				LOGIC				CUL1 ARCH	TURAL	GICAL	
	Duration, Extent, Probability	RECEPTOR CHARACTERISTICS (SENSITIVITY) Very High (5) High(4) Medium (3) Low (2) Negligible (1)	Quality	re and Resources	se and Dust	opography	ıality	Change Influences	at	Areas	a	ıa	ns, services, use e or passive use	l and national nic settings	Agriculture	tected Areas	ı and ıtion	nd Archaeological rces
-	Very High (5) High (4) Medium (3) Low (2) Negligible (1)	Major [5/5] Major [4/5] Moderate [3/5] Moderate [2 /5] Minor 1/5 Major [5/4] Major [4/4] Moderate [3/4] Moderate [2/4] Minor[1/4] Major [5/3] Moderate [4/3] Moderate [3/3] Minor[2/3] None [1/3] Moderate [5/2] Moderate [4/2] Minor [3/2] None [2/2] None [1/2] Minor [5/1] Minor [4/1] None [3/1] None [2/1] None [1/1]	Water Q	Physical infrastructure	Air Quality, Noise and	Landscape Topography	Soil Quality	Climate Chang	Habitat	Protected Areas	Flora	Fauna	Ecosystem functions, values and non-Use c	Local, regional and socioeconomic	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	Cultural, Biological and Archaeological Resources
		(i) General evaluation of satellite, topographic, land tenure, accessibility, supporting infrastructures and socioeconomic environment data	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
1.	Initial Desktop Exploration	(ii) Purchase and analysis of existing Government high resolution magnetics and radiometric geophysical data	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
	Activities	(iii) Purchase and analysis of existing Government aerial hyperspectral (iv) Data interpretation and delineating of potential targets for future	1/1 1/1	1/1	1/1 1/1	1/1	1/1 1/1	1/1 1/1	1/1 1/1	1/1 1/1	1/1	1/1	1/1 1/1	1/1	1/1 1/1	1/1	1/1	1/1
		reconnaissance regional field-based activities for delineated targets (i) Regional geological, geochemical, topographical and remote sensing mapping and data analysis	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
2.	Regional Reconnaissan ce Field-Based	(ii) Regional geochemical sampling aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
	Activities	(iii) Regional geological mapping aimed at identifying possible targeted based on the results of the initial exploration and regional geological, topographical and remote sensing mapping and analysis undertaken	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
		(iv) Limited field-based support and logistical activities including exploration camp site lasting between one (1) to two (2) days	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1
		 (v) Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets for future detailed site- specific exploration if the results are positive and supports further exploration of the delineated targets 	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1

Table 2.6: Cont.

SENSITIVITY								PHYSICAL ENVIRONMENT						BIOLOGICAL ENVIRONMENT					SOCIOECONOMIC, CULTURAL AND ARCHAEOLOGICAL ENVIRONMENT				
	IMPACT SEVERITY Magnitude, Duration, Extent, Probability Very High (5)	RECEPTOR CHARACTERISTICS (SENSITIVITY) Very High (5) High(4) Medium (3) Low (2) Negligible (1)					Quality	Physical infrastructure and Resources	oise and Dust	Landscape Topography	Soil Quality	Climate Change Influences	Habitat	Protected Areas	Flora	Fauna	functions, services, use non-Use or passive use	J and national mic settings	Commercial Agriculture	Community Protected Areas	Tourism and Recreation	Biological and Archaeological Resources	
	High (4) Medium (3)	Major [5/5] Major [5/4] Major [5/3] Moderate [5/2] Minor [5/1]	Major [4/4] Major [4/4] Moderate[4/3] Moderate[4/2] Minor [4/1]	Moderate [3/5] Moderate [3/4] Moderate[3/3] Minor[3/2] None [3/1]	Moderate [2 /5 Moderate [2/4] Minor[2/3] None[2/2] None [2/1]		Water (Physical infrastruct	Air Quality, Noise and	Landscape	Soil S	Climate Chan	Hab	Protecte	JE PE	Fau	Ecosystem functions values and non-Use	Local, regional and socioeconomic s	Commercial	Community Pr	Touris	Cultural, Biological Resol	
	Initial Local Field-Based Activities	(i) Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during regional reconnaissance field activities					1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	
		on the	on the results of the regional geological and analysis undertaken					1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	
3.			(iii) Ground geophysical survey (Subject to the positive outcomes of i and ii above)					2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	
		` '	, ,					2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	
			a site-specific area for a very short time (maximum five (5) days)					2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	
		(vi) Labora	 Laboratory analysis of the samples collected and interpretation of the results and delineating of potential targets 					1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	
	Detailed Local Field-Based Activities							2\2	2\2	2\2	2\2	2\2	3/2	3/2	3/2	3/2	3/2	2\2	2\2	2\2	2\2	2\2	
			 Local geochemical sampling aimed at verifying the prospectivity of the target/s delineated during the initial field-based activities 					2\2	2\2	2\2	2\2	2\2	3/2	3/2	3/2	3/2	3/2	2\2	2\2	2\2	2\2	2\2	
4.		(iii) Local	i) Local geological mapping aimed at identifying possible targeted based					2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	
			on the results of the regional geological and analysis undertaken Ground geophysical survey, trenching, drilling and sampling (Subject to																				
		the po	the positive outcomes of i and ii above).					2\2	2\2	2\2	2\2	2\2	3/2	3/2	3/2	3/2	3/2	2\2	2\2	2\2	2\2	2\2	
5.			Detailed site-specific field-based support and logistical activities, surveys, detailed geological mapping				2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	
	Prefeasibility and Feasibility Studies	(ii) Detaile	 Detailed drilling and bulk sampling and testing for ore reserve calculations 					3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	
								2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	2\2	
		(iv) Mine	(iv) Mine planning and designs including all supporting infrastructures (water, energy and access) and test mining activities					3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	3/3	
		(v) EIA ar						1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	
		` '		lity report and ap			1/1 1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	

2.4 Implementation of the EMP

2.4.1 Roles and Responsibilities

Management of the environmental elements that may be affected by the different activities of the proposed exploration is an important element of the proposed exploration activities. The EMP also identifies the activity groups *I* environmental elements, the aspects *I* targets, the indicators, the schedule for implementation and who should be responsible for the management to prevent major impacts that the different exploration activities may have on the receiving environment (physical and biological environments).

2.4.2 Proponent's Representative (PR) / Project Manager (PM)

The Proponent is to appoint a **Proponent's Representative (PR)** / **Project Manager (PM)** with the following responsibilities with respect to the EMP implementation:

- ❖ Act as the site project manager and implementing agent.
- Ensure that the Proponent's responsibilities are executed in compliance with the relevant legislation.
- Ensure that all the necessary environmental authorizations and permits have been obtained.
- Assist the exploration contractor/s in finding environmentally responsible solutions to challenges that may arise.
- Should the PR be of the opinion that a serious threat to, or impact on the environment may be caused by the exploration activities, he/she may stop work. the Proponent must be informed of the reasons for the stoppage as soon as possible.
- ❖ The PR has the authority to conduct disciplinary proceedings in accordance with the company policies and national legislation requirements and provisions for transgressions of basic conduct rules and/or contravention of the EMP.
- ❖ Should the Contractor or his/her employees fail to show adequate consideration for the environmental aspects related to the EMP, the PR can have person(s) and/or equipment removed from the site or work suspended until the matter is remedied.
- ❖ Maintain open and direct lines of communication between the landowners and Proponent, as well as any other identified Interested and Affected Parties (I&APs) with regards to environmental matters, and.
- Attend regular site meetings and inspections as may be required for the proposed exploration programme.

2.4.3 Project Health, Safety and Environment (Project HSE)

The Proponent is to appoint a Project Health, Safety and Environment (Project HSE) with the following responsibilities with respect to the EMP implementation:

- Assist the PR in ensuring that the necessary environmental authorizations and permits have been obtained.
- Assist the PR and Contractor in finding environmentally responsible solutions to challenges that may arise.

- 25 -

Conduct environmental monitoring as per EMP requirements.

- Carry out regular site inspections (on average once per week) of all exploration areas with regards to compliance with the EMP. report any non-compliance(s) to the PR as soon as possible.
- Organize for an independent internal audit on the implementation of and compliance to the EMP to be carried out half way through each field-based exploration activity. audit reports to be submitted to the PR.
- Continuously review the EMP and recommend additions and/or changes to the EMP document.
- Monitor the Contractor's environmental awareness training.
- Keep records of all activities related to environmental control and monitoring. the latter to include a photographic record of the exploration activities, rehabilitation process, and a register of all major incidents, and.
- Attend regular site meetings.

2.4.4 Contractors and Subcontractors

The responsibilities of the **Contractors and Subcontractors** that may be appointed by the Proponent to undertake certain field-based activities of the proposed exploration programme include:

- Comply with the relevant legislation and the EMP provision.
- Preparation and submission to the Proponent through the Project HSE of the following Management Plans:
 - Environmental awareness training and inductions.
 - Emergency preparedness and response.
 - Waste management, and.
 - Health and safety.
- Ensure adequate environmental awareness training for senior site personnel.
- Environmental awareness presentations (inductions) to be given to all site personnel prior to work commencement. the Project HSE is to provide the course content and the following topics, at least but not limited to, should be covered:
 - The importance of complying with the EMP provisions.
 - o Roles and responsibilities, including emergency preparedness.
 - Basic rules of conduct (do's and don'ts).
 - o EMP: aspects, impacts and mitigation.
 - Conduct disciplinary proceedings in accordance with the company policies and national legislation requirements and provisions for transgressions for failure to adhere to the EMP, and.
 - Health and safety requirements.
- * Record keeping of all environmental awareness training and induction presentations, and.
- ❖ Attend regular site meetings and environmental inspections.

3. EMP MITIGATION MEASURES

3.1 Hierarchy of Mitigation Measures Implementation

A hierarchy of methods for mitigating significant adverse effects has been adopted in order of preference and as follows:

- (i) Enhancement, e.g. provision of new habitats.
- (ii) Avoidance, e.g. sensitive design to avoid effects on ecological receptors.
- (iii) Reduction, e.g. limitation of effects on receptors through design changes, and.
- (iv) Compensation, e.g. community benefits.

3.2 Mitigation Measures Implementation

The Environmental Management Plan (EMP) provides a detailed plan of action required in the implementation of the mitigation measures for minimising and maximising the identified negative and positive impacts respectively.

The EMP also provides the management actions with roles and responsibilities requirements for implementation of environmental management strategies by the Proponent through the Contractors and Subcontractors who will be undertaking the exploration activities.

The EMP gives commitments including financial and human resources provisions for effective management of the likely environmental liabilities during and after the implementation of the proposed exploration programme.

Based on the findings of the EIA, key mitigation measures as detailed in Tables 3.1 - 3.18 have been prepared to be implemented by the Proponent with respect to the proposed exploration programme activities and in particular for the field-based exploration activities. The following is the summary of the key areas of the migration measures provided in Tables 3.1-3.18:

- 1. Project planning and implementation.
- 2. Implementation of the EMP.
- 3. Public and stakeholders relations.
- 4. Measures to enhance positive socioeconomic impacts.
- 5. Environmental awareness briefing and training.
- 6. Erection of supporting exploration infrastructure.
- 7. Use of existing access roads, tracks and general vehicle movements.
- 8. Mitigation measures for preventing flora destruction.
- 9. Mitigation measures for preventing faunal destruction.
- 10. Mitigation measures to be implemented with respect to the exploration camps and exploration sites.
- 11. Mitigation measures for surface and groundwater protection as well as general water usage.
- 12. Mitigation measures to minimise negative socioeconomic impacts.

- 13. Mitigation measures to minimise health and safety impacts.
- 14. Mitigation measures to minimise visual impacts.
- 15. Mitigation measures to minimise vibration, noise and air quality.
- 16. Mitigation measures for waste (solid and liquid) management.
- 17. Rehabilitation plan, and.
- 18. Environmental data collection.

Table 3.1: Project planning and implementation.

OBJECTIVES	INDICATOR	SCHEDULE	RESPONSIBILITY
Establish a strong environmental awareness protocol from project implementation to final closure in order to ensure the least possible impact to the environment.	 Appointment of a senior and experienced persons as Proponent's Representative (PR), Project Manager (PM) and Project HSE to assume responsibility for environmental issues. 	 Regional reconnaissance field-based mapping and sampling activities. Initial local field-based mapping and sampling activities. Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. Prefeasibility and feasibility studies. 	Representative (PR)

Table 3.2: Implementation of the EMP.

IMPLEMENTATION STRATEGY	INDICATOR	SCHEDULE	RESPONSIBILITY
 Define roles and responsibilities in terms of the EMP. To make all personnel, contractors and subcontractors aware of these roles and responsibilities to ensure compliance with the EMP provisions. Implement environmental management that is preventative and proactive. Establish the resources, skills, etc. required for effective environmental management. 	 Senior staff and senior contractors are aware of, and practice the EMP requirements. These persons shall be expected to know and understand the objectives of the EMP and will, by example, encourage suitable environmentally friendly behaviour to be adopted during the exploration Recognition will be given to appropriate environmentally acceptable behaviour. Inappropriate behaviour will be corrected. An explanation to why the behaviour is unacceptable must be given, and, if necessary, the person will be disciplined. e.g. fees set out for non-compliance 	based mapping and sampling activities.	Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor

Table 3.3: Public and stakeholders relations.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
Maintain sound relationships with the other land users/ land owner/s and another stakeholders / public	consent from land owners	2. Initial local field-based mapping and sampling activities.	(ii) Project Manager (PM) (iii) Project HSE (iv) Contractor

Table 3.4: Measures to enhance positive socioeconomic impacts.

IMPLEMENTATION STRATEGY	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
Measures to enhance positive socioeconomic impacts in order to: 1. Avoid exacerbating the influx of unemployed people to the area. 2. Develop a standardised recruitment method for subcontractor and field workers.	 Stipulate a preference for local contractors in its tender policy. Preference to local contractors should still be based on competitive business principles and salaries and payment to local service providers should still be competitive. Develop a database of local businesses that qualify as potential service providers and invite them to the tender process. Scrutinise tender proposals to ensure that minimum wages were included in the costing. Stipulate that local residents should be employed for temporary unskilled/skilled and where possible in permanent unskilled/skilled positions as they would reinvest in the local economy. Must ensure that potential employees are from the area, they need submit proof of having lived in the area for a minimum of 5 years. Must ensure that contractors adhere to Namibian Affirmative Action, Labour and Social Security, Health and Safety laws. This could be accomplished with a contractual requirement stipulating that monthly proof should be submitted indicating payment of minimum wages to workers, against their ID numbers, payment of social security and submission of affirmative action data. Encouraged to cater for the needs of employees to increase the spending of wages locally. 	based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling.	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 3.5: Environmental awareness briefing and training.

IMPLEMENTATION STRATEGY	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
Implement environmental awareness briefing / training for individuals who visit, or work, on site.	1. Every senior/supervisory member of the team shall familiarise themselves with the contents of the EMP. They shall understand their roles and responsibilities with regard to personnel and project compliance with the EMP.	(iii) Detailed local field-based activities such as local	
	 Subject to agreement of the parties, the Environmental Coordinator will hold an Environmental Awareness Briefing meeting, which shall be attended by all contractors before the start of the mineral exploration activities. 		(i) Proponent's Representative (PR)
	3. Briefings on the EMP and Environmental Policy shall discuss the potential dangers to the environment of the following activities: public relations, littering, off-road driving, waste management, poaching and plant theft etc. The need to preserve soil, conserve water and implement water saving measures shall be presented.	geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility	(PM) (iii) Project HSE (iv) Contractor (v) Subcontractors
	4. Individuals can be questioned on the Environmental Philosophy and EMP and can recall contents.	studies.	

Table 3.6: Creation of supporting exploration infrastructure.

IMPLEMENTATION STRATEGY	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
 Get Environmental Clearance before implementation Get consent from the land owner before implementation Establishment of the supporting exploration infrastructure done on an area with the least disturbance to the environment and within the non-sensitive areas 	 Documented Environmental Clearance from MEFT. All on site exploration infrastructure (e.g. water tanks, sewage tanks, waste disposal) are not situated on environmental sensitive area and have disturbed as less as possible. No littering. 	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies. 	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 3.7: Use of existing access roads, tracks and general vehicle movements.

IMPLEMENTATION STRATEGY	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
 Always obtain consent from the land owners Plan a road/track network that considers the environmental sensitivity of the area and a long-term tourism potential, and which is constructed in a technically and environmentally sound manner. Stick to the recommended track and sensitivity management zones. 	 Avoid unnecessary affecting areas viewed as important habitat i.e. Ephemeral River and its network of tributaries of ephemeral rivers. rocky outcrops. clumps of protected tree species. Make use of existing tracks/roads as much as possible throughout the area. Do not drive randomly throughout the area (could cause mortalities to vertebrate fauna and unique flora. accidental fires. erosion related problems, etc.). Avoid off-road driving at night as this increases mortality of nocturnal species. Implement and maintain off-road track discipline with maximum speed limits (e.g.30km/h) as this would result in fewer faunal mortalities and limit dust pollution. Use of "3-point-turns" rather than "U-turns". Where tracks have to be made to potential exploration sites off the main routes, the routes should be selected causing minimal damage to the environment – e.g. use the same tracks. cross drainage lines at right angles. avoid placing tracks within drainage lines avoid collateral damage (i.e. select routes that do not require the unnecessary removal of trees/shrubs, especially protected species). Leave vehicles on tracks and walk to point of interest, when possible. Rehabilitate all new tracks created. 	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies. 	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 3.8: Mitigation measures for preventing flora and ecosystem destruction and promotion of conservation.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
Prevent flora and ecosystem destruction and promote conservation	 Limit the development and avoid rocky outcrops throughout the entire area. Avoid development and associated infrastructure in sensitive areas – e.g. Ephemeral River, in/close to drainage lines, cliffs, boulder and rocky outcrops in the area, etc. This would minimise the negative effect on the local environment especially unique features serving as habitat to various species. Avoid placing access routes (roads and tracks) trough sensitive areas – e.g. over rocky outcrops/ridges and along drainage lines. This would minimise the effect on localised potentially sensitive habitats in the area. Avoid driving randomly through the area (i.e. "track discipline"), but rather stick to permanently placed roads/tracks – especially during the detailed field-based exploration phase. This would minimise the effect on localised potentially sensitive habitats in the area. Stick to speed limits of maximum 30km/h as this would result in less dust pollution which could affect certain flora – e.g. lichen species. Speed humps could also be used to ensure the speed limit. Remove unique and sensitive flora (e.g. all Aloe sp.) before commencing with the development activities and relocate to a less sensitive/disturbed site if possible. Prevent and discourage the collecting of firewood as dead wood has an important ecological role – especially during the development phase(s). Such collecting of firewood, especially for economic reasons, often leads to abuses – e.g. chopping down of live and/or protected tree species such as Acacia erioloba which is a good quality wood. Attempt to avoid the removal of bigger trees during the development phase(s) – especially with the development of access routes – as these serve as habitat for a myriad of fauna. Prevent and discourage fires – especially during the development phase(s) – as this could easily cause runaway veld fires causing problems (e.g. loss of grazing and domestic stock m	(i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies.	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 3.9: Mitigation measures for preventing faunal and ecosystem destruction and promotion of conservation.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
Prevent faunal and ecosystem destruction and promote conservation	 Limit the development and avoid rocky outcrops throughout the entire area. Avoid development & associated infrastructure in sensitive areas – e.g. in/close to drainage lines, cliffs, boulder and rocky outcrops in the area, etc. This would minimise the negative effect on the local environment especially unique features serving as habitat to various species. Avoid placing access routes (roads & tracks) trough sensitive areas – e.g. over rocky outcrops/ridges and along drainage lines. This would minimise the effect on localised potentially sensitive habitats in the area. Avoid driving randomly through the area (i.e. "track discipline"), but rather stick to permanently placed roads/tracks – especially during the detailed field-based exploration phase. This would minimise the effect on localised potentially sensitive habitats in the area. Stick to speed limits of maximum 30km/h as this would result in fewer faunal road mortalities. Speed humps could also be used to ensure the speed limit. Remove (e.g. capture) unique fauna and sensitive fauna before commencing with the development activities and relocate to a less sensitive/disturbed site if possible. Prevent and discourage the setting of snares (poaching), illegal collecting of veld foods (e.g. tortoises, etc.), indiscriminate killing of perceived dangerous species (e.g. snakes, etc.) and collecting of wood as this would diminish and negatively affect the local fauna – especially during the development phase(s). Attempt to avoid the removal of bigger trees during the development phase(s) – especially with the development of access routes – as these serve as habitat for a myriad of fauna. Prevent and discourage fires – especially during the development phase(s) – as this could easily cause runaway veld fires affecting the local fauna, but also causing problems (e.g. loss of grazing & domestic stock mortalities, etc.) for the neighbouring farmers.	(i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies.	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 3.10: Mitigation measures to be implemented with respect to the exploration camps and exploration sites.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
Promotion of conservation through preservation of flora, fauna and ecosystem around the exploration camps and exploration sites	 Select camp sites and other temporary lay over sites with care – i.e. avoid important habitats. Use portable toilets to avoid faecal pollution around camp and exploration sites. Initiate a suitable and appropriate refuse removal policy as littering could result in certain animals becoming accustomed to humans and associated activity and result in typical problem animal scenarios – e.g. baboon, black-backed jackal, etc Avoid and/or limit the use of lights during nocturnal exploration activities as this could influence and/or affect various nocturnal species – e.g. bats and owls, etc. Use focused lighting for least effect. Prevent the killing of species viewed as dangerous – e.g. various snakes – when on site. Prevent the setting of snares for ungulates (i.e. poaching) or collection of veld foods (e.g. tortoises) and unique plants (e.g. various Aloe and Lithop) or any form of illegal hunting activities. Avoid introducing dogs and cats as pets to camp sites as these can cause significant mortalities to local fauna (cats) and even stock losses (dogs). Remove and relocate slow moving vertebrate fauna (e.g. tortoises, chameleon, snakes, etc.) to suitable habitat elsewhere on property. Avoid the removal and/or damaging of protected flora potentially occurring in the general area – e.g. various Aloe, Commiphora and Lithop species. Avoid introducing ornamental plants, especially potential invasive alien species, as part of the landscaping of the camp site, etc., but rather use localised indigenous species, should landscaping of the camp site, etc., but rather use localised indigenous species, should landscaping be attempted, which would also require less maintenance (e.g. water). Remove all invasive alien species on site, especially Prosopis sp., which is already becoming a major ecological problem along various water courses throughout Central Namibia. This would not only indi	(i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies.	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 3.11: Mitigation measures for surface and groundwater protection as well as general water usage.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
Effective management / protection of surface and groundwater resources and general water resources usage	 Always use as little water as possible. Reduce, reuse and re-cycle water where possible. All leaking pipes / taps must be repaired immediately they are noticed. Never leave taps running. Close taps after you have finished using them. Never allow any hazardous substance to soak into the soil. Immediately tell your Contractor or Environmental Control Officer / Site Manager when you spill, or notice any hazardous substance being spilled during the field-based exploration activities or around the camp site. Report to your Contractor or Environmental Control Officer / Site Manager when you notice any container, which may hold a hazardous substance, overflow, leak or drip. Immediately report to your Contractor or Environmental Control Officer / Site Manager when you notice overflowing problems or unhygienic conditions at the ablution facilities. No washing of vehicles, equipment and machinery, containers and other surfaces. Limit the operation to a specific site and avoid sensitive areas and in particular the Ephemeral River Channel. This would sacrifice the actual area for other adjacent Ephemeral River areas and thus minimise any likely negative effect on water resources. Disposal of wastewater into any public stream is prohibited. The Proponent must obtain permission of the land owners before utilising any water resources or any associated infrastructure. If there is a need to drilling a water borehole to support the exploration programme the Proponent must obtain permission form the land owner and Department of Water Affairs in the Ministry of Agriculture and Forestry. In an event of discovery of economic minerals resources, the sources of water supply for the mining related operations will be supplied by NamWater. If there are any further (larger scale) exploration/drilling activities and/or mining activities to follow from the initial planned dr	(i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies.	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 3.12: Mitigation measures to minimise negative socioeconomic impacts.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
Effective management of socioeconomic benefits of the proposed project activities	 The employment of local residents and local companies should be a priority. To ensure that potential employees are from the area, they need submit proof of having lived in the area for a minimum of 5 years. Providing information such as the number and types of jobs available, availability of accommodation facilities and rental costs and living expenses, could make potential job seekers wary of moving to the area. Addressing unrealistic expectations about large numbers of jobs would be created. Exploration camp if required should be established in close consultation with the land owners. Exploration camp should consider provision of basic services. When the contracts an employee is terminated or not renewed, contractors should transport the employee out of the area to their hometowns within two days of their contracts coming to an end. Tender documents could stipulate that contractors have HIV/Aids workplace policies and programmes in place and proof of implementation should be submitted with invoicing. Develop strategies in coordination with local health officers and NGO's to protect the local communities, especially young girls. Contract companies could submit a code of conduct, stipulating disciplinary actions where employees are guilty of criminal activities in and around the vicinity of the EPL. Disciplinary actions should be in accordance with Namibian legislation. Contract companies could implement a no-tolerance policy regarding the use of alcohol and workers should submit to a breathalyser test upon reporting for duty daily. Request that the Roads Authority erect warning signs of heavy exploration vehicles on affected public roads. Ensure that drivers adhere to speed limits and that speed limits are strictly enforced. Ensure that vehicles are road worthy and drivers are qualified. Train drivers in potential safety issues.<td>(i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies.</td><td>(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors</td>	(i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies.	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 3.13: Mitigation measures to minimise health and safety impacts.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
Promotion of health and safe working environment in line with national Labour Laws	 Physical hazards: Follow national and international regulatory and guidelines provisions, use of correct Personal Proactive Clothing at all times, training programme, as well as the implementation of a fall protection program in accordance with the Labour Act. Some of the public access management measures that may be considered in an event of vandalism occurring are: All exploration equipment must be in good working condition and services accordingly. Control access to the exploration site through using gates on the access road(s) if required. The entire site, must be fenced off. the type of fencing to be used would, however, be dependent on the impact on the visual resources and/or cost. and. Notice or information boards relating to public safety hazards and emergency contact details to be put up at the gate(s) to the exploration area. There is a comprehensive First Aid Kit on site and that suitable anti-histamine for bee stings / snake bites should be available. Rubber gloves are used in case of an accident to reduce the risk of contracting HIV/AIDS. All individuals have received instructions concerning the dangers of dehydration or hyperthermia. Encourage all to drink plenty of clean water not directly from the surface water bodies. No person under the influence of alcohol or drugs is allowed to work on site. The Exploration Manager ensures compliance with the requirements of the relevant Namibian Labour, Mining and Health and Safety Regulations. Dangerous or protected / sensitive areas are clearly marked and access to these areas is controlled or restricted. Due care must be taken when driving any vehicles on any roads particularly the gravel roads. ALL Drivers must drive with their headlights switched on when travelling on the gravel roads (day and night). Persons	 (i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies. 	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 3.14: Mitigation measures to minimise visual impacts.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
	 Consider the landscape character and the visual impacts of the exploration area including camp site from all relevant viewing angles, particularly from public roads. 	(i) Regional reconnaissance field-based mapping and sampling activities.	
Preserve the landscape character in the development of supporting infrastructure and choice of visual screening	2. Use vegetation screening where applicable. Do not cut down vegetation unnecessary around the site and use it for site screening.		(i) Proponent's Representative (PR)(ii) Project Manager (PM)(iii) Project HSE
	3. Avoid the use of very high fencing.	activities such as local geological mapping,	(iv) Contractor (v) Subcontractors
	4. Minimise access roads and no off-road that could result in land scarring is allowed.	geochemical mapping and sampling, trenching and drilling of closely	
	5. Minimise the presence of secondary structures: remove inoperative support structures.	spaced boreholes and bulk sampling. (iv) Prefeasibility and	
	6. Remove all infrastructure and reclaim, or rehabilitate the project site after exploration activities are completed.	feasibility studies.	

Table 3.15: Mitigation measures to minimise vibration, noise and air quality.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
Promote of effective management of vehicle movement, drilling and blasting operations and use of Personal Protective Equipment (PPE) in mitigating air quality and vibrations impacts in line with national laws	 Limit vehicle movements and adhere to the speed of 60 km/h. Vehicles and all equipment must be properly serviced to minimise noise pollution. Use of Personal Protective Equipment (PPE) to minimise Occupational Health Safety impacts dues to noise pollution around the site. National or international acoustic design standards must be followed. Drilling and blasting operations can major sources of vibration, noise and dust and where required the following mitigation measure shall be implemented. Drilling and blasting operations shall only be done by a qualified person who must at all times adhere to the required blasting protocol. Prior warning shall be given to all persons, neighbour and visitors before the blasting takes place. Careful planning and timing of the blast program to minimise the size of the charge. Where practicable, use of explosive products with lower detonation velocities, but noting that this would require more explosives to achieve the same blast result. Use of detonating caps with built-in time delays, as this effectively reduces each detonation into a series of small explosions. Use of a procedure ("decking the charge") which subdivides the charge in one blast hole into a series of smaller explosions, with drill patterns restricted to a minimum separation from any other loaded hole. Over-drilling the holes to ensure fracturing of the rock. Staggering the detonation for each blast hole in order to spread the explosive's total overpressure over time. Matching, to the extent possible, the energy needed in the "work effort" of the borehole to the rock mass to minimise excess energy vented into the receiving environment. 	 (i) Regional reconnaissance field-based mapping activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies. 	 (i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 3.16: Mitigation measures for waste (solid and liquid) management.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
Promotion of effective waste (solid and liquid) management through the adoption of sound and hierarchical approach to waste management, which would include waste minimisation, re-use, recovery, recycling, treatment, and proper disposal.	 Burial of waste on anywhere within the EPL area is not allowed and all generated solid waste must be disposed at the at an approved municipal waste disposal site. Toilet and ablution facilities must be provided on site and should not be located close to Ephemeral Rivers or visible discontinuities (fractures, joints or faults). Provide site information on the difference between the two main types of waste, namely: General Waste. and Hazardous Waste. Sealed containers, bins, drums or bags for the different types of wastes must be provided. Never dispose of hazardous waste in the bins or skips intended for general waste. All solid and liquid wastes generated from the proposed project activities shall be reduced, reused, or recycled to the maximum extent practicable. Trash may not be burned or buried, except at approved sites under controlled conditions in accordance with the municipal regulations. Never overfill any waste container, drum, bin or bag. Inform your Contractor or the Environmental Control Officer / Site Manager if the containers, drums, bins or skips are nearly full. Never litter or throwaway any waste on the site, in the field or along any road. No illegal dumping. Littering is prohibited. Latrines and French drains built >100m from watercourses or pans to avoid pollution of primary and secondary aquifers. Chemical toilets or suitable waste water management system shall be provided on site and around the camp as may be required. 	mapping and sampling activities.	 (i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

Table 3.17: Rehabilitation plan.

OBJECTIVES	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
Contributions toward environmental preservation and sustainability through rehabilitation of disturbed areas such as exploration sites and remove all unwanted part of the fixtures and restore the sites to close an approximation of the pristine state as is technically, financially and reasonably possible.	 The following rehabilitation actions are practiced: Small samples are preferably removed from site to avoid additional scars in the landscape. Litter from the site has been taken to the appropriate disposal site. Debris, scrap metal, etc is removed before moving to a new site or closure of the mine. 	(i) Regional reconnaissance field-based mapping and sampling activities. (ii) Initial local field-based mapping and sampling activities. (iii) Detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Prefeasibility and feasibility studies.	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors
	between the tracks) and raking the surface. 2. The following should be undertaken at all disturbed areas that require further rehabilitation:		

Table 3.18: Environmental data collection.

IMPLEMENTATION STRATEGY	MITIGATION MEASURES	SCHEDULE	RESPONSIBILITY
 Collect data that will add value to environmental monitoring and reporting to the regulators Collect data that will add to the general scientific and geographic knowledge of the environment in which the exploration process takes place. Acknowledged that the required skills and knowledge to collect all the suggested data may not be available within the mine /exploration team, however, as much data as is practical should be collected. 	 Environmental Monitoring Report Compiled and submitted by the Environmental Coordinator to the regulators The following types of information should be gathered: Fauna. What tracks or signs of animal activity have been seen? (photographs and GPS recording) What animals, birds etc were identified? Alternatively provide a description and/ or photo if unidentified. Unusual weather conditions, e.g. records of the prevailing wind direction and the direction from which storm events come. Was there fog or rain, frost overnight or intense heat? Preferably have a thermometer and rain gauge on site. Vegetation. Record trees, shrubs, grass, etc. that are found in the vicinity along each of the profiles. Some plants do only occur after rainfall and might not have been seen for decades. Any archaeological, cultural or historical sites that may be found. GPS coordinates, photograph and plot the position on a 1: 50 000 maps. other including surface water, spring, large scale geological features etc 	 (i) Monthly during regional reconnaissance field-based mapping and sampling activities. (ii) Monthly during initial local field-based mapping and sampling activities. (iii) Monthly during detailed local field-based activities such as local geological mapping, geochemical mapping and sampling, trenching and drilling of closely spaced boreholes and bulk sampling. (iv) Monthly during prefeasibility and feasibility studies. 	(i) Proponent's Representative (PR) (ii) Project Manager (PM) (iii) Project HSE (iv) Contractor (v) Subcontractors

4. REHABILITATION COMMITMENTS

4.1 Rehabilitation Process

The following is the summary of key rehabilitation process to be implemented by the proponent in consultation with the land owners:

❖ Step 1: Backfilling excavated or disturbed areas:

- Transporting all stockpiled overburden back to the excavated voids.
- o Backfilling the trenches, pits and guarries using original excavated and stockpiled materials.
- o If applicable, backfill the various layers of overburden in the reverse order in which they were removed, i.e. Last out should be first in as far as possible, and.
- When backfilling, bear in mind that some space must be left for the backfilling of the soil on top of the overburden.

Step 2: Remove all waste and unwanted materials:

- Once the drilling slimes ponds have dried sufficiently, scrape out the slimes and transporting back to an exploration excavated voids during the overburden backfilling stage.
- Allow the pollution control dam to evaporate completely, scrape all waste that has collected
 in the pond and dispose of these and the pond lining at a suitable site.
- o Bulldoze the walls of the pollution control pond over and contour.
- Collect remaining domestic waste on site and transport to an approved municipal waste disposal site.
- Clean out the oil traps, collect the waste material in drums and transport to a suitable site for disposal, and.
- o Manually remove all weedy species that are present at the site (the entire plant can easily be removed because the plants tend not to root deeply).

Step 3: Remove all structures:

- Remove all building materials from the exploration / test mining site and either:
 - Transporting to a new site if it is to be used or stored elsewhere. or
 - Disposing at a suitable approved municipal waste disposal site. or
 - Making them available to the farmer or local persons, or,
 - Selling at an auction.
- Remove all machinery from the site and transport to a new site where it is to be used or stored or sell at an auction.
- o Remove all fences that have been constructed and either make the material available to the local persons/farmer, dispose at a suitable site or sell at an auction.
- Remove the generators from the sites from site and either transport to a new site for storage or sell it to the farmer or an Auction.

- Seal all petrol, diesel, oil and grease containers and remove from the site to a storage facility or make it available to the farmer.
- o Collect all scrap metal and dispose at a suitable site or sell at an auction, and.
- Break up all concrete slabs and structures on site and transport the fragments to a suitable site for disposal.

Step 4: Rehabilitate the excavated voids:

- Replace the subsoil layer by backfilling the soil on top of the overburden and contour cap the subsoil with a topsoil layer about 10cm deep, and.
- o Cap the topsoil containing the seedbank with a layer of gravel by manually spreading the fragments across the surface using a rake.

Step 5: Rehabilitate site-specific storm-water channel:

- Remove all the site structures created.
- Dispose of the plastic/wire and use the fill material to backfill the storm-water channel.
- o Cap with a layer of topsoil to a depth of about 10cm, and.
- o Cap the topsoil containing the seedbank with a gravel layer by manually spreading the fragments across the surface using a rake.

Step 6: Rehabilitate all adjacent exploration / test mining sites affected:

- o Rip the surfaces to a depth of 40 cm to 50 cm using a multi-toothed ripper and tractor.
- Cover with a layer of topsoil to a depth of about 10 cm, and.
- Cap the topsoil containing the seedbank with a layer of gravel by manually spreading the fragments across the surface using a rake.

Step 7: Rehabilitate all unwanted access roads created:

- o Rip the road surface to a depth of at least 50 cm using a multi-toothed ripper and tractor.
- Disk the ripped surface to break up the clods.
- Cover with a layer of topsoil to a depth of about 10 cm, and.
- Cap the topsoil containing the seedbank with a gravel layer by manually spreading the fragments across the surface using a rake.

4.2 Monitoring of the Environmental Performance

4.2.1 Rehabilitation Evaluation and Performance Monitoring

The following is the summary of key rehabilitation evaluation and performance monitoring to be implemented by the proponent:

Monitoring: Monitoring program is instituted to ensure that the requirements of the mining site rehabilitation program are met. Rehabilitation program may be subjected to various natural or man-made forces that can hinder the progress and lead to problems or failure or

- the rehabilitation program. Regular monitoring will ensure that these factors are identified early so they may be resolved through appropriate recommendations.
- ❖ Frequency: All rehabilitated areas should be monitored over a three (3) years period from the onset of the rehabilitation procedures. The frequency of monitoring suggested above is dependent on satisfactory performance. If, however, the requirements are not being met, the frequency of monitoring can be increased. It is suggested that the monitoring be conducted once a year around September when the grasses and forbs are flowering.
- ❖ Methods: The rehabilitated areas might be monitored by the sampling randomly located 1m² quadrates. Approximately 10 quadrates per hectare (or a minimum of 3) should be sampled per plant community. The factors that will be examined in each quadrate include:
 - o Percentage basal cover.
 - Percentage aerial cover.
 - o Species composition and diversity.
 - Vigor and health of plants.
 - o Presence of and evidence of fauna, and.
 - Nature of the substrate.
- ❖ Controls: To enable a comparison, control plots located within the surrounding un-mining areas should also be monitored. This will give an indication of the progress of rehabilitated areas versus the natural vegetation and will set the goals, which ultimately should be achieved. By monitoring the natural vegetation annually, it will also be possible to assess the natural changes that are taking place. These findings can then be applied to the rehabilitated areas so as to account for the changes, which may have resulted from natural events. Approximately 5 to 10 quadrates of 1m² should be sampled per community type to set the controls.
- Maintenance: Maintenance requirements may include seeding (if there is poor germination of the seedbank), fertiliser applications, correcting erosion problems, removing weeds, etc. Maintenance of the rehabilitated areas will be necessary periodically. The need for and extent of maintenance activities will be determined during the regular monitoring of the site, and.
- Qualified Personnel: The rehabilitation procedures from implementation to monitoring should be overseen by qualified personnel. Any persons involved in the rehabilitation of the mining site should be trained in the techniques involved.

4.2.2 Overall Environmental Performance Monitoring and Reporting

The monitoring of the environmental performances for the proposed exploration project can be divided into two (2) parts and these are:

- (i) Routine / ongoing daily monitoring activities to be undertaken by the Project HSE Officer with the support of the external specialist consultants as maybe required, and.
- (ii) Preparation of annual Environmental Monitoring Report and Environmental Closure covering all activities related to the Environmental Management Plan during exploration / prospecting stages and at closure of the proposed exploration to be undertaken by the Project HSE Officer with the support of the external specialist consultants as maybe required.

Environmental Commissioner in the Ministry of Environment and Tourism (MEFT), the environmental performances as part of the ongoing environmental monitoring programme. Environmental monitoring programme is part of the EMP performances assessments and will need to be compiled and submitted as determined by the Environmental Commissioner. The process of undertaking appropriate monitoring as per specific topic (such as fauna and flora) and tracking performances against the objectives and documenting all environmental activities is part of internal and external auditing to be coordinated by the Project HSE Officer.

The second part of the monitoring of the EMP performance will require a report outlining all the activities related to effectiveness of the EMP at the end of the planned mineral exploration to be undertaken by the Project HSE Officer with the support of the external specialist consultants as maybe required. The objective will be to ensure that corrective actions are reviewed and steps are taken to ensure compliance for future EIA and EMP implementation.

The report shall outline the status of the environment and any likely environmental liability after the completion of the proposed project activities. The report shall be submitted to the Environmental Commissioner in the Ministry of Environment and Tourism and will represent the final closure and fulfilment of the conditions of the Environmental Clearance Certificate (ECC) issued by the Environmental Commissioner and the conditions of the Pro-Forma Environmental Contract signed by the Proponent, Environmental Commissioner and the Mining Commissioner.

5. CONCLUSION AND RECOMMENDATION

5.1 Conclusions

Martha N. Daweti (**the Proponent**) intends to undertake exploration activities in the Exclusive Prospecting Licence (EPL) No. 7875 covering base and rare metals, industrial minerals, and precious metals groups. The exploration activities to be undertaken as assessed in this environmental assessment are as follows:

- (i) Initial desktop exploration activities.
- (ii) Regional reconnaissance field-based activities.
- (iii) Initial local field-based activities including detailed mapping, sampling and drilling operations.
- (iv) Detailed local field-based activities including detailed mapping, sampling and drilling operations, and.
- (v) Prefeasibility and feasibility studies including possible test mining.

The overall severity of potential environmental impacts of the proposed exploration activities on the receiving environment (physical, biological, socioeconomic environments and ecosystem functions, services, use and non-use values or passive uses) will be of low magnitude, temporally duration, localised extent, and low probability of occurrence. The Proponent must obtain permission of the land owners (surface rights holders) before exercising their subsurface rights in all the farms covered by the EPL 7875.

5.2 Recommendations

It is hereby recommended that the proposed exploration activities be issued with an Environmental Clearance Certificate (ECC) with the following key conditions:

- (i) The Proponent shall negotiate Access Agreements with the land owners as may be applicable or required to access the farms.
- (ii) In consultation with the land owners and where possible and if key and core conservation, tourism or archaeological resources areas are identified within the EPL area, such areas shall be excluded from the proposed minerals exploration activities.
- (iii) The Proponent shall adhere to all the provisions of the EMP and conditions of the Access Agreement to be entered between the Proponent and the land owner/s in line with all applicable national legislations and regulations.
- (iv) Before entering any private property such as private farms or communal areas, the Proponent shall give advance notices to the surface land rights holders and always obtain permission to access the land to undertake prospecting activities in any given area.
- (i) Where possible, and if good quality freshwater is found during the detailed exploration borehole drilling operations, the Proponent shall support other land users in the area in terms of access to good quality freshwater resources for both human consumption, wildlife and agricultural uses as may be requested by the local community / land owner/s. With permission from the Department of Water Affairs in the Ministry of Agriculture, Water and Land Reform (MAWLR), the abstraction of the groundwater resources shall include water levels monitoring, sampling and quality testing on a bi-annual basis, and that the affected landowner/s must have access to the results of the water monitoring analyses as part of the ongoing stakeholder disclosure requirements on shared water resources as may be applicable.

The Proponent must take all the necessary steps to implement all the recommendations of the EMP for the successful implementation and completion of the proposed exploration programme covering the EPL 7875. Recommended actions to be implemented by the Proponent as part of the management of the likely impacts through implementations of the EMP are:

- (i) The Proponent shall obtain permission from the land owners to enter the EPL area to undertake field-based exploration / prospecting activities.
- (ii) The Proponent shall implement precautionary measures / approach to environmental management. Once a viable and potential economic resource have been identified, the Proponent shall develop and implement a separate EIA and EMP inclusive of the specialist studies such as fauna and flora to be undertaken by specialist consultants as part of the feasibility study stage.
- (iii) Before detailed site-specific exploration activities such as extensive drilling operations and access routes are selected, the Project HSE Officer with the support of the external specialist consultants as maybe required, should consider the flora, fauna and archaeological sensitivity of the area and commission a field survey in advance of any site development as may be required based on the assessment undertaken.
- (iv) The Project HSE Officer shall lead, implement, and promote environmental culture through awareness raising of the workforce, contractors, and sub-contractors in the field during the whole duration of the proposed exploration period.
- (v) The Proponent to provide all the necessary support including human and financial resources, for the implementation of the proposed mitigations and effective environmental management during the planned exploration activities for the EPL 7875.
- (vi) Project HSE Officer with the support of the external specialist consultants as maybe required to develop a simplified environmental induction and awareness programme for all the workforce, contractors and sub-contractors.
- (vii) Where contracted service providers are likely to cause environmental impacts, these will need to be identified and contract agreements need to be developed with costing provisions for environmental liabilities.
- (viii) Implement internal and external monitoring of the actions and management strategies developed during the mineral exploration process. Final Environmental Monitoring report shall be prepared by the Project HSE Officer with the support of the external specialist consultants as maybe required to be submitted to the regulators and to mark the closure of the proposed mineral exploration, and.
- (ix) Develop and implement a monitoring programme that will fit into the overall company's Environmental Management Systems (EMS) as well as for any future EIA for possible mining projects.

All the liabilities for environmental damage or damage to any existing public or private property or infrastructure rests with the Proponent.

5.3 Summary ToR for Test Mining and Mining Stages

Once economic resources are discovered for possible mining operations, a separate field-based and site-specific Environmental Impact Assessment (EIA) and Environmental Management Plan (EMP) shall be undertaken as part of the prefeasibility and feasibility studies. The site-specific EIA and EMP shall cover the area/s identified to have potential economic minerals resources and the assessment shall include the entire planned mine layout areas such as the pit / shaft, waste rock, tailings dump, access, office blocks, mechanical workshop, water, and energy infrastructure support areas (water, energy, and road / access).

In addition to the site-specific possible mining EIA and EMP Terms of Reference (ToR) to be developed during the prefeasibility study phase, the following field-based and site-specific specialist studies shall be undertaken in an event that economic minerals resources and discovered for possible development of a mining project within the EPL 7875 area:

- (i) Groundwater studies including modelling as may be applicable.
- (ii) Field-based flora and fauna assessments.
- (iii) Dusts, noise and sound assessments and modelling linked to engineering studies.
- (iv) Socioeconomic assessment, and.
- (v) Others as may be identified / recommended by the stakeholders/ land owners/ Environmental Commissioner or specialists during the prefeasibility and feasibility phases.

The aims and objectives of the Environmental Assessment (EA) covering Environmental Impact Assessment (EIA) and Environmental Management Plan (EMP) to be implemented as part of the feasibility study if a variable resource is discovered are:

- (i) To assess all the likely positive and negative short- and long-term impacts on the receiving environment (physical, biological, and socioeconomic environments) at local (EPL Area), regional, national (Namibia) and Global levels using appropriate assessment guidelines, methods and techniques covering the complete project lifecycle. The EIA and EMP to be undertaken shall be performed with reasonable skill, care and diligence in accordance with professional standards and practices existing at the date of performance of the assessment and that the guidelines, methods and techniques shall conform to the national regulatory requirements, process and specifications in Namibia and in particular as required by the Ministry of Mines and Energy, Ministry of Environment, Forestry and Tourism and Ministry of Agriculture, Water Affairs and Land Reform, and.
- (ii) The development of appropriate mitigation measures that will enhance the positive impacts and reduce the likely negative influences of the negative impacts identified or anticipated. Such mitigation measures shall be contained in a detailed EMP report covering the entire project lifecycle.