

ENVIRONMENTAL MANAGEMENT PLAN (EMP)

The Proposed Prospecting and Exploration activities on Exclusive Prospecting Licences (EPLs) No. 7181, 7324, 7675 & 7676 located North-west of Grootfontein, Otjozondjupa and Oshikoto Region, Namibia

ECC Application Reference No.: APP-003866

Document Version:

Draft

Author(s): Mr. Silas David

Reviewer: Ms. Rose Mtuleni

Company: Excel Dynamic Solutions (Pty)

Ltd

Telephone: +264 (0) 61 259 530

Fax2email: +264 (0) 886 560 836

Email: info@edsnamibia.com

Proponent: Resource Five Hundred Namibia

(Pty) Ltd

Contact Person: Ms. Robyn Christians

Cellphone: +264 (0) 814176560

Postal Address: P. O Box 55186, Rocky Crest,

Windhoek, Namibia

Email: robynchristians85@gmail.com

Draft EMP

TABLE OF CONTENTS

| LIS | T OF F | IGURES | 1 |
|-----|--------------|--|------|
| LIS | T OF T | ABLES | 1 |
| 1 | INTRO | DDUCTION | 3 |
| | 1.1 | Project Background | 3 |
| | 1.2 | Aim of the Environmental Management (EMP) | 5 |
| | 1.3 | Appointed Environmental Assessment Practitioner | 6 |
| | 1.4 | Environmental Assessment Legal Requirements | 6 |
| | 1.5 | Draft EMP Limitations | 9 |
| 2 | EMP I | ROLES AND RESPONSIBILITIES | 9 |
| | 2.1 (DEAF | Competent Monitoring Authority: Department of Environmental Affairs and Forestry | - |
| | 2.2 | The Proponent or Proponent's Representative (PR) | . 10 |
| | 2.3 | Exploration Manager (as appropriate) | . 10 |
| | 2.4 | Environmental Control Officer (ECO) | . 10 |
| 3 | ENVIF | RONMENTAL MANAGEMENT & MITIGATION MEASURES | . 11 |
| | 3.1 | Management of Key Potential Adverse Environmental Impacts | . 11 |
| | 3.2 | Aim of the Environmental Management Plan Actions | . 12 |
| | 3.3 Plan) | Planning, Prospecting and Exploration Phase Management Action Plans (Mitigation 13) | 'n |
| | 3.4 | Monitoring Action Plans (Monitoring Plan) | . 38 |
| | 3.5 | Decommissioning and Rehabilitation | . 43 |
| 4 | ENVIF | RONMENTAL MONITORING AND REPORTING | . 44 |
| 5 | CONC | CLUSIONS AND RECOMMENDATIONS | . 44 |
| LIS | ST OF | FIGURES | |
| _ | | ocation of EPLs near Grootfontein in the Otjozondjupa Regionand use (affected and neighboring farms) of EPLs | |
| LIS | ST OF | TABLES | |
| | | oplicable legal requirements and permits to the activities of the EPLs No. 7181, 732 | |
| | | anagement and mitigation action plans for the planning and exploration phases | |
| | | | |

| Resource Five Hundred Namibia (Pty) Ltd | Draft EMP |
|---|-----------|
| Table 3: Management action plans for Monitoring | 39 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

1 INTRODUCTION

1.1 Project Background

Resource Five Hundred Namibia (Pty) Ltd (The Proponent), has applied to the Ministry of Mines and Energy (MME) to be granted the Exclusive Prospecting Licences (EPLs) No. 7181, 7324, 7675, and 7676. The tenure of EPL No. 7181 is from 13th November 2019 to 12th November 2022, EPL No. 7324 from 22nd to 21st October 2023, EPL No. 7675 from 30th November 2019 to 29th November 2022, and EPL 7676 from 30th October 2019 to 29th October 2022. The total combined surface area of the EPLs is 24, 665.7362 hectares (ha), and they are located about 25.08 km from Grootfontein in the Otjozondjupa and Oshikoto Regions (**Figure 1**).

The EPLs covers (overlies) Farm Nosib Block III No. 655, Cherbourg No. 681, Hurisib No. 1272, Nabis No. 587, Eland Shoek No. 771, Annshope No. 532, Khusib No. 8, Uitsing No. 1258, Gross II menan No. 756, Ghaub No. 47, Toggenburg No. 1255, and Ghaub West No. 590 (**Figure 2**).

The targeted commodities for the proposed exploration works are **Base & Rare Metals**, and **Precious Metals**.




Figure 1: Location of EPLs near Grootfontein in the Otjozondjupa and Oshikoto Region




Figure 2: Land use (affected and neighboring farms) of EPLs

According to Section 27 (1) of the Environmental Management Act (EMA), no. 7 of 2007 and in line with Sections 32-37 of the EMA as gazetted in 2012, the proposed prospecting and exploration activities on the EPLs form part of the listed activities that may not be conducted without an EIA being undertaken. The relevant listed activities as per EIA Regulations are:

- 3.1 The construction of facilities for any process or activities which requires a license, right
 of other forms of authorization, and the renewal of a license, right or other form of
 authorization, in terms of the Minerals (Prospecting and Mining Act, 1992).
- 3.2 other forms of mining or extraction of any natural resources whether regulated by law or not.
- 3.3 Resource extraction, manipulation, conservation and related activities.

This statutory document has been prepared as per requirement in accordance with Section 8 of the EMA (No. 7 of 2007). The compilation of this EMP is one of the requirements (scope of work)

Draft EMP

presented to Excel Dynamic Solutions (Pty) Ltd by The Proponent. It is required of the Environmental Consultant to comply with the EMA and provide for the following:

- Prepare an explicit Environmental Management Plan to be used as a guideline to monitor compliance to the recommendations stipulated in the EIA and to assist in managing and monitoring activities throughout exploration and maintenance of the proposed exploration activities and sites on the EPLs.
- The Environmental Consultant must clearly elucidate in the EMP the roles and responsibilities of the Proponent, the contractors, and any other identified stakeholders.

1.2 Aim of the Environmental Management Plan (EMP)

Regulation 8(j) of the EIA Regulations (2012) requires that a draft Environmental Management Plan (EMP) shall be included as part of the Environmental Assessment (EA). A 'Management Plan' is defined as:

"...a plan that describes how activities that may have significant environments effects on the environment are to be mitigated, controlled and monitored."

An EMP is one of the most important outputs of the EA process as it synthesizes all the proposed management & mitigation and monitoring actions, set to a timeline and with specific assigned responsibilities. It provides a link between the impacts identified in the EA process and the required mitigation measures to be implemented during exploration. It is important to note that an EMP is a statutory document and a person who contravenes the provisions of this EMP may face imprisonment and/or a fine. This EMP is a living document and can be amended to adapt to address project changes and/or environmental conditions and feedback from compliance monitoring.

The purpose of this document is, therefore, to guide environmental management throughout the different phases of the proposed exploration activities (planning, prospecting and exploration, and decommissioning and rehabilitation phases).

Planning phase - This is the stage of the proposed project during which the Proponent
prepares all the administrative and technical requirements needed for the actual works on
the ground. The planning phase includes obtaining the necessary permissions and
authorizations from relevant national and local stakeholders (such as affected parties),

Draft EMP

facilitating the recruitment and procurement processes, etc., in preparation of the exploration activities (and site maintenance).

- Prospecting and Exploration phase This is the phase where the Proponent carries out
 prospecting and exploration activities for the target commodities groups, and undertakes
 related activities on site. It is also the phase during which maintenance of the area,
 equipment and machinery is done by the Proponent.
- Decommissioning and Rehabilitation This is the phase during which the exploration
 activities on the EPLs cease. The decommissioning of the EPLs exploration activities may
 be considered because of poor results or declining in the focus commodity market price.
 Before the decommissioning phase, the Proponent will need to put site rehabilitation
 measures in place.

Environmental Monitoring Requirements: To support and ensure that the proposed mitigation measures are achieving the desired results, a monitoring plan must be implemented alongside the mitigation plan.

This draft EMP will be used by the Proponent, employees and/or contractors to provide management measures to be undertaken during exploration activities, to address the environmental impacts identified in the scoping report and ensure that the impacts on the environment are avoided or limited if they cannot be avoided completely.

1.3 Appointed Environmental Assessment Practitioner

To fulfill the requirements of the EMA and its 2012 EIA Regulations, the Proponent appointed Excel Dynamic Solutions (Pty) Ltd (EDS), an independent consulting company to conduct the required EA process on their (Proponent's) behalf. This draft EMP will be submitted as part of an application for the proposed exploration method on the EPLs to the Environmental Commissioner at the Department of Environmental Affairs and Forestry (DEAF), at Ministry of Environment, Forestry and Tourism (MEFT).

1.4 Environmental Assessment Legal Requirements

The content of the EMP must meet the requirements of Section 8 (j) of the EIA Regulations. The EMP must address the potential environmental impacts of the prospecting and exploration activities on the environment throughout the project life cycle. It must also include a system for assessment of the effectiveness of monitoring and management arrangements after project implementation.

Draft EMP

The Proponent, therefore, has the responsibility to ensure that the exploration activities as well as the EA process conform to the principles of the EMA and must ensure that employees act in accordance with such principles. **Table 1** below lists the requirements of an EMP as stipulated by Section 8(e) of the EIA Regulations, primarily on specific approvals and permits that may be required for the activities required of the EPLs.

Table 1: Applicable legal requirements and permits to the activities of the EPLs No. 7181, 7324, 7675 & 7676

| Legislation/Policy/ Guideline | Relevant Provisions | Implications for this project |
|---|---|---|
| Environmental Management Act EMA (No 7 of 2007) Environmental Impact Assessment (EIA) Regulations GN 28-30 (GG 4878) | Requires that projects with significant environmental impacts are subject to an environmental assessment process (Section 27). Details principles which are to guide all EIAs. Details requirements for public consultation within a given environmental assessment process (GN 30 S21). Details the requirements for what should be included in a Scoping Report (GN 30 S8) and an Assessment Report (GN 30 | The EMA and its regulations should inform and guide this EA process. Should the ECC be issued to the Proponent, it should be renewed every 3 years, counting from the date of issue. Contact details at the Department of Environmental Affairs and Forestry (DEAF), Ministry of Environment, Forestry and Tourism (MEFT), Office of the Environmental Commissioner Mr. Timoteus Mufeti Tel: +264 61 284 2701 |
| Minerals (Prospecting and Mining) Act (No. 33 of 1992) | S15). Section 48 (3): To enable the Minister to consider any application referred to in section 47 the Minister may (b) require the person concerned by notice in writing to (i) carry out or cause to be carried out such environmental impact studies as may be specified in the notice. Section 54(2): details provisions pertaining to the decommissioning or abandonment of a mine. | The Proponent should ensure that all necessary permits/authorization for these EPLs are obtained from the Ministry of Mines and Energy (MME). Contact person and details at the MME (Mining Commissioner) Mr. Erasmus Shivolo Tel: +264 61 284 8167 |

| Legislation/Policy/ Guideline | Relevant Provisions | Implications for this project |
|---|---|---|
| | Under this Act (Section 51 (1a)), holder of a mineral license cannot exercise any rights on a private land until the holder has entered into an agreement with the owner regarding payment of compensation | The Proponent should timely enter into and sign access and land use agreement (consent) with the respective affected farm owners. |
| Petroleum Products and Energy Act (No. 13 of 1990) Regulations (2001) | Regulation 3(2)(b) states that "No person shall possess or store any fuel except under authority of a license or a certificate, excluding a person who possesses or stores such fuel in a quantity of 600 litres or less in any container kept at a place outside a local authority area" | The Proponent should obtain the necessary authorisation form the MME for the storage of fuel on-site. Mr. Carlo McLeod (Ministry of Mines and Energy: Acting Director – Petroleum Affairs) Tel: +264 61 284 8291 |
| Forestry Act 12 of 2001, Amended Act 13 of 2005 | Prohibits the removal of any vegetation within 100 m from a watercourse (Forestry Act S22 (1)). The Act prohibits the removal of and transport of various protected plant species. | Should there be protected plant species, which are known to occur within the project site, these are required to be removed and a permit should be obtained from the nearest Forestry office (Ministry of Environment, Forestry and Tourism (MEFT)) prior to removing them. Mr. Fillemon Kayofa (Acting Director of Forestry Division) Tel: +264 61 208 7320 |
| National Heritage Act No. 76 of 1969 | Call for the protection and conservation of heritage resources and artefacts. | Should any archaeological material, such as bones, old weapons/equipment etc. be found on the EPLs site, work should stop immediately, and the National Heritage Council of Namibia must be informed as soon as possible. The Heritage Council will then decide to clear the area or decide to conserve the site or material. Contact Details at National Heritage Council of Namibia |

| Legislation/Policy/ Guideline | Relevant Provisions | Implications for this project |
|-------------------------------|---------------------|---|
| | | Mr Manfred Gaeb (Regional Heritage |
| | | Officer) – National Heritage Council of |
| | | Namibia |
| | | Tel:(061) 301 903 |
| | | OR |
| | | Ms. Agnes Shiningayamwe (Regional Heritage Officer) – National Heritage Council of Namibia Tel: (06) 301 903 |

1.5 Draft EMP Limitations

This EMP has been drafted with the acknowledgment of the following limitations:

- This EMP has been drafted based on the Environmental Assessment (EA) conducted for targeted prospecting and exploration activities of Base and Rare Metals, and Precious Metals on the EPLs.
- The mitigation measures recommended in this EMP document are based on the risks/impacts in the ESA Report which were identified based on the project description as provided by the Proponent, site investigation and public input. Should the scope of the proposed project change, the risks/impacts will have to be reassessed and mitigation measures provided accordingly.

2 EMP ROLES AND RESPONSIBILITIES

The Proponent is ultimately responsible for the implementation of the EMP. However, the Proponent may delegate this responsibility at any time, as they deem necessary during the project phases. The roles and responsibilities of all delegates/parties involved in the effective implementation of this EMP are set out below:

2.1 Competent Monitoring Authority: Department of Environmental Affairs and Forestry (DEAF, MEFT)

The DEAF is responsible for enforcing compliance with the EMA, its regulations and full implementation of this EMP. The competent authority also reviews biannual reports and grant ECC renewal after 3 years.

2.2 The Proponent or Proponent's Representative (PR)

If the Proponent does not personally manage all aspects and phases' activities referred to in this EMP, they should assign this responsibility to a suitably qualified individual referred to in this plan as the Proponent's Representative (PR). The PR may be appointed to manage all phases of the project, or to manage only the EMP aspects for the project. The PR's responsibilities may include:

- Managing the implementation of this EMP and updating and maintaining it when necessary.
- Management and monitoring of individuals and/ or equipment on-site in terms of compliance with this EMP.
- Issuing fines for contravening EMP provisions.

2.3 Exploration Manager (as appropriate)

This individual is responsible for ensuring that the exploration activities of the project are completed on time. The Manager's duties and responsibilities will include:

- Ensure that relevant commitments contained in the EMP Action Plans are adhered to.
- Ensure relevant staff is trained in procedures entailed in their duties.
- Maintain records of all relevant environmental documentation for the project.
- Reviewing the EMP annually and amending the document when necessary.
- Issuing fines to individuals who may be in breach of the EMP provision and if necessary, removing such individuals from the site.
- Cooperate with all relevant interested and affected parties/stakeholders.
- Development and management of schedules for daily activities.

2.4 Environmental Control Officer (ECO)

The Proponent may assign the responsibility of ensuring EMP compliance throughout the project life cycle to a designated member of staff or external qualified and experienced person,

Draft EMP

referred to in this EMP as the Environmental Control Officer (ECO). The ECO has the following responsibilities:

- Management and facilitation of communication between The Proponent, PR and Interested and Affected Parties (I&APs) regarding this EMP.
- Conducting site inspections (recommended frequency is monthly or weekly as recommended – please refer to Table 3) of all areas with respect to the implementation of this EMP (monitor and audit the implementation of the EMP).
- Advising the PR on the removal of person(s) and/or equipment not complying with the provisions of this EMP.
- Making recommendations to the PR with respect to the issuing of fines for contraventions of the EMP.
- Undertaking an annual review of the EMP and recommending additions and/or changes to this document.
- Ensuring that the exploration activities on site are conducted in accordance with the International System organization (ISO) standard 14001: 2015.

Archaeology: Chance Finds Procedure (CFP) Implementation Roles

The following personnel have been assigned responsibilities as per the Chance Finds Procedure (Appendix 1):

- **Operator:** To exercise due caution if archaeology remains are found.
- Foreman: To secure site and advise management timeously.
- **Superintendent**: To determine safe working boundary and request inspection.
- Archaeologist: To inspect, identify, advise management, and recover remains.

The Proponent should assess these commitments in detail and should acknowledge their obligation to the specific management actions detailed in the Tables under the following sections.

3 ENVIRONMENTAL MANAGEMENT & MITIGATION MEASURES

3.1 Management of Key Potential Adverse Environmental Impacts

From the assessment conducted, the following key potential negative impacts have been identified and are summarized below.

Draft EMP

- Potential disturbance of grazing land areas
- Physical land / soil disturbance
- Impact on local biodiversity (fauna and flora) and habitat disturbance and potential illegal wildlife hunting (poaching) in the area
- Potential impact on water resources and soils particularly due to pollution,
- Air quality issue: potential dust generated from the project.
- Potential occupational health and safety risks
- Vehicular traffic safety and impact on services infrastructure such as local roads
- Vibrations and noise associated with drilling activities may be a nuisance to locals
- Environmental pollution (solid waste and wastewater)
- Archaeological and heritage resources impact
- Potential social nuisance and conflicts (theft, damage to properties, etc.).

3.2 Aim of the Environmental Management Plan Actions

The aim of the management actions of the EMP is to avoid the identified potential negative impacts, where possible. Where impacts cannot be avoided, measures are provided to reduce the significance of these impacts.

Management actions recommended for the potential impacts rated in the ESA carried out for the prospecting and exploration activities were based on the following project stages (phases):

- Planning, Prospecting and Exploration (and site maintenance) phases (Table 2)
- Monitoring (Table 3)
- Decommissioning and Rehabilitation (section 3.5).

The responsible person(s) should assess these actions in detail and acknowledge their commitment to the specific management actions detailed in the phases given under the following subsections.

Draft EMP

3.3 Planning, Prospecting and Exploration Phase Management Action Plans (Mitigation Plan)

The management action plans recommended for this phase are presented in **Table 2** below.

Table 2: Management and mitigation action plans for the planning and exploration phases

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|---------------------------------|---|--|---|----------------------------------|--|----------------------------|
| | | Pl | LANNING PHASE | | | |
| EMP implementation and training | Lack of EMP awareness and implications thereof | -A Comprehensive Health and Safety Plan for the project activities should be compiled. This will include all the necessary health, safety, and environmental considerations applicable to respective works on sites. An EMP non-compliance penalty system should be implemented on site. The Proponent should appoint an | -All required Plans and systems are compiled and in place. and Environmental Control Officer (ECO) is appointed | Proponent | EMP implementation Plans and Systems | Pre-exploration works |
| | | ECO to be responsible for managing the EMP implementation and monitoring. | | | | |
| Authorizations | Lack of Agreements, Permits/ Licenses | -All the required agreements and licenses or permits should be applied for and signed, respectively before commencement of work on the EPLs, or as required. -The permits, agreements referred | -Applicable permits and licenses to obtained from relevant authorities and kept on site for records keeping and future inspections. | Proponent | Proponent Respective authorities and services provider(s) | Prior to exploration works |
| | | to herein include: | signed and obtained from on time, min. 2 | | | |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|--|--|---|---|---|-------------------------|--|
| | | land access by the farm owners (landowners). waste management disposal permits from the relevant facility operator/owner water supply agreements. Onsite fuel storage permit from MME for any petroleum stored onsite. | months prior to planned commencement date of works. | | | |
| Communication between the Proponent and other neighbouring land users and custodians | Lack of communication (proper liaison) between other land users and Proponent with regards to land use | -The Proponent should appoint a Public Relation Officer (PRO) to liaise with the land users. -A clear communication procedure/plan which should include a grievance mechanism. | A PRO is appointed -Ongoing Farmers' Engagement & Consultation throughout the project cycles, when and as required. PRO contact details to be provided to the affected landowners. | Proponent | PRO Complaint's logbook | PRO appointment (Prior to project activities) and their responsibilities throughout the project activities |
| Employment | Creation of employment opportunities | -Non-skilled labour should be sourced from the locally affected area (people from the local communities), in accordance with | -Number of locals employed for exploration activities | Proponent in collaboration with the Exploration | Record of employees | Pre-project activities and when necessary, throughout |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|-------------------------------------|-----------------------------|--|------------------------------------|----------------------------------|---|---|
| | | procedures approved by the relevant authorities. | | Manager (if necessary) | | |
| | | -Preference of local people for employment for jobs should be implemented, i.e., permanent residents from the farms surrounding areas should be employed for the unskilled labour preferentially to out-of-area people (outsiders) where possible. Out-of-area employment should be justified, for example by the unavailability of local skills only. | | | | |
| | | -Equal opportunity should be provided for both men and women, when and where possible. | | | | |
| Specialised procurement of services | Contractors and services | -All services related to exploration activities such as trenching/pitting and drilling that the Proponent may need, preference should be given to local providers of such services. If not available locally, the services search should be extended to a regional level (Otjozondjupa and Oshikoto Region), nationally and lastly, internationally. | Number of hired contractors. | Proponent Exploration Manager | Record of hired or contracted companies or services providers | Pre-project activities and when necessary, throughout |
| | | PROSPECTING | G AND EXPLORATION P | HASE | | |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|--|---|--|---|----------------------------------|--|--|
| EMP implementation and training | Lack of EMP awareness and implications thereof | -EMP trainings should be provided to all new workers on site. -All site personnel should be aware of necessary health, safety, and environmental considerations applicable to their respective work. -The implementation of this EMP | Compliance monitoring conducted bi-annually and should be recorded. | ECO | Bi-annual reports | Throughout the exploration phase and as required |
| | | should be monitored. The site should be inspected, and | | | | |
| | | a compliance audit done throughout the project activities, monthly. | | | | |
| | | An EMP non-compliance penalty system should be implemented on site. | | | Records of EMP training conducted. | |
| Communication between the Proponent and other neighbouring land users and custodians | Lack of communication (proper liaison) between farmers and Proponent with regards to land use | -The PRO should be introduced to the farm owners and his or her contact details provided to them prior to undertaking activities for easy communication during exploration activities. The Proponent should compile a clear communication procedure / plan which should include a | PRO is part of the project personnel. Ongoing Farmers' Engagement & Consultation throughout the project cycles, when and as required | PRO | Complaint's logbook PRO contact details to be provided to the affected land users. Records of farmers' consultation | Throughout the exploration activities |
| | | grievance and response mechanism. | -Community/farmers' grievances addressed to their satisfaction | | Land access agreement conditions | |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|------------------------|---|---|--|---------------------------------|--|---------------------------|
| Grazing land | Loss of grazing areas | -Any unnecessary removal or destruction of grazing land, due to exploration activities should be avoided. | -Limited cleared sites -Less access tracks | Proponent / Exploration Manager | Grievance logbook | Throughout the phases |
| | | -Vegetation found on the site, but not in the targeted exploration areas should not be removed but left to preserve biodiversity and grazing land. | -No complaints from farmers regarding significant land/vegetation clearing | ECO | | |
| | | -Workers should refrain from driving off road and creating unnecessary tracks that may contribute to loss of grazing land. | | | | |
| | | -Environmental awareness on the importance of the preservation of grazing land for local livestock should be provided to the workers. | | | | |
| Water Resources Use | Over- abstraction (water demand and availability) | -Drinking water abstracted from boreholes or supplied by carting should be used efficiently, and recycling and re-using of water on certain site activities should be encouraged, where necessary and possible. | Water supply agreements Proof/ recording/ quantification of water saving efforts. | Proponent | Water supplier Water supplying agreements | Once off supply agreement |
| | | -The Proponent should consider carting water for drilling from elsewhere outside the site area such as Grootfontein and Tsumeb to relieve pressure of the available resources. Agreements of water | | | | |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|--------|--|--|---|----------------------------------|---|----------------------------------|
| | | supply should be made between the willing water supplier and the Proponent. | | | | |
| | | -Water reuse/recycling methods should be implemented as far as practicable such that the water used to cool off exploration equipment should be captured and used for the cleaning of project equipment, if possible. | | Exploration Manager | Proponent Water storage tanks on site | Throughout the exploration phase |
| | | -Water storage tanks should be inspected daily to ensure that there is no leakage, resulting in wasted water on site. | | | | |
| | | -Water conservation awareness and saving measures training should be provided to all the project workers in both phases so that they understand the importance of conserving water and become accountable. | | | | |
| Soils | Physical soil/land disturbance and loss of topsoil | -Overburden soils and rocks should be handled more efficiently during operations to avoid erosion when subjected erosional processes. -Stockpiled topsoil and drill materials should be used to | No proliferation of informal vehicle tracks. No new erosion gullies. | ECO | Proponent All personnel Complaint's logbook | Throughout the exploration phase |
| | | backfill the excavated and disturbed site areas/spots. | | | | |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|--------|--------|---|------------------------------------|----------------------------------|-----------|----------|
| Aspect | Impact | -Soils that are not within the intended and targeted footprints of the site should be left undisturbed and soil conservation implemented as far as possible. -Project vehicles and machinery should stick to access roads provide and or meant for the project operations but not to unnecessarily create further tracks on site by driving everywhere resulting in soil compaction. -The disturbance of the soil surface in the vicinity of the working sites must be minimised to prevent wind erosion. The footprint of the EPLs site area must be kept small as much as possible and existing access road are to be always utilised to avoid off road tracks. -The project footprint area should not be cleared entirely, and the exploration vehicles and equipment must be placed in such a way that soil disturbance is minimised, and the site should be | Indicator (KPI) | Responsibility | Resources | |
| | | rehabilitated after each onsite work. | | | | |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|---------------------------|-------------------------------------|---|---|-------------------------------|--|------------------------------|
| Soils and water resources | Soils and water resources pollution | -Oil and wastewater spill control preventive measures should be in place on site to management soil contamination, thus preventing and minimizing the contamination from reaching water resources bodies. Some of the soil control preventive measures that can be implemented include: -Spill control preventive measures should be in place on site to management soil contamination, thus preventing and or minimizing the contamination from reaching | No complaints of pollutants on the soils and eventually in the water due to exploration activities No visible oil spills on the ground or pollution spots. | ECO | Complaint's logbook Waste containers Non-permeable material to cover the ground surface at areas where hydrocarbons and potential pollutants are utilized. | Throughout exploration phase |
| | | water resources bodies. -All project employees should be sensitized about the impacts of soil pollution and advised to follow appropriate fuel delivery and handling procedures. -The Proponent should develop and prepare countermeasures to contain, clean up, and mitigate the effects of an oil spill. This includes keeping spill response procedures and a well-stocked cache of supplies easily accessible. -Ensure employees receive basic Spill Prevention, Control, and Countermeasure (SPCC) Plan | | | | |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|--------|--------|---|------------------------------------|-------------------------------|-----------|----------|
| | | training and mentor new workers as they get hired. | | | | |
| | | -Project machines and equipment should be equipped with drip trays to contain possible oil spills when operated on site. | | | | |
| | | -Polluted soil should be removed immediately and put in a designate waste type container for later disposal. | | | | |
| | | -Drip trays must be readily available on this trailer and monitored to ensure that accidental fuel spills along the tank trailer path/route around the exploration sites are cleaned on time (soon after the spill has happened). | | | | |
| | | -Polluted soil must be collected and transported away from the site to an approved and appropriately classified hazardous waste treatment facility. | | | | |
| | | -Washing of equipment contaminated hydrocarbons, as well as the washing and servicing of vehicles should take place at a dedicated area, where contaminants are prevented from | | | | |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|--------------|-------------------------|---|--|-------------------------------|---|----------------------------------|
| | | contaminating soil or water resources. -Toilet water should be treated using the long drop toilet system and periodically emptied out before reaching capacity and transported to a wastewater treatment facility. | | | | |
| Biodiversity | Loss of Fauna and Flora | -Poaching (illegal hunting) of wildlife on the farms and surrounding areas is strictly prohibited. -Project workers should refrain from killing or snaring the farm livestock that may be found on and around the site. -Workers should refrain from disturbing and poaching animal species found within the EPLs and surrounding areas. -Access roads (even existing ones) should be utilized appropriately in a manner that disturbs minimal land areas as possible, thus minimizing faunal habitat destruction. | No disturbance to unmarked areas. No complaints from locals regarding unauthorised vegetation removal or cutting down of trees. No complaints of wildlife hunting by the project personnel. No intentional disturbance and destruction of site vegetation and faunal species Visible preservation of onsite vegetation | ECO | Barricading tape (to indicate working areas) Complaint logbook | Throughout the exploration phase |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|--------|--------|---|------------------------------------|----------------------------------|-----------|----------|
| | | -Breeding sites for faunal species that are found within the site and nearby should not be disturbed. | | | | |
| | | -Environmental awareness on the importance of faunal preservation should be provided to the workers and contractors. | | | | |
| | | Flora: | | | | |
| | | -The Proponent should avoid unnecessary removal of vegetation, thus promoting a balance between biodiversity and their exploration works. | | | | |
| | | -Vegetation found on the site, but not in the targeted exploration areas should not be removed but left to preserve biodiversity on the site. | | | | |
| | | - All protected plants are not recommended to be removed within the EPLs. | | | | |
| | | -Movement of vehicle and machinery should be restricted to existing roads and tracks to prevent unnecessary damage to the vegetation. | | | | |
| | | -Vegetation found along the exploration sites should not be removed unnecessarily. Therefore, care should be taken | | | | |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|-----------------|--------------------------------|---|--|----------------------------------|--|--|
| | | during exploration without destroying the site vegetation. | | | | |
| | | -Design access roads appropriately in a manner that disturbs minimal land areas as possible. | | | | |
| | | -Make use of the existing road network as much as possible and avoid off-road driving, thus minimizing onsite floral destruction. | | | | |
| | | -Vegetation clearing to be kept to a minimum. Vegetation clearing should only be applied where necessary and within the EPLs footprint. | | | | |
| | | -Vegetation found on the site, but not in the targeted areas should not be removed but left to preserve biodiversity on the site. | | | | |
| | | -Environmental awareness on the importance of floral biodiversity preservation should be provided to the workers and contractors. | | | | |
| Illegal hunting | Illegal hunting of wildlife | -No wildlife hunting is permittedSite personnel should refrain from killing/poaching or intentionally disturbing wildlife, or any faunal | Incident reports of illegal hunting of wildlife by the crew. | ECO | Complaint's logbook Anti-poaching Police Unit | During site set up, and throughout exploration phase |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|---------------------|---|---|--|-------------------------------|--|--|
| | | species found on site and around the EPLs site. | | | | |
| Land Use | Conflict between land uses and exploration activities | -Exploration activities should not in any way hinder the existing land uses within the EPLs but rather promote co-existence throughout the project operations while respecting other land users. -The project workers and vehicles should be limited to the actual EPLs active sites only but not unnecessarily wander and drive around other land uses sites, respectively. -The Proponent should ensure that their activities comply with the conditions set by the competent, regulatory, and affected authorities such that the proposed exploration activities do not severely impact the different existing activities around the EPLs. | Land access and use permits/authorizations. Compliance with conditions set within operational permits by relevant and affected authorities. Little to no complaints of significant interference from the neighbouring land users | Proponent ECO | Proponent Relevant authorities (MEFT, MME, etc.) | Throughout the exploration phase |
| Road use and safety | Increase in vehicular traffic flow | -Vehicles should be driven only on existing access roads and necessary temporary access roads only leading to EPLs mapped sites; no new roads should be constructed where possible. | No complaints from members of the public regarding vehicular traffic issues related to the project activities. | Proponent ECO | Number of project vehicles on site Names of drivers | Throughout exploration phase Site access permit (s) to be |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|--------|--------|--------------------------------------|------------------------------------|-------------------------------|--------------------|-------------------|
| | | -The transportation of project | All personnel operating | | Frequency of water | applied for and |
| | | materials, equipment and | the project vehicles | | carting | obtained prior to |
| | | machinery should be limited to | and machinery are | | | commencement |
| | | once or twice a week only, but not | appropriately licensed | | | of exploration |
| | | every day. | and possession of valid | | | works |
| | | -The heavy truck loads should | driving licenses. | | | |
| | | comply with the maximum allowed | | | | |
| | | limit while transporting materials | Demarcated areas for | | | |
| | | and equipment/machinery on the | parking, offloading, | | | |
| | | public and access roads. | and loading zones are | | | |
| | | -The carted water into the area | on sites. | | | |
| | | from outside the project area | | | | |
| | | should be done once or twice a | | | | |
| | | week in container that can supply | | | | |
| | | and store water for most of the | road permits obtained, | | | |
| | | week, thus reducing the number of | and requirements | | | |
| | | trucks on the road. | fulfilled. | | | |
| | | -Drivers of all project phases' | | | | |
| | | vehicles should be in possession | No creation of | | | |
| | | of valid and appropriate driving | unnecessary tracks on | | | |
| | | licenses. | site. | | | |
| | | Vehicle drivers should adhere to | | | | |
| | | the road safety rules. | | | | |
| | | -Drivers should drive slowly | | | | |
| | | (40km/hour or less), and on the | | | | |
| | | lookout for wildlife and people. | | | | |
| | | -Project vehicles should be in a | | | | |
| | | road worthy condition and | | | | |
| | | serviced regularly to avoid | | | | |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|--------------------------------------|--|--|---|-------------------------------------|--|---|
| | | accidents because of mechanical faults of vehicles. | | | | |
| Local roads | Overuse and maintenance | -The heavy trucks transporting materials and services to site should be scheduled to travel at least twice or thrice a week to avoid daily travelling to site, unless on cases of emergencies. -The Proponent should consider | -Visible efforts of maintaining access and community roads by the Proponent | Proponent | Road clearing machinery (bull dozers) | Throughout the exploration phase, when necessary |
| | | frequent maintenance of local roads on the farms to ensure that the roads are in a good condition for other roads users such as farmers, and travellers from and outside the area. | | | | |
| Occupational Health and safety | General health and safety associated with project activities in both phases | -The Proponent should commit to and make provision for bi-annual full medical check-up for all the workers at site to monitor the impact of project related activities on them (workers). -As part of their induction, the project workers should be provided with an awareness training of the risks of mishandling equipment and materials on site as well as health and safety risk associated with their respective jobs. | Comprehensive health and safety plan for all exploration activities compiled. | Proponent Exploration Manager ECO | Occupational Health and Safety Personnel Health and Safety Trainings First aid kits Trained worker to administer first aid | Throughout the exploration phase and trainings offered as and when required |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|--------|--------|---|------------------------------------|----------------------------------|-----------|----------|
| | | -When working on site, employees should be properly equipped with adequate personal protective equipment (PPE) such as coveralls, gloves, safety boots, earplugs, dust masks, safety glasses, etc. | | | | |
| | | -Heavy vehicle, equipment and fuel storage site should be properly secured, and appropriate warning signage placed where visible. | | | | |
| | | -Drilled boreholes that will no longer be in use or to be used later after being drilled should be properly marked for visibility and capped/closed off. | | | | |
| | | -Ensure that after completion of exploration holes these are capped and closed off and that trenches are backfilled and levelled, | | | | |
| | | -An emergency preparedness plan should be compiled, and all personnel appropriately trained. | | | | |
| | | -Workers should not be allowed to drink alcohol prior to and during working hours nor allowed on site when under the influence of alcohol as this may lead to mishandling of equipment which | | | | |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|--------|---|---|---|-------------------------------|--|------------------------------------|
| | Coronavirus disease 2019 (COVID-19) | results into injuries and other health and safety risks. -The site areas that are considered temporary risks should be equipped with "danger" or "cautionary" signs. - Workers should be provided with clean face masks on site. - Hand sanitisers should be present on site, to prevent the spread of the virus. -Health training on how the virus spread from person to person, and how it can be prevented should be given to workers. - When a worker shows symptoms of the virus he/she should report to the nearest clinic for medical check-up. -Workers who are positive of COVID-19, should not be allowed | -Diseases management awareness - Provision of sufficient clean face masks and hand sanitiser on site. | Proponent | Occupational health and safety personnel Health Education/Awareness Provision of face masks and hand sanitiser on site | Throughout exploration phase |
| | | to come to work unless advised to go back to work by a qualified health practitioner. | No wilding regarded | | | |
| | Accidental fire outbreak | -Portable fire extinguishers should be provided on site. -No open fires to be created by project personnel on farms. | No wildfires recorded (due to presence of workers) | Proponent | Fire extinguishers (1 per vehicle) and 1 per working site | Throughout exploration phase |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|-----------------------------|--|---|---|----------------------------------|----------------------------------|---|
| | | -Potential flammable areas and structures such as fuel storage tanks should be marked as such with clearly visible signage. | | | | |
| Archaeology and heritage | Accidental disturbance and destruction of archaeological or heritage objects and sites | -A "No-Go-Area" should be put in place where there is evidence of archaeological site, historical, rock paintings, cave/rock shelter or past human dwellings. It can be a demarcation by fencing off or avoid the site completely by not working closely or near the known site. -On-site personnel and contractor crews must be sensitized to exercise and recognize "chance finds heritage" in the course of their work. -During the prospecting and exploration works, it is important to take note and recognize any significant material being unearthed and making the correct judgment on which actions should | Preservation of all artefacts and objects that are discovered on and around project site No-Go Areas avoided | Proponent ECO Operator | Salvage equipment Archaeologist | As and when required, i.e., prior to site set up, and during exploration. |
| | | be taken (refer to CFP Appendix attached to the EMP). | | Foreman | | |
| | | -The footprint impact of the proposed prospecting and exploration activities should be kept to minimal to limit the | | Superintended | Flag tapes GPS (site marking) | |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|--------|--------|--|------------------------------------|-------------------------------|-----------|----------|
| | | possibility of encountering chance finds within the EPLs boundaries. The Proponent should keep a buffer of 500 meters on all the archaeological/cultural sites observed within the project site and broader area throughout their stay (duration of their presence) in the area. | | Archaeologist | | |
| | | -A landscape approach of the site management must consider culture and heritage features in the overall planning of exploration infrastructures within and beyond the license boundaries. | | | | |
| | | -The Proponent and Contractors should adhere to the provisions of Section 55 of the National Heritage Act in event significant heritage and culture features are discovered while conducting exploration works. | | | | |
| | | -Subject to the recommendations herein made and the implementation of the mitigation measures and adoption of the project Archaeological Management Plan (AMP)/EMP should be complied. | | | | |
| | | -An archaeologist or Heritage specialist should be onsite to | | | | |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|--------------------------------|----------------------------|--|---|----------------------------------|--------------------------|------------------------------|
| | | monitor all significant earth moving activities that may be implemented as part of the proposed project activities. | | | | |
| | | -When the removal of topsoil and subsoil on the site for exploration purposes, the site should be monitored for subsurface archaeological materials by a qualified Archaeologist. | | | | |
| | | -Show overall commitment and compliance by adapting "minimalistic or zero damage approach". | | | | |
| | | -In addition to these recommendations above, there should be a controlled movement of the contractor, exploration crews, equipment, setting up of camps and everyone else involved in the prospecting and exploration activities to limit the proliferation of informal pathways, gully erosion and disturbance to surface and sub-surface artefacts such as stone tools and other buried materials etc. | | | | |
| Littering and waste management | Environmental Pollution | -Workers should be sensitized to dispose of waste in a responsible manner and not litter. | No visible litter around the project area | ECO | Waste storage containers | Throughout exploration phase |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|-----------------|--------|---|------------------------------------|-------------------------------|-----------------------|----------|
| (general waste | | -After each daily works, the | Provision of sufficient | | | |
| and sanitation) | | Proponent should ensure that | _ | | | |
| | | there is no waste left on the sites. | containers | | Waste disposal | |
| | | -All domestic and general project | | | permits to | |
| | | waste produced daily should be | _ | | municipalities | |
| | | contained until such that time it will | awareness | | | |
| | | be transported to designated waste sites. | | | Environmental, Health | |
| | | | | | and Safety | |
| | | -No waste may be buried or burned on site or anywhere else. | | | Statements and Policy | |
| | | -The exploration site should be | | | | |
| | | equipped with separate waste bins | | | | |
| | | for hazardous and | | | | |
| | | general/domestic waste. | | | | |
| | | -Sewage waste should be stored | | | | |
| | | as per the available sewage | | | | |
| | | system supplied on site, and | | | | |
| | | regularly disposed of at the nearest treatment facility | | | | |
| | | -Oil spills should be taken care of | | | | |
| | | by removing and treating soils | | | | |
| | | affected by the spill. | | | | |
| | | -A penalty system for irresponsible | | | | |
| | | disposal of waste on site and | | | | |
| | | anywhere in the area should be implemented. | | | | |
| | | -Careful storage and handling of | | | | |
| | | hydrocarbons on site is essential, | | | | |
| | | therefore should be enforced. | | | | |
| | | | | | | |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|-------------|---|---|--|-------------------------------|---|------------------------------|
| | | -Potential contaminants such as hydrocarbons and wastewater should be contained on site and disposed of in accordance with municipal wastewater discharge standards so that they do not contaminate surrounding soils and eventually groundwater. -An emergency plan should be available for major/minor spills at the site during exploration (with consideration of air, groundwater, soil, and surface water) and during the transportation of the product(s) to the sites. | | | | |
| | Wastewater generated by exploration workers living on-site. | -Provision of toilet facilities for workers (mobile/portable chemical toilet if possible)Emptying of chemical toilets according to the manufacturer's specifications. | Adequate toilet and basic ablution facilities on site. | Proponent | Chemical toilets Sewage removal operator waste treatment agents/chemicals | Throughout exploration phase |
| Air Quality | Dust generation | -Exploration vehicles should not drive at a speed more than 40 km/h to avoid dust generation around the area. -When and if the project reaches the advanced stages of | No complaints from the public about vehicle emissions and dust generation. | ECO | Complaint's logbook Dust suppressant (Water) | Throughout exploration phase |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|--------|----------|--|--|----------------------------------|---|------------------------------|
| | | exploration, a reasonable amount of water should be used on gravel roads, using regular water sprays on gravel routes and near exploration sites to suppress the dust that may be emanating from certain exploration areas on the EPLs. -Dust masks, eye protective glasses and other respiratory personal protective equipment (PPE) such as face masks should be provided to the workers on site drilling areas, where they are exposed to dust. -Excavating equipment should be regularly maintained to ensure drilling and excavation efficiency and so to reduce dust generation and harmful gaseous emissions. | Visible efforts to curb dust | | | |
| Noise | Nuisance | -Noise from project vehicles and equipment on the working sites of the EPLs should be at acceptable levels. -The exploration times should be set such that, no such activities are carried out during the night or very early in the mornings (to be limited between 8am and 5pm on weekdays). | Complaints from farmers and neighbouring land users about excessive noise. | ECO | Complaint's logbook Noise protective equipment for workers | Throughout exploration phase |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|-----------------|--|--|--|----------------------------------|---|----------------------------------|
| | | -Exploration hours should be restricted to between 08h00 and 17h00 to avoid noise and vibrations generated by exploration equipment and the movement of vehicles before or after hours. | | | | |
| | | -When operating the drilling machinery onsite, workers should be equipped with personal protective equipment (PPE) such as earplugs to reduce exposure to noise. | | | | |
| Social nuisance | Local properties disturbance and values | -The Proponent should inform their workers on the importance of respecting the farmers' properties by not intruding or damage their houses, fences or snaring and killing their livestock and wildlife. | No complaints from farmers about property theft, disturbance, or intrusion | ECO | Grievance logbook Land access agreement conditions | Throughout the exploration phase |
| | | -Any workers or site employees found guilty of intruding 'privately owned property should be called for disciplinary hearing and/or dealt with as per their employer' (Proponent)'s code of employment conduct | | | | |
| | | -Project workers should be advised to respect the community and local's private properties, values, and norms. | | | | |

| Aspect | Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|----------------|--|---|---|----------------------------------|---|--|
| | | -No worker should be allowed to wander or loiter in private spaces without permission. | | | | |
| | | -Project workers may not kill or in any way disturb local livestock and wildlife on farms. | | | | |
| | | -The cutting down or damaging of vegetation belonging to the affected farmers or neighbouring farms is strictly prohibited. | | | | |
| | | -Non-resident workers that may be employed (due to their unique work skills) on site should be sensitized on the importance of respecting the local values and norms. | | | | |
| | | PROGRESSIVE REHABILIT | TATION AND DECOMMIS | SSIONING PHASE | | |
| Rehabilitation | Disturbance and damaging of land | -All drilled boreholes and excavated pits related to the project activities should be capped and backfilled, respectively. -All waste generated and stored on site during exploration activities should be disposed of at the respective nearest solid waste | Capped boreholes and backfilled pits No sign of waste or littering seen on site and around site areas. Carrying away of | Proponent | Excavators and other backfilling/demolishing machinery Record of pits excavated, and boreholes drilled (if | Progressive rehabilitation done throughout the exploration phase and complete decommission |
| | | management sites. -The stockpiled topsoil should be levelled soon after completion of works at sites. | waste, and removal of vehicles and equipment from site | | waste containers on sites | and rehabilitation done after completion of |

Draft EMP

| Aspect Impact | Management and Mitigation Measure(s) | Key Performance Indicator (KPI) | Implementation Responsibility | Resources | Timeline |
|---------------|---|---|-------------------------------|---|-----------------------|
| | -Any temporary setup on site should be dismantled, and the area rehabilitated as far as practicable, to their original state. -Explored areas on worksites should be progressively rehabilitated by stockpiling and backfilling. -Provision of both financial and technical resources for progressive rehabilitation. | No stockpiled topsoil (topsoil is levelled after completion of each work) Campsite dismantled and materials taken away from site. Visible signs of stockpiled topsoil | | Photo records of backfilled sites Records of finances set aside for decommissioning activities | exploration works. |

3.4 Monitoring Action Plans (Monitoring Plan)

To support and ensure that the proposed mitigation measures are achieving the desired results, a monitoring plan must be implemented. The monitoring action plans recommended for planned exploration works are presented in **Table 3** below.

Table 3: Management action plans for Monitoring

| Environmental Feature | Impact | Monitoring Actions | Implementation responsibility | Frequent | Threshold | Action if threshold is exceeded |
|-----------------------------|--|---|------------------------------------|----------|---|---|
| Archaeology and Heritage | Rock paintings, Rock engraving, stone tools and graves | No exploration activities at the outcrops with rock art paintings Implementing the CFP (Appendix 1) | ECO Archaeologist | Weekly | Observed damage to the paintings | Remedy the consequences by halting the activities |
| Soils | Loss of topsoil | All measures should be considered to present the loss of topsoil | ECO and Exploration Manager | weekly | Proliferation of new vehicle tracks | Rehabilitation of affected areas |
| Monitoring | EMP non- compliance | The ECO or the Proponent/Contractor should monitor the implementation of this EMP to ensure compliance. The ECO(s) should inspect the site throughout the exploration period and after completion. | ECO | Daily | Increase in health, safety and environmental damage incidence | Daily safety talks, Remedy the consequences |
| Biodiversity | Loss of biodiversity | Comply to marked no-go areas and avoid areas sensitive to any type of disturbance. Clear only footprint areas to maintain as much of the remaining natural vegetation on site and to prevent loss of habitat (if so, advised by MEFT). | ECO Workers involved in this phase | Weekly | Vegetation clearance outside of marked areas. | Rehabilitation of affected areas to the satisfaction of the ECO |

| Environment Feature | l Impact | Monitoring Actions | Implementation responsibility | Frequent | Threshold | Action if threshold is exceeded |
|------------------------|---------------|---|-------------------------------|--------------|-------------------|---------------------------------|
| Health ar | d Health and | -Workers should be trained on how to | ECO | Daily/Weekly | Health and safety | Remedy the |
| Safety | safety of the | handle materials and equipment on site | | | incident | consequences |
| | workers | (if they do not already know how to) to | | | | |
| | | avoid injuries. | | | | |
| | | -Exploration equipment and materials | | | | |
| | | transported to site should be securely | Workers Involved in | | | |
| | | fastened to the vehicles (trucks and | this phase | | | |
| | | cars). This is to ensure that the | | | | |
| | | materials and equipment do not fall off | | | | |
| | | the vehicles and cause injuries to | | | | |
| | | anyone while transporting them. | | | | |
| | | | | | | |
| | | - All personnel should be provided with | | | | |
| | | appropriate personal protective | | | | |
| | | equipment (PPE), such as gloves, | | | | |
| | | masks, safety boots, safety glasses and | | | | |
| | | hard hats always during exploration | | | | |
| | | hours on site to prevent serious injuries | | | | |
| | | or loss of life. | | | | |
| | | -No employee should be allowed to | | | | |
| | | drink alcohol prior to and during working | | | | |
| | | hours as this may lead to mishandling | | | | |
| | | of equipment which results into injuries | | | | |
| | | and other health and safety risks. | | | | |

| Environmental Feature | Impact | Monitoring Actions | Implementation responsibility | Frequent | Threshold | Action if threshold is exceeded |
|-----------------------|----------------|--|-------------------------------|----------|---------------------|---------------------------------|
| Neighbouring | Disturbance | Exploration works schedule should be | ECO | Weekly | A logged | Revision of site |
| land users to | | limited to normal working hours, | Explanation | | complaint about | activities |
| the site | | between 08h00 and 17h00. This is to | Exploration | | excessive noise | |
| | | ensure generated noise does not | Manager | | | |
| | | become nuisance to the neighbours. | | | | |
| Waste | Environmental | -The site should be always kept tidy. | ECO | Daily | Visible litter | Clean-up of the |
| | Pollution | All domestic and general construction | | | around project | affected areas and |
| | | waste produced daily should be | | | site. | ensuring exploration |
| | | cleaned and contained daily to prevent | | | A logged | workers utilise waste |
| | | environmental pollution. | | | complaint | containers provided. |
| | | -Separate waste containers (bins) for | | | | |
| | | hazardous and domestic / general | All workers involved | | | |
| | | waste must be provided on site to avoid | in this phase. | | | |
| | | mixing of waste. | | | | |
| Transport | Transportation | -Project workers will be transported, in | ECO | Daily | A logged | |
| | of workers to | an SUV, bus (or similar suitable | | | complaint about | |
| | and from site | passenger vehicle) to and from site to | | | bad form of | |
| | | ensure workers safety. | | | transport affecting | |
| | | | | | occupational | |
| | | -No off-road driving | | | safety and health | |
| | | | | | of workers | |
| Vehicular traffic | Increase in | -All drivers of the project vehicles | ECO | Weekly | A logged | Find alternative |
| safety | local traffic | should be in possession of valid and | | | complaint about | access roads for the |
| | flow. | appropriate driving licenses to operate | | | traffic increase or | team. Rehabilitation of |
| | | such vehicles. | | | damage to roads | affected roads |
| | | | | | | |

| Environmental Feature | Impact | Monitoring Actions | Implementation responsibility | Frequent | Threshold | Action if threshold is exceeded |
|-----------------------|--------|---|-------------------------------|----------|-----------|---------------------------------|
| | | -Project vehicles should be in a road | | | | |
| | | worthy condition and serviced regularly | | | | |
| | | to avoid accidents because of | | | | |
| | | mechanical faults of vehicles. | | | | |
| | | -Vehicle drivers should not be allowed | | | | |
| | | to operate vehicles while under the | | | | |
| | | influence of alcohol. | | | | |
| | | -No heavy trucks or project related | | | | |
| | | vehicles should be parked on | | | | |
| | | biologically sensitive areas. | | | | |

3.5 Decommissioning and Rehabilitation

Successful rehabilitation requires careful consideration of the local ecological context in combination with rehabilitation goals. The most important steps in undertaking a successful rehabilitation, are planning and environmental awareness (environmental education) on the importance of progressive rehabilitation (or post-activity rehabilitation) and its importance to the environment. Furthermore, to successfully implement the planned rehabilitation, practically, this will depend on a few factors; namely, the rehabilitation program, characteristics of the site, nature of disturbance, rehabilitation methods, as well as resources availability.

Rehabilitation of the EPLs site may include the re-vegetation of areas with species consistent with surrounding vegetation; refilling of trenches in such a way that subsoil is replaced first, and topsoil replaces last.

Any excavated pits should not only be filled with sand alone, as wind will scour the sand and reestablish the holes.

Site Specific Rehabilitation Plan

To ensure that they do their best to rehabilitate the disturbed areas, The Proponent intends to:

- Utilize stockpiled subsoil and topsoil to back fill the excavated pits/trenches.
- Make financial provision that will be used for post-exploration rehabilitation program.
- Backfilling of all pits and trenches with loose materials.
- Levelling of topsoil that was stockpiled for exploration purposes.
- Removal of project vehicles and equipment from the site and taken to designated parking facility off site.
- All project support structures such as ablution facility (toilet and washroom system), and storage containers/tanks shall be demolished, and the waste taken to designated sites.
 The site areas on which these structures were set up will be rehabilitated to pre-exploration state.
- All accumulated waste (hazardous, solid, and general) up until the cessation of exploration activities will be removed from site and transported to designated off site waste management facilities.

4 ENVIRONMENTAL MONITORING AND REPORTING

To minimize the "medium" and uphold "low" significance ratings of impacts identified and assessed in the ESA report, monitoring reports are to be compiled and submitted to the DEAF for archiving on a bi-annual basis (every 6 months throughout the project operations) or as required by the Environmental Commissioner (as per the ECC conditions). This practice will make any considerations for ECC renewal easy as it nears expiration. Therefore, the Proponent should meritoriously monitor and submit the reports to the DEAF. The submission is not only done for record keeping purposes, but also in compliance with the environmental legislation.

5 CONCLUSIONS AND RECOMMENDATIONS

Conclusions

The proposed area for prospecting and exploration works has some sensitive environmental and social components that may be potentially affected, and therefore potential negative impacts stemming from these activities are acknowledged, assessed and mitigation measures made thereof. The mitigation measures indorsed in the ESA report and management action plans provided in the draft Environmental Management Plan can be considered adequate to elude and/or reduce the risks to acceptable levels. Therefore, Excel Dynamic Solutions (Pty) Ltd assures that these measures are sufficient to enable environmentally sustainable and safe exploration works on the EPLs. Therefore, it is recommended that a written approval for the ECC may be issued on condition that the provided management measures and action plans are effectively implemented on site and monitored. Predominantly, monitoring of the environmental components described in the ESA should be conducted by The Proponent and applicable Competent Authorities. This is to ensure that all potential impacts identified in this study and other impacts that might arise during implementation are properly identified in time and addressed.

Recommendations

In the event that the Environmental Commissioner considers ECC issuance for EPLs, it is recommended that an ECC for the EPLs be granted, subject to the following recommendations:

- All mitigations provided in this Report and the management action plans in the EMP should be implemented and monitoring conducted as recommended.
- All the necessary environmental and social (Occupational Health and Safety) precautions provided should be adhered to.
- Site areas where exploration activities such as excavated pits have ceased should be rehabilitated, as far as practicable, to their original state.
- The monitoring of the implementation of mitigation measures should be conducted, applicable impact's actions taken, reporting done and recorded as recommended in the Draft EMP.

Draft EMP

APPENDIX 1: CHANCE FINDS PROCEDURE (AFTER KINAHAN, 2020)

Areas of proposed development activity are subject to heritage survey and assessment at the

planning stage. These surveys are based on surface indications alone, and it is therefore possible

that sites or items of heritage significance will be found during development work. The procedure

set out here covers the reporting and management of such finds.

Scope: The "chance finds" procedure covers the actions to be taken from the discovery of a

heritage site or item to its investigation and assessment by a trained archaeologist or other

appropriately qualified person.

Compliance: The "chance finds" procedure is intended to ensure compliance with relevant

provisions of the National Heritage Act (27 of 2004), especially Section 55 (4): "a person who

discovers any archaeological object must as soon as practicable report the discovery to

the Council". The procedure of reporting set out below must be observed so that heritage remains

reported to the NHC are correctly identified in the field.

Manager/Supervisor must report the finding to the following competent authorities:

National Heritage Council of Namibia (061 244 375)

National Museum (061 276800),

National Forensic Laboratory (061 240461).

Archaeological material must NOT be touched. Tempering with the materials is an offence under

the heritage act and punishable upon conviction by the law.

Responsibility:

Operator: To exercise due caution if archaeological remains are found

Foreman: To secure site and advise management timeously

Superintendent: To determine safe working boundary and request inspection

Archaeologist: To inspect, identify, advise management, and recover remains

Procedure:

Action by person identifying archaeological or heritage material:

Draft EMP

- a) If operating machinery or equipment stop work
- b) Identify the site with flag tape
- c) Determine GPS position if possible
- d) Report findings to foreman

Action by foreman

- a) Report findings, site location and actions taken to superintendent
- b) Cease any works in immediate vicinity

Action by superintendent

- a) Visit site and determine whether work can proceed without damage to findings
- b) Determine and mark exclusion boundary
- c) Site location and details to be added to project GIS for field confirmation by archaeologist

Action by Archaeologist

- a) Inspect site and confirm addition to project GIS
- b) Advise NHC and request written permission to remove findings from work area
- c) Recovery, packaging and labelling of findings for transfer to National Museum

In the event of discovering human remains

- a) Actions as above
- b) Field inspection by archaeologist to confirm that remains are human
- c) Advise and liaise with NHC and Police
- d) Recovery of remains and removal to National Museum or National Forensic Laboratory, as directed.