



Excel Dynamic Solutions (Pty) Ltd

Environmental Scoping Assessment (ESA) on Exclusive Prospecting License (EPL) No. 8499 Located Near Karanas in Hardap Region, Namibia.

ECC Application Reference No.: 00875

Document Version: Final

<p>Author(s): Ms. Iyaloo Nakale</p> <p>Reviewer: Ms. Rose Mtuleni</p> <p>Company: Excel Dynamic Solutions (Pty) Ltd</p> <p>Telephone: +264 (0) 61 259 530</p> <p>Fax2email: +264 (0) 886 560 836</p> <p>Email: info@edsnamibia.com</p>	<p>Client: Ainna Vilengi Kaundu</p> <p>Contact person: Ainna Vilengi Kaundu</p> <p>Telephone: +264 61 417619</p> <p>Postal Address: 1161Otjikoto Street, Windhoek, Namibia.</p> <p>Email: vilengi@gmail.com</p>
--	--

March 2023

EXECUTIVE SUMMARY

Ainna Vilengi Kaundu (The Proponent) has applied to the Ministry of Mines and Energy (MME) for the Exclusive Prospecting License (EPL) No. 8499 on the 17th of November 2020. However, the approval and granting of the EPL is subject to an Environmental Clearance Certificate (ECC). The 5084.7101 hectares (Ha) EPL is located about 3 km West of Karanas in the Hardap Region as shown in **Figure 1**. EPL-8499 covers (overlie) farms Cumbell-Aus No. 360, Dikboom No. 455, Dikboom No. 828 and Karanas Noord No. 615.

EPL-8499 has potential for commodities such as **Base & Rare Metals, Dimension Stone, Industrial Minerals and Precious Metals**.

Prospecting and exploration related activities are among the listed activities that may not be undertaken without an ECC under the Environmental Impact Assessment (EIA) Regulations. Subsequently, to ensure that the proposed activity is compliant with the national environmental legislation, the Proponent, appointed an independent environmental consultant, Excel Dynamic Solutions (Pty) Ltd to undertake the required Environmental Assessment (EA) process and apply for the ECC on their behalf.

The application for the ECC was compiled and submitted to the competent Authority (Ministry of Environment, Forestry and Tourism (MEFT)), as the environmental custodian for project registration purposes. Upon submission of an Environmental Scoping Assessment (ESA) Report and Draft Environmental Management Plan (EMP), an ECC for the proposed project may be considered by the Environmental Commissioner at the MEFT's Department of Environmental Affairs and Forestry (DEAF).

Brief Project Description

Planned Activities: Proposed Exploration Methods

The Proponent intends to adopt a systematic prospecting and exploration approach of the following:

- 1. Desktop Study: Geological mapping (Non-invasive Technique):** This mainly entails a desktop review of geological area maps and ground observations. This includes the review of geological maps of the area and on-site ground traverses and observations and an update where relevant of the information obtained during previous geological studies of the area.

- 2. Lithology geochemical surveys:** Rock samples shall be collected and taken for trace element analysis to be conducted by analytical chemistry laboratories to determine if enough Base & Rare Metals, Dimension Stones, Industrial Minerals, Precious Metals and Semi-Precious Stones are present. Also, trenches or pits may be dug depending on the commodity (in a controlled environment e.g., fencing off and labelling activity sites) adopting manual or excavator to further investigate the mineral potential. These consists of small pits ($\pm 20\text{cm} \times 20\text{cm} \times 30\text{cm}$) will be dug where 1kg samples can be extracted and sieved to collect 50g of material. As necessary, and to ensure adequate risks mitigation, all excavations will either be opened and closed immediately after obtaining the needed samples or the sites fenced off until the trenches or pits are closed. At all times, the landowner and relevant stakeholder will be engaged to obtain authorisation where necessary.
- 3. Geophysical surveys:** This will entail data collection of the substrata (in most cases service of an aero-geophysical contractor will be sourced), by air or ground, through sensors such as radar, magnetic and electromagnetic to detect any mineralization in the area and are conducted to ascertain the mineralisation. Ground geophysical surveys shall be conducted, where necessary using vehicle-mounted sensors or handheld by staff members, while in the case of air surveys the sensors will be mounted to an aircraft, which then flies over the target area.
- 4. Detailed Exploration Drilling (Invasive Technique):** Should analyses by an analytical laboratory be positive, holes are drilled, and drill samples collected for further analysis. This will determine the depth of the potential mineralization. If necessary new access tracks to the drill sites will be created and drill pads will be cleared in which to set the rig. Two widely used drilling options may be adopted, these are the Reverse Circulation (RC) drilling and/or diamond-core drilling. RC drilling uses a pneumatic hammer, which drives a rotating tungsten-steel bit. The technique produces an uncontaminated large volume sample, which is comprised of rock chips. It is relatively quicker and cheaper when compared to other techniques like Diamond Drilling. However, diamond drilling may also be considered for this exploration programme, during advanced stages of exploration if large amounts of sample material may be required for analysis and to perform processing trials. A typical drilling site will consist of a drill-rig, drill core and geological samples store and a drill equipment parking and maintenance yard (including a fuel and lubricants storage facility).

Public Consultation Activities

Regulation 21 of the EIA Regulations details steps to be taken during a public consultation process and these have been used in guiding this process. The public consultation process assisted the Environmental Consultant in identifying all potential impacts and aided in the process of identifying possible mitigation measures and alternatives to certain project activities. The communication with I&APs about the proposed prospecting and exploration activities was done through the following means and in this order to ensure that the public is notified and afforded an opportunity to comment on the proposed project:

- A Background Information Document (BID) containing brief information about the proposed facility was compiled and email to relevant Authoritative Ministries, and identified Interested and Affected parties (I&APs).
- Project Environmental Assessment notices were published in The Namibian (18 January 2023 and 25 January 2023) and New Era Newspapers (17 January 2023 and 24 January 2023), briefly explaining the activity and its locality, inviting members of the public to register as I&APs and submit their comments/concerns.
- A consultation meeting was scheduled and held with the I&APs on the 11th of February 2023 at J. W. Mouton Primary School, Karanas at 10h00.
- The issues and concerns raised were noted and used to form the basis for the ESA Report and EMP.

Potential Impacts identified

The following potential positive and negative impacts are anticipated:

- **Positive impacts:** Socio-economic development through employment creation (primary, secondary, and tertiary employment) and skills transfer; Opens up other investment opportunities and infrastructure-related development benefits; Produces a trained workforce and small businesses that can service communities and may initiate related businesses; Boosts the local economic growth and regional economic development and; Increased support for local businesses through the procurement of consumable items such as Personal Protective Equipment (PPE), machinery spare parts, lubricants, etc.

- **Negative impacts:** Physical land/soil disturbance; Impact on local biodiversity (fauna and flora); Potential impact on water resources and soils particularly due to pollution; Air quality issue: potential dust generated from the project; Potential occupational health and safety risks, Vehicular traffic safety and impact on services infrastructure such as local roads, Vibrations and noise associated with drilling activities may be a nuisance to locals; Environmental pollution (solid waste and wastewater), Archaeological and heritage impact and Potential social nuisance and conflicts (theft, damage to properties, etc.).

The potential negative impacts were assessed, and mitigation measures provided accordingly.

RECOMMENDATIONS AND CONCLUSION

Recommendations

The Environmental Consultant is confident that the potential negative impacts associated with the proposed project activities can be managed and mitigated by the effective implementation of the recommended management and mitigation measures and with more effort and commitment put on monitoring the implementation of these measures.

It is therefore, recommended that the proposed prospecting and exploration activities be granted an ECC, provided that:

- All the management and mitigation measures provided herein are effectively and progressively implemented.
- All required permits, licenses and approvals for the proposed activities should be obtained as required. These include permits and licenses for land use access agreements to explore and ensuring compliance with these specific legal requirements.
- The Proponent and all their project workers or contractors comply with the legal requirements governing their project and its associated activities and ensure that project permits and or approvals required to undertake specific site activities are obtained and renewed as stipulated by the issuing authorities.
- Site areas where exploration activities have ceased are rehabilitated, as far as practicable, to their pre-exploration state.
- Environmental Compliance monitoring reports should be compiled and submitted to the DEAF Portal as per provision made on the MEFT/DEAF's portal.

Conclusion

The potential impacts that are anticipated from the proposed project activities were identified, described, and assessed. For the significant adverse (negative) impacts with medium rating, appropriate management and mitigation measures were recommended for implementation by the Proponent, their contractors and project related employees.

The public was consulted as required by the EMA and its 2012 EIA Regulations (Section 21 to 24) via the two newspapers (New Era and The Namibian) for this environmental assessment.

A consultation through face-to-face meeting with I&APs at J. W. Mouton Primary School was scheduled, some I&APs attended the public consultation meeting. Thus, comments and concerns on the proposed project activities was raised.

The site visit assessment which was conducted on the 11th February 2023 formed the basis for this Report and the Draft EMP. The issues raised were addressed and incorporated into this Report whereby mitigation measures have been provided thereof to avoid and/or minimize their significance on the environmental and social components. Most of the potential impacts were found to be of medium rating significance. With the effective implementation the recommended management and mitigation measures, this will particularly see the reduction in the significance of adverse impacts that cannot be avoided completely (from medium rating to low). To maintain the desirable rating, the implementation of management and mitigation measures should be monitored by the Proponent directly, or their Environmental Control Officer (ECO) is highly recommended. The monitoring of this implementation will not only be done to maintain the reduce impacts' rating or maintain low rating but also to ensure that all potential impacts identified in this study and other impacts that might arise during implementation are properly identified in time and addressed right away too.

It is crucial for the Proponent and their contractors to effectively implement the recommended management and mitigation measures to protect both the biophysical and social environment throughout the project duration. All these would be done with the aim of promoting environmental sustainability while ensuring a smooth and harmonious existence and purpose of the project activities in the community and environment at large. However, if an ECC is to be issued, the ECC should be issued on a condition that the provided management measures and action plans are effectively implemented on site and monitored. Most importantly, monitoring of the environmental components described in the impact assessment chapter should be conducted by the Proponent and applicable Competent Authority. This is to ensure that all potential impacts identified in this

study and other impacts that might arise during the exploration are properly identified in time and addressed.

Disclaimer

EDS warrants that the findings and conclusion contained herein were accomplished in accordance with the methodologies set forth in the Scope of Work and Environmental Management Act (EMA) of 2007. These methodologies are described as representing good customary practice for conducting an Environmental Impact Assessment of a property for the purpose of identifying recognized environmental conditions. There is a possibility that even with the proper application of these methodologies there may exist on the subject property conditions that could not be identified within the scope of the assessment, or which were not reasonably identifiable from the available information. The Consultant believes that the information obtained from the record review and during the public consultation processes concerning the proposed exploration work is reliable. However, the Consultant cannot and does not warrant or guarantee that the information provided by the other sources is accurate or complete. The conclusions and findings set forth in this report are strictly limited in time and scope to the date of the evaluations. No other warranties are implied or expressed.

Some of the information provided in this report is based upon personal interviews, and research of available documents, records, and maps held by the appropriate government and private agencies. This report is subject to the limitations of historical documentation, availability, and accuracy of pertinent records and the personal recollections of those persons contacted.

TABLE OF CONTENTS

EXECUTIVE SUMMARY	ii
LIST OF FIGURES	x
LIST OF TABLES	x
LIST OF ABBREVIATIONS	xii
1 INTRODUCTION.....	1
1.1 Project Background	1
1.2 Terms of Reference, Scope of Works and Appointed Environmental Assessment Practitioner.....	3
1.3 Motivation for the Proposed Project	3
2 PROJECT DESCRIPTION: PROPOSED EXPLORATION ACTIVITY.....	5
2.1 Prospecting Phase	5
2.2 Exploration (Drilling, Sampling and Analysis) Phase.....	6
2.2.1 Detailed Exploration Drilling.....	6
2.2.2 Accessibility to Site.....	7
2.2.3 Material and Equipment.....	7
2.2.4 Services and Infrastructure.....	7
2.2.5 Waste Management	7
2.2.6 Health and safety	8
2.2.7 Safety and Security	8
2.2.8 Accommodation	8
2.3 Decommissioning and Rehabilitation Phase.....	8
3 PROJECT ALTERNATIVES	9
3.1 Types of Alternatives Considered	9
3.1.1 The "No-go" Alternative	9
3.1.2 Exploration Location	10
3.1.3 Exploration Methods.....	11
4 LEGAL FRAMEWORK: LEGISLATION, POLICIES AND GUIDELINES	12
4.1 The Environmental Management Act (No. 7 of 2007)	12
5 ENVIRONMENTAL BASELINE	24
5.1 Climate	24
5.2 Topography.....	25

5.3	Geology and Soil	25
5.4	Hydrology, Water Resources and Groundwater Vulnerability to Pollution for EPL 8499	28
5.5	Flora and Fauna	30
5.6	Heritage and Archaeology	32
5.7	Surrounding Land Uses.....	33
5.8	Economic Activities	34
6	PUBLIC CONSULTATION PROCESS	35
6.1	Pre-identified and Registered Interested and Affected Parties (I&APs).....	35
6.2	Communication with I&APs	36
7	IMPACT IDENTIFICATION, ASSESSMENT AND MITIGATION MEASURES	38
7.1	Impact Identification	38
7.2	Impact Assessment Methodology	39
7.2.1	Extent (spatial scale)	40
7.2.2	Duration.....	40
7.2.3	Intensity, Magnitude / severity	40
7.2.4	Probability of occurrence	41
7.2.5	Significance.....	41
7.3	Assessment of Potential Negative Impacts.....	43
7.3.1	Land Degradation and Loss of Biodiversity.....	43
7.3.2	Generation of Dust (Air Quality).....	44
7.3.3	Water Resources Use	45
7.3.4	Soil and Water Resources Pollution	46
7.3.5	Waste Generation	48
7.3.6	Occupational Health and Safety Risks.....	49
7.3.7	Vehicular Traffic Use and Safety	51
7.3.8	Noise and vibrations.....	52
7.3.9	Disturbance to Archaeological and Heritage resources	53
7.3.10	Impact on Local Roads/Routes.....	55
7.3.11	Social Nuisance: Property intrusion and Disturbance or Damage	56
7.4	Cumulative Impacts Associated with Proposed Exploration.....	57
8	RECOMMENDATIONS AND CONCLUSION.....	58
8.1	Recommendations	58
8.2	Conclusion	59

9	REFERENCES.....	60
---	-----------------	----

LIST OF FIGURES

Figure 1: Locality map for EPL - 8499 located near Karanas.....	2
Figure 2: The location of EPL 8499 on the National Mining Cadastre.....	10
Figure 3: Shows the climate conditions around the project area (source: https://tckctck.org/namibia/hardap/karanas).....	24
Figure 4: Landscape map of the EPL area.....	25
Figure 5: Geological map of the EPL area.....	27
Figure 6: Soil map showing the dominant soil types on the EPL.....	28
Figure 7: Hydrology map of the EPL.....	29
Figure 8: Groundwater map showing vulnerability to pollution on the EPL.....	30
Figure 9: Vegetation map for EPL 8499.....	31
Figure 10: <i>Acacia mellifera</i> and <i>Acacia erioloba</i> (A) and <i>Acacia reficiens</i> (B).....	32
Figure 11: Cow dung observed on the EPL.....	32
Figure 12: An old grave on the EPL.....	33
Figure 13: Land use map of the EPL area.....	34
Figure 14: Site Notice at J. W Mouton Primary School.....	37
Figure 15: Consultation meeting on 11 February 2023 at J.W Mouton Primary School.....	37

LIST OF TABLES

Table 1: Applicable local, national and international standards, policies and guidelines governing the proposed development.....	13
Table 2: International Policies, Principles, Standards, Treaties and Convention applicable to the project.....	19
Table 3: Summary of Interested and Affected Parties (I&APs).....	35
Table 4: Extent or spatial impact rating.....	40
Table 5: Duration impact rating.....	40
Table 6: Intensity, magnitude or severity impact rating.....	40
Table 7: Probability of occurrence impact rating.....	41
Table 8: Significance rating scale.....	42
Table 9: Assessment of the impacts of exploration on biodiversity.....	44
Table 10: Assessment of the impacts of exploration on air quality.....	44
Table 11: Assessment of the project impact on water resource use and availability.....	45
Table 12: Assessment of the project impact on soils and water resources (pollution).....	46
Table 13: Assessment of waste generation impact.....	48
Table 14: Assessment of the impacts of exploration on health and safety.....	50
Table 15: Assessment of the impacts of exploration on road use (vehicular traffic).....	51

Table 16: Assessment of the impacts of noise and vibrations from exploration 53
Table 17: Assessment of the impacts of exploration on archaeological & heritage resources.... 54
Table 18: Assessment of exploration on local services (roads and water)..... 56
Table 19: Assessment of social impact of community property damage or disturbance 56

LIST OF APPENDICES

Appendix A: Copy of the Environmental Clearance Certificate (ECC) Application Form 1

Appendix B: Draft Environmental Management Plan (EMP)

Appendix C: Curricula Vitae (CV) for the Environmental Assessment Practitioner (EAP)

Appendix D: List of Interested and Affected Parties (I&APs) and Attendance Register

Appendix E: Background Information Document (BID)

Appendix F: EIA Notification in the newspapers (New Era and the Namibian)

Appendix G: Farmers' Consultation Meeting Minutes

Appendix H: Exclusive Prospecting License (EPL) Intention to grant

LIST OF ABBREVIATIONS

Abbreviation	Meaning
AMSL	Above Mean Sea Level
BID	Background Information Document
CV	Curriculum Vitae
DEA	Department of Environmental Affairs
EA	Environmental Assessment
EAP	Environmental Assessment Practitioner
ECC	Environmental Clearance Certificate
EDS	Excel Dynamic Solutions
ESA	Environmental Scoping Assessment
EMA	Environmental Management Act
EMP	Environmental Management Plan
EPL	Exclusive Prospecting Licence
GG	Government Gazette
GN	Government Notice
I&APs	Interested and Affected Parties
MEFT	Ministry of Environment, Forestry and Tourism
MME	Ministry of Mines and Energy
PPE	Personal Protective Equipment
Reg	Regulation
S	Section
TOR	Terms of Reference

DEFINITION OF TERMS

Alternative	A possible course of action, in place of another that would meet the same purpose and need of the proposal.
Baseline	Work done to collect and interpret information on the condition/trends of the existing environment.
Biophysical	That part of the environment that does not originate with human activities (e.g. biological, physical and chemical processes).
Cumulative Impacts/Effects Assessment	In relation to an activity, means the impact of an activity that in it may not be significant but may become significant when added to the existing and potential impacts eventuating from similar or diverse activities or undertakings in the area.
Decision-maker	The person(s) entrusted with the responsibility for allocating resources or granting approval to a proposal.
Ecological Processes	Processes which play an essential part in maintaining ecosystem integrity. Four fundamental ecological processes are the cycling of water, the cycling of nutrients, the flow of energy and biological diversity (as an expression of evolution).
Environment	As defined in Environmental Management Act - the complex of natural and anthropogenic factors and elements that are mutually interrelated and affect the ecological equilibrium and the quality of life, including – (a) the natural environment that is land, water and air; all organic and inorganic matter and living organisms and (b) the human environment that is the landscape and natural, cultural, historical, aesthetic, economic and social heritage and values.

Environmental Management Plan	As defined in the EIA Regulations (Section 8(j)), a plan that describes how activities that may have significant environmental effects are to be mitigated, controlled and monitored.
Exclusive Prospecting Licence	Is a license that confers exclusive mineral prospecting rights over land of up to 1000 km ² in size for an initial period of three years, renewable twice for a maximum of two years at a time
Interested and Affected Party (I&AP)	In relation to the assessment of a listed activity includes - (a) any person, group of persons or organization interested in or affected by an activity; and (b) any organ of state that may have jurisdiction over any aspect of the activity. Mitigate - practical measures to reduce adverse impacts. Proponent – as defined in the Environmental Management Act, a person who proposes to undertake a listed activity. Significant impact - means an impact that by its magnitude, duration, intensity or probability of occurrence may have a notable effect on one or more aspects of the environment.
Fauna	All of the animals found in a given area.
Flora	All of the plants found in a given area.
Mitigation	The purposeful implementation of decisions or activities that are designed to reduce the undesirable impacts of a proposed action on the affected environment.
Monitoring	Activity involving repeated observation, according to a pre-determined schedule, of one or more elements of the environment to detect their characteristics (status and trends).
Nomadic Pastoralism	Nomadic pastoralists live in societies in which the husbandry of grazing animals is viewed as an ideal way of making a living and the regular movement of all or part of the society is considered a normal and natural part of life. Pastoral nomadism is commonly

	found where climatic conditions produce seasonal pastures but cannot support sustained agriculture.
Proponent	Organization (private or public sector) or individual intending to implement a development proposal.
Public Consultation/Involvement	A range of techniques that can be used to inform, consult or interact with stakeholders affected by the proposed activities.
Protected Area	Refers to a protected area that is proclaimed in the Government Gazette according to the Nature Conservation Ordinance number 4 of 1975, as amended
Scoping	An early and open activity to identify the impacts that are most likely to be significant and require specialized investigation during the EIA work. Can, also be used to identify alternative project designs/sites to be assessed, obtain local knowledge of site and surroundings and prepare a plan for public involvement. The results of scoping are frequently used to prepare a Terms of Reference for the specialized input into full EIA.
Terms of Reference (ToR)	Written requirements governing full EIA input and implementation, consultations to be held, data to be produced and form/contents of the EIA report. Often produced as an output from scoping.

1 INTRODUCTION

1.1 Project Background

Ainna Vilengi Kaundu (The Proponent) has applied to the Ministry of Mines and Energy (MME) for the Exclusive Prospecting License (EPL) No. 8499 on the 17th of November 2020. However, the approval and granting of the EPL is subject to an Environmental Clearance Certificate (ECC). The 5084.7101 hectares (Ha) EPL is located about 3 km West of Karanas in the Hardap Region as shown in **Figure 1**. EPL-8499 covers (overlie) farms Cumbell-Aus No. 360, Dikboorn No. 455, Dikboorn No. 828 and Karanas Noord No. 615.

The EPL is prospective to conduct exploration activities for **Base & Rare Metals, Dimension Stone, Industrial Minerals and Precious Metals**.

Section 27 (1) of the Environmental Management Act (EMA) (No. 7 of 2007) and its 2012 Environmental Impact Assessment (EIA) regulations, provides a list of activities that may not be carried out without an Environmental Impact Assessment (EIA) undertaken and an Environmental Clearance Certificate (ECC) obtained. Exploration activities are listed among activities that may not occur without an ECC. Therefore, individuals or organizations may not carry out exploration activities without an EIA undertaken and an ECC awarded.




Figure 1: Locality map for EPL - 8499 located near Karanas.

1.2 Terms of Reference, Scope of Works and Appointed Environmental Assessment Practitioner

Excel Dynamic Solutions (Pty) Ltd (EDS) has been appointed by the Proponent to undertake an environmental assessment (EA), and thereafter, apply for an ECC for exploration works on the EPL. There were no formal Terms of Reference (ToR) provided to EDS by the Proponent. The consultant, instead, relied on the requirements of the Environmental Management Act (No. 7 of 2007) (EMA) and its Environmental Impact Assessment (EIA) Regulations (GN. No. 30 of 2012) to conduct the study.

The application for the ECC is compiled and submitted to the Competent Authority (Ministry of Environment, Forestry and Tourism (MEFT)), (**Appendix A**). Upon submission of an Environmental Scoping Assessment (ESA) Report and Draft Environmental Management Plan (EMP), an ECC for the proposed project will be considered by the Environmental Commissioner at the MEFT's Department of Environmental Affairs and Forestry (DEAF).

The EIA project is headed by Mr. Nerson Tjelos, a qualified and experienced Geoscientist and experienced EAP. The consultation process and reporting are done by Ms. Iyaloo Nakale and Mr. Silas David and Reviewed by Ms. Rose Mtuleni. Mr. Nerson Tjelos CV is presented in **Appendix C**.

1.3 Motivation for the Proposed Project

The mining industry is one of the largest contributors to the Namibian economy; therefore, it contributes to the improvement of livelihoods. In Namibia, exploration for minerals is done mainly by the private sector, and exploration activities have a great potential to enhance and contribute to the development of other sectors and its activities provide temporary employment, and taxes that fund social infrastructural development. The minerals sector yields foreign exchange and account for a significant portion of gross domestic product (GDP). Additionally, the industry produces a trained workforce and small businesses that can serve communities and may initiate related businesses. Exploration activity fosters several associated activities such as manufacturing of exploration and mining equipment, and provision of engineering and environmental services. The mining sector forms the vital part of some of Namibia's development plans, namely: Vision 2030, National Development Plan 5 (NDP5) and Harambee Prosperity Plans (HPPs) I and II. Thus, mining is essential to the development goals of Namibia in

contributing to meeting the ever-increasing global demand for minerals, and for national prosperity. Therefore, successful exploration on EPL 8499 would lead to the mining of targeted commodities which could contribute towards achieving the goals of the national development plans; hence the need to undertake the proposed exploration activities on the EPL.

2 PROJECT DESCRIPTION: PROPOSED EXPLORATION ACTIVITY

The prospecting and exploration of minerals are the first components of any potential mining project (development and eventual mining). This is done to acquire the necessary data required for further decision making and investment options. These activities are anticipated to last for about three years, with ground geophysical surveys done in stages on different parts of the EPL, lasting several weeks. The exploration process includes three phases- prospecting, exploration, and the decommissioning of works.

2.1 Prospecting Phase

During the prospecting and exploration phase, reviewing existing reports and composite stratigraphic, lithological-geochemical maps of the targeted areas to identify prospective lithostratigraphic packages will be vital. In addition to the literature review, fieldwork (lithological (soil/rock) mapping and sampling) will be conducted to verify desktop work. Up to this point, no physical disturbance is required. Prospecting during the advanced exploration phase will require the Proponent to assess the EPL area through detailed geological mapping, geophysical and geochemical surveys, supported where necessary by geophysical surveys, to define targets for test pitting, trenching, and drilling.

2.1.1 Desktop Study: Geological mapping

This mainly entails a desktop review of geological area maps, study of previous historical geological and mineral exploration work by previous prospectors around the vicinity of the EPL area and attempts to re-evaluate and/or reinterpret these results.

2.1.2 Geophysical surveys

Geophysical surveys entail data collection of the substrate by air or ground, through sensors such as radar, magnetic and/or electromagnetic sensors, to detect and ascertain any mineralization in the area. Ground geophysical surveys shall be conducted, where necessary, using vehicle-mounted sensors or handheld by staff members, while in the case of air surveys, the sensors are mounted to an aircraft, which navigates over the target area.

2.1.3 Lithology geochemical surveys

Rock and soil samples shall be collected and taken for trace element analysis to be conducted by analytical chemistry laboratories, to determine if enough target commodities are present.

Additionally, trenches or pits may be dug depending on the commodity (in a controlled environment e.g., fencing off and labelling activity sites) adopting a manual or excavator to further investigate the mineral potential.

Soil sampling involves small pits being dug where 1kg samples can be extracted and sieved to collect about 50g of material. As necessary, and to ensure adequate risk mitigation, all major excavations will be opened and closed immediately after obtaining the needed samples, or the sites will be secured until the trenches or pits are closed. At all times, the landowner and other relevant stakeholders will be engaged to obtain authorization where necessary.

2.2 Exploration (Drilling, Sampling and Analysis) Phase

The selection of the potential mineralization model and exploration targets will be based on the local geology, trenching, drilling, and assay results of the samples collected. The planned exploration activities are aimed at delineating the mineral deposits and to determine whether the deposits are economically feasible mining resources. **No explosives will be used during the exploration phase.**

2.2.1 Detailed Exploration Drilling

Should analyses by an analytical laboratory yield positive results, holes are drilled, and drill samples collected for further analysis. This will determine the depth of the potential mineralization. If necessary new access tracks to the drill sites will be created and drill pads will be cleared in which to set the rig. Two widely used drilling options may be adopted, these are the Reverse Circulation (RC) drilling and/or diamond-core drilling. RC drilling uses a pneumatic hammer, which drives a rotating tungsten-steel bit. The technique produces an uncontaminated large volume sample, which is composed of rock chips. It is relatively quicker and cheaper when compared to other techniques like Diamond Drilling. However, diamond drilling may also be considered for this exploration programme, during advanced stages of exploration if large amounts of sample material may be required for analysis and to perform processing trials.

A typical drilling site will consist of a drill-rig and support vehicles as well as a drill core and geological samples store. A drill equipment parking and maintenance yard may be set up (including a fuel and lubricants storage facility).

Other aspects of the exploration operations include:

2.2.2 Accessibility to Site

The EPL is accessible via the B1 road and diverges into the D1262 gravel road. The Proponent may need to do some upgrades on the site access road to ensure that it is fit to accommodate project-related vehicles, such as heavy trucks.

2.2.3 Material and Equipment

The input required for the exploration program in terms of vehicles and equipment includes: (4X4) vehicles, a truck, water tanks, drill rigs and drilling machines, and a power generator. Equipment and vehicles will be stored at a designated area near the accommodation site or a storage site established within the EPL area.

2.2.4 Services and Infrastructure

Water: Water for the exploration operations on the EPL will be obtained from the nearest existing boreholes or the proponent will drill boreholes on the farms, upon obtaining necessary permits and signed agreements with the farmers (landowners).. Estimated monthly water consumptions are at ± 4000 liters, but will not exceed 80 000 liters, which includes water for drinking, sanitation, cooking, dust control, drilling, as well as washing of equipment.

Power supply: Power required during the operation phase will be provided from diesel-generators. About 2000 litres of diesel will be used per day, a bonded diesel bowser which will be on site and will be filled as regularly as necessary.

Fuel (diesel for generators and other equipment): The fuel (diesel) required for exploration equipment will be stored in a tank mounted on a mobile trailer, and drip trays will be readily available on this trailer and monitored to ensure that accidental fuel spills are cleaned up as soon as they have been detected/observed. Fuel may also be stored in jerry cans placed on plastic sheeting to avoid unnecessary contamination of the ground.

2.2.5 Waste Management

The site will be equipped with secured waste bins for each type of waste (i.e., domestic, hazardous, and recyclable). Depending on the amount generated, waste will be sorted and collected weekly or monthly and taken to the nearest certified landfill site. An agreement will need to be reached with different waste management facility operators/owners and authorization or permits will be obtained prior to utilizing of these facilities, in the case of production of any hazardous waste.

Sanitation and human waste: Flush toilet facilities will be used and the sewage will be disposed of as according to the approved disposal or treatment methods of the product.

Hazardous waste: Drip trays and spill control kits will be available on site to ensure that oil/fuel spills and leaks from vehicles and equipment are captured on time and contained correctly before polluting the site.

2.2.6 Health and safety

Adequate and appropriate Personal Protective Equipment (PPE) will be provided to every project personnel while on and working at site. A minimum of two first aid kits will be readily available on site to attend to potential minor injuries.

2.2.7 Safety and Security

Storage Site: Temporary storage areas for exploration material, equipment and machinery will be required at the campsite and/or exploration sites. Security will be supplied on a 24-hour basis at the delegated sites for storage. A temporary support fence surrounding the storage site will be constructed to ensure people and domestic animals are not put at risk.

Fire management: A minimum of basic firefighting equipment, i.e., two fire extinguishers will be readily available in vehicles, at the working sites and camps.

2.2.8 Accommodation

The exploration crew will be accommodated in the nearest town/settlement, or a campsite will be set up for the exploration crew near the exploration sites. If the accommodation camp is to be set up within farms, necessary arrangements will be made with the farm owner/s. Exploration activities will take place during daytime only and staff will commute to exploration site(s) from their place of accommodation.

2.3 Decommissioning and Rehabilitation Phase

Once the exploration activities on the EPL come to an end, the Proponent will need to put site rehabilitation measures in place. Decommissioning and rehabilitation are primarily reinforced through a decommissioning and rehabilitation plan, which consists of safety, health, environmental, and contingency aspects. The economic situation or unconvincing exploration results might force the Proponent to cease the exploration program before predicted closure.

Therefore, it is of best practice for the Proponent to ensure the project activities cease in an environmentally friendly manner and site is rehabilitated.

3 PROJECT ALTERNATIVES

Alternatives are defined as the “*different means of meeting the general purpose and requirements of the activity*” (EMA, 2007). This section will highlight the different ways in which the project can be undertaken and to identify the alternative that will be the most practical, but least damaging to the environment is identified.

Once the alternatives have been established, these are examined by asking the following three questions:

- What alternatives are technically and economically feasible?
- What are the environmental effects associated with the feasible alternatives?
- What is the rationale for selecting the preferred alternative?

The alternatives considered for the proposed development are discussed in the following subsections.

3.1 Types of Alternatives Considered

3.1.1 The "No-go" Alternative

The “no action” alternative implies that the status quo remains, and nothing happens. Should the proposal of exploration activities on the EPL, be discontinued, none of the potential impacts (positive and negative) identified would occur. If the proposed project is to be discontinued, the current land use for the proposed site will remain unchanged.

This no-go option was considered and a comparative assessment of the environmental and socio-economic impacts of the “no action” alternative was undertaken to establish what benefits might be lost if the project is not implemented. The key losses that may never be realized if the proposed project does not go ahead include:

- Loss of foreign direct investment.
- About 5 -10 temporary job opportunities for community members will not be realized.
- No realization of local businesses supports through the procurement of consumable items such as Personal Protective Equipment (PPE), machinery spare parts, lubricants, etc.

- Loss of potential income to local and national government through land lease fees, license lease fees and various tax structures.
- Improved geological understanding of the site area regarding the targeted commodities.
- Socio-economic benefits such as skills acquisition to local community members would be not realized.

Considering the above losses, the “no-action/go” alternative was not considered a viable option for this project, although, in the case where parts of the project site are considered environmentally sensitive and/or protected, one or severally sections of the site may be identified as no-go zones.

3.1.2 Exploration Location

The prospecting/exploration location is dependent on the geological setting (regional and local), the economic geology, and the exploration and mining history of the EPL area. Therefore, finding an alternative location for the planned exploration activities is not possible. This means that the mineralization of the target commodities is area-specific, and exploration targets are primarily determined by the geology (host rocks) and the tectonic environment of the site (an ore-forming mechanism). The tenement has sufficient surface area for future related facilities, should an economic mineral deposit be defined.

Furthermore, the national mineral resources’ potential locations are also mapped and categorized by the Ministry of Mines and Energy, on exclusive prospecting licenses, mining licenses and claims, mineral deposit retention licenses, reconnaissance licenses and exclusive reconnaissance licenses. Available information on EPL 8499 (**Figure 2**) and other licenses are available on the Namibia Mining Cadastral Map here <https://maps.landfolio.com/Namibia/>




Figure 2: The location of EPL 8499 on the National Mining Cadastre

3.1.3 Exploration Methods

Both invasive and non-invasive exploration activities as indicated under the project description chapter are expected to take place. If an economically viable discovery is made, the project will proceed to the mining phase upon approval of a mining EIA and issuance of a mining license. If any other alternative viable exploration methods are found to achieve the purpose more effectively and/or efficiently without aggravating any environmental measures put in place, it can be implemented.

4 LEGAL FRAMEWORK: LEGISLATION, POLICIES AND GUIDELINES

Prospecting and exploration activities have legal implications associated to certain applicable legal standards. A summary of applicable and relevant international policies and Namibian legislation, policies and guidelines to the proposed development is given in this section. This summary serves to inform the project Proponent, Interested and Affected Parties and the decision makers at the DEAF, of the requirements and expectations, as laid out in terms of these instruments, to be fulfilled to establish the proposed prospecting and exploration activities.

4.1 The Environmental Management Act (No. 7 of 2007)

This EIA was carried out according to the Environmental Management Act (EMA) and its Environmental Impact Assessment (EIA) Regulations (GG No. 4878 GN No. 30).

The EMA has stipulated requirements to complete the required documentation to obtain an Environmental Clearance Certificate (ECC) for permission to undertake certain listed activities. These activities are listed under the following Regulations:

- 3.1 The construction of facilities for any process or activities which requires a license, right of other forms of authorization, and the renewal of a license, right or other form of authorization, in terms of the Minerals (Prospecting and Mining Act, 1992).
- 3.2 other forms of mining or extraction of any natural resources whether regulated by law or not.
- 3.3 Resource extraction, manipulation, conservation and related activities.

The Environmental Impact Assessment (EIA) Regulations GN 28-30 (GG 4878) detail requirements for public consultation within a given environmental assessment process (GN 30 S21). The EIA regulations also outline the required details of a Scoping Report (GN 30 S8) and an Assessment Report (GN 30 S15).

Other legal obligations that are relevant to the proposed activities of EPL No. 8499 and related activities are presented in **Table 1**.

Table 1: Applicable local, national and international standards, policies and guidelines governing the proposed development

Legislation/Policy/ Guideline	Relevant Provisions	Implications for this project
The Constitution of the Republic of Namibia, 1990 as amended	<p>The Constitution of the Republic of Namibia (1990 as amended) addresses matters relating to environmental protection and sustainable development. Article 91(c) defines the functions of the Ombudsman to include:</p> <p>“...the duty to investigate complaints concerning the over-utilization of living natural resources, the irrational exploitation of non-renewable resources, the degradation and destruction of ecosystems and failure to protect the beauty and character of Namibia...”</p> <p>Article 95(l) commits the state to actively promoting and maintaining the welfare of the people by adopting policies aimed at the:</p> <p>“...Natural resources situated in the soil and on the subsoil, the internal waters, in the sea, in the continental shelf, and in the exclusive economic zone are property of the State.”</p>	<p>By implementing the environmental management plan, the establishment will be in conformant to the constitution in terms of environmental management and sustainability.</p> <p>Ecological sustainability will be main priority for the proposed development.</p>
The National Policy on Prospecting and Mining in Protected Areas	Requires that, where necessary a Memorandum of Understanding is developed between prospecting and mining Companies, the MEFT and the MME to set out additional implementation mechanisms.	The Proponent should maintain the integrity of ecosystems and natural resources, and avoiding degradation of areas highly sensitive for their ecological,

Legislation/Policy/ Guideline	Relevant Provisions	Implications for this project
		social and/or cultural heritage value
Minerals (Prospecting and Mining) Act (No. 33 of 1992)	<p>Section 52 requires mineral license holders to enter into a written agreement with affected landowners before exercising rights conferred upon the license holder.</p> <p>Section 52(1) mineral license holder may not exercise his/her rights in any town or village, on or in a proclaimed road, land utilized for cultivation, within 100m of any water resource (borehole, dam, spring, drinking trough etc.) and boreholes, or no operations in municipal areas, etc.), which should individually be checked to ensure compliance.</p> <p>Section 54 requires written notice to be submitted to the Mining Commissioner in the event that the holder of a mineral license (which includes and EPL) intends to abandon the mineral license area.</p>	<p>The Proponent should enter into a written agreement with landowners before carrying out exploration on their land.</p> <p>The Proponent should carry out an assessment of the impact on the receiving environment.</p> <p>The Proponent should include as part of their application for the EPL, measures by which they will rehabilitate the areas where they intend to carry out mineral exploration activities.</p> <p>The Proponent may not carry out exploration activities within the areas limited by Section 52 (1) of this Act.</p>

Legislation/Policy/ Guideline	Relevant Provisions	Implications for this project
	<p>Section 68 stipulates that an application for an EPL shall contain the particulars of the condition of, and any existing damage to, the environment in the area to which the application relates and an estimate of the effect which the proposed prospecting operations may have on the environment and the proposed steps to be taken in order to prevent or minimize any such effect.</p> <p>Section 91 requires that rehabilitation measures should be included in an application for a mineral license.</p>	
<p>Mine Health & Safety Regulations, 10th Draft</p>	<p>Makes provision for the health and safety of persons employed or otherwise present in mineral licenses area. These deal with among other matters; clothing and devices; design, use, operation, supervision and control of machinery; fencing and guards; and safety measures during repairs and maintenance.</p>	<p>The Proponent should comply with all these regulations with respect to their employees.</p>
<p>Petroleum Products and Energy Act (No. 13 of 1990) Regulations (2001)</p>	<p>Regulation 3(2)(b) states that “No person shall possess [sic] or store any fuel except under authority of a license or a certificate, excluding a person who possesses or stores such fuel in a quantity of 600 litres or less in any container kept at a place outside a local authority area”</p>	<p>The Proponent should obtain the necessary authorization from the MME for the storage of fuel on-site.</p>

Legislation/Policy/ Guideline	Relevant Provisions	Implications for this project
The Regional Councils Act (No. 22 of 1992)	This Act sets out the conditions under which Regional Councils must be elected and administer each delineated region. From a land use and project planning point of view, their duties include, as described in section 28 to undertake the planning of the development of the region for which it has been established with a view to physical, social and economic characteristics, urbanisation patterns, natural resources, economic development potential, infrastructure, land utilisation pattern and sensitivity of the natural environment.	The relevant Regional Councils are considered to be I&APs and must be consulted during the Environmental Assessment (EA) process. The project site falls under the Hardap Regional Council; therefore, they should be consulted.
Local Authorities Act No. 23 of 1992	To provide for the determination, for purposes of traditional government, of traditional authority councils; the establishment of such traditional authority councils; and to define the powers, duties and functions of traditional authority councils; and to provide for incidental matters.	The Rehoboth Town Council is the responsible local Authority of the area therefore they should be consulted.
Water Act 54 of 1956	The Water Resources Management Act 11 of 2013 is presently without regulations; therefore, the Water Act No 54 of 1956 is still in force:	The protection (both quality and quantity/abstraction) of water resources should be a priority.

Legislation/Policy/ Guideline	Relevant Provisions	Implications for this project
	<p>Prohibits the pollution of water and implements the principle that a person disposing of effluent or waste has a duty of care to prevent pollution (S3 (k)).</p> <p>Provides for control and protection of groundwater (S66 (1), (d (ii)).</p> <p>Liability of clean-up costs after closure/abandonment of an activity (S3 (l)). (l)).</p>	
<p>Water Resources Management Act (No 11 of 2013)</p>	<p>The Act provides for the management, protection, development, use and conservation of water resources; and provides for the regulation and monitoring of water services and to provide for incidental matters. The objects of this Act are to:</p> <p>Ensure that the water resources of Namibia are managed, developed, used, conserved and protected in a manner consistent with, or conducive to, the fundamental principles set out in Section 66 - protection of aquifers, Subsection 1 (d) (iii) provide for preventing the contamination of the aquifer and water pollution control (Section 68).</p>	

Legislation/Policy/ Guideline	Relevant Provisions	Implications for this project
National Heritage Act No. 27 of 2004	To provide for the protection and conservation of places and objects of heritage significance and the registration of such places and objects; to establish a National Heritage Council; to establish a National Heritage Register; and to provide for incidental matters.	The Proponent should ensure compliance with these Acts requirements. The necessary management measures and related permitting requirements must be taken. This done by the consulting with the National Heritage Council of Namibia.
The National Monuments Act (No. 28 of 1969)	The Act enables the proclamation of national monuments and protects archaeological sites.	
Soil Conservation Act (No 76 of 1969)	The Act makes provision for the prevention and control of soil erosion and the protection, improvement and conservation of soil, vegetation and water supply sources and resources, through directives declared by the Minister.	Duty of care must be applied to soil conservation and management measures must be included in the EMP.
Public Health Act (No. 36 of 1919)	Section 119 states that “no person shall cause a nuisance or shall suffer to exist on any land or premises owned or occupied by him or of which he is in charge any nuisance or other condition liable to be injurious or dangerous to health.”	The Proponent and all its employees should ensure compliance with the provisions of these legal instruments.
Health and Safety Regulations GN 156/1997(GG1617)	Details various requirements regarding health and safety of labourers.	

Legislation/Policy/ Guideline	Relevant Provisions	Implications for this project
Road Traffic and Transport Act, No. 22 of 1999	The Act provides for the establishment of the Transportation Commission of Namibia; for the control of traffic on public roads, the licensing of drivers, the registration and licensing of vehicles, the control and regulation of road transport across Namibia's borders; and for matters incidental thereto. Should the Proponent wish to undertake activities involving road transportation or access onto existing roads, the relevant permits will be required.	Mitigation measures should be provided for, if the roads and traffic impact cannot be avoided, the relevant permits must be applied for.
Labour Act (No. 6 of 1992)	Ministry of Labour (MOL) is aimed at ensuring harmonious Labour relations through promoting social justice, occupational health and safety and enhanced Labour market services for the benefit of all Namibians. This ministry insures effective implementation of the Labour Act no. 6 of 1992.	The Proponent should ensure that the prospecting and exploration activities do not compromise the safety and welfare of workers.

4.2 International Policies, Principles, Standards, Treaties and Conventions

The international policies, principles, standards, treaties, and conventions applicable to the project are as listed in **Table 2** below.

Table 2: International Policies, Principles, Standards, Treaties and Convention applicable to the project

Statute	Provisions	Project Implications
Equator Principles	A financial industry benchmark for determining, assessing, and managing environmental and social risk in projects	These principles are an attempt to: '...encourage the

Statute	Provisions	Project Implications
	<p>(August 2013). The Equator Principles have been developed in conjunction with the International Finance Corporation (IFC), to establish an International Standard with which companies must comply with to apply for approved funding by Equator Principles Financial Institutions (EPFIs). The Principles apply to all new project financings globally across all sectors.</p> <p>Principle 1: Review and Categorization</p> <p>Principle 2: Environmental and Social Assessment</p> <p>Principle 3: Applicable Environmental and Social Standards</p> <p>Principle 4: Environmental and Social Management System and Equator Principles Action Plan</p> <p>Principle 5: Stakeholder Engagement</p> <p>Principle 6: Grievance Mechanism</p> <p>Principle 7: Independent Review</p> <p>Principle 8: Covenants</p> <p>Principle 9: Independent Monitoring and Reporting</p> <p>Principle 10: Reporting and Transparency</p>	<p>development of socially responsible projects, which subscribe to appropriately responsible environmental management practices with a minimum negative impact on project-affected ecosystems and community-based upliftment and empowering interactions.'</p>
<p>The International Finance Corporation</p>	<p>The International Finance Corporation's (IFC) Sustainability Framework articulates the Corporation's strategic commitment to sustainable development and is an integral</p>	<p>The Performance Standards are directed towards clients, providing guidance on</p>

Statute	Provisions	Project Implications
<p>(IFC) Performance Standards</p>	<p>part of IFC’s approach to risk management. The Sustainability Framework comprises IFC’s Policy and Performance Standards on Environmental and Social Sustainability, and IFC’s Access to Information Policy. The Policy on Environmental and Social Sustainability describes IFC’s commitments, roles, and responsibilities related to environmental and social sustainability.</p> <p>As of 28 October 2018, there are ten (10) Performance Standards (Performance Standards on Environmental and Social Sustainability) that the IFC requires a project Proponents to meet throughout the life of an investment. These standard requirements are briefly described below.</p> <p>Performance Standard 1: Assessment and Management of Environmental and Social Risks and Impacts</p> <p>Performance Standard 2: Labour and Working Conditions</p> <p>Performance Standard 3: Resource Efficient and Pollution Prevention and Management</p> <p>Performance Standard 4: Community Health and Safety</p> <p>Performance Standard 5: Land Acquisition, Restrictions on Land Use, and Involuntary Resettlement</p>	<p>how to identify risks and impacts, and are designed to help avoid, mitigate, and manage risks and impacts as a way of doing business in a sustainable way, including stakeholder engagement and disclosure obligations of the Client (Borrower) in relation to project-level activities. In the case of its direct investments (including project and corporate finance provided through financial intermediaries), IFC requires its clients to apply the Performance Standards to manage environmental and social risks and impacts so that development opportunities are enhanced. IFC uses the Sustainability Framework along with other strategies, policies, and initiatives to direct the business</p>

Statute	Provisions	Project Implications
	<p>Performance Standard 6: Biodiversity Conservation and Sustainable Management of Living Natural Resources</p> <p>Performance Standard 7: Indigenous Peoples/Sub-Saharan African Historically Undeserved Traditional Local Communities</p> <p>Performance Standard 8: Cultural Heritage</p> <p>Performance Standard 9: Financial Intermediaries (FIs)</p> <p>Performance Standard 10: Stakeholder Engagement and Information</p> <p>A full description of the IFC Standards can be obtained from http://www.worldbank.org/en/projects-operations/environmental-and-social-framework/brief/environmental-and-social-standards?cq_ck=1522164538151#ess1</p>	<p>activities of the Corporation to achieve its overall development objectives.</p>
<p>The United Nations Convention to Combat Desertification (UNCCD) 1992</p>	<p>Addresses land degradation in arid regions with the purpose to contribute to the conservation and sustainable use of biodiversity and the mitigation of climate change.</p> <p>The convention objective is to forge a global partnership to reverse and prevent desertification/land degradation and to mitigate the effects of drought in affected areas to support poverty reduction and</p>	<p>The project activities should not be such that they contribute to desertification.</p>

Statute	Provisions	Project Implications
	environmental sustainability United Nation Convention	
Convention on Biological Diversity 1992	Regulate or manage biological resources important for the conservation of biological diversity whether within or outside protected areas, with a view to ensuring their conservation and sustainable use. Promote the protection of ecosystems, natural habitats, and the maintenance of viable populations of species in natural surroundings	Removal of vegetation cover and destruction of natural habitats should be avoided and where not possible minimised
Stockholm Declaration on the Human Environment, Stockholm (1972)	It recognizes the need for: "a common outlook and common principles to inspire and guide the people of the world in the preservation and enhancement of the human environment.	Protection of natural resources and prevention of any form of pollution.

Relevant international Treaties and Protocols ratified by the Namibian Government

- Convention on International Trade and Endangered Species of Wild Fauna and Flora (CITES), 1973.
- Convention on Biological Diversity, 1992.
- World Heritage Convention, 1972.

5 ENVIRONMENTAL BASELINE

The proposed exploration programme will be undertaken in specific environmental and social conditions. Understanding the pre-project conditions of the environment will aid in laying down background "information" of the status quo and future projections of environmental conditions after proposed works on the EPL. This also helps the EAP in identifying the sensitive environmental features that may need to be protected through the recommendations and effective implementation of mitigation measures provided.

The baseline information presented below is sourced from a variety of sources including reports of studies conducted in the Hardap Region. Further information was obtained by the Consultant during the site visit conducted on 11 February 2023.

Biophysical Environment

5.1 Climate

Climate has a major influence on the exploration activities proposed on the EPL. Understanding of climatic conditions helps to determine the appropriate and/or inappropriate times to conduct exploration activities. The project area is situated in the southern part of Namibia in the Hardap Region. The area is characterized by hot dry summers with day time temperature in excess of 30°C whereas the night time temperatures can go as low as below 15°C. The annual rainfall is low and range between 200-300 mm per annum with an average annual rainfall of 281 mm. The rainy season starts from January to April. Karanas situated in the Rehoboth Rural Constituency typically receives about 18.04 millimeters of precipitation.

Month	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Nov	Oct	Dec	Year
Record high °C (°F)	39.72 (103.5)	39.72 (103.5)	39.72 (103.5)	35.54 (95.97)	33.45 (92.21)	29.27 (84.69)	30.31 (86.56)	33.45 (92.21)	38.67 (101.61)	40.76 (105.37)	39.72 (103.5)	40.76 (105.37)	40.76 (105.37)
Average high °C (°F)	35.27 (95.49)	34.61 (94.3)	32.99 (91.38)	29.59 (85.26)	26.81 (80.26)	22.82 (73.08)	22.76 (72.97)	26.24 (79.23)	30.4 (86.72)	33.11 (91.6)	34.55 (94.19)	35.44 (95.79)	30.38 (86.68)
Daily mean °C (°F)	30.36 (86.65)	29.52 (85.14)	28.0 (82.4)	24.25 (75.65)	20.94 (69.69)	16.1 (60.98)	15.55 (59.99)	18.13 (64.63)	22.71 (72.88)	26.24 (79.23)	28.22 (82.8)	29.91 (85.84)	24.17 (75.51)
Average low °C (°F)	25.14 (77.25)	24.11 (75.4)	22.51 (72.52)	18.53 (65.35)	14.6 (58.28)	9.0 (48.2)	7.93 (46.27)	9.57 (49.23)	13.75 (56.75)	17.72 (63.9)	20.51 (68.92)	23.49 (74.28)	17.24 (63.03)
Record low °C (°F)	14.63 (58.33)	15.68 (60.22)	11.5 (52.7)	9.41 (48.94)	3.14 (37.65)	0.0 (0)	-1.05 (30.11)	-1.05 (30.11)	2.09 (35.76)	4.18 (39.52)	7.32 (45.18)	11.5 (52.7)	-1.05 (30.11)
Average precipitation mm (inches)	49.73 (1.96)	54.75 (2.16)	40.4 (1.59)	16.8 (0.66)	7.72 (0.3)	2.19 (0.09)	1.53 (0.06)	0.76 (0.03)	4.04 (0.16)	6.67 (0.26)	10.76 (0.42)	21.08 (0.83)	18.04 (0.71)
Average precipitation days (≥ 1.0 mm)	7.69	8.36	6.18	3.14	1.05	0.19	0.19	0.28	1.14	1.52	1.9	3.99	2.97
Average relative humidity (%)	29.49	33.55	34.08	35.42	30.84	32.78	32.97	24.81	20.54	18.42	19.61	23.19	27.98
Mean monthly sunshine hours	12.02	11.99	11.93	11.73	11.42	11.26	11.3	11.65	11.98	12.03	14.06	14.06	12.11

Figure 3: Shows the climate conditions around the project area (source: <https://tckctck.org/namibia/hardap/karanas>)

5.2 Topography

The Hardap Region is located in the Central Highlands of the country and is bordered by the Erongo, Khomas, and Omaheke regions to the north and //Karas region to the South. The EPL is located on the Rehoboth Highlands with an elevation varying between 1216 and 2559 m. The morphology of the area is characterised by flat alluvial plains that are interrupted by rugged ridges and peaks with elevations that vary from 580 m amsl on the on the plain and 1100 m amsl on the peaks. **Figure 4** shows the topography map of the project area.




Figure 4: Landscape map of the EPL area

5.3 Geology and Soil

Geology

Geologically, the larger portion of the EPL comprises mainly Quartzite, Conglomerate, Argillite while the south eastern and western portion of the EPL comprise Quartz, Conglomerate Schist and Mable (**Figure 5**).

The EPL is located in the Rehoboth Basement Inlier in central Namibia, and has low to medium grade metamorphic rocks of volcanic, sedimentary, and intrusive origin. According to the lithostratigraphy (SACS, 1980), these units belong to high-grade metamorphic rocks of pre-Rehoboth age (Elim and Neuhof Formations, Mooi-rivier Complex), to the Paleoproterozoic Rehoboth Sequence (Marienhof, Billstein and Gaub Valley Formations), and to the Mesoproterozoic Sinclair Sequence (Nückopf, Grauwater, Dornpoort and Klein Aub Formations) (Becker et al. 2004). The Mokolian Rehoboth Sequence is ranging approximately from 1.670 Ma to 1.420 Ma of age.

The Rehoboth Sequence lithostratigraphic units can be differentiated as follows: Marienhof (Mm), Gaub Valley (Mvy) and Billstein Formations (Mbi). The Marienhof, Gaub Valley and the Billstein Formations of the Mokolian Rehoboth Sequence consist of hard blue-grey fine quartzites, which can be found in many parts of the western Rehoboth district. Furthermore, these formations are composed of phyllite, schist, conglomerate, quartz, porphyry, basalt and rhyolite. The rocks of the Rehoboth Sequence are very often intruded by younger rocks, mainly granite, syenite, diorite and gabbro. These gneissic-granitic injections into the older Rehoboth Sequence can be found in many parts of Namibia, as for instance in the Gamsberg area, at the Namib border around the farm Namibgrens. For road building purposes the rocks from the Rehoboth Sequence have been used only for randomly selected wearing-courses for gravel roads in the western parts of the Rehoboth area. The Rehoboth Sequence granites, which intruded much older formations, like for instance the Khoabendus Group and the para-gneisses of the pre-Khoabendus formations, have been used for some surfaced roads in the vicinity of Rehoboth. The trunk roads 1/4 from Rehoboth to Tsumis and 1/5 from Rehoboth to the Wortel junction have basecourses consisting of these old granites (Dierks, 2005)




Figure 5: Geological map of the EPL area

Soil

The EPL area is dominated by the Eutric Leptosols which are formed in an actively eroding landscape. These coarse-textured soils are characterized by their limited depth which is caused by the presence of a continuous layer within 80 cm of the surface, (Mendelsohn, 2003). During prospecting phase of the project, soil sampling may be conducted. Therefore, the Soil Conservation Act (No 76 of 1969) should be taken into account to ensure that soils are conserved in way that does not promote soil erosion. **Figure 6** below shows the soil types in the project area.




Figure 6: Soil map showing the dominant soil types on the EPL

5.4 Hydrology, Water Resources and Groundwater Vulnerability to Pollution for EPL 8499

In terms of surface water/hydrology, the Dikdoorn River flows through the EPL. Thus, the regulations stipulated in the Minerals (Prospecting and Mining) Act (No. 33 of 1992), section 52 (1) in terms of conducting exploration activities near water sources (i.e. rivers) must be adhered to. With regards to groundwater (hydrogeology), the EPL is mainly covered by rock bodies with little groundwater potential, their nature potentially allows little storage, transmission and flow of groundwater, as shown in **Figure 7**.

The EPL 8499 is covered by a moderate sensitivity to groundwater pollution. **Figure 8** shows the Groundwater vulnerability/ sensitivity to groundwater pollution map of the EPL area.




Figure 7: Hydrology map of the EPL




Figure 8: Groundwater map showing vulnerability to pollution on the EPL

5.5 Flora and Fauna

Flora

The EPL is located within an area of sparse shrubland and is dominated by *Acacia reficiens* and *Acacia mellifera* species (Figure 10).

The *Acacia mellifera* forms a dense very thorny shrub in the seasonally dry lowland tropics of the African continent, although it sometimes develops into a tree 6-9 m tall. It is widespread in dry bushland, thornveld and wooded grassland, and is found mainly on clay rich or calcium rich soils, a shallow rooted nitrogen fixing species and its protein rich leaves provide a useful browse. It is valued as fuelwood and also for making charcoal for its hard wood. The stems is prized for making fence posts and axe and pick handles and yields an edible gum. It flowers prolifically and is a valuable honeybee plant (Sastry and Karathekar, 1990).

The *Acacia reficiens* (Red thorn) grows into a thorny obconical multi-stemmed shrub or small tree in the seasonally dry tropical savannas of Africa. A shallow-rooted nitrogen-fixing species, it can dominate several semi-desert or dry scrub vegetation types on sandy, saline or clay alluvium soils. It is very variable and divided into two subspecies of which *Acacia reficiens subsp. reficiens* occurs in south west Africa (Angola, Namibia, Botswana), it has a wide range of uses from browse (camels and goats), fencing, fibre (from the bark, used for rope) and an edible gum. Although it does not appear to be especially susceptible to frost damage, protection of young plants is advisable on the Highveld (Carr, 1976). During the rainy season (November through April) trees and brush appear green and lush. Stream floors may be covered with some grass. During the dry season many of the trees lose their leaves.

The *Acacia Erioloba* was observed on the site during site visit. Thus, the Forest Act 12 of 2001 should be adhered to, during the exploration activities on the EPL. **Figure 9** shows the plant species observed within the EPL area.




Figure 9: Vegetation map for EPL 8499




Figure 10 *Acacia mellifera*, *Acacia erioloba* (A) and *Acacia reficiens* (B)

Fauna

The faunal community on the EPL is dominated by livestock such as sheep, cows, goats, and horses; and wildlife like springbok, kudu and steenbok (*Raphicerus campestris*), one of the most common species of antelope in Namibia (Gondwana Collection Namibia).



Figure 11: Cow dung observed on the EPL

5.6 Heritage and Archaeology

During site visit, some old graves were observed. Thus, it is highly recommended that the National Heritage act, 27 of 2004 should be adhered to, and a qualified archaeologist should always be onsite and/or on standby/call during the exploration phase to ensure that no archaeological

resources that may be discovered on site are affected/damaged. **Figure 12** below shows the old graves observed on the EPL.



Figure 12: An old grave on the EPL

5.7 Surrounding Land Uses

The EPL falls within a zone of Commercial land as shown in **Figure 13** The Proponent is required to secure a signed agreement from the affected landowners to gain access to the areas of interest for prospecting and exploration investigations as per Section 52 of the Minerals (Prospecting and Mining) Act No. 33 of 1992 and Section 2.2.3 of the Minerals Policy of Namibia.

1. *Section 52 (1) The holder of mineral licence shall not exercise any rights conferred upon such holder by this Act or under any terms and conditions of such mineral licence –*
 - (a) *In, on or under any and until such time as such holder has entered into an agreement in writing with the owner of such land containing terms and conditions relating to the payment of compensation, or the owner of such land has in writing waved any right to such compensation and has submitted a copy of such agreement or waiver to the Commissioner.*

Section 2.2.3 of the Draft Minerals Policy of Namibia states that the Licence Holder and/or mineral explorers currently must negotiate a contract with landowners to gain access for prospecting purposes.




Figure 13: Land use map of the EPL area

5.8 Economic Activities

Farming

The Hardap Region is commonly known as the agricultural hub of the region, as per visible crop and livestock production of small scale farming. However, due to the recent drought outbreak and the Covid-19 pandemic, farmers had felt the immense pressure on livestock and crop production. (Hardap Regional Council, n.d). The Hardap Dam outside Mariental provides water for residents and surrounding farms, while it is also used for the irrigation of a number of agricultural crop productions, ranging from dates to lucerne.

Tourism

Rehoboth is situated about 90 km South of Windhoek, set in a dense acacia woodland of camel thorn, sweet-thorn and candle-pod acacia and several natural hot-springs. Activities in Rehoboth include the Lake Oanob Resort and Game Reserve, a favoured venue for day and weekend

outings for locals and tourists alike. Many travelers pass through Rehoboth on their way to Sossusvlei, Hardap Dam and Resort, Duwisib Castle, Fish River Canyon, and on to Namibia's other main southern tourist attractions.

6 PUBLIC CONSULTATION PROCESS

Public consultation is an important component of the Environmental Assessment (EA) process. It provides potential Interested and Affected Parties (I&APs) with an opportunity to comment on and raise any issues relevant to the project for consideration as part of the assessment process. Public consultation assists the Environmental Assessment Practitioner (EAP) in identifying all potential impacts and to what extent further investigations are necessary. Public consultation can also aid in the process of identifying possible mitigation measures. Public consultation for this scoping study has been done in accordance with the EMA and its EIA Regulations.

6.1 Pre-identified and Registered Interested and Affected Parties (I&APs)

Relevant and applicable national, regional, and local authorities, local leaders, and other interested members of the public were identified. Pre-identified I&APs were contacted directly, while other parties who contacted the Consultant after project advertisement notices in the newspapers, were registered as I&APs upon their request. Newspaper advertisements of the proposed exploration activities were placed in two widely-read national newspapers in the region (The Namibian Newspaper and New Era Newspaper). The project advertisement/announcement ran for two consecutive weeks inviting members of the public to register as I&APs and submit their comments. The summary of pre-identified and registered I&APs is listed in **Table 3** below and the complete list of I&APs is provided in **Appendix D**.

Table 3: Summary of Interested and Affected Parties (I&APs)

National (Ministries and State-Owned Enterprises)
Ministry of Environment, Forestry and Tourism
Ministry of Mines and Energy
Ministry of Health and Social Services
Regional, Local and Traditional Authorities
Hardap Regional Council

Rehoboth Town Council
Rehoboth Rural Constituency
Karanas Settlement
General Public
Farmers and Interested members of the public

6.2 Communication with I&APs

Regulation 21 of the EIA Regulations details the steps to be taken during a public consultation process and these have been used in guiding this process. Communication with I&APs with regards to the proposed development was facilitated through the following means and in this order:

- A Background Information Document (BID) containing brief information about the proposed facility is compiled (**Appendix E**) and emailed to relevant Authoritative Ministries, and to all identified Interested and Affected Parties (I&APs);
- Project Environmental Assessment notices were published in The Namibian newspaper (**18 January 2023** and **25 January 2023**) and New Era (**17 January 2023** and **24 January 2023**) (**Appendix F**), briefly explaining the activity and its locality, inviting members of the public to register as I&APs and submit their comments/concerns;
- Public notices were placed at J.W Mouton Primary School. (**Figure 13**) to inform members of the public of the EIA process and register as I&APs, as well as submit comments.
- A public meeting was scheduled on 11 February 2023, at J.W Mouton Primary School at 10:00




Figure 14: Site Notice at J. W Mouton Primary School



Figure 15: Consultation meeting on 11 February 2023 at J.W Mouton Primary School

Site observations and issues raised by stakeholders during the consultation meeting have been recorded and incorporated in this study, together with the site assessment. The summarized

issues raised during the public meeting are presented in **Table 3** below. The issues raised and responses by EDS are attached under **Appendix G**.

Issue	Concern
Relocation issues	Will the farmers be bought out of the area and re-settled if a mine is to be established?
Loyalty fees	Are the farmers also getting a share of the loyalty fee if their farmlands are turned into a mining operation?

7 IMPACT IDENTIFICATION, ASSESSMENT AND MITIGATION MEASURES

7.1 Impact Identification

Proposed developments/activities are usually associated with different potential positive and/or negative impacts. For an environmental assessment, the focus is placed mainly on the negative impacts. This is done to ensure that these impacts are addressed by providing adequate mitigation measures such that an impact's significance is brought under control, while maximizing the positive impacts of the development. The potential positive and negative impacts that have been identified from the prospecting activities are listed as follow:

Positive impacts:

- Creation of jobs to the locals (primary, secondary and tertiary employment).
- Producing of a trained workforce and small businesses that can service communities and may initiate related businesses
- Boosting of the local economic growth and regional economic development.
- Open up other investment opportunities and infrastructure-related development benefits

Negative impacts:

- Land degradation and Biodiversity Loss.
- Generation of dust
- Water Resources Use
- Soil & Water Resources Pollution

- Waste Generation
- Occupational Health & Safety risks
- Vehicular Traffic Use & Safety
- Noise & Vibrations
- Disturbance to Archaeological & Heritage Resources
- Impacts on local Roads
- Social Nuisance: local property intrusion & disturbance
- Social Nuisance: Job seeking & differing Norms, Culture & values
- Impacts associate with closure and decommissioning of exploration works

7.2 Impact Assessment Methodology

The Environmental Assessment process primarily ensures that potential impacts that may occur from project activity are identified, and addressed with environmentally cautious approaches and legal compliance. The impact assessment method used for this project is in accordance with Namibia's Environmental Management Act (No. 7 of 2007) and its Regulations of 2012, as well as the International Finance Corporation (IFC) Performance Standards.

The identified impacts were assessed in terms of scale/extent (spatial scale), duration (temporal scale), magnitude (severity) and probability (likelihood of occurring), as presented in **Table 4**, **Table 5**, **Table 6** and **Table 7**, respectively.

In order to enable a scientific approach to the determination of the environmental significance, a numerical value is linked to each rating scale. This methodology ensures uniformity and that potential impacts can be addressed in a standard manner so that a wide range of impacts are comparable. It is assumed that an assessment of the significance of a potential impact is a good indicator of the risk associated with such an impact. The following process will be applied to each potential impact:

- Provision of a brief explanation of the impact;
- Assessment of the pre-mitigation significance of the impact; and
- Description of recommended mitigation measures.

The recommended mitigation measures prescribed for each of the potential impacts contribute towards the attainment of environmentally sustainable operational conditions of the project for various features of the biophysical and social environment. The following criteria were applied in this impact assessment:

7.2.1 Extent (spatial scale)

Extent is an indication of the physical and spatial scale of the impact. **Table 4** shows rating of impact in terms of extent of spatial scale.

Table 4: Extent or spatial impact rating

Low (1)	Low/Medium (2)	Medium (3)	Medium/High (4)	High (5)
Impact is localized within the site boundary: Site only	Impact is beyond the site boundary: Local	Impacts felt within adjacent biophysical and social environments: Regional	Impact widespread far beyond site boundary: Regional	Impact extend National or over international boundaries

7.2.2 Duration

Duration refers to the timeframe over which the impact is expected to occur, measured in relation to the lifetime of the project. **Table 5** shows the rating of impact in terms of duration.

Table 5: Duration impact rating

Low (1)	Low/Medium (2)	Medium (3)	Medium/High (4)	High (5)
Immediate mitigating measures, immediate progress	Impact is quickly reversible, short term impacts (0-5 years)	Reversible over time; medium term (5-15 years)	Impact is long-term	Long term; beyond closure; permanent; irreplaceable or irretrievable commitment of resources

7.2.3 Intensity, Magnitude / severity

Intensity refers to the degree or magnitude to which the impact alters the functioning of an element of the environment. The magnitude of alteration can either be positive or negative. These ratings were also taken into consideration during the assessment of severity. **Table 6** shows the rating of impact in terms of intensity, magnitude or severity.

Table 6: Intensity, magnitude or severity impact rating

Type of criteria	Negative				
	H- (10)	M/H- (8)	M- (6)	M/L- (4)	L- (2)
Qualitative	Very high deterioration,	Substantial deterioration,	Moderate deterioration,	Low deterioration,	Minor deterioration,

Type of criteria	Negative				
	H- (10)	M/H- (8)	M- (6)	M/L- (4)	L- (2)
	high quantity of deaths, injury of illness / total loss of habitat, total alteration of ecological processes, extinction of rare species	death, illness or injury, loss of habitat / diversity or resource, severe alteration or disturbance of important processes	discomfort, partial loss of habitat / biodiversity or resource, moderate alteration	slight noticeable alteration in habitat and biodiversity. Little loss in species numbers	nuisance or irritation, minor change in species / habitat / diversity or resource, no or very little quality deterioration.

7.2.4 Probability of occurrence

Probability describes the likelihood of the impacts actually occurring. This determination is based on previous experience with similar projects and/or based on professional judgment. **Table 7** shows impact rating in terms of probability of occurrence.

Table 7: Probability of occurrence impact rating

Low (1)	Medium/Low (2)	Medium (3)	Medium/High (4)	High (5)
Improbable; low likelihood; seldom. No known risk or vulnerability to natural or induced hazards.	Likely to occur from time to time. Low risk or vulnerability to natural or induced hazards	Possible, distinct possibility, frequent. Low to medium risk or vulnerability to natural or induced hazards.	Probable if mitigating measures are not implemented. Medium risk of vulnerability to natural or induced hazards.	Definite (regardless of preventative measures), highly likely, continuous. High risk or vulnerability to natural or induced hazards.

7.2.5 Significance

Impact significance is determined through a synthesis of the above impact characteristics. The significance of the impact “without mitigation” is the main determinant of the nature and degree of mitigation required. As stated in the introduction to this section, for this assessment, the significance of the impact without prescribed mitigation actions is measured.

Once the above factors (**Table 4, Table 5, Table 6** and **Table 7**) have been ranked for each potential impact, the impact significance of each is assessed using the following formula:

SIGNIFICANCE POINTS (SP) = (MAGNITUDE + DURATION + SCALE) X PROBABILITY

The maximum value per potential impact is 100 significance points (SP). Potential impacts were rated as high, moderate or low significance, based on the following significance rating scale (Table 8).

Table 8: Significance rating scale

Significance	Environmental Significance Points	Colour Code
High (positive)	>60	H
Medium (positive)	30 to 60	M
Low (positive)	1 to 30	L
Neutral	0	N
Low (negative)	-1 to -30	L
Medium (negative)	-30 to -60	M
High (negative)	<-60	H

Positive (+) – Beneficial impact

Negative (-) – Deleterious/ adverse+ Impact

Neutral – Impacts are neither beneficial nor adverse

For an impact with a significance rating of high (-ve), mitigation measures are recommended to reduce the impact to a medium (-ve) or low (-ve) significance rating, provided that the impact with a medium significance rating can be sufficiently controlled with the recommended mitigation measures. To maintain a low or medium significance rating, monitoring is recommended for a period of time to enable the confirmation of the significance of the impact as low or medium and under control.

The assessment of the exploration phases is done for pre-mitigation and post-mitigation.

The risk/impact assessment is driven by three factors:

Source: The cause or source of the contamination.

Pathway: The route taken by the source to reach a given receptor

Receptor: A person, animal, plant, eco-system, property or a controlled water source. If contamination is to cause harm or impact, it must reach a receptor.

A pollutant linkage occurs when a source, pathway and receptor exist together. Mitigation measures aim firstly, avoid risk and if the risk cannot be avoided, mitigation measures to minimize the impact are recommended. Once mitigation measures have been applied, the identified risk would reduce to lower significance (Booth, 2011).

This assessment focuses on the three project phases namely; the prospecting, exploration (and possible analysis) and decommissioning. The potential negative impacts stemming from the proposed activities of the EPL are described, assessed and mitigation measures provided thereof. Further mitigation measures in a form of management action plans are provided in the Draft Environmental Management Plan.

7.3 Assessment of Potential Negative Impacts

The main potential negative impacts associated with the operation and maintenance phase are identified and assessed below:

7.3.1 Land Degradation and Loss of Biodiversity

Fauna: The trenching, pitting and drilling activities carried out during exploration would result in land degradation, leading to habitat loss for a diversity of flora and fauna ranging from microorganisms to large animals and trees. Endemic species are most at risk since even the slightest disruption in their habitat can result in extinction. Another potential activity that will impact the faunal community is the un-rehabilitated and/or unfenced boreholes, trenches and pits used for exploration (once they are no longer in use). If these holes and pits/trenches are not fenced off or closed off by rehabilitating them, they could pose a high risk to fauna falling into these holes and pits, causing injuries and potentially mortalities.

The presence and movement of the exploration workforce and operation of project equipment and heavy vehicles would disturb livestock and wildlife present on farms. The proposed activities may also carry the risk of potential illegal hunting of local wildlife. This could lead to a reduction of specific faunal species, which may limit tourism (sightseeing and safari) activities in the area.

Flora: The direct impacts on flora and vegetation will mainly occur through clearing for the exploration access roads and associated infrastructure. The dust emissions from drilling may affect surrounding vegetation through the fall of dust. Some loss of vegetation is an inevitable consequence of the development. However, given the site-specific areas of exploration on the EPL, the impact will be localized, therefore manageable.

Under the status, the impact can be of a medium significance rating. With the implementation of appropriate mitigation measures, the rating will be reduced to a low significance rating. The impact is assessed in **Table 9** below.

Table 9: Assessment of the impacts of exploration on biodiversity

Mitigation Status	Extent	Duration	Intensity	Probability	Significance
Pre mitigation	M: -3	M: -3	M: -6	M/H: 4	M: -48
Post mitigation	L/M: -2	L/M: -2	L/M: -4	L/M: 2	L: -16

7.3.2 Generation of Dust (Air Quality)

Dust emanating from site access roads when transporting exploration equipment and supply (water) to and from site (time-to-time) may compromise the air quality in the area. Vehicular movements from heavy vehicles such as trucks would potentially create dust even though it is anticipated to be low. The hot and dry environment, loose and sandy nature of the substrate and low vegetation cover causes ambient fugitive dust levels. Additionally, activities carried out as part of the exploration works such as drilling would contribute to the dust levels in the air. The medium significance of this impact can be reduced to a low significance rating by properly implementing mitigation measures. The impact is assessed in **Table 10** below.

Table 10: Assessment of the impacts of exploration on air quality

Mitigation Status	Extent	Duration	Intensity	Probability	Significance
Pre mitigation	M: -3	M: -3	M/L: -4	M/H: 4	M: -40
Post mitigation	L - 1	L - 1	L - 2	L - 1	L - 4

Mitigations and recommendations to minimize dust

- Exploration vehicles should not drive at a speed more than 40 km/h to avoid dust generation around the area.

- The Proponent should ensure that the exploration schedule is limited to the given number of days of the week, and not every day. This will keep the vehicle-related dust level minimal in the area.
- When and if the project reaches the advanced stages of exploration, a reasonable amount of water should be used on gravel roads, using regular water sprays on gravel routes and near exploration sites to suppress the dust that may be emanating from certain exploration areas on the EPL.

7.3.3 Water Resources Use

Water resources are impacted by project developments/activities in two ways through pollution (water quality) or over-abstraction (water quantity) or at times both.

The abstraction of more water than can be replenished would negatively affect the local communities that depend on the same low potential groundwater resource (aquifer).

The impact of the project activities on the resources would be dependent on the water volumes required by each project activity. Exploration activities use a lot of water, mainly drilling. However, this depends on the type of drilling methods employed (diamond drilling is more water-consuming compared to drilling methods such as reverse circulation for instance) and the type of mineral being explored for.

Reverse Circulation drilling for the proposed exploration requires about 4,000 litres per month. This water will be used for drilling purposes, as well as cooling and washing drilling equipment, drinking and other domestic purposes. Given the very low groundwater potential of the project site area, the Proponent will cart water volumes from outside the area and store it in industry standard water reservoirs/tanks on site. The exact amounts of water required for the proposed operations would be dependent on the duration of the exploration works and number of exploration boreholes required to make reliable interpretation on the commodities explored for. The exploration period is temporally limited, therefore, the impact will only last for the duration of the exploration activities, and ceases upon their completion.

Without the implementation of any mitigation measures, the impact can be rated as medium, but upon effective implementation of the recommended measures, the impact significance would be reduced to low as presented in the **Table 11** below.

Table 11: Assessment of the project impact on water resource use and availability

Mitigation Status	Extent	Duration	Intensity	Probability	Significance
-------------------	--------	----------	-----------	-------------	--------------

Pre mitigation	M - 3	M/H - 4	L/M - 4	M/H - 4	M - 44
Post mitigation	L/M - 2	L/M - 2	L - 2	L/M - 2	L - 12

Mitigations and recommendations to manage water use

- Water reuse/recycling methods should be implemented as far as practicable such that the water used to cool off exploration equipment should be captured and used for the cleaning of project equipment, if possible.
- Water storage tanks should be inspected daily to ensure that there is no leakage, resulting in wasted water on site.
- Water conservation awareness and saving measures training should be provided to all the project workers in both phases so that they understand the importance of conserving water and become accountable.

7.3.4 Soil and Water Resources Pollution

The proposed exploration activities are associated with a variety of potential pollution sources (i.e., lubricants, fuel, and wastewater) that may contaminate/pollute soils and eventually groundwater and surface water. The anticipated potential source of pollution to water resources from the project activities would be hydrocarbons (oil) from project vehicles, machinery, and equipment as well as potential wastewater/effluent from exploration related activities.

The spills (depending on volumes spilled on the soils) from these machinery, vehicles and equipment could infiltrate into the ground and pollute the fractured or faulted aquifers on site, and with time reach further groundwater systems in the area. However, it should be noted that the scale and extent/footprint of the activities where potential sources of pollution will be handled is relatively small.

Pre-mitigation measure implementation, the impact significance is medium and upon implementation, the significance will be reduced to low. The impact is assessed in **Table 12** below.

Table 12: Assessment of the project impact on soils and water resources (pollution)

Mitigation Status	Extent	Duration	Intensity	Probability	Significance
Pre mitigation	M - 3	M/H - 4	M - 6	M - 3	M - 39

Post mitigation	L - 1	L - 1	L - 2	L/M - 2	L - 8
-----------------	-------	-------	-------	---------	-------

Mitigations and recommendations to manage soil and water pollution

- Spill control preventive measures must be in place on site to management soil contamination, thus preventing and or minimizing the contamination from reaching water resources bodies. Some of the soil control preventive measures that can be implemented include:
 - Identification of oil storage and use locations on site and allocate drip trays and polluted soil removal tools suitable for that specific surface (soil or hard rock cover) on the sites.
 - Maintain equipment and fuel storage tanks to ensure that they are in good condition thus preventing leaks and spills.
 - The oil storage and use locations should be visually inspected for container or tank condition and spills.
- All project employees should be sensitized about the impacts of soil pollution and advised to follow appropriate fuel delivery and handling procedures.
- The Proponent should develop and prepare countermeasures to contain, clean up, and mitigate the effects of an oil spill. This includes keeping spill response procedures and a well-stocked cache of supplies easily accessible.
- Ensure employees receive basic Spill Prevention, Control, and Countermeasure (SPCC) Plan training and mentor new workers as they get hired.
- Project machines and equipment should be equipped with drip trays to contain possible oil spills when operated on site.
- Polluted soil should be removed immediately and put in a designate waste type container for later disposal.
- Drip trays must be readily available and monitored to ensure that accidental fuel spills along the tank trailer path/route around the exploration sites are cleaned on time (soon after the spill has happened).
- Polluted soil must be collected and transported away from the site to an approved and appropriately classified hazardous waste treatment facility.

- Washing of equipment contaminated hydrocarbons, as well as the washing and servicing of vehicles should take place at a dedicated area, where contaminants are prevented from contaminating soil or water resources.
- Toilet water should be treated using chemical portable toilets and periodically emptied out before reaching capacity and transported to a wastewater treatment facility.
- Exploration is not permitted to be conducted near river bodies, as the area may have higher sensitivity to groundwater pollution.

7.3.5 Waste Generation

During the prospecting and exploration phase, domestic and general waste is produced on site. If the generated waste is not disposed of in a responsible way, land pollution may occur on the EPL or around the site. Improper handling, storage and disposal of hydrocarbon products and hazardous materials at the site may lead to soil and groundwater contamination, in case of spills and leakages. Therefore, the exploration programme needs to have appropriate waste management for the site. To prevent these issues, biodegradable and non-biodegradable wastes must be stored in separate containers and collected regularly for disposal at a recognized landfill/dump site. Any hazardous waste that may have an impact on the animals, vegetation, water resources and the general environment should be handled cautiously. Without any mitigation measures, the general impact of waste generation has a medium significance. The impact will reduce to low significance, upon implementing the mitigation measures. The assessment of this impact is given in **Table 13**.

Table 13: Assessment of waste generation impact

Mitigation Status	Extent	Duration	Intensity	Probability	Significance
Pre mitigation	L/M - 2	L/M - 2	M - 6	M - 3	M - 30
Post mitigation	L - 1	L - 1	L - 2	L/M - 2	L - 8

Mitigations and recommendations to waste management

- Workers should be sensitized to dispose of waste in a responsible.
- After each daily works, the Proponent should ensure that there are no wastes left on the sites.

- All domestic and general operational waste produced daily should be contained onsite until such that time it will be transported to designated waste sites.
- No waste may be buried or burned on site or anywhere else.
- The exploration site should be equipped with separate waste bins for hazardous and general/domestic waste.
- Sewage waste should be stored and disposed of as per the facilities' manufacturer's instructions.
- Oil spills should be taken care of by removing and treating soils affected by the spill.
- A penalty system for irresponsible disposal of waste on site and anywhere in the area should be implemented.
- Careful storage and handling of hydrocarbons on site is essential.
- Potential contaminants such as hydrocarbons and wastewater should be contained on site and disposed of in accordance with municipal wastewater discharge standards so that they do not contaminate surrounding soils and eventually groundwater.
- An emergency plan should be available for major/minor spills at the site during operation activities (with consideration of air, groundwater, soil, and surface water) and during the transportation of the product(s) to the sites.

7.3.6 Occupational Health and Safety Risks

Project personnel (workers) involved in the exploration activities may be exposed to health and safety risks. These are in terms of accidental injury, owing to either minor (i.e., superficial physical injury) or major (i.e., involving heavy machinery or vehicles) accidents. The site safety of all personnel will be the Proponent's responsibility and should be adhered to as per the requirements of the Labour Act (No. 11 of 2007) and the Public Health Act (No. 36 of 1919). The heavy vehicle, equipment and fuel storage area should be properly secured to prevent any harm or injury to the Proponent's personnel or local domestic animals.

The use of heavy equipment, especially during drilling and the presence of hydrocarbons on sites may result in accidental fire outbreaks. This could pose a safety risk to the project personnel and equipment and vehicles too.

If machinery and equipment are not properly stored and packed, the safety risk may not only be a concern for project workers but residents.

The impact is probable and has a medium significance rating. However, with adequate mitigation measures, the impact rating will be reduced to low. This impact is assessed in **Table 14** below and mitigation measures provided.

Table 14: Assessment of the impacts of exploration on health and safety

Mitigation Status	Extent	Duration	Intensity	Probability	Significance
Pre mitigation	M - 3	M - 3	M - 6	M/H - 4	M – 48
Post mitigation	L/M - 2	L/M - 2	L - 2	L/M - 2	L - 12

Mitigations and recommendations to minimize health and safety issues

- The Labour Act's Health and Safety Regulations should be complied with.
- The Proponent should commit to and make provision for bi-annual full medical check-up for all the workers at site to monitor the impact of project related activities on them (workers).
- As part of their induction, the project workers should be provided with an awareness training of the risks of mishandling equipment and materials on site as well as health and safety risk associated with their respective jobs.
- When working on site, employees should be properly equipped with adequate personal protective equipment (PPE) such as coveralls, gloves, safety boots, earplugs, dust masks, safety glasses and hard hats.
- Heavy vehicle, equipment and fuel storage site should be properly secured, and appropriate warning signage placed where visible.
- Ensure that after completion of exploration holes and trenches, drill cuttings are put back into the hole and the holes filled and levelled, and trenches backfilled respectively.
- An emergency preparedness plan should be compiled, and all personnel appropriately trained.
- Workers should not be allowed to drink alcohol prior to and during working hours and must not be allowed on site when under the influence any intoxicants as this may lead to mishandling of equipment which results into injuries and other health and safety risks.
- The site areas that are considered temporary risks should be equipped with -cautionary-signs.

7.3.7 Vehicular Traffic Use and Safety

District roads are the main transportation routes for all vehicular movement in the area and provide access to the EPL and connect the project area to other towns such as Kamanjab and Khorixas. Therefore, traffic volume will increase on these district roads during exploration as the project would need a delivery of supplies and services on site.

Depending on the project needs, trucks, medium and small vehicles will be frequenting the area to and from exploration sites on the EPL. This would potentially increase slow moving heavy vehicular traffic along these roads and add additional pressure on the roads

However, the transportation of materials and equipment is expected to occur on a limited schedule and only for the duration of the project. Hence, the risk is anticipated to be short-term, not frequent and therefore of medium significance. Pre-mitigation, the impact can be rated medium and with the implementation of mitigation measures, the significance will be low as assessed in **Table 15** below.

Table 15: Assessment of the impacts of exploration on road use (vehicular traffic)

Mitigation Status	Extent	Duration	Intensity	Probability	Significance
Pre mitigation	M - 3	M/H - 4	L/M - 4	M/H - 4	M - 44
Post mitigation	L/M - 2	L/M - 2	L - 2	L/M - 2	L - 12

Mitigations and recommendations to minimize impact on road safety and related vehicular traffic issues.

- Any potential carting of water to the site should be on an efficient schedule in containers that can supply and store water for most of the week, thus reducing the number of water-carting trucks on the road daily.
- Drivers of all project phases' vehicles should be in possession of valid and appropriate driving licenses and adhere to the road safety rules.
- Drivers must drive slowly (40km/hour or less) and be on the lookout for livestock and wildlife as well as residents/travelers.
- The Proponent must ensure that the site access roads are well equipped with temporary road signs conditions to cater for vehicles travelling to and from site throughout the project's life cycle.

- Project vehicles must be in a road worthy condition and serviced regularly to avoid accidents owing to mechanical faults.
- Vehicle drivers should only make use of designated site access roads provided and as agreed.
- Vehicle drivers should not be allowed to operate vehicles while under the influence of alcohol.
- No heavy trucks or project related vehicles should be parked outside the project site boundary or demarcated areas for such purpose.
- To control traffic movement on site, deliveries from and to site should be carefully scheduled. This should optimally be during weekdays and between the hours of 8am and 5pm.
- Make use of existing tracks/roads as much as possible throughout the area;
- The Vehicles should not drive randomly throughout the area (could cause mortalities to vertebrate fauna and unique flora; accidental fires; erosion related problems, etc.);
- Off road driving at night is not allowed as this increases mortalities of nocturnal species;
- Implementation and maintain off road track discipline with maximum speed limits (e.g. 30km/h) as this would result in fewer faunal mortalities and limit dust pollution;
- Where tracks have to be made to potential exploration sites off the main routes, the routes should be selected causing minimal damage to the environment – e.g. use the same tracks; cross drainage lines at right angles; avoid placing tracks within drainage lines; avoid collateral damage (i.e. select routes that do not require the unnecessary removal of trees/shrubs, especially protected species);
- Rehabilitate all new tracks created for prospecting and exploration purposes.

7.3.8 Noise and vibrations

Prospecting and exploration work (especially drilling) may be a nuisance to surrounding communities due to the noise produced by the activity. Excessive noise and vibrations can be a health risk to workers on site. The exploration equipment used for drilling on site is of medium size and the noise level is bound to be limited to the site only, therefore, the impact likelihood is minimal. Without any mitigation, the impact is rated as of medium significance. To change the impact significance from the pre-mitigation significance to low rating, the mitigation measures should be implemented. This impact is assessed in **Table 16** below.

Table 16: Assessment of the impacts of noise and vibrations from exploration

Mitigation Status	Extent	Duration	Intensity	Probability	Significance
Pre mitigation	L/M - 2	L/M - 2	M - 6	M/H - 3	M – 30
Post mitigation	L - 1	L/M - 2	L - 2	L/M -2	L - 10

Mitigations and recommendations to minimize noise

- Noise from operations' vehicles and equipment on the sites should be at acceptable levels.
- The exploration operational times should be set such that no exploration activity is carried out during the night or very early in the mornings.
- Exploration hours should be restricted to between 08h00 and 17h00 to avoid noise and vibrations generated by exploration equipment and the movement of vehicles before or after hours.
- When operating the drilling machinery onsite, workers should be equipped with personal protective equipment (PPE) such as earplugs to reduce exposure to excessive noise.

7.3.9 Disturbance to Archaeological and Heritage resources

The proposed prospecting and exploration area contain some old graves. Therefore, the project indicates that some sections within the boundaries of the proposed project site area are sensitive and archaeologically significant in terms of heritage resources that characterizes the need of a detailed investigation of any other existing archaeological/cultural materials in the areas, and they should be protected either by fencing them off or demarcation for preservation purposes or excluded from any development i.e., no exploration activities should be conducted near these recorded areas through establishment of 500 m to 1.5 km buffer zones.

During exploration works, historical resources may be impacted through inadvertent destruction or damage. This may include the excavation of subsurface graves or other archaeological objects. Therefore, this impact can be rated as medium significance, if there are no mitigation measures in place. Upon implementation of the necessary measures, the impact significance will be reduced to a lower rating. The impact is assessed in **Table 17**.

Table 17: Assessment of the impacts of exploration on archaeological & heritage resources

Mitigation Status	Extent	Duration	Intensity	Probability	Significance
Pre mitigation	M - 3	M - 3	M - 6	M/H - 4	M - 48
Post mitigation	L/M - 2	L/M - 2	L - 2	L/M - 2	L - 12

Mitigations and recommendations to minimize impact on archaeological and heritage resources

- If any archaeological material or human burials are uncovered during the course of prospecting or exploration activities, then work in the immediate area should be halted, the find would need to be reported to the heritage authorities and may require inspection by an archaeologist.
- A “No-Go-Area” should be put in place where there is evidence of sub-surface archaeological materials, archaeological site, historical, rock paintings, cave/rock shelter or past human dwellings. It can be a demarcation by fencing off or avoiding the site completely by not working closely or near the known site. The ‘No-Go Option’ might have a NEUTRAL impact significance.
- On-site personnel (s) and contractor crews must be sensitized to exercise and recognize “chance finds heritage” in the course of their work.
- During the prospecting and exploration works, it is important to take note and recognize any significant material being unearthed, and making the correct judgment on which actions should be taken.
- If there is a possibility of encountering or unearthing of archaeological materials, then it is better to change the layout design so as to avoid the destruction that can occur.
- Direct damage to archaeological or heritage sites should be avoided as far as possible and, where some damage to significant sites is unavoidable, scientific/historical data should be rescued.
- All ground works should be monitored and where any stratigraphic profiles in context with archaeological material are exposed, these should be recorded, photographed and coordinates taken.
- The footprint impact of the proposed prospecting and exploration activities should be kept to minimal to limit the possibility of encountering chance finds within the EPL boundaries.

- A landscape approach of the site management must consider culture and heritage features in the overall planning of exploration infrastructures within and beyond the licenses' / EPL boundaries;
- An archaeologist, Heritage specialist or a trained Site manager should be on-site to monitor all significant earth moving activities that may be implemented as part of the proposed project activities.
- When there is removal of topsoil and subsoil on the site for exploration purposes, the site should be monitored for subsurface archaeological materials by a qualified Archaeologist or Site manager.
- Show overall commitment and compliance by adapting “minimalistic or zero damage approach” throughout the exploration activities.
- There should be a controlled movements of heavy loads such as abnormal vehicles and kinds of heavy duty machinery within the EPL. This means avoiding chances of crossing paths that may lead to the destruction of on and sub-surface archaeological materials.
- It is essential that cognizance be taken of the larger historical landscape of the area to avoid the destruction of previously undetected heritage sites. Should any previously undetected heritage or archaeological resources be exposed or uncovered during exploration phases of the proposed project, these should immediately be reported to the heritage specialist or heritage authority (National Heritage Council of Namibia).
- The Proponent and Contractors should adhere to the provisions of Section 55 of the National Heritage Act in event significant heritage and culture features are discovered in the course of exploration works.
- The official in charge of mitigation and monitoring measures should have the authority to stop any exploration or construction activities that is in contravention with the National Heritage Act of 2004 and National Heritage Guidelines as well as the overall project EMP.

7.3.10 Impact on Local Roads/Routes

Exploration projects are usually associated with frequent movement of heavy trucks and equipment or machinery on local roads. Heavy trucks travelling on the local roads exert pressure on the roads, and heavy vehicles may make the roads difficult to use. This will be a concern if maintenance and care is not taken during the exploration phase. The impact would be short-term (during exploration only) and therefore, manageable.

Without any management and or mitigation measures, the impact can be rated as medium and to reduce this rating to low, the measures will need to be effectively implemented. The assessment of this impact is presented in **Table 18**.

Table 18: Assessment of exploration on local services (roads and water)

Mitigation Status	Extent	Duration	Intensity	Probability	Significance
Pre mitigation	M/H - 4	M - 3	M - 6	M - 3	M – 39
Post mitigation	L - 1	L - 1	M/L - 4	M/L -2	L - 12

Mitigations and recommendations to minimize the impact on local services

- Heavy trucks transporting materials and services to site must be kept on a limited schedule, to avoid daily travel to site, except in cases of emergencies.
- The Proponent must consider frequent maintenance of local roads on the farms to ensure that the roads are in a good condition for local road users.

7.3.11 Social Nuisance: Property intrusion and Disturbance or Damage

The presence of project workers may lead to social annoyance to the community. This could particularly be a concern if there any cases of property damage or in the vicinity of the EPL. The damage or disturbance to properties may not only be private but local public properties. The unpermitted and unauthorized entry to private properties may cause crashes between the affected property and the Proponent.

Pre-implementation of mitigation measures, the impact is rated as of medium significance. However, upon mitigation (post-mitigation), the significance will change from medium to low rating. The impact is assessed below (**Table 19**).

Table 19: Assessment of social impact of community property damage or disturbance

Mitigation Status	Extent	Duration	Intensity	Probability	Significance
Pre mitigation	M - 3	M - 3	M - 6	M/H - 4	M – 48
Post mitigation	L - 1	L - 1	M/L - 4	M/L -2	L - 12

Mitigations and recommendations to minimize the issue of damage to or intrusion of properties

- Intrusion and vandalism of private property is strictly prohibited.

- Any workers or site employees found guilty of intruding private property should be dealt with as per their employer' (Proponent)'s code of employment conduct.
- Project workers should be advised to respect the community and local's private property, values, and norms.
- Project workers are not allowed to kill or in any way disturb animals within the EPL area.
- The cutting down or damaging of vegetation belonging to the affected farmers or neighbouring farms is strictly prohibited.
- No worker should be allowed to wander or loiter on private property without permission.

7.4 Cumulative Impacts Associated with Proposed Exploration

According to the International Finance Corporation (2013), cumulative impacts are defined as those that result from the successive, incremental, and/or combined effects of an action, project, or activity when added to other existing, planned, and/or reasonably anticipated future ones.

Similarly, to many other exploration projects, one cumulative impact to which the proposed project and associated activities potentially contribute is the:

- **Impact on road infrastructure:** The proposed exploration activities contribute cumulatively to various activities associated with tourism and local daily routines. The contribution of the proposed project to this cumulative impact is however not considered significant given the short duration, and local extent (site-specific) of the intended mineral exploration activities.
- **The use of water:** Mitigation measures to reduce water misuse during exploration are significant to the proposed project activities.

8 RECOMMENDATIONS AND CONCLUSION

8.1 Recommendations

The potential positive and negative impacts stemming from the proposed exploration activities on EPL 8499 were identified, assessed and appropriate management and mitigation measures (to negative impacts) made thereof for implementation by the Proponent, their contractors and project related employees.

Mitigation measures to identified issues have been provided (in the EMP) to avoid and/or minimize their significance of impacts on the environmental and social components. Most of the potential impacts were found to be of medium rating significance. With effective implementation of the recommended management and mitigation measures, a reduced rating in the significance of adverse impacts is expected from Medium to Low. To maintain the desirable rating, the implementation of management and mitigation measures, monitoring should occur through the Proponent, or a project Environmental Control Officer (ECO). The monitoring of this implementation will also be carried out to ensure that all potential impacts identified in this study and other impacts that might arise during implementation are properly identified in time and addressed timeously.

The Environmental Consultant is confident that the potential negative impacts associated with the proposed project activities can be managed and mitigated by the effective implementation of the recommended management and mitigation measures and with effort and commitment towards monitoring the implementation of these measures.

It is therefore, recommended that in the event that an ECC is to be issued for the proposed prospecting and exploration activities, it would be suitable that it is granted provided that:

- All the management and mitigation measures provided herein are effectively and progressively implemented.
- All required permits, licenses and approvals for the proposed activities should be obtained as required. These include permits and licenses for land use access agreements to explore and ensuring compliance with these specific legal requirements.
- The Proponent, project workers and contractors must comply with the legal requirements governing the project and ensure that project all required permits and or approvals are obtained and renewed as stipulated by the issuing authorities.
- Site areas where exploration activities have ceased are rehabilitated, as far as practicable, to their pre-exploration state

8.2 Conclusion

In conclusion, it is crucial for the Proponent and their contractors to effectively implement the recommended management and mitigation measures, in order to protect both the biophysical and social environment throughout the project duration. This would be done with the aim of promoting environmental sustainability, while ensuring a smooth and harmonious existence and purpose of the project activities in the host community and environment at large. It is also to ensure that all potential impacts identified in this study and other impacts that might arise during implementation are properly identified in time and addressed. Lastly, should the ECC be issued, the Proponent will be expected to be compliant with the ECC conditions as well as legal requirements governing the mineral exploration and related activities.

9 REFERENCES

- Becker, T., Hansen, B.T., Weber, K. & Wiegand, B. (1994). Sm-, Rb-Sr and U-Pb data from the Rehoboth Basement Inlier, Namibia: evidence for a Paleoproterozoic magmatic arc. *Communications -Geological Survey of Namibia* 13:75-84
- Booth, P. (2011). Environmental Conceptual Site Model Exercise: Source – pathway – receptor. WSP Global: Semantic Scholar.
- Carr JD, 1976. *The South African Acacias*. Johannesburg, South Africa: Conservation Press.
- Dierks, K. (2005). *The Namibia Library of Dr. Klaus Dierks*.
<https://www.klausdierks.com/Geology/5.htm>
- Hardap Regional Council: <https://hardaprc.gov.na/iw/>
- Hardap Resort: <http://namibianwildliferesorts.com/accommodation/hardap-resort/>
- Kinahan, J. (2001). The presence of the past: archaeology, environment and land rights on the lower Cunene River. *Cimbebasia* 17: 23-39.
- Manheimer. (2018). Retrieved from Tree Atlas of Namibia:
<http://treetlas.biodiversity.org.na/viewspec.php?nr=20>
- Mendelsohn, J. (2003). *Atlas of Namibia: A Portrait of the Land and its People*. Windhoek: The Ministry of Environment and Tourism of Namibia.
- SACS (SOUTH AFRICA COMMITTEE FOR STRATIGRAPHY) (1980) *Stratigraphy of South Africa Part 1: Lithostratigraphy of the Republic of South Africa, South West Africa/Namibia and the Republics of Bophuthatswana, Transkei and Venda*. Handbook Geological Survey South Africa, Pretoria
- Sastry TCS, Kavathekar KY, 1990. *Plants for reclamation of wastelands*. New Delhi, India: Council of Scientific and Industrial Research. 684 pp