

CONTENTS

VOLUME 30 (2), June 1997

Editorial	1
LUDWIG, D. Chairman's report for 1996/97	2
LUDWIG, D. Jahresbericht für 1996/97	4
NOTICE. New committee for 1997	6
DEDEKIND, H. Ehrenmitglied-Honorary Life Membership: Dieter Erhard Ludwig	7
DUFFIELD-HARDING, J. While there is "nothing" at the waterhole ..	8
DEDEKIND, H. Barbets and Honeyguides	9
FRIEDRICH, G. Vogelwelt auf Tsutsab	11
HENSCHEL, I. Communication in our feathered friends	13
KAESTNER, PG. A sight record of White-bellied Storm Petrel — A new species for Namibia	15
NOTICE. Botanical Society of Namibia	20
FRIEDRICH, G. Ein wochenende bei den Popa Fällen	21
DUFFIELD-HARDING, J. May field trip to Arbeid Adelt, Namib Naukluft Mountains	24
LUDWIG, D. Osterfahrt nach Farm Okatjirute	27
GUDDE, E & E. Easter weekend at Farm Okatjirute, Omaruru	28
HINES, C. Short Notes	29
SCHMIDT, S. Die eule lässt sich massieren	31
NOTICE. Birds of Botswana: An annotated working bibliography, 1835–1995	33
KAESTNER, PG. A short visit to Hardap Dam	34

EDITORIAL

The first six months of this year have been agonizing for the Committee of the Club — we had taken the Club out from under the wing of the Namibia Scientific Society and now the question arose as to whether it was the right decision. The fundamental changes that were decided upon were fairly simple. Firstly we had to take control of our own administration, secondly we had to get more information out to members on a regular basis (i.e. get *Lanioturdus* out regularly) and we had to put a cohesive programme of events and outings together.

When we sent out our early appeal for members to indicate whether they were interested in joining the "new" Club we were a little concerned that only 80 or so people responded — we had "lost" nearly 50 members overnight!! This gave us some food for thought, but it was decided we needed to go ahead with the changes as these were designed to make the Club more appealing. Happily, we think we made the right decision. Membership is up to where we were before the changes, we have a broader membership base (with a good representation on the coast and in the country districts) and more people are signing up every month.

Our programme of events seems to be hitting the right spot as well. We are averaging about 20 people per outing, with some reaching the unbelievable level of over 50!! The evening lectures are also being well attended and it is gratifying to see new people coming to these activities.

Lastly, it seems that *Lanioturdus* may be taking off as well. Articles and information seem to be coming in at a steady pace and we were able to put this copy together with the minimum of begging for material. Many thanks to Coleen Mannheimer for her artwork! I think it is the first copy for a long time with minimal inputs from professional ornithologists!!

Many thanks to all of you who have supported us through this period of change. Much still remains to be done (most importantly we need to appeal to younger members) and we depend on you, the Club members, for support and guidance in the future. Lets keep on hearing from you.

Subantarctic Skua (Brown or Antarctic Skua) *Catharacta antarctica lonnbergi*. In Namibian waters, two were observed, one inside of Walvis Bay, and one at sea just north of the South African border on 30/3/97. Several more were seen near Cape town on the morning of 31/3/97. (*The form of Subantarctic Skua seen here is recognised by certain authorities as a separate species, the Brown Skua Catharacta lonnbergi* — Editor.)

Arctic Skua (Parasitic Jaeger) *Stercorarius parasiticus*. Only one seen, in breeding dress not far out of Walvis Bay.

Pomarine Skua (Jaeger) *Stercorarius pomarinus*. One was sighted at about 30 degrees South in South African waters.

Acknowledgements: The assistance of the US Navy in making this voyage possible is greatly appreciated. I would especially like to thank the officers and men of the USS McInernery for their warm welcome. Their consummate professionalism and was only surpassed by their superb hospitality. The Commanding Officer Dirk Deverill and the Executive Officer deserve special mention as they helped make the trip a complete success. I would also like to thank Clyde Carter who picked me up in Simon's Town and delivered me to Cape Town airport, after feeding me with one of the quickest and tastiest spaghetti bolognais lunches in the history of the Cape.



NOTICE

BOTANICAL SOCIETY OF NAMIBIA

The Botanical Society of Namibia has recently been formed and is looking for new members. Many members of the Bird Club have indicated their interest in trees and plants during outings and this is an excellent forum in which to develop your knowledge and plant identification skills. They are planning regular outings and lecture programmes. Annual membership is N\$20-00 per person and this includes a newsletter. Anyone interested in joining should contact Magda Robinson (phone: 061-222261) or Henk Dauth (phone: 061-2022001) or write to them at PO Box 1080, Windhoek.

EIN WOCHENENDE BEI DEN POPAFÄLLEN

Gunther Friedrich
PO Box 207, Grootfontein

Da waren wir noch nie gewesen, es war für uns nicht so weit. Mit dem Klub waren wir noch nie irgendwohin gewesen, also nichts wie los. Endlich mal was Neues, bei uns ist es fast schon langweilig.

Mit vollbepacktem Wagen zogen wir los. Wir wollten wohl für drei Wochen auswandern, wofür denn all das Zeug? Es war nicht mal mehr Platz für einen Mossie. Wir schauten uns kurz bei Rundu Beach um, packten alles Kaltzuhaltende auf Eis und mit vollen Tanks ging es weiter.

Bei Bagani mussten wir erstmal unser Camp suchen. Das Auspacken war wieder so ein Ding: Alles musste raus. Endlich stand das Zelt, und der Vorraum unter den Bäumen sah einigermaßen bewohnt aus. Jetzt aber erstmal Verschnaufpause. Ein kaltes Bier raus und hingesetzt, haste gedacht: Buch und Fernglas her, in den Büschen auf dem Fluss flattern Vögel. Nach einigem Blättern und Ferngläsern einigte ich mich auf den Zwergbienenfresser *Merops pusillus*. Meine Frau kam aus dem Zelt gekrochen und wir erkundeten zusammen die nähere Gegend. Wir können nur sagen man sollte mal da hin. Man hat volle Übersicht über die Fälle, einfach wunderbar. Es herrscht ein ständiges Rauschen, morgens ist man davon früh wach, dann liegt noch der Nebel über dem Wasser.

Bei unserem Rundgang trafen wir die ersten Vogelkundigen: Sean und Daphne mit Kindern. Sie waren schon vor uns aus dem Kaudom angekommen. Beobachtend und erzählend verging der Nachmittag. An den Fällen machten wir zwei Hammerköpfe *Scopus umbretta* aus. Die anderen Leute trudelten nach einer langen Fahrt aus Windhoek so langsam ein.

Nach dem Morgenkaffee machten wir unter der Leitung von Chris einen Erkundungsgang in die nähere Umgebung vom Camp. Es ist erstaunlich was man alles sehen kann, wenn man sich die Zeit nimmt: Jakobinerkuckuk *Clamator jacobinus*, Braundrossling *Turdoides jardineii*, Angola

Mönchskuckuk *Centropus cupreicaudus*, Halbmondtaube *Streptopelia semitorquata*, und die Grüne Fruchttaube *Treron calva*. Am Nachmittag machten wir eine Wanderung am Fluss bei Andara. Dies ist wieder eine ganz andere Welt. Hier liegt der Fluss in unzähligen Seitenarmen mit Sandbänken und Felsenriffen, auch einigen Stromschnellen. Das Biotop ist anders als sonstwo, schon subtropisch, ein ideales Habitat für Krokodile, nur konnten wir keine entdecken. Auf einer Kuppe machten wir Rast und genossen die Aussicht auf den Fluss unter uns, der sich mit einigen Stromschnellen durch die Enge zwängte. Zwei Graufischer *Ceryle rufus* sahen wir weit unter uns; sonst sahen wir erstaunlich wenig Vogelleben, trotz dieser einzigartigen Abgeschiedenheit. Völlige Ruhe hier, nur das Rauschen des Wassers. Eine gute Stelle zum Entspannen und nachzudenken.

Am Samstag ging es auf zum Mahango Park. Im Vergleich zu den Popafällen ist dies wieder eine ganz andere Welt. Der Fluss ist ruhig, liegt im sehr breiten Bett mit viel Binsen und Schwemmland zwischendrin. Man müsste hier ein Boot haben zum Reinkommen, dann könnte man viel mehr an Vogelleben entdecken als nur vom Ufer aus, aber die Krokodile und Nilpferde... Trotzdem gab es am Ufer und im Uferwald viel zu sehen.

Eine junge Schleiereule *Tyto alba* lag tot unterm Nest, Mäuse drumherum, später ein noch lebendes Junges dazu. Tineke freute sich über ihre erste Ansicht der Schreiseeadler *Haliaeetus vocifer*. Wir sahen die Sporenans *Plectopterus gambensis*, Goliathreiher *Ardea goliath*, Jacana *Actophilornis africanus*, Braunkopfliest *Halcyon albiventris*, Graufischer *Ceryle rufus*, Senegalliest *Halcyon senegalensis*, Rotschnabel-Madenhacker *Buphagus erythrorhynchus*, Sichelhopf *Phoeniculus cyanomelas*, Witwenente *Dendrocygna viduata*, um nur Einige zu nennen. Elefanten gab es genug, Giraffen, Kudus, Säbelantilopen und ein im Wasser weidendes Nilpferd. Der Allrad-trail bot auch landschaftlich Schönes, mit einigen Vogelarten. Der Tag war viel zu schnell vorbei, erst bei Dunkelheit verließen wir den Park, voll mit neuen Eindrücken und kaum Zeit, diese zu verarbeiten.

Am Sonntagmorgen ging es etwas später los, auf die andere Seite des Kavangos, in das Gebiet des ehemaligen Büffel-Batallions. Über die Verwüstung die dort angerichtet wurde, wollen wir uns hier nicht auslassen.

Am Friedhof sollte man anhalten und nachdenken - eine grosse Anzahl Gräber, numeriert - Alles im Verfall.

Beim vorsichtigen, langsamen Gang durch den hohen Uferwald kann man Vieles entdecken. Überall in den Bäumen sitzen sie: Zistsänger *Cisticola juncidis*, Habichtsadler *Hieraetus fasciatus*, Rahmbrustprinie *Prinia subflava*, Zwergsperber *Accipiter minullus*, Sumpfbuschsänger *Bradypterus baboecala* und Ohrengeier *Torgos tracheliotus*.

Weiter zogen wir den Fluss runter bis wir eine schöne offene, schattige Stelle fanden. Dort wurde "Siesta" betrieben, ohne aber die Vögel zu vergessen. Ein Klunkerkranich *Grus carunculata* und Schlangenhalsvogel *Anhinga melanogaster* sahen wir im Wasser stehen. Ein Gekräuze vor uns im Ried liessen Richard und mich nicht in Ruhe, bis sie sich endlich zeigte: eine Negerralle *Amaurornis flavirostris*. In der Ferne zog ein Kudubulle durch das Schwemmland.

Wir folgten dem Fluss in das Schwemmland bis wir vor Wasser standen, umgeben von hohem Gras, kaum Aussicht. Etwas Höhe war schnell gefunden, auf der Klappe vom Toyota. Ein Rundblick - in der Ferne steht was. Was?? Das "Spotting Scope" von Chris musste her, wurde irgendwie auf dem Dach vom "Canopy" plaziert, Reinblick: Klunkerkranich. Alle wollten sehen und kamen irgendwie mit oder ohne Hilfe in diese hohe, ungewöhnliche Stellung, für mich kein Problem.

Alle waren
schwindelfrei. Zu
guter Letzt sahen wir
auch noch den
Schwarzrückenfalken
Falco dickinsoni.

Die Sonne versank
langsam und wir
machten uns auf den
Weg ins Camp
zurück. Abends am
Lagerfeuer wurden



die Zerlebnisse nochmal besprochen, nachgedacht und Meinungen ausgetauscht.

Am Montagmorgen hiess es Abfahrt nach Hause. Der Abschied war leicht, es gibt ja ein Wiedersehen am Waterberg. Wir trennten uns in der Gewissheit, einige gute neue Freundschaften geschlossen zu haben. Wir möchten uns bei Allen bedanken die uns in ein noch relativ neues Gebiet eingeführt haben. An Sean und Daphne unseren besonderen Dank, auch an Chris für seine ausgezeichnete Führung. Ihr werdet uns auf der Farm jederzeit willkommen sein.

Mich hat der Vogel gründlich gebissen !!!

The long weekend trip to Popa Falls and Mahango Game Reserve was a great success with over 180 species seen over the four days in the area. This is very good for this time of the year (early May) as most of the Palaearctic migrants had left. With luck we will be able to make it up there again next year, but the Government's plans to deproclaim the area and shut down the community campsite in which we stayed may result in the venue being changed. — Editor.

MAY FIELD TRIP TO ARBEID ADELT, NAMIB-NAUKLUFT MOUNTAINS

Jeremy Duffield-Harding
PO Box 30452, Windhoek.

Birding normally takes a back-seat here at Naukluft, where the rugged mountain scenery often steals the limelight. This weekend was different; no, the birds didn't quite snatch our complete attention, that honour had to go to the prevailing alpine conditions.

While the Naukluft area can hardly be described as one of Namibia's birding hot-spots, it does possess some interesting features. The mountain slopes and flat areas are typical Nama-Karoo habitat. Low shrubs and thin

grass cover much of this home to chats, buntings, canaries and many larks including the Rufousnaped Lark *Mirafra africana*. The mountains, though essentially an extension of this Karoo scrub offer a niche for cliff dwellers such as swifts, parrots, martins, pigeons and the majestic Black (Verreaux's) Eagle *Aquila verreauxii*. Riparian woodland follows the Dang-nab watercourse with some larger trees such as the Common Fig, enabling birds not found in the Nama-Karoo biome to exist here. Naukluft's best feature however, has to be its rock pools. Some of these are perennial and provide water in an otherwise arid landscape.

Arriving late Friday night, we were pleased to find five Spotted Dikkop *Burhinus capensis*, on the track leading to the house. One stubborn bird refusing to let us past, obviously concerned that we didn't miss his prominent white ear coverts. These nocturnal birds are probably more common than they are thought to be; normally, all we see is a glimpse leaving the roadside as we speed past.

Saturday morning found us huddled in the kitchen of the old farmhouse watching the water tank outside. Many birds came to drink, but we struggled to identify the majority. Whitethroated Canary *Serinus albogularis*, Redheaded Finch *Amadina erythrocephala*, and Rosyfaced Lovebird *Agapornis roseicollis* were easy, but for the remainder, little-brown-jobs was an apt description; daringly, we could guess that they were Larklike Buntings *Emberiza impetuani*, and Stark's Lark *Spizocorys starki*, but this was clearly open for debate!

T. Shawn McGrath joined us for a walk up the Dang-nab river as far as the first rock pool, a veritable oasis situated in a small ravine. Although cold and breezy, the sun shone, ideal walking conditions as long as you kept moving! A great diversity in Mountain Chat *Oenanthe monticola* coloration was found; perhaps, due to immature birds and adults of a local dark race displaying a light grey crown with variable amounts of white on the lesser wing and median coverts, belly and flank, plus the familiar lighter grey form.

The rest of the party arrived in the afternoon, so did the rain! Temperatures continued to drop, making it impossible to venture outside. Dying of