


Lanioturdus torquatus
Drosselwürger

MITTEILUNGEN

ORNITHOLOGISCHE ARBEITSGRUPPE



SCHRIFTLEITUNG: POSTFACH 67, WINDHOEK, S.W.A.

No. 7

15. Jahrgang

Oktober 1979

THE CAPE EAGLE OWL IN SOUTHERN SOUTH WEST AFRICA

by C.F. Clinning, Windhoek

Mr. H. Walter of Walvis Bay recently showed me a photograph of an adult Cape Eagle Owl which he took in October, 1956 at Lorelei in the Orange River valley. This is a new record for South West Africa, the species' previously known range being in the mountains of the southern and eastern parts of South Africa (see the map in: McLachlan and Liversidge 1978).

While it is possible that the bird photographed by Mr. Walter was a vagrant, there may be a resident population of these owls in the lower Fish and Orange River valleys. Recent unsubstantiated reports record them from the Fish River Canyon.

Scientific Society members should acquaint themselves with the differences between Cape and Spotted Eagle Owls (see Steyn and Tredgold 1977) and be on the look out for Capes when visiting suitable localities in the south.

References:

G.R. McLachlan and R. Liversidge (1978) "Roberts Birds of South Africa", Cape Town. Trustees of the John Voelcker Bird Book Fund.

P. Steyn and D. Tredgold (1977) "Observations on the Cape Eagle Owl": Bokmakierie 29.2: 31-42

AFRICAN GREY PARROTS BRED IN CAPTIVITY IN WALVIS BAY

from: Namib Times, Tuesday, 3rd July 1979

Mrs. Jane Delport of Nr. 83, Eighth Street, Walvis Bay has proved that it can be done....that it can be done despite what breeders, universities, research stations and other institutions say cannot be done. That is that parrots breed in captivity.

Mrs. Delport says that she has two African Grey parrots, one of which is 29 years old and the other about ten years. These two parrots were kept in separate cages built into the cupboard unit in the Delport kitchen. Some three years ago Mrs. Delport cut the meshwire

seperating the cages. She added: "The parrots started making love calls and then all of a sudden Madame Whisky laid three eggs but did not sit on them for hatching. In three months time there were another three eggs!"

So Mrs. Delport left something should be done about this and she wrote to various breeders in the Republic, universities, research organisations and such. All gave the same reply. The birds will not breed in captivity, especially in a cage.

However, undaunted the Delport's put an empty milk can to the side of the cage and within three months another three eggs were laid, in the can. This time Madame Whisky sat on the eggs but all three chicks died when half way out of the eggshells. The can was thrown away and substituted with a hollowed out stump of wood. Again three months later three eggs were laid in the stump. Again the mother parrot sat on the eggs and this time - two parrot chicks were born. The third egg was thrown out.

Mrs. Delport said she has delayed writing to Onderstepoort to tell them that African Grey parrots do breed in captivity in order to see whether these chicks will pull through. They are now three weeks old and their eyes have opened.

Mrs. Delport adds: All food suggested in books for feeding to parrots while they have young ones have been refused by the parents. They eat their normal diet and they take a loving interest in their young ones. "I am sure these are the first parrots to breed in an ordinary cage and in the kitchen at that where there is noisy arroundings such as dogs, washing machines and cooking. I shall let the various organisation know of this successful breeding in captivity and perhaps Walvis Bay can claim some honours as far as African Grey parrots are concerned", Mrs. Delport said.

Nochmal: Die Rauchschwalbe, Vogel des Jahres

In der No. 2-3 der Mitteilungen der Ornithologischen Arbeitsgruppe stellten wir den Vogel des Jahres, die Rauchschwalbe, vor. Daraufhin fanden wir noch einen interessanten Artikel ueber eine stattgefundene Kreuzung zwischen einer Rauch- und einer Mehlschwalbe aus "Wir und die Voegel", Zeitschrift fuer Natur- und Umweltschutz, Nr. 3, Juni 1979, von Karl-Heinz Loske:

"Der Seitensprung der Schwalbendame"

Rauch- und Mehlschwalben kreuzen sich manchmal! Im Rahmen einer wissenschaftlichen Populationsstudie konnte eine solche Kreuzung nachgewiesen werden. Die Untersuchung fand 1978 in der Soester Börde statt.

Ein Rauchschwalbenweibchen hatte seine erste Brut mit vier Jungen erfolgreich abgeschlossen und begann am 20. Juni mit einer Zweitbrut. Das in einem Winkel eines Schweinestalls gebaute Nest enthielt am 19. Juli 1978 etwa zwei Wochen alte Jungvoegel, die am selben Tag beringt wurden und das Nest am 28. Juli verliessen. Am 26. August wurde ein Jungvogel dieser Brut etwa 100 Meter vom Gebaeude, in dem sein Nest war, gefangen und kontrolliert. Es handelte sich dabei eindeutig um einen Bastard, der Merkmale sowohl von der Rauch- wie auch von der Mehlschwalbe aufwies. So erschien der Kopf kuerzer und dicker als bei einer Rauchschwalbe, Oberkopf wie Oberseite waren stahlblau gefaerbt. Die Schwingen waren braeun-

lich-schwarz, die Fluegelunterseite roetlichweiss und der Buerzel dominierend weiss mit einem leichten braeunlichschwarzen Anflug. In der Hand rief der Vogel wie eine Mehlschwalbe. Die gesamte Unterseite war rein weiss, doch wechselte die Farbe zu den Seiten hin nach rostrot. Typisch fuer die Rauchschwalbe dagegen waren die weisslich-rostrote Kehle und das nur schwach angedeutete, grauschwarze Querband darunter, das stellenweise weisslich-rostrot unterbrochen war. Die Breite dieses Querbandes betrug etwa 10 mm. Die Unterschwanzdeckfedern waren rostrot ueberlaufen und wiesen schwaerzliche Schaftstriche auf. Die Fluegel massen 117 mm, der Schwanz 60 mm. Das Gewicht betrug 16,8 Gramm.

Der Bastard aehnelte in erstaunlicher Weise dem 1876 nachgewiesenen Exemplar, das 1955 von Vietinchoff-Riesch beschrieben worden ist. Besonders auffallend waren bei beiden Voegeln die blaueulichschwarzen Oberschwanzfedern und die fleckerlosen Fahnen.

Da der Bastard in einem Schweinestall aufgewachsen war und kaum damit zu rechnen ist, dass sich Mehlschwalben in einem nur drei Meter hohen Raum verirren, ist der Seitensprung wohl dem Rauchschwalbenweibchen anzurechnen. Vermutlich kam es im Freien zu einer Kopulation mit einem Mehlschwalbenmaennchen. Dies ist umso wahrscheinlicher, weil sich in der Naehe des Schweinestalls eine Telegraphenleitung befindet, auf der haeufig beide Arten nebeneinander sitzen. Es handelt sich um den etwa zehnten Nachweis eines solchen Bastards fuer das Gebiet der Bundesrepublik Deutschland und um den ersten fuer Westfalen."

Weisse Rauchschwalben: Zu "Der Seitensprung der Schwalbendame": Bei den Rauchschwalben gibt es offensichtlich auch noch andere ungewoehnliche Erscheinungen. In einem Stall hatte eine Rauchschwalbe vier Junge ausgebruetet. Zwei davon waren normal, die beiden anderen rein weiss.

Von Heinz Schweinhaupt, Stakendorf aus: "Wir und die Voegel", Heft 4, 1979, unter: Anregungen und Kritik.

Die Redaktion antwortet: Die weissen Schwalben sind Albinos. Ihnen fehlen Farbpigmente im Gefieder. Albinos sind bei vielen Vogelarten bekannt.

APPEAL FOR INFORMATION

Colour Ringed Swift Terns - from: PROMEROPS, Nr.140

For the third year running Swift Tern (*Sterna bergii*) chicks have been ringed on the islands in Saldanha Bay, Southwestern Cape. Recoveries to date show that the birds disperse after breeding as far as Zululand, Natal.

This year members of the Southern African Seabird Group ringed 739 Swift Tern chicks on Marcus Island on 16 April 1979. Every chick was given a red colour ring on the left leg, and a metal numbered ring on the right. I am interested in all reports of these colour ringed birds with details of the locality and date, the total number of adult and juvenile (heavily barred) Swift Terns present and the number that are colour ringed. Of especial interest are any observations of colour ringed juveniles begging for food or being fed by adults. Please send all sightings to the Southern African Seabird Group, c/o FitzPatrick Inst., University of Cape Town, Rondebosch 7700.