

Some high value plant species and their recorded uses

Buffalo

Use: Intake

<u>Common Name</u>	<u>Genus:</u>	<u>Species:</u>	<u>Subspecies:</u>	<u>Variety:</u>
	<i>Themeda</i>	<i>triandra</i>		
	<i>Cynodon</i>	<i>dactylon</i>		
	<i>Heteropogon</i>	<i>contortus</i>		
	<i>Hyperthelia</i>	<i>dissoluta</i>		
	<i>Brachiaria</i>	<i>nigropedata</i>		

Use: Preferred habitat

<u>Common Name</u>	<u>Genus:</u>	<u>Species:</u>	<u>Subspecies:</u>	<u>Variety:</u>
	<i>Brachystegia</i>	<i>sp.</i>		
	<i>Brachystegia</i>	<i>floribunda</i>		
	<i>Brachystegia</i>	<i>bakeriana</i>		
	<i>Baikiaea</i>	<i>plurijuga</i>		
	<i>Acacia</i>	<i>ataxacantha</i>		
	<i>Brachystegia</i>	<i>spiciformis</i>		<i>kwangensis</i>

Use: Preferred intake

<u>Common Name</u>	<u>Genus:</u>	<u>Species:</u>	<u>Subspecies:</u>	<u>Variety:</u>
	<i>Panicum</i>	<i>coloratum</i>		<i>coloratum</i>
	<i>Panicum</i>	<i>repens</i>		
	<i>Panicum</i>	<i>maximum</i>		

Community

Use: HVPS

<u>Common Name</u>	<u>Genus:</u>	<u>Species:</u>	<u>Subspecies:</u>	<u>Variety:</u>
Commiphora	<i>Commiphora</i>	<i>wildii</i>		
Commiphora	<i>Commiphora</i>	<i>virgata</i>		
Baobab	<i>Adansonia</i>	<i>digitata</i>		
Quiver tree	<i>Aloe</i>	<i>dichotoma</i>		<i>dichotoma</i>
Quiver tree	<i>Aloe</i>	<i>dichotoma</i>		<i>ramosissima</i>
Kalahari melon	<i>Citrullus</i>	<i>lanatus</i>		
Manketti	<i>Schinziophyton</i>	<i>rautanenii</i>		
Large sourplum	<i>Ximenia</i>	<i>caffra</i>		<i>natalensis</i>
Large sourplum	<i>Ximenia</i>	<i>caffra</i>		<i>caffra</i>
Blue sourplum	<i>Ximenia</i>	<i>americana</i>		<i>microphylla</i>
Blue sourplum	<i>Ximenia</i>	<i>americana</i>		<i>americana</i>
Purple-pod terminalia	<i>Terminalia</i>	<i>prunioides</i>		
Kalahari cluster leaf	<i>Terminalia</i>	<i>brachystemma</i>	<i>brachystemma</i>	
Mopane	<i>Colophospermu</i>	<i>mopane</i>		
Marula	<i>Sclerocarya</i>	<i>birrea</i>	<i>birrea</i>	
Wild date palm	<i>Phoenix</i>	<i>reclinata</i>		
Elephant trunk	<i>Pachypodium</i>	<i>namaquanum</i>		
Makalani palm	<i>Hyphaene</i>	<i>petersiana</i>		
Hoodia	<i>Hoodia</i>	<i>gordonii</i>		
Hoodia	<i>Hoodia</i>	<i>currorii</i>	<i>lugardii</i>	
Hoodia	<i>Hoodia</i>	<i>currorii</i>	<i>currorii</i>	
Hoodia	<i>Hoodia</i>	<i>currorii</i>		<i>currorii</i>
Devil's claw	<i>Harpagophytum</i>	<i>procumbens</i>	<i>procumbens</i>	
Marula	<i>Sclerocarya</i>	<i>birrea</i>	<i>caffra</i>	

Lechwe

Use: Intake

<u>Common Name</u>	<u>Genus:</u>	<u>Species:</u>	<u>Subspecies:</u>	<u>Variety:</u>
	<i>Cynodon</i>	<i>dactylon</i>		

Use: Preferred intake

<u>Common Name</u>	<u>Genus:</u>	<u>Species:</u>	<u>Subspecies:</u>	<u>Variety:</u>
	<i>Setaria</i>	<i>sphacelata</i>		<i>sericea</i>
	<i>Digitaria</i>	<i>setivalva</i>		
	<i>Eragrostis</i>	<i>rigidior</i>		
	<i>Hemarthria</i>	<i>altissima</i>		
	<i>Acroceras</i>	<i>macrum</i>		
	<i>Setaria</i>	<i>sphacelata</i>		<i>sphacelata</i>
	<i>Setaria</i>	<i>sphacelata</i>		<i>splendida</i>
	<i>Sacciolepis</i>	<i>africana</i>		
	<i>Vossia</i>	<i>cuspidata</i>		
	<i>Echinochloa</i>	<i>stagnina</i>		
	<i>Digitariella</i>	<i>remotigluma</i>		
	<i>Dactyloctenium</i>	<i>giganteum</i>		
	<i>Burnatia</i>	<i>enneandra</i>		
	<i>Brachiaria</i>	<i>brizantha</i>		
	<i>Vetiveria</i>	<i>nigritana</i>		

Puku**Use: Intake**

<u>Common Name</u>	<u>Genus:</u>	<u>Species:</u>	<u>Subspecies:</u>	<u>Variety:</u>
	<i>Eragrostis</i>	<i>jeffreysii</i>		
	<i>Cynodon</i>	<i>dactylon</i>		

Use: Preferred intake

<u>Common Name</u>	<u>Genus:</u>	<u>Species:</u>	<u>Subspecies:</u>	<u>Variety:</u>
	<i>Eragrostis</i>	<i>rigidior</i>		
	<i>Digitaria</i>	<i>setivalva</i>		
	<i>Vossia</i>	<i>cuspidata</i>		
	<i>Setaria</i>	<i>sphacelata</i>		<i>splendida</i>
	<i>Setaria</i>	<i>sphacelata</i>		<i>sphacelata</i>
	<i>Setaria</i>	<i>sphacelata</i>		<i>sericea</i>
	<i>Hemarthria</i>	<i>altissima</i>		
	<i>Eragrostis</i>	<i>lappula</i>		
	<i>Androcymbium</i>	<i>roseum</i>		
	<i>Digitariella</i>	<i>remotigluma</i>		
	<i>Brachiaria</i>	<i>brizantha</i>		

Reedbuck**Use: Intake**

<u>Common Name</u>	<u>Genus:</u>	<u>Species:</u>	<u>Subspecies:</u>	<u>Variety:</u>
	<i>Cynodon</i>	<i>dactylon</i>		
	<i>Hyperthelia</i>	<i>dissoluta</i>		
	<i>Heteropogon</i>	<i>contortus</i>		

Use: Preferred intake

<u>Common Name</u>	<u>Genus:</u>	<u>Species:</u>	<u>Subspecies:</u>	<u>Variety:</u>
	<i>Cyperus</i>	<i>marlothii</i>		
	<i>Cyperus</i>	<i>maritimus</i>		
	<i>Cyperus</i>	<i>marginatus</i>		
	<i>Cyperus</i>	<i>margaritaceus</i>		<i>margaritaceus</i>
	<i>Cyperus</i>	<i>maculatus</i>		
	<i>Cyperus</i>	<i>longus</i>	<i>tenuiflorus</i>	
	<i>Cyperus</i>	<i>indecorus</i>		<i>decurvatus</i>
	<i>Cyperus</i>	<i>longus</i>		<i>longus</i>
	<i>Cyperus</i>	<i>pectinatus</i>		
	<i>Cyperus</i>	<i>latifolius</i>		
	<i>Cyperus</i>	<i>laevigatus</i>		
	<i>Cyperus</i>	<i>iria</i>		
	<i>Cyperus</i>	<i>indecorus</i>		<i>namaquensis</i>
	<i>Cyperus</i>	<i>longus</i>		<i>tenuiflorus</i>
	<i>Cyperus</i>	<i>rotundus</i>	<i>rotundus</i>	<i>platystachys</i>
	<i>Cyperus</i>	<i>tenuispica</i>		
	<i>Cyperus</i>	<i>tenax</i>		
	<i>Cyperus</i>	<i>submacropus</i>		
	<i>Cyperus</i>	<i>sphaerospermus</i>		
	<i>Cyperus</i>	<i>sp.</i>		
	<i>Cyperus</i>	<i>schinzii</i>		
	<i>Cyperus</i>	<i>obtusiflorus</i>		<i>obtusiflorus</i>
	<i>Cyperus</i>	<i>rubicundus</i>		
	<i>Cyperus</i>	<i>papyrus</i>		
	<i>Cyperus</i>	<i>rotundus</i>	<i>rotundus</i>	
	<i>Cyperus</i>	<i>rehmii</i>		
	<i>Cyperus</i>	<i>pseudovestitus</i>		
	<i>Cyperus</i>	<i>procerus</i>		
	<i>Cyperus</i>	<i>platycaulis</i>		
	<i>Cyperus</i>	<i>hamulosus</i>		
	<i>Cyperus</i>	<i>rupestris</i>		<i>rupestris</i>
	<i>Cyperus</i>	<i>aristatus</i>		<i>atriceps</i>
	<i>Cyperus</i>	<i>cyperoides</i>	<i>cyperoides</i>	
	<i>Cyperus</i>	<i>cuspidatus</i>		
	<i>Cyperus</i>	<i>congestus</i>		
	<i>Cyperus</i>	<i>compressus</i>		
	<i>Cyperus</i>	<i>chersinus</i>		
	<i>Cyperus</i>	<i>imbricatus</i>		
	<i>Cyperus</i>	<i>articulatus</i>		
	<i>Cyperus</i>	<i>denudatus</i>		<i>denudatus</i>
	<i>Cyperus</i>	<i>amabilis</i>		
	<i>Cyperus</i>	<i>albostrigatus</i>		
	<i>Chloris</i>	<i>gayana</i>		
	<i>Cenchrus</i>	<i>ciliaris</i>		
	<i>Andropogon</i>	<i>schirensis</i>		
	<i>Andropogon</i>	<i>chinensis</i>		
	<i>Cyperus</i>	<i>bellus</i>		
	<i>Cyperus</i>	<i>eragrostis</i>		
	<i>Cyperus</i>	<i>haspan</i>		
	<i>Cyperus</i>	<i>squarrosus</i>		
	<i>Cyperus</i>	<i>fulgens</i>		<i>fulgens</i>
	<i>Cyperus</i>	<i>fulgens</i>		<i>contractus</i>
	<i>Cyperus</i>	<i>foliaceus</i>		
	<i>Cyperus</i>	<i>fastigiatus</i>		
	<i>Cyperus</i>	<i>cyperoides</i>	<i>flavus</i>	
	<i>Cyperus</i>	<i>esculentus</i>		<i>cyclolepis</i>
	<i>Cyperus</i>	<i>deciduus</i>		
	<i>Cyperus</i>	<i>dubius</i>		
	<i>Cyperus</i>	<i>dives</i>		
	<i>Cyperus</i>	<i>digitatus</i>	<i>auricomus</i>	
	<i>Cyperus</i>	<i>diffusus</i>		
	<i>Cyperus</i>	<i>difformis</i>		

<i>Cyperus</i>	<i>turrillii</i>	
<i>Cyperus</i>	<i>esculentus</i>	<i>esculentus</i>
<i>Setaria</i>	<i>sphacelata</i>	<i>sphacelata</i>
<i>Cyperus</i>	<i>sphaerocephalus</i>	
<i>Phragmites</i>	<i>communis</i>	
<i>Andropogon</i>	<i>schinzii</i>	
<i>Cyperus</i>	<i>usitatus</i>	<i>macrobulbus</i>
<i>Setaria</i>	<i>sphacelata</i>	<i>splendida</i>
<i>Setaria</i>	<i>sphacelata</i>	<i>sericea</i>
<i>Polygonum</i>	<i>pulchrum</i>	
<i>Panicum</i>	<i>maximum</i>	
<i>Echinochloa</i>	<i>pyramidalis</i>	
<i>Loudetia</i>	<i>simplex</i>	
<i>Imperata</i>	<i>cylindrica</i>	
<i>Dinebra</i>	<i>retroflexa</i>	<i>condensata</i>
<i>Hemarthria</i>	<i>altissima</i>	
<i>Enneapogon</i>	<i>cenchrroides</i>	
<i>Panicum</i>	<i>coloratum</i>	<i>coloratum</i>
<i>Trachypogon</i>	<i>spicatus</i>	

Roan

Use: Intake

<u>Common Name</u>	<u>Genus:</u>	<u>Species:</u>	<u>Subspecies:</u>	<u>Variety:</u>
	<i>Cynodon</i>	<i>dactylon</i>		
	<i>Eragrostis</i>	<i>jeffreysii</i>		
	<i>Heteropogon</i>	<i>contortus</i>		
	<i>Hyparrhenia</i>	<i>hirta</i>		
	<i>Hyperthelia</i>	<i>dissoluta</i>		
	<i>Rhynzeltrum</i>	<i>repens</i>		
	<i>Digitaria</i>	<i>pentzii</i>		
	<i>Brachiaria</i>	<i>nigropedata</i>		
	<i>Themeda</i>	<i>triandra</i>		

Use: Preferred intake

<u>Common Name</u>	<u>Genus:</u>	<u>Species:</u>	<u>Subspecies:</u>	<u>Variety:</u>
	<i>Lonchocarpus</i>	<i>nelsii</i>		
	<i>Panicum</i>	<i>maximum</i>		
	<i>Ochna</i>	<i>pulchra</i>		
	<i>Dichrostachys</i>	<i>cinerea</i>	<i>nyassana</i>	
	<i>Dichrostachys</i>	<i>cinerea</i>	<i>cinerea</i>	
	<i>Dichrostachys</i>	<i>cinerea</i>	<i>africana</i>	<i>tanganyikensis</i>
	<i>Dichrostachys</i>	<i>cinerea</i>	<i>africana</i>	<i>setulosa</i>
	<i>Dichrostachys</i>	<i>cinerea</i>	<i>africana</i>	<i>pubescens</i>
	<i>Dichrostachys</i>	<i>cinerea</i>	<i>africana</i>	<i>africana</i>
	<i>Acacia</i>	<i>ataxacantha</i>		
	<i>Panicum</i>	<i>coloratum</i>		<i>coloratum</i>

Sable

Use: Intake

<u>Common Name</u>	<u>Genus:</u>	<u>Species:</u>	<u>Subspecies:</u>	<u>Variety:</u>
	<i>Heteropogon</i>	<i>contortus</i>		
	<i>Brachiaria</i>	<i>nigropedata</i>		
	<i>Digitaria</i>	<i>pentzii</i>		
	<i>Rhynzeltrum</i>	<i>repens</i>		
	<i>Themeda</i>	<i>triandra</i>		
	<i>Hyparrhenia</i>	<i>hirta</i>		
	<i>Eragrostis</i>	<i>jeffreysii</i>		
	<i>Cynodon</i>	<i>dactylon</i>		
	<i>Hyperthelia</i>	<i>dissoluta</i>		

Use: Preferred intake

<u>Common Name</u>	<u>Genus:</u>	<u>Species:</u>	<u>Subspecies:</u>	<u>Variety:</u>
	<i>Dichrostachys</i>	<i>cinerea</i>	<i>africana</i>	<i>africana</i>
	<i>Acacia</i>	<i>ataxacantha</i>		
	<i>Dichrostachys</i>	<i>cinerea</i>	<i>africana</i>	<i>setulosa</i>
	<i>Dichrostachys</i>	<i>cinerea</i>	<i>africana</i>	<i>tanganyikensis</i>
	<i>Dichrostachys</i>	<i>cinerea</i>	<i>cinerea</i>	
	<i>Dichrostachys</i>	<i>cinerea</i>	<i>nyassana</i>	
	<i>Lonchocarpus</i>	<i>nelsii</i>		
	<i>Ochna</i>	<i>pulchra</i>		
	<i>Dichrostachys</i>	<i>cinerea</i>	<i>africana</i>	<i>pubescens</i>

Tsessebe**Use: Intake**

<u>Common Name</u>	<u>Genus:</u>	<u>Species:</u>	<u>Subspecies:</u>	<u>Variety:</u>
	<i>Heteropogon</i>	<i>contortus</i>		
	<i>Rhynzeltrum</i>	<i>repens</i>		
	<i>Themeda</i>	<i>triandra</i>		
	<i>Hyparrhenia</i>	<i>hirta</i>		
	<i>Eragrostis</i>	<i>jeffreysii</i>		
	<i>Brachiaria</i>	<i>nigropedata</i>		
	<i>Digitaria</i>	<i>pentzii</i>		
	<i>Cynodon</i>	<i>dactylon</i>		
	<i>Hyperthelia</i>	<i>dissoluta</i>		

Waterbuck**Use: Intake**

<u>Common Name</u>	<u>Genus:</u>	<u>Species:</u>	<u>Subspecies:</u>	<u>Variety:</u>
	<i>Eragrostis</i>	<i>jeffreysii</i>		
	<i>Cynodon</i>	<i>dactylon</i>		

Use: Preferred intake

<u>Common Name</u>	<u>Genus:</u>	<u>Species:</u>	<u>Subspecies:</u>	<u>Variety:</u>
	<i>Echinochloa</i>	<i>stagnina</i>		
	<i>Digitariella</i>	<i>remotigluma</i>		
	<i>Digitaria</i>	<i>setivalva</i>		
	<i>Vetiveria</i>	<i>nigritana</i>		
	<i>Setaria</i>	<i>sphacelata</i>		<i>splendida</i>
	<i>Setaria</i>	<i>sphacelata</i>		<i>sphacelata</i>
	<i>Setaria</i>	<i>sphacelata</i>		<i>sericea</i>
	<i>Hemarthria</i>	<i>altissima</i>		
	<i>Eragrostis</i>	<i>lappula</i>		
	<i>Chloris</i>	<i>gayana</i>		
	<i>Brachiaria</i>	<i>brizantha</i>		
	<i>Androcymbium</i>	<i>roseum</i>		
	<i>Vossia</i>	<i>cuspidata</i>		
	<i>Eragrostis</i>	<i>rigidior</i>		