



<https://www.biodiversitylibrary.org/>

**Mitteilungen der Botanischen Staatssammlung München**  
Munich, H. Merxmüller, [1950]-1991 [i.e. 1992]  
<https://www.biodiversitylibrary.org/bibliography/14894>

**v.3-4 (1959-1963):** <https://www.biodiversitylibrary.org/item/52384>

Page(s): Page 165

Holding Institution: New York Botanical Garden, LuEsther T. Mertz Library  
Sponsored by: The LuEsther T Mertz Library, the New York Botanical Garden

Generated 12 September 2022 8:22 AM  
<https://www.biodiversitylibrary.org/pdf4/1506372i00052384.pdf>

This page intentionally left blank.

**HIBISCUS CASTROI var. SETULOSUS**

by

**A. W. EXELL (London)**

Hibiscus castroi Bak.f. et Exell in Journ. of Bot. 74:135  
(1936).

Indumentum of young stems and peduncles minutely  
greyish-green-tomentellous: . . . . var. castroi

Indumentum of young stems and peduncles with  
sparse setose hairs about 1 mm long in addition  
to a fine tomentellum: . . . . var. setulosus

var. setulosus Exell, var. nov.

Caules et pedunculi primo minute tomentelli et sparse  
setulosi.

Holotype: Kinges 3619 (M).

South West Africa: Damaraland, EEN s.n. (BM);  
Distr. Karibib: Buschsteppe bei Karibib, KINGES 3619  
(M); Distr. Swakopmund: Spitzkoppe, KINGES 4423 (M);  
Distr. Gobabis: Farm Chamasaris, an der Strasse,  
MERXMÜLLER & GIESS 1094 (M).