




***Horatospaga stylifera*, Namibian Dimorphic Leaf Katydid**

Assessment by: Bazelet, C. & Naskrecki, P.



View on www.iucnredlist.org

Citation: Bazelet, C. & Naskrecki, P. 2014. *Horatospaga stylifera*. The IUCN Red List of Threatened Species 2014: e.T62452667A62452843. <http://dx.doi.org/10.2305/IUCN.UK.2014-3.RLTS.T62452667A62452843.en>

Copyright: © 2015 International Union for Conservation of Nature and Natural Resources

Reproduction of this publication for educational or other non-commercial purposes is authorized without prior written permission from the copyright holder provided the source is fully acknowledged.

Reproduction of this publication for resale, reposting or other commercial purposes is prohibited without prior written permission from the copyright holder. For further details see [Terms of Use](#).

The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission](#) (SSC) and [The IUCN Red List Partnership](#). The IUCN Red List Partners are: [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [Microsoft](#); [NatureServe](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Texas A&M University](#); [Wildscreen](#); and [Zoological Society of London](#).

If you see any errors or have any questions or suggestions on what is shown in this document, please provide us with [feedback](#) so that we can correct or extend the information provided.

Taxonomy

Kingdom	Phylum	Class	Order	Family
Animalia	Arthropoda	Insecta	Orthoptera	Phaneropteridae

Taxon Name: *Horatosphaga stylifera* (Karny, 1910)

Synonym(s):

- *Pantolepta stylifera* Karny, 1910

Common Name(s):

- English: Namibian Dimorphic Leaf Katydid

Taxonomic Source(s):

Eades, D.C., Otte, D., Cigliano, M.M. and Braun, H. 2014. Orthoptera Species File. Version 5.0/5.0. Available at: <http://Orthoptera.SpeciesFile.org>.

Assessment Information

Red List Category & Criteria: Least Concern [ver 3.1](#)

Year Published: 2014

Date Assessed: June 27, 2014

Justification:

The threat status of the Namibian Dimorphic Leaf Katydid (*Horatosphaga stylifera*) is Least Concern because it has a widespread distribution, a large extent of occurrence and its geographic range is not expected to be severely fragmented or to experience decline or extreme fluctuations presently or in the foreseeable future.

Geographic Range


Range Description:

The Namibian Dimorphic Leaf Katydid occurs in Namibia and southern Angola.

Country Occurrence:

Native: Angola (Angola, Angola); Namibia (Namibia (main part))

Distribution Map




Horatsphaga stylifera

Range

Extant (resident)

Compiled by:
Olson, 2001



The boundaries and names shown and the designations used on this map do not imply any official endorsement, acceptance or opinion by IUCN.



Population

No information on population sizes or trends is available.

Current Population Trend: Unknown

Habitat and Ecology (see Appendix for additional information)

Nothing is known about the biology of this species. The call of the species is a complex series of chirps and clicks of different duration. The male flies from perch to perch between bouts of stridulation.

Systems: Terrestrial

Use and Trade

This species is not utilized.

Threats

The greatest threat to this species is habitat destruction, but due to its widespread distribution in sparsely inhabited regions which are unsuitable for cultivation and development, it is not directly threatened.

Conservation Actions (see Appendix for additional information)

No specific conservation measures are in place for this species and it is not known to occur within any protected areas.

Credits

Assessor(s): Bazelet, C. & Naskrecki, P.

Reviewer(s): Hochkirch, A. & Willemse, L.P.M.

Bibliography

Hemp, C. 2006. Two new species of *Horatosphaga* Schaum 1853 from the highlands of East Africa (Tettigoniidae: Phaneropterinae). *Journal of Orthoptera Research* 15(2): 251-259.

IUCN. 2014. The IUCN Red List of Threatened Species. Version 2014.3. Available at: www.iucnredlist.org. (Accessed: 13 November 2014).

Ragge, D.R. 1961. A revision of the genus *Ducetia* Stal (Orthoptera: Tettigoniidae). *Bulletin of the British Museum (Natural History)* 10(5): 171-199.

Ragge, D.R. 1968. An Index-Catalogue of African Phaneropterinae (Orthoptera: Tettigoniidae). *Bulletin of British Museum (Natural History)* 22: 75-108.

Citation

Bazelet, C. & Naskrecki, P. 2014. *Horatosphaga stylifera*. *The IUCN Red List of Threatened Species 2014: e.T62452667A62452843*. <http://dx.doi.org/10.2305/IUCN.UK.2014-3.RLTS.T62452667A62452843.en>

Disclaimer

To make use of this information, please check the [Terms of Use](#).

External Resources

For [Images and External Links to Additional Information](#), please see the Red List website.

Appendix

Habitats

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Habitat	Season	Suitability	Major Importance?
4. Grassland -> 4.5. Grassland - Subtropical/Tropical Dry	Resident	Suitable	Yes

Conservation Actions in Place

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Conservation Actions in Place
In-Place Research, Monitoring and Planning
Action Recovery plan: No
Systematic monitoring scheme: No
In-Place Land/Water Protection and Management
Conservation sites identified: No
Occur in at least one PA: No
Percentage of population protected by PAs (0-100): 1-10
Area based regional management plan: No
Invasive species control or prevention: No
In-Place Species Management
Harvest management plan: No
Successfully reintroduced or introduced benignly: No
Subject to ex-situ conservation: No
In-Place Education
Subject to recent education and awareness programmes: No
Included in international legislation: No
Subject to any international management/trade controls: No

Conservation Actions Needed

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Conservation Actions Needed
1. Land/water protection -> 1.1. Site/area protection

Conservation Actions Needed
1. Land/water protection -> 1.2. Resource & habitat protection
2. Land/water management -> 2.1. Site/area management
2. Land/water management -> 2.2. Invasive/problematic species control
2. Land/water management -> 2.3. Habitat & natural process restoration

Research Needed

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Research Needed
1. Research -> 1.1. Taxonomy
1. Research -> 1.2. Population size, distribution & trends
1. Research -> 1.3. Life history & ecology
3. Monitoring -> 3.1. Population trends
3. Monitoring -> 3.4. Habitat trends

Additional Data Fields

Distribution
Estimated extent of occurrence (EOO) (km ²): 303000
Continuing decline in extent of occurrence (EOO): Unknown
Extreme fluctuations in extent of occurrence (EOO): Unknown
Number of Locations: 5
Continuing decline in number of locations: Unknown
Extreme fluctuations in the number of locations: Unknown
Population
Continuing decline of mature individuals: Unknown
Extreme fluctuations: Unknown
Population severely fragmented: Unknown
Continuing decline in subpopulations: Unknown
Extreme fluctuations in subpopulations: Unknown
Habitats and Ecology
Continuing decline in area, extent and/or quality of habitat: Unknown
Movement patterns: Not a Migrant

The IUCN Red List Partnership



The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission \(SSC\)](#) and [The IUCN Red List Partnership](#). The IUCN Red List Partners are: [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [Microsoft](#); [NatureServe](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Texas A&M University](#); [Wildscreen](#); and [Zoological Society of London](#).