
Invasive Plants and Forest Ecosystems



Invasive Plants and Forest Ecosystems

Invasive Plants and Forest Ecosystems

Edited by
Ravinder Kumar Kohli
Shibu Jose
Harminder Pal Singh
Daizy Rani Batish



CRC Press Taylor & Francis Group 6000 Broken Sound Parkway NW, Suite 300 Boca Raton, FL 33487-2742

© 2009 by Taylor & Francis Group, LLC CRC Press is an imprint of Taylor & Francis Group, an Informa business

No claim to original U.S. Government works Printed in the United States of America on acid-free paper $10\,9\,8\,7\,6\,5\,4\,3\,2\,1$

International Standard Book Number-13: 978-1-4200-4337-2 (Hardcover)

This book contains information obtained from authentic and highly regarded sources Reasonable efforts have been made to publish reliable data and information, but the author and publisher cannot assume responsibility for the validity of all materials or the consequences of their use. The Authors and Publishers have attempted to trace the copyright holders of all material reproduced in this publication and apologize to copyright holders if permission to publish in this form has not been obtained. If any copyright material has not been acknowledged please write and let us know so we may rectify in any future reprint

Except as permitted under U.S. Copyright Law, no part of this book may be reprinted, reproduced, transmitted, or utilized in any form by any electronic, mechanical, or other means, now known or hereafter invented, including photocopying, microfilming, and recording, or in any information storage or retrieval system, without written permission from the publishers.

For permission to photocopy or use material electronically from this work, please access www. copyright.com (http://www.copyright.com/) or contact the Copyright Clearance Center, Inc. (CCC) 222 Rosewood Drive, Danvers, MA 01923, 978-750-8400. CCC is a not-for-profit organization that provides licenses and registration for a variety of users. For organizations that have been granted a photocopy license by the CCC, a separate system of payment has been arranged.

Trademark Notice: Product or corporate names may be trademarks or registered trademarks, and are used only for identification and explanation without intent to infringe.

Library of Congress Cataloging-in-Publication Data

Invasive plants and forest ecosystems / edited by Ravinder K. Kohli ... [et al.].

p. cm.

Includes bibliographical references and index.

ISBN-13: 978-1-4200-4337-2

ISBN-10: 1-4200-4337-4

 $1.\ \mbox{Invasive}$ plants. $2.\ \mbox{Invasive}$ plants.-Ecology. $3.\ \mbox{Forest}$ ecology. I. Kohli, R. K. II. Title.

SB613.5.I57 2009

634.9'65--dc22

2008008314

Visit the Taylor & Francis Web site at http://www.taylorandfrancis.com

and the CRC Press Web site at http://www.crcpress.com

Contents

Editors	
SECTIO	N I Invasion Ecology
Chapter 1	Invasive Plants: A Threat to the Integrity and Sustainability of Forest Ecosystems
	Shibu Jose, Ravinder K. Kohli, Harminder P. Singh, Daizy R. Batish, and E. Corrie Pieterson
Chapter 2	Mechanisms of Plant Invasion: A Review
	Pedram Daneshgar and Shibu Jose
Chapter 3	Relationship of Invasive Groundcover Plant Presence to Evidence of Disturbance in the Forests of the Upper Midwest of the United States
	W. Keith Moser, Mark H. Hansen, Mark D. Nelson, and William H. McWilliams
Chapter 4	Invasion Pattern of Exotic Plants in Forest Ecosystems
	Songlin Fei, Ningning Kong, Jeffrey Stringer, and Daniel Bowker
Chapter 5	Lessons from a Shade-Tolerant Invader, Acer platanoides
	Christopher R. Webster and Steven R. Wangen
Chapter 6	Invasive Species and the Resiliency of a Riparian Environment 87
	James M. Dyer and C. Mark Cowell
Chapter 7	Biogeography of Invasive Plant Species in Urban Park Forests 105
	Robert E. Loeb

SECTION II Ecological Impacts

Chapter 8	Alien Invasive Plant Species and Their Effects on Hill Forest Ecosystems of Bangladesh		
	M.K. Hossain		
Chapter 9	Ecological Status of Some Invasive Plants of Shiwalik Himalayas in Northwestern India	. 143	
	Ravinder K. Kohli, Harminder P. Singh, Daizy R. Batish, and Kuldeep Singh Dogra		
Chapter 10	Invasive Species and Their Impacts on Endemic Ecosystems in China	. 157	
	Jichao Fang and Fanghao Wan		
Chapter 11	Invasive Plants in Australian Forests, with an Emphasis on Subtropics and Tropics	. 177	
	J. Doland Nichols and Mila Bristow		
Chapter 12	Risk Analysis for Alien Plants in European Forests, Illustrated by the Example of <i>Prunus serotina</i>	. 195	
	Gritta Schrader and Uwe Starfinger		
Chapter 13	Monitoring and Assessment of Regional Impacts from Nonnative Invasive Plants in Forests of the Pacific Coast, United States	. 217	
	Andrew Gray		
Chapter 14	Imperata cylindrica, an Exotic Invasive Grass, Changes Soil Chemical Properties of Forest Ecosystems in the Southeastern United States	. 237	
	Alexandra R. Collins and Shibu Jose		
SECTION	N III Management of Invasive Plants		
Chapter 15	Adaptive Collaborative Restoration: A Key Concept in Invasive Plant Management	. 251	
	James H. Miller and John Schelhas		

Chapter 16	Cogongrass (<i>Imperata cylindrica</i>)—A Comprehensive Review of an Invasive Grass			
	Gregory E. MacDonald			
Chapter 17	Exotic Plant Species Invasion and Control in Great Smoky Mountains National Park, United States			
	Michael A. Jenkins and Kristine D. Johnson			
Chapter 18	Invasive Weeds of Colorado Forests and Rangeland 323			
	K. George Beck			
Chapter 19	Ecology and Management of Tropical Africa's Forest Invaders			
	Paul P. Bosu, Mary M. Apetorgbor, and Alemayehu Refera			
SECTION IV Socioeconomic and Policy Aspects				
Chapter 20	Invasive Plants in Namibian Subtropical and Riparian Woodlands			
	Dave F. Joubert			
Chapter 21	The Economics, Law, and Policy of Invasive Species Management in the United States: Responding to a Growing Crisis			
	Johanna E. Freeman, Rachel Albritton, Shibu Jose, and Janaki R.R. Alavalapati			
Index				

Preface

Plant species that invade an alien area and outgrow the native vegetation, establishing and increasing their own territory, often lead to negative economic, environmental, and social impacts. Even native species can behave like invasive species by their exponential spread. Similarly, not all non-native species are invasive. Many alien invasive species, however, do threaten the health and integrity of our terrestrial and aquatic ecosystems. As the human population explodes and trade becomes increasingly globalized, the transboundary movement of species from their places of origin to alien regions is escalating and is expected to continue so in the coming decades.

The ecological impacts of invasive species, in particular alien plants, on forest ecosystems have attracted the attention of researchers, managers, and policy makers the world over. Alien invaders are known to change the ecosystem structure and function, thereby minimizing the support for native flora, fauna and the provision of ecosystem services that directly benefit humans. There exists a large amount of scattered information on the ecology and management of alien invaders in forest ecosystems. The scientists and practitioners who attended the technical session, "Impact of exotic invasive plant species on forest ecosystems," during the XXII-IUFRO World Congress, Brisbane, 2005, (Ravinder K. Kohli, organizer; Shibu Jose, rapporteur) resolved that an edited volume that captures the current state of knowledge would benefit the global forestry and natural resources community. Invited papers and voluntary posters were presented at this session, which represented a cross section of the current global research being conducted in a variety of forest ecosystems. The editors of this volume accepted the task enthusiastically and immediately started working on the project. Selected authors (who presented their work at the IUFRO Congress) and other prominent researchers were invited to submit manuscripts. After a peer review process, we selected 21 chapters for the current volume.

The chapters are grouped into four sections. The first section examines invasion ecology through both synthesis and original research articles. Seven chapters are included in this section. The second section also has seven chapters. These give readers a flavor of the ecological impacts of alien invaders and include examples from both tropical and temperate regions of the world. The third section is an exploration into the adaptive collaborative management strategies that are central to successful control of invasive alien plants. The first chapter in this section describes the concept of adaptive collaborative restoration in great detail. The second chapter discusses the ecology and management of the world's number one invasive plant species of natural ecosystems. The remaining three chapters of the section give specific examples of invasive plant management, one each from a local, state, and country perspective. The fourth (last) section includes two chapters that discuss the socioeconomic and policy aspects of invasive species management using two examples, one from the tropics (Namibia) and another from the temperate region (the United States).

The book is intended as a reference book for students, scientists, professionals, and policy makers who are involved in the study and management of invasive alien plants in forested ecosystems of the world. We are grateful to a large number of individuals for their assistance in accomplishing this task, particularly the authors, for their commitment to the project and their original research or synthesis of the current knowledge. Moreover, the invaluable comments and suggestions made by the referees significantly improved the clarity and content of the chapters. We also extend our sincere thanks to John Sulzycki and Pat Roberson of CRC Press for their timely efforts in publishing this book.

Ravinder K. Kohli Shibu Jose Harminder P. Singh Daizy R. Batish

Editors

Ravinder K. Kohli, PhD, a certified senior ecologist of the Ecological Society of America, is a senior professor of plant sciences and coordinator of the Centre for Environment and Vocational Studies at Panjab University, Chandigarh, India. He is also an adjunct professor of the Xishuangbanna Tropical Botanical Garden, Chinese Academy of Sciences, and holds the SAARC (South Asian Association for Regional Cooperation) chair at the University of Chittagong, Bangladesh. He is a fellow of some important academies, such as the National Academy of Agricultural Sciences (India), the National Academy of Sciences (India), the Indian Botanical Society, and the National Environment Science Academy (India). He is also the coordinator of the IUFRO (International Union of Forest Research Organization) Unit 8.02.04— Ecology of Alien Invasives—and IUFRO 4.02.02—Multipurpose Inventories. His research career of 28 years has been focused on ecological implications of introduced trees and invasive alien plants in India. He is on the editorial boards of several journals devoted to crop production, ecology, and environment. The honors and awards he has received include the B.P. Pal National Environment Fellowship Award (2001); the highest paid fellowship award of the Government of India, for work on Biodiversity; state honor from the government of Chandigarh for teaching and research in environment; and the Nanda Memorial National Young Scientist Award (1988) for research and forestry. He has to his credit about 100 research papers in international refereed journals, 70 research articles, 13 book chapters 7 reviews, 3 authored and 8 edited books apart from guiding 26 PhD theses and 3 patent applications.

Shibu Jose, PhD, is an associate professor of forest ecology at the School of Forest Resources and Conservation (SFRC), University of Florida, Gainesville. He is also co-director of the Cooperative for Conserved Forest Ecosystems at SFRC. He received his BS (Forestry) from India and MS and PhD (Forest Science) from Purdue University. He holds an affiliate faculty status at the School of Natural Resources and the Environment and the Soil and Water Science Department. His current research efforts focus on production ecology and ecophysiology of intensively managed pine and hardwood forests, restoration ecology of the longleaf pine ecosystem, invasive plant ecology and management, and ecological interactions in agroforestry systems and mixed species forest plantations. He serves on the editorial boards of *Journal of Forestry* (editor), Agroforestry Systems (editor-in-chief), Forest Science (book review editor), and Research Letters in Ecology (associate editor). He teaches forest ecology, applied forest ecology, advanced forest ecology, and ecology and restoration of the longleaf pine ecosystem. The honors and awards he has received include the Aga Khan International Fellowship (Switzerland), the Nehru Memorial Award for Scholastic Excellence (India), the UF CALS Junior Faculty Award of Merit, Award of Excellence in Research by the Southeastern Society of American Foresters (SAF), the Stephen Spurr Award by the Florida Division SAF, and the Young Leadership Award by the National SAF. He has over 150 publications to his credit, including 5 books.

Harminder P. Singh, PhD, an ecologist, is a lecturer of biotic environment at the Centre for Environment and Vocational Studies, Panjab University, Chandigarh, India. He received his PhD in botany from Panjab University. He guides researchers and teaches ecological principles and conservation of life support systems to students of environment and solid waste management at the masters level. His research interests include chemical ecology of plant interactions and impact of exotic invasive plants on native ecosystems. He has to his credit over 55 research papers in international refereed journals, 5 books, and 27 research articles. He is a recipient of the Young Scientist Award from Punjab Academy of Sciences, Indian Science Congress Association, and Dalela Educational Foundation (India) as well as the Junior Environmentalist Award from the National Environment Science Academy (India).

Daizy R. Batish, PhD, is a reader at the Department of Botany, Panjab University, Chandigarh, India. Her research interests include ecophysiology of interplant interactions, biology and ecology of invasive weeds, and ecological weed management. Apart from guiding doctoral research, she teaches ecology, environment botany, and forestry to undergraduate and postgraduate students. She has to her credit over 70 research papers in refereed journals, 5 books, and 36 research articles. She is a fellow of the National Environment Science Academy (India), a recipient of the Rajib Goyal Young Scientist Award in environmental sciences and a research award of the University Grants Commission (New Delhi, India). She is on the review committee of several international journals in plant sciences.

Contributors

Janaki R.R. Alavalapati

School of Forest Resources and Conservation University of Florida Gainesville, Florida

Rachel Albritton

School of Forest Resources and Conservation University of Florida Gainesville, Florida

Mary M. Apetorgbor

Forestry Research Institute of Ghana Council for Scientific and Industrial Research Kumasi, Ghana

Daizy R. Batish

Department of Botany Panjab University Chandigarh, India

K. George Beck

Department of Bioagricultural Sciences and Pest Management Colorado State University Fort Collins, Colorado

Paul P. Bosu

Forestry Research Institute of Ghana Council for Scientific and Industrial Research Kumasi, Ghana

Daniel Bowker

Department of Forestry University of Kentucky Lexington, Kentucky

Mila Bristow

Walkamin Research Station Walkamin, Australia

Alexandra R. Collins

School of Forest Resources and Conservation University of Florida Gainesville, Florida

C. Mark Cowell

Department of Geography University of Missouri–Columbia Columbia, Missouri

Pedram Daneshgar

School of Forest Resources and Conservation University of Florida Gainesville, Florida

Kuldeep Singh Dogra

Department of Botany Panjab University Chandigarh, India

James M. Dyer

Department of Geography Ohio University Athens, Ohio

Jichao Fang

Institute of Plant Protection
Jiangsu Academy of Agricultural
Sciences
Nanjing, China

Songlin Fei

Department of Forestry University of Kentucky Lexington, Kentucky

Johanna E. Freeman

School of Forest Resources and Conservation University of Florida Gainesville, Florida

Andrew Gray

Forest Inventory and Analysis USDA Forest Service Pacific Northwest Research Station Corvallis, Oregon

Mark H. Hansen

USDA Forest Service Northern Research Station Forest Inventory and Analysis St. Paul, Minnesota

M.K. Hossain

Institute of Forestry and Environmental Sciences Chittagong University Chittagong, Bangladesh

Michael A. Jenkins

Inventory and Monitoring Program Great Smoky Mountains National Park Gatlinburg, Tennessee

Kristine D. Johnson

Vegetation Management Program Great Smoky Mountains National Park Gatlinburg, Tennessee

Shibu Jose

School of Forest Resources and Conservation University of Florida Gainesville, Florida

Dave F. Joubert

School of Natural Resources and Tourism Polytechnic of Namibia Windhoek, Namibia

Ravinder K. Kohli

Centre for Environment and Vocational Studies Panjab University Chandigarh, India

Ningning Kong

Department of Forestry University of Kentucky Lexington, Kentucky

Robert E. Loeb

Departments of Biology and Forestry The Pennsylvania State University DuBois Campus DuBois, Pennsylvania

Gregory E. MacDonald

Department of Agronomy Institute of Food and Agricultural Sciences University of Florida Gainesville, Florida

William H. McWilliams

USDA Forest Service Northern Research Station Forest Inventory and Analysis Newtown Square, Pennsylvania

James H. Miller

Southern Research Station USDA Forest Service Auburn, Alabama

W. Keith Moser

USDA Forest Service Northern Research Station Forest Inventory and Analysis St. Paul, Minnesota

Mark D. Nelson

USDA Forest Service Northern Research Station Forest Inventory and Analysis St. Paul, Minnesota

J. Doland Nichols

School of Environmental Science and Management Southern Cross University Lismore, New South Wales, Australia

E. Corrie Pieterson

School of Natural Resources and the Environment University of Florida Gainesville, Florida

Alemayehu Refera

Ethiopian Institute of Agricultural Research Forestry Research Centre Addis Ababa, Ethiopia

John Schelhas

Southern Research Station USDA Forest Service Tuskegee University Tuskegee, Alabama

Gritta Schrader

Institute of National and International Plant Health Julius Kuehn Institute Braunschweig, Germany

Harminder P. Singh

Centre for Environment and Vocational Studies Department of Botany Panjab University Chandigarh, India

Uwe Starfinger

Institute of National and International Plant Health Julius Kuehn Institute Braunschweig, Germany

Jeffrey Stringer

Department of Forestry University of Kentucky Lexington, Kentucky

Fanghao Wan

Institute of Plant Protection Chinese Academy of Agricultural Sciences Beijing, China

Steven R. Wangen

Bioprotection and Ecology Division Lincoln University Canterbury, New Zealand

Christopher R. Webster

School of Forest Resources and Environmental Science Michigan Technological University Houghton, Michigan

Section I

Invasion Ecology

1 Invasive Plants: A Threat to the Integrity and Sustainability of Forest Ecosystems

Shibu Jose, Ravinder K. Kohli, Harminder P. Singh, Daizy R. Batish, and E. Corrie Pieterson

CONTENTS

1.1	Introduction	3
1.2	Invasion Ecology	4
1.3	Ecological Impacts	6
1.4	Management of Invasive Plants	8
1.5	Socioeconomic and Policy Aspects	9
1.6	Conclusion	9
Refer	rences	10

1.1 INTRODUCTION

Charles Elton, a pioneer in population ecology, wrote of how ecological explosions were threatening the world (Elton 1958). Nearly half a century later, his early warning has become one of the most important environmental crises of our time. Biological invasions have caused more species extinctions than did human-induced climate change (D'Antonio and Vitousek 1992), and are the second leading cause of species extinctions after habitat loss. Biological invasion is one of the major reasons of biodiversity depletion. Invasive plants, in particular, are to blame for much of native species decline and ecosystem degradation (Wilcove et al. 1998). The invasion of native ecosystems by alien plants can lead to alterations in nutrient cycling, fire regime, hydrology, energy budgets, and native species abundance and survival (Mack et al. 2000).

Biological invasion occurs when species move from one geographical region to another, where they establish, proliferate, and persist (Mack et al. 2000). Several terms such as *introduced*, *nonnative* or *nonindigenous*, *exotic*, *alien*, *foreign*, or *invasive alien* have been applied to these species. In a community, a native species

is the one that is naturally found in a given area, whereas introduced or exotic species result from human-induced introductions or accidental entries. In addition, there are some species whose origin is not clearly known and such species are known as *cryptogenic* (Carlton 1996).

In fact, there is a stalemate regarding much of the terminology in the discipline of invasion ecology. Richardson et al. (2000), on the basis of their critical analysis and extensive surveys, have tried to provide a clear insight into this problem. According to them, an invasive species is a naturalized alien that produces a large number of reproductive offsprings at considerable distances from the parent plant, and thus spread over large area (Richardson et al. 2000). This is in contrast to casual alien species, which do not form self-replacing populations, and hence cannot perpetuate for a long time. However, the World Conservation Union (formerly International Union for Conservation of Nature and Natural Resources), the Convention on Biological Diversity (CBD), and the Global Invasive Species Programme (GISP) prefer to use the term *invasive alien species* (IAS). As per GISP, an IAS is that alien species which proliferates and spreads in the new environment in ways that are destructive to human interests (McNeely et al. 2001). IAS has been addressed under Article 8(h) of the CBD.

In a survey of peer-reviewed literature regarding invasions and alien species, Pyšek et al. (2006) found 329 papers and over 27,000 citations in the period 1981-2003, reflecting the rapid growth of the field. The majority of the most commonly cited papers are related to plant invasions. Although the economic and ecological damage caused by alien animal and microbe species is astounding, the scope of this book is limited to alien plant invasions of forested ecosystems in various parts of the world. Several recently published books have focused on biological invasions (e.g., Mooney and Hobbs 2000; Pimentel 2002; Myers and Bazley 2003; Ruiz and Carlton 2003; Mooney et al. 2005; Sax et al. 2005; Cadotte et al. 2006; Lockwood et al. 2006), which is a clear indication of the growing body of literature on the topic. It also shows the seriousness with which the issue is being addressed by the scientific community. Since forests are one of the ecosystems most seriously affected by biological invasions, and in particular by invasive plants, this book is dedicated to the treatment of invasive plants in forested ecosystems. Authors from around the world contributed to this volume, and chapters have been organized into four sections: Invasion Ecology, Ecological Impacts, Management of Invasive Plants, and Socio-economic Policy Aspects. We summarize the scope of each section here.

1.2 INVASION ECOLOGY

This section begins with a chapter (Chapter 2, by Daneshgar and Jose) on the proposed mechanisms of invasion. Despite the number of studies on IAS, no grand unifying theory of invasions has emerged. Rather, researchers have proposed a suite of theories and hypotheses relating to the invading species, the habitats invaded, and their interactions. Inconsistent and varying terminology and difficulty in predicting which species will or will not become invasive contribute to the challenge of developing an overarching theory of biological invasions (Shrader-Frechette 2001). Nevertheless, the combination of ecological effects, societal concern, and economic

costs have created the need for explanations of how to predict and prevent invasions and how best to treat them when they do occur.

The role of disturbance in the establishment and spread of invasive species is examined in Chapter 3 by Moser et al. These authors used the USDA Forest Service Northern Research Station's Forest Inventory and Analysis data for 2005 and 2006 and sampled for the presence and percent cover class of 25 selected nonnative invasive plant species in all the forested plots in the midwestern states (Indiana, Illinois, Missouri, Iowa, Minnesota, Wisconsin, and Michigan). Iowa, Indiana, and Illinois had relatively higher rates of invasive species presence, while Minnesota had the lowest. They also observed a strong latitudinal separation, particularly for woody invasives. Most subboreal forest types had lower percentages of invasive species. Similarly, Lake States of Minnesota, Wisconsin, and Michigan had lower invasive species presence than that in the southern-tier states. Grasses were particularly prominent in low-density or fragmented forestland. Metrics of disturbance and fragmentation, such as distance to road, county percent forest, or the forest intactness index, were significantly related to the presence and coverage of invasive species. They concluded that even the disturbance measures, lower basal area, and high road density could easily reflect the lingering influence of historic human disturbance as the microsite attributes that allowed invasive species to establish and expand.

Fei et al. argue in Chapter 4 that while disturbance and other landscape features play a major role in the establishment and spread of invasive plants, it is essential to determine how these factors influence the alien plant invasions. They used a geographic information system, high-accuracy global positioning system receivers, and high-resolution aerial photos to study the invasion patterns of alien plant species in eastern Kentucky. They have shown that invasive species occurrence was higher on or near roads than in the interior of the forest, although some species could establish in the forest interiors, where signs of anthropogenic disturbance were absent. Ground disturbance from harvesting, specifically skidding and road construction, could promote an increase in colonization and spread of invasive species.

Webster and Wangen (Chapter 5) use a case study from Michigan to explore the spatial and temporal dynamics of alien tree invasions. They used the example of Acer platanoides, a shade-tolerant invasive tree, and showed that because of the long generation times of trees relative to other organisms their invasion potential might not be easily recognized until they become a serious pest. With respect to the spatial spread patterns, they observed both thread-like patterns (e.g., roads and trails) and satellite populations that originated from human-mediated seed dispersal. The authors suggested that monitoring for invasive trees, therefore, should be proactive and where possible use risk assessment techniques to identify likely establishment sites. Using another case study, Dyer and Cowell (Chapter 6) demonstrated that habitat changes caused by the establishment of alien species through changes in natural disturbance regimes could steer communities to a new stable state, posing serious management concerns. Disruption of a natural disturbance—flooding, by the construction of a dam—caused invasive plants such as Japanese knotweed (Polygonum cuspidatum) and Reed canary grass (Phalaris arundinacea) to thrive at the expense of many resident overstory and understory plant species. These authors have shown that changes to disturbance regimes could alter both resource availability and

competitive interactions in favor of alien species, with adaptive traits not present within the native community.

In Chapter 7, Loeb examines the biogeography of invasive plant species in urban forests and parks. Pre-twentieth century plantings comprised one-third of the invasive tree, shrub, and herbaceous species found in the urban forests of the mid-Atlantic region of the United States. Many of these invasive plants were available from nurseries before 1900. He concluded that urban forests are disturbance communities and could serve as centers for spread of invasive plant species.

1.3 ECOLOGICAL IMPACTS

Invasive species have contributed to the decline of 42% of the U.S. endangered and threatened species (Wilcove et al. 1998). In other parts of the world, as many as 80% of the endangered species are threatened because of the pressures of nonnative species (Pimentel et al. 2005). IAS may be intentionally or unintentionally introduced to new ecosystems. When a species is introduced, it may have both positive and negative consequences. This complicates the matter of how and whether to attempt to control or eradicate such species. In plantation forest ecosystems, many planted tree species are exotic (Ewel et al. 1999), which may also be invasive outside of the plantations. Research focusing on invasive plants in forest ecosystems contributes to our understanding of biological invasions in general and vice versa. This section focuses on the ecological impacts of alien invasive plants on forest ecosystems the world over.

The first three chapters in this section are from Asia. In Chapter 8, Hossain examines the effects of alien invasive plants on hill forest ecosystems of Bangladesh. According to Hossain, in addition to invasive understory species, the introduction of alien tree species for plantation forestry has also threatened the integrity of natural forest ecosystems. The ecological status of some of the invasive plants in one of the biodiversity hotspots in the world, the Himalayas, is discussed by Kohli et al. (Chapter 9). They concluded that establishment and spread of invasive plants such as *Ageratum conyzoides, Lantana camara*, and *Parthenium hysterophorus* have displaced native plant species and deteriorated the quality of native forest ecosystems in the region. In Chapter 10, Fang and Wan describe ecological impacts and management considerations of the major invasive pests with several examples. The invasive pests, including plants, cost China more than US\$7 billion annually. These authors attributed the successful invasion and spread of the invasive species to anthropogenic factors, including intentional introduction and lack of rapid response mechanisms for eradicating potential invasive pests.

In Chapter 11, Nichols and Bristow discuss the invasive plants of subtropical and tropical Australian forests. Weeds cost Australia at least AU\$3 billion per year, and this estimate is only for the cost of control and of losses due to agricultural and pastoral weeds. According to the authors, in the subtropical rainforest area, *L. camara* and *Cinnamomum camphora* (camphor laurel) often dominate much of the land-scape. Although *C. camphora* aggressively colonizes areas that could support rainforest or mesic eucalypt forests, forming multistemmed thickets of trees with little commercial value, it also colonizes bare land and degraded pastures, creating

conditions amenable for rainforest regeneration. Lantana has been threatening moist eucalypt forests and rainforests, and an estimated 80 plant species are threatened by the extensive coverage of the landscape by lantana. However, at the same time lantana has also become a keystone species for many species of animals. These authors also discuss the pine plantations in Australia, which cover \sim 1 million ha, and ask the question if these species are invasive as well.

In Chapter 12, Schrader and Starfinger focus on intentional introductions and the procedures of pest risk analysis for alien plants in European forests. They describe an approach to evaluate the probability of establishment and spread of invasive alien plants and the magnitude of the associated potential economic and environmental consequences (risk assessment), and how to deal with the identified risk using the case study of *Prunus serotina*. They demonstrate that careless planting of alien trees such as *P. serotina* could lead to a variety of negative impacts on biodiversity and economic values. However, the forestry sector in Europe has long benefited from the use of nonnative tree species. According to these authors, reference to the ecological and economic damage posed by alien trees would not be sufficient to influence policy decisions and forest owners. They identify risk analysis as an effective and important step in dealing with the use of alien trees in forests.

A wide range of approaches and types of data have been used to inventorise and monitor invasive plants. Gray (Chapter 13), using the USDA Forest Service's Forest Inventory and Analysis data from forestlands in California, Oregon, and Washington, has shown that these data could be used not only to monitor the presence and spread of invasive plants, but also to assess relationships between the occurrence of invasive alien species and climatic, topographic, and stand variables. The results showed a high percentage of plots with alien species. According to the author, these results could be quite surprising to policy makers and the public, as many of these stakeholders regard most of the regions' forestlands as rather pristine and consider invasive species to still be an emerging threat.

The last chapter in this section (Chapter 14) by Collins and Jose addresses the changes in soil chemical properties as a result of invasion by cogongrass (Imperata cylindrica), one of the most notorious invasive plants of forest ecosystems of the southeastern United States. The ability of invasive species to alter soil biochemistry, both through nutrient acquisition and allelopathy, remains a relatively unanswered question in invasion ecology and could offer important insights to potential mechanisms for invasion success. Field studies were conducted at two sites, a logged site and an unlogged site in Florida, to test the effects of I. cylindrica invasion on soil chemical properties. Analysis of soil samples, taken pairwise (I. cylindrica invaded and noninvaded areas) at both sites, showed significant differences in soil NO₃-N, K⁺, and pH. Significantly lower levels of NO₃-N and K⁺ were observed in I. cylindrica patches than in the surrounding native vegetation. The authors attributed the lower levels of these nutrients to the extreme ability of I. cylindrica to extract available resources from the area it invaded. The soil of the *I. cylindrica* patch was more acidic than that of the surrounding native vegetation. Although no direct evidence of any mechanisms responsible for lowering soil pH in I. cylindrica invaded patches was given, the authors suspected allelopathy or the preferential uptake of ammonium as a plausible mechanism.

1.4 MANAGEMENT OF INVASIVE PLANTS

This section begins with a discussion of the adaptive collaborative restoration concept of invasive plant management (Chapter 15). Miller and Schelhas reiterate the need for a concerted holistic effort that integrates science with management to predict, manage, and mitigate the spread of invasive species. The adaptive collaborative restoration approach incorporates elements from three key ecosystem management trends from the 1990s: adaptive management, collaborative management, and restoration management. Collaborating across institutional and property boundaries and across local and national levels to carry out the complex tasks of detection, prevention, eradication, and restoration of invasive species through a science-based adaptive learning process could be the key to effective invasive plant management. While it could always be a work in progress, this approach provides a framework with the potential to successfully combat invasive species.

The ecology and management of *I. cylindrica*, one of the 10 most troublesome weeds in the world and perhaps the worst weed of natural ecosystems, are discussed in Chapter 16 by MacDonald. This grass is considered a weedy pest in over 73 countries and is observed in every continent except Antarctica. Following an account of the biology and impacts of *I. cylindrica*, management strategies are discussed in detail. Although preventive, cultural, mechanical, biological, and chemical measures are identified and described, an integrated approach using multiple methods is recommended as the most effective way to manage *I. cylindrica* infestations. In Chapter 17, Jenkins and Johnson describe the alien invasive plant management program at the Great Smoky Mountains National Park in Tennessee as a case study of alien plant management in the U.S. National Park System. Since 2000, the National Park Service (NPS) has created 16 exotic plant management teams to assist 209 national parks with exotic plant control. Between 1999 and 2004, the NPS controlled alien plants on over 76,000 ha. According to the authors, ~1 million ha still require control across the National Park System.

In Chapter 18, Beck focuses on the invasive weeds of Colorado forests and rangeland. Following a description of the forest types and rangelands and their current status, he discusses the major invasive plants and the current state of weed management efforts. Beck concludes that there has been progress in engaging more private and public land managers and landowners in the battle against invasive plants, albeit at a slow pace. He identified insufficient financial resources as one of the major limitations in Colorado and elsewhere in the United States in the battle against invasive species. The ecology and management of tropical Africa's forest invaders are discussed by Bosu et al. in Chapter 19. The introduction of alien plant species to tropical Africa dates as far back as the fifteenth century when the first Europeans arrived on the shores of the continent, but active and passive introductions of new species have continued throughout the centuries. Many of these introduced species now comprise a major proportion of the food, fiber, and wood resources on the continent. These authors describe some of the most troublesome invasive plants of tropical Africa and explain their management strategies. According to them, African scientists have realized the need to enhance the capacity and readiness to combat the spread of forest invasives on the continent, in particular with the

formation of the Forest Invasive Species Network for Africa (FISNA). FISNA seeks to bring all forest health experts on the continent to work toward achieving the common objective of invasive species management.

1.5 SOCIOECONOMIC AND POLICY ASPECTS

The two chapters in this section address the socioeconomic and policy aspects of invasive species management. Joubert (Chapter 20) opens the section with a description of forest ecosystems and the current status of invasive plant problems in Namibia, one of the driest African countries south of the Sahara. According to the author, aridity and associated low population density have resulted in a relatively modest invasive plant problem in Namibia; however, a combination of propagule pressure and increasing invasibility of forest ecosystems in the north could escalate the problem. Joubert reviews the current policies and legislation regarding invasive alien species and their control and concludes that effective policies and programs need to be in place to prevent the introduction of likely invaders and the eradication of populations that are still in their establishment phase, so that potential economic and ecological losses can be avoided.

In their chapter, Freeman et al. (Chapter 21) explore the economics, law, and policy of invasive species management in the United States. The threats posed by invasive species to natural resources and to the economy are discussed first, followed by an exploration into the historical evolution of U.S. invasive species policy. The policy mechanisms in place to prevent new invasions and to manage existing ones are also discussed. They conclude the chapter by commenting on future directions for invasive species management in the United States.

1.6 CONCLUSION

It is clear that both deliberate and inadvertent introductions of alien plants have caused significant changes in structure and the function of forest ecosystems around the world. Many ecological functions are supported by a suite of species that are characteristic of a particular ecosystem. Alien invaders tend to alter the characteristic species composition of ecosystems, often by forming monospecific stands. The chapters in this volume make one appreciate the gravity of the situation, in particular, in forested ecosystems. Although commonalities exist in the mode of introduction and the spreading of alien invaders in new habitats, the extent of damage by the invaders varies depending on the socioeconomic and ecological realities of the affected regions. Although a vast majority of the alien invaders are considered harmful, some of them have formed alternate steady-state communities and have become keystone species in certain ecosystems. However, all authors agree that invasive plant management should be a priority in the management of forested ecosystems so that their health and integrity can be sustained. Although public awareness is increasing, policy-guided action plans are necessary to address the invasive species problem so that serious economic and ecological threats can be alleviated.

REFERENCES

- Cadotte, M.W., McMahon, S.M., and Fukami, T., Conceptual Ecology and Invasion Biology: Reciprocal Approaches to Nature, Springer, Dordrecht, Netherlands, 505, 2006.
- Carlton, J.T., Biological invasions and cryptogenic species, *Ecology*, 77, 6, 1653, 1996.
- D'Antonio, C.M. and Vitousek, P.M., Biological invasions by exotic grasses, the grass/fire cycle, and global change, *Annu. Rev. Ecol. Syst.*, 23, 63, 1992.
- Elton, C.S., *The Ecology of Invasions by Animals and Plants*, The University of Chicago Press, Chicago, IL, 181, 1958.
- Ewel, J.J., O'Dowd, D.J., Bergelson, J., Daehler, C.C., D'Antonio, C.M., Gomez, L.D., Gordon, D.R., Hobbs, R.J., Holt, A., Hopper, K.R., Hughes, C.E., LaHart, M., Leakey, R.R.B., Lee, W.G., Loope, L.L., Lorence, D.H., Louda, S.M., Lugo, A.E., McEvoy, P.B., Richardson, D.M., and Vitousek, P.M., Deliberate introductions of species: Research needs, *BioScience*, 49, 8, 619, 1999.
- Lockwood, J., Hoopes, M., and Marchetti, M., *Invasion Ecology*, Wiley-Blackwell, New York, 312, 2006.
- Mack, R.N., Simberloff, D., Lonsdale, W.M., Evans, H., Clout, M., and Bazzaz, F.A., Biotic invasions: Causes, epidemiology, global consequences, and control, *Ecol. Appl.*, 10, 3, 689, 2000.
- McNeely, J.A., Mooney, H.A., Neville, L.E., Schei, P., and Waage, J.K., Eds., A Global Strategy on Invasive Alien Species, IUCN, Gland, Switzerland, UK, 2001.
- Mooney, H.A. and Hobbs, R.A., *Invasive Species in a Changing World*, Island Press, Washington, DC, 384, 2000.
- Mooney, H.A., Mack, R.N., McNeely, J.A., Neville, L.E., Schei, P.J., and Waage, J.A., *Invasive Alien Species: A New Synthesis*, Island Press, Washington, DC, 368, 2005.
- Myers, J.H. and Bazley, D., *Ecology and Control of Introduced Plants*, Cambridge University Press, New York, 328, 2003.
- Pimentel, D., Biological Invasions: Ecological and Environmental Cost of Alien Plant Animal and Microbe Species, CRC Press, Boca Raton, FL, 369, 2002.
- Pimentel, D., Zuniga, R., and Morrison, D., Update on the environmental and economic costs associated with alien-invasive species in the United States, *Ecol. Econ.*, 52, 3, 273, 2005.
- Pyšek, P., Richardson, D., and Jarošík, V., Who cites who in the invasion zoo: Insights from an analysis of the most highly cited papers in invasion ecology, *Preslia*, 78, 437, 2006.
- Richardson, D.M., Pyšek, P., Rejmánek, M., Barbour, M.G., Panetta, F.D., and West, C.J., Naturalization and invasion of alien plants: Concepts and definitions, *Divers. Distrib.*, 6, 93, 2000.
- Ruiz, G.M. and Carlton, J., *Invasive Species: Vectors and Management Strategies*, Island Press, Washington, DC, 484, 2003.
- Sax, D.F., Stachowicz, J.J., and Gaines, S.D., Species Invasions: Insights into Ecology, Evolution and Biogeography, Sinauer, Sunderland, MA, 495, 2005.
- Shrader-Frechette, K., Non-indigenous species and ecological explanation, *Biol. Philos.*, 16, 507, 2001.
- Wilcove, D.S., Rothstein, D., Dubow, J., Phillips, A., and Losos, E., Quantifying threats to imperiled species in the United States, *BioScience*, 48, 8, 607, 1998.

References

1 Chapter 1. Invasive Plants: A Threat to the Integrity and Sustainability of Forest Ecosystems

Cadotte, M.W., McMahon, S.M., and Fukami, T., Conceptual Ecology and Invasion Biology: Reciprocal Approaches to Nature, Springer, Dordrecht, Netherlands, 505, 2006.

Carlton, J.T., Biological invasions and cryptogenic species, Ecology, 77, 6, 1653, 1996.

D'Antonio, C.M. and Vitousek, P.M., Biological invasions by exotic grasses, the grass=fire cycle, and global change, Annu. Rev. Ecol. Syst., 23, 63, 1992.

Elton, C.S., The Ecology of Invasions by Animals and Plants, The University of Chicago Press, Chicago, IL, 181, 1958.

Ewel, J.J., O'Dowd, D.J., Bergelson, J., Daehler, C.C., D'Antonio, C.M., Gomez, L.D., Gordon, D.R., Hobbs, R.J., Holt, A., Hopper, K.R., Hughes, C.E., LaHart, M., Leakey, R.R.B., Lee, W.G., Loope, L.L., Lorence, D.H., Louda, S.M., Lugo, A.E., McEvoy, P.B., Richardson, D.M., and Vitousek, P.M., Deliberate introductions of species: Research needs, BioScience, 49, 8, 619, 1999.

Lockwood, J., Hoopes, M., and Marchetti, M., Invasion Ecology, Wiley-Blackwell, New York, 312, 2006.

Mack, R.N., Simberloff, D., Lonsdale, W.M., Evans, H., Clout, M., and Bazzaz, F.A., Biotic invasions: Causes, epidemiology, global consequences, and control, Ecol. Appl., 10, 3, 689, 2000.

McNeely, J.A., Mooney, H.A., Neville, L.E., Schei, P., and Waage, J.K., Eds., A Global Strategy on Invasive Alien Species, IUCN, Gland, Switzerland, UK, 2001.

Mooney, H.A. and Hobbs, R.A., Invasive Species in a Changing World, Island Press, Washington, DC, 384, 2000.

Mooney, H.A., Mack, R.N., McNeely, J.A., Neville, L.E., Schei, P.J., and Waage, J.A., Invasive Alien Species: A New Synthesis, Island Press, Washington, DC, 368, 2005.

Myers, J.H. and Bazley, D., Ecology and Control of Introduced Plants, Cambridge University Press, New York, Pimentel, D., Biological Invasions: Ecological and Environmental Cost of Alien Plant Animal and Microbe Species, CRC Press, Boca Raton, FL, 369, 2002.

Pimentel, D., Zuniga, R., and Morrison, D., Update on the environmental and economic costs associated with alien-invasive species in the United States, Ecol. Econ., 52, 3, 273, 2005.

Pyšek, P., Richardson, D., and Jarošík, V., Who cites who in the invasion zoo: Insights from an analysis of the most highly cited papers in invasion ecology, Preslia, 78, 437, 2006.

Richardson, D.M., Pyšek, P., Rejmánek, M., Barbour, M.G., Panetta, F.D., and West, C.J., Naturalization and invasion of alien plants: Concepts and definitions, Divers. Distrib., 6, 93, 2000.

Ruiz, G.M. and Carlton, J., Invasive Species: Vectors and Management Strategies, Island Press, Washington, DC, 484, 2003.

Sax, D.F., Stachowicz, J.J., and Gaines, S.D., Species Invasions: Insights into Ecology, Evolution and Biogeography, Sinauer, Sunderland, MA, 495, 2005.

Shrader-Frechette, K., Non-indigenous species and ecological explanation, Biol. Philos., 16, 507, 2001.

Wilcove, D.S., Rothstein, D., Dubow, J., Phillips, A., and Losos, E., Quantifying threats to imperiled species in the United States, BioScience, 48, 8, 607, 1998.

2 Chapter 2. Mechanisms of Plant Invasion: A Review

Agrawal, A.A. and Kotanen, P.M., Herbivores and the success of exotic plants: A phylogenetically controlled experiment, Ecol. Lett., 6, 712, 2003.

Bakker, J. and Wilson, S., Competitive abilities of introduced and native grasses, Plant Ecol., 157, 117, 2001.

Blossey, B. and Notzold, R., Evolution of increased competitive ability in invasive nonindigenous plants: A hypothesis, J. Ecol., 83, 887, 1995.

Blumenthal, D.M., Interrelated causes of plant invasion: Resources increase enemy release, Science, 310, 243, 2005.

Brewer, J.S. and Cralle, S.P., Phosphorus addition reduces invasion of a longleaf pine savanna (Southeastern USA) by a non-indigenous grass (Imperata cylindrica), Plant Ecol., 167, 237, 2003.

Callaway, R.M. and Aschehoug, E.T., Invasive plants versus their new and old neighbors: A mechanism for exotic invasion, Science, 290, 521, 2000.

Callaway, R.M. and Ridenour, W.M., Novel weapons: Invasive success and the evolution of increased competitive ability, Front. Ecol. Environ., 2, 8, 436, 2004.

Callaway, R.M., Thelen, G.C., Rodriguez, A., and Holben, W.E., Soil biota and exotic plant invasion, Nature, 427, 731, 2004.

Chikoye, D. and Ekeleme, F., Cogongrass suppression by intercropping cover crops on corn=cassava systems, Weed Sci., 49, 658, 2001.

Colautti, R.I., Ricciardi, A., Grigorovich, I.A., and MacIsaac, H.J., Does the enemy release hypothesis predict invasion success? Ecol. Lett., 7, 721, 2004.

Davis, M.A., Grime, J.P., and Thompson, K., Fluctuating resources in plant communities: A general theory of invasibility, J. Ecol., 88, 528, 2000.

DeWalt, S.J., Denslow, J.S., and Ickles, K., Natural-enemies release facilitates habitat expansion of invasive tropical shrub Clidemia hirta, Ecology, 85, 2, 471, 2004.

- Dietz, H. and Edwards, P.J., Recognition that causal processes change during plant invasion helps explains conflicts in evidence, Ecology, 87, 6, 1359, 2006.
- Elton, C., The Ecology of Invasions by Animals and Plants, University of Chicago Press, Chicago, IL, 1958.
- Eussen, J.H.H., Some competition experiments with alang-alang [Imperata cylindrica (L.) Beauv.] in replacement series, Oecologia, 40, 351, 1979.
- Eussen, J.H.H. and Wirjahardia, S., Studies of an alang-alang, Imperata cylindrica (L.) Beauv. vegetation, Biotrop. Bull., 6, 1, 1973.
- Fargione, J. and Tilman, D., Diversity decreases invasion via both sampling and complementarity effects, Ecol. Lett., 8, 604, 2005.
- Gray, A., The predominance of pertinacity of weeds, Am. J. Sci. Arts, 118, 161, 1879.
- Grime, J.P., Plant Strategies and Vegetation Processes, Wiley, New York, 1979.
- Hanfling, B. and Kollmann, J., An evolutionary perspective of biological invasions, Trends Ecol. Evol., 17, 12, 545, 2002.
- Hierro, J.L., Maron, J.L., and Callaway, R.M., A biogeographical approach to plant invasions: The importance of studying exotics in their introduced and native range, J. Ecol., 93, 5, 2005.
- Higgins, S.I., Richardson, D.M., Cowling, R.M., and Trinder-Smith, T.H., Predicting the landscape-scale distribution of alien plants and their threat to plant diversity, Conserv. Biol., 13, 303, 1999.
- Hobbs, R.J., The nature and effects of disturbance relative to invasions, in Biological Invasions: A Global Perspective, Drake, J.A., Mooney, H.A., di Castri, F., Groves, R.H., Kruger, F.J., Rejmanek, M., and Williamson, M., Eds., Wiley, Chichester, UK, 389, 1989.
- Hobbs, R.J., Disturbance as a precursor to weed invasion in native vegetation, Plant Prot. Q., 6, 99, 1991.
- Hughes, R., Vitousek, P.M., and Tunison, T., Alien grass

invasion and fire in the seasonal submontane zone of Hawaii, Ecology, 72, 743, 1991.

Keane, R.M. and Crawley, M.J., Exotic plant invasions and the enemy release hypothesis, Trends Ecol. Evol., 17, 164, 2002.

Kennedy, T., Naeem, S., Howe, K., Knops, J., Tilman, D., and Reich, P., Biodiversity as a barrier to ecological invasion, Nature, 417, 636, 2002.

Lambers, H., Chapin, F.S., III, and Pons, T.L., Eds., Plant Physiological Ecology, SpringerVerlag, New York, 2, 1998.

LeJeune, K.D. and Seastedt, T.R., Centaurea species: The forb that won the west, Conserv. Biol., 15, 6, 1568, 2001.

Levine, J. and D'Antonio, C.M., Elton revisited: A review of evidence linking diversity to invasibility, Oikos, 87, 15, 1999.

Lewis, P.A., DeLoach, C.J., Knutson, A.E., Tracy, J.L., and Robbins, T.O., Biology of Diorhaba elongata deserticola (Coleoptera: Chrysomelidae), an Asian leaf beetle for biological control of saltcedars (Tamarix spp.) in the United States, Biol. Control, 27, 101, 2003.

Lonsdale, W.M., Global patterns of plant invasions and the concept of invasibility, Ecology, 80, 5, 1522, 1999.

Mack, R.N., Simberloff, D., Lonsdale, W.M., Evans, H., Clout, M., and Bazzaz, F.A., Biotic invasions: Causes, epidemiology, global consequences, and control, Ecol. Appl., 10, 3, 689, 2000.

Marler, M.J., Zabinksi, C.A., and Callaway, R.M., Mycorrhizae indirectly enhance competitive effects of an invasive forb on a native bunchgrass, Ecology, 80, 1180, 1999.

Maron, J.L. and Vila, M., When do herbivores affect plant invasion? Evidence for the natural enemies and biotic resistance hypotheses, Oikos, 95, 361, 2001.

Milabau, A., Nijs, I., De Raedemaecker, F., Reheul, D., and De Cauwer, B., Invasion in grassland gaps: The role of neighbourhood richness, light availability and species complementarity during two successive years, Funct. Ecol., 19, 27, 2005. Parker, J.D., Burkepile, D.E., and Hay, M.E., Opposing effects of native and exotic herbivores on plant invasions, Science, 311, 1459, 2006.

Parker, M.A., Mutualism as a constraint on invasion success for legumes and rhizobia, Divers. Distrib., 7, 125, 2001.

Reinhart, K.O. and Callaway, R.M., Soil biota and invasive plants, New Phytol., 170, 445, 2006.

Rejmanek, M., Invasibility of plant communities, in Biological Invasions. A Global Perspective, Drake, J.A., Mooney, H.A., di Castri, F., Groves, R.H., Kruger, F.J., Rejamnek, M., and Wiliamson, M., Eds., Wiley, Chichester, UK, 369, 1989.

Rejmanek, M. and Richardson, D.M., What attributes make some plant species more invasive, Ecology, 77, 6, 1655, 1996.

Ridenour, W.M. and Callaway, R.M., The relative importance of allelopathy in interference: The effect of an invasive weed on a native bunchgrass, Oecologia, 126, 444, 2001.

Roche', B.F., Jr., Roche', C.T., and Chapman, R.C., Impacts of grassland habitat on yellow starthistle (Centaurea solstitialis L.) invasion, Northwest Sci., 68, 86, 1994.

Rose, M. and Hermanutz, L., Are boreal ecosystems susceptible to alien plant invasion? Evidence from protected areas, Oecologia, 139, 467, 2004.

Simberloff, D. and Von Holle, B., Positive interactions of nonindigenous species: Invasional meltdown? Biol. Invasions, 1, 21, 1999.

Smith, M., Wilcox, J., Kelly, T., and Knapp, A.K., Dominance not richness determines invasibility of tallgrass prairie, Oikos, 106, 253, 2004.

Smith, M.D. and Knapp, A.K., Exotic plant species in a C4-dominated grassland: Invasibility, disturbance and community structure, Oecologia, 120, 605, 1999.

Stachowicz, J.J., Fried, H., Osman, R.W., and Whitlach, R.B., Reconciling pattern and process in marine bioinvasions: How important is diversity in determining community invasibility? Ecology, 83, 2575, 2002.

Standish, R.J., Robertson, A.W., and Williams, P.A., The

impact of an invasive weed Tradescantia fluminensis on native forest regeneration, J. Appl. Ecol., 38, 1253, 2001.

Stohlgren, T.J., Barrett, D.T., and Kartesz, J.T., The rich get richer: Patterns of plant invasions in the United States, Front. Ecol. Environ., 1, 1, 11, 2003.

Stohlgren, T.J., Binkley, D., Chong, G.W., Kalkhan, M.A., Schell, L.D., Bull, K.A., Otsuki, Y., Newman, G., Bashkin, M., and Son, Y., Exotic plant species invade hot spots of native plant diversity, Ecol. Monogr., 69, 25, 1999.

Tilman, D., Niche tradeoffs, neutrality, and community structure: A stochastic theory of resource competition, invasion, and community assembly, Proc. Natl. Acad. Sci., 101, 30, 2004.

Vitousek, P.M., Biological invasions and ecosystem properties: Can species make a difference? in Ecology of Biological Invasions of North America and Hawaii, Mooney, H.A. and Drake, J.A., Eds., Springer-Verlag, New York, 163, 1986.

Vitousek, P.M. and Walker, L.R., Biological invasion by Myrica faya in Hawaii: Plant demography, nitrogen fixation, ecosystem effects, Ecol. Monogr., 59, 247, 1989.

Vitousek, P.M., Walker, L.R., Whiteaker, L.D., Mueller-Dombois, D., and Matson, P.A., Biological invasion by Myrica faya alters ecosystem development in Hawaii, Science, 238, 802, 1987.

Williamson, M., Biological Invasions, Chapman & Hall, London, 1996.

Williamson, M., Invasions, Ecography, 22, 5, 1999.

Williamson, M. and Fitter, A., The varying success of invaders, Ecology, 77, 6, 1661, 1996.

Wiser, S.K., Allen, R.B., Clinton, P.W., and Platt, K.H., Community structure and forest invasion by an exotic herb over 23 years, Ecology, 79, 2071, 1998.

3 Chapter 3. Relationship of Invasive Groundcover Plant Presence to Evidence of Disturbance in the Forests of the Upper Midwest of the United States

Akaike, H., A new look at the statistical model identification, IEEE Trans. Automat. Contr., 19, 6, 716, 1974.

Amrine, J.W., Multiflora rose, in Biological Control of Invasive Plants in the Eastern United States, Van Driesche, R., Blossey, B., Hoddle, M., Lyon, S., and Reardon, R., Eds., USDA Forest Service Publication FHTET-2002–04, Washington, DC, 265, 2002.

Booth, B.D., Murphy, S.D., and Swanton, C.J., Weed Ecology in Natural and Agricultural Systems, CABI, Wallingford, 2003.

Crawley, M.J., Brown, S.L., Heard, M.S., and Edwards, G.G., Invasion-resistance in experimental grassland communities: Species richness or species identity? Ecol. Lett., 2, 140, 1999.

Daehler, C.C., Darwin's naturalization hypothesis revisited, Am. Nat., 158, 324, 2001.

Daehler, C.C., Performance's comparisons of co-occurring native and alien invasive plants: Implications for conservation and restoration, Annu. Rev. Ecol. Syst., 34, 183, 2003.

Della Sala, D.A., Stans, N.L., Stritthott, J.R., Hackman, A., and Lacobelli, A. An updated protected areas database for the United States and Canada, Nat. Areas J., 21, 124, 2001.

Drake, J.A., Mooney, H.A., Di Castri, F., Groves, R.H., Kruger, F.J., Rejmánek, M., and Williamson, M., Biological Invasions: A Global Perspective, Wiley, Chichester, UK (published on behalf of the Scientific Committee on Problems of the Environment (SCOPE) of the International Council of Scientific Unions, Series SCOPE report, no. 37), 1989.

Ellstrand, N.C. and Schierenbeck, K.A., Hybridization as a stimulus for the evolution of invasiveness in plants? Proc. Natl. Acad. Sci. USA, 97, 7043, 2000.

Elton, C.S., The Ecology of Invasions by Animals and Plants, University of Chicago Press, Chicago, IL, 1958.

ESRI Data & Maps, 2002. CD-Rom, Environment Systems Research Institute, Inc. 2002.

Evans, J.E., A literature review of management practices for multiflora rose (Rosa multiflora), Nat. Areas J., 3, 1, 6, 1983.

Fagan, M.E. and Peart, D.R., Impact of the invasive shrub glossy buckthorn (Rhamnus frangula L.) on juvenile recruitment by canopy trees, For. Ecol. Manage., 194, 1–2, 95, 2004.

Forman, R.T.T. and Alexander, L.E., Roads and their major ecological effects, Ann. Rev. Ecol. Syst., 29, 207, 1998.

Gelbard, J.L. and Belnap, J., Roads as conduits for exotic plant invasions in a semiarid landscape, Conserv. Biol., 17, 2, 420, 2003.

Harrington, R.A., Brown, B.J., Reich, P.B., and Fownes, J.H., Ecophysiology of exotic and native shrubs in Southern Wisconsin. II. Annual growth and carbon gain, Oecologia, 80, 368, 1989.

Heilman, G.E., Slosser, N.C., and Strittholt, J.R., Forest intactness of the coterminous United States (CD-ROM database prepared for the World Wildlife Fund and the World Resources Institute's Global Forest Watch), Conservation Biology Institute, Corvallis, OR, 2001.

Hodkinson, D.J. and Thompson, K., Plant dispersal: The role of man, J. Appl. Ecol., 34, 1484, 1997.

Hood, W.G. and Naiman, R.J., Vulnerability of riparian zones to invasion by exotic plants, Plant Ecol., 148, 105, 2000.

Hulme, P.E., Biological invasions: Winning the science battles but losing the conservation war? Oryx, 37, 178, 2003.

Huston, M.A. and DeAngelis, D.L., Competition and coexistence—The effects of resource transport and supply rates, Am. Nat., 144, 954, 1994.

Johnson, P.S., Shifley, S.R., and Rogers, R., The Ecology and Silviculture of Oaks, CABI Publishing, New York, 501, 2002.

Kowarik, I., Time lags in biological invasions with regard to the success and failure of alien species, in Plant Invasions: General Aspects and Special Problems, Pyšek, P., Prach, K., Rejmanek, M., and Wade, M., Eds., SPB Academic, Amsterdam, 15, 1995.

Leatherman, A.D., Ecological life-history of Lonicera japonica Thunb., University of Tennessee, Knoxville, TN, 97, 1955 (unpublished dissertation).

Levine, J.M. and D'Antonio, C.M., Elton revisited: A review of evidence linking diversity and invasibility, Oikos, 87, 1, 15, 1999.

Lonsdale, W.M., Global patterns of plant invasions and the concept of invasibility, Ecology, 80, 1522, 1999.

Luken, J.O., Population structure and biomass allocation of the naturalized shrub Lonicera maackii (Rupr.) Maxim. in forest and open habitats, Am. Midl. Nat., 119, 2, 258, 1988.

Luken, J.O. and Goessling, N., Seedling distribution and potential persistence of the exotic shrub Lonicera maackii in fragmented forests, Am. Midl. Nat., 133, 1, 124, 1995.

Magurran, A.E., Ecological diversity and its measurement. Princeton University Press, Princeton, New Jersey, 192, 35, 1988.

McCarthy, B., Response of a forest understory community to experimental removal of an invasive nonindigenous plant (Alliaria petiolata, Brassicaceae), in Assessment and Management of Plant Invasions, Luken, J.O. and Thieret, J.W., Eds., Springer-Verlag, New York, 117, 1997.

McGarigal, K. and Marks, B.J., FRAGSTATS: Spatial pattern analysis program for quantifying landscape structure, USDA, Forest Service Pacific Northwest Research Station, Gen. Tech. Rep. 351, Portland, OR, 122, 1995.

McRoberts, R.E., Joint annual forest inventory and monitoring symposium: The North Central perspective, J. For., 97, 12, 27, 1999.

Meekins, J.F. and McCarthy, B.C., Competitive ability of Alliaria petiolata (garlic mustard, Brassicacaeae), an invasive, nonindigenous forest herb, Int. J. Plant Sci., 160, 4, 743, 1999.

Missouri Department of Conservation, Missouri vegetation management manual, Jefferson City, MO, 161, 1997.

Mitich, L.W., Intriguing world of weeds: Kudzu (Pueraria lobata (Willd.) Ohwi), Weed Technol., 14, 231, 2000.

Moser, W.K., Hansen, M.H., McWilliams, W., and Sheffield, R., Oak composition and structure in the Eastern United States, in Fire in Eastern Oak Forests: Delivering Science to Land Managers (Proceedings of a conference, November 15–17, 2005, Columbus, OH), Dickinson, M.B., Ed., Gen. Tech. Rep. NRS-P-1, U.S. Department of Agriculture, Forest Service, Northern Research Station, Newtown Square, PA, 49, 2006.

Munger, G.T., Rosa multiflora, in Fire effects information system [Online], U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer), Missoula, MT, 2002. Available at http:==www.fs.fed.us=database=feis=, accessed November 15, 2007.

North Central Research Station, Forest Inventory and Analysis (NCRS-FIA), Forest Inventory and Analysis National Core Field Guide, Volume 1: Field Data Collection Procedures for Phase 2 Plots, Ver. 2.0., USDA, Forest Service North Central Research Station, St. Paul, MN, 290, 2005.

Nuzzo, V.A., Distribution and spread of the invasive biennial Alliaria petiolata [(Bieb.) Cavara & Grande] in North America, in Biological Pollution: Control and Impact of Invasive Exotic Species, McKnight, B.L., Ed., Indiana Academy of Sciences, Indianapolis, IN, 115, 1993.

Nuzzo, V.A., Invasion pattern of the herb garlic mustard (Alliaria petiolata) in high quality forests, Biol. Invasions, 1, 1, 169, 1999.

Olson, C.L. and Cholewa, A.F., Nonnative invasive plant species of the North Central region. A guide for FIA field crews, USDA, Forest Service, St. Paul, MN, 120, 2005 (unpublished field guide).

Plant Conservation Alliance, Various species' websites, U.S. Department of the Interior, Bureau of Land Management, Plant Conservation Alliance, Alien Plant Working group, Washington, DC. Available at http:==www.nps.gov=plants=alien=fact.htm, accessed September 24, 2007, 2006.

Pyšek, P., Past and future of predictions in plant invasions: A field test by time, Divers. Distrib., 7, 145, 2001.

Pyšek, P. and Hulme, P.E., Spatio-temporal dynamics of plant invasions: Linking pattern to process, Ecoscience, 12, 345, 2005.

Reineke, L.H., Perfecting a stand-density index for even-aged stands, J. Agric. Res., 46, 627, 1933.

Rejmánek, M., Invasibility of plant communities, in Biological Invasions: A Global Perspective, Drake, J.A., Mooney, H.A., di Castri, F., Groves, R.H., Kruger, F.J., Rejmanek, M., and Williamson, M., Eds., Wiley, Chichester, UK, 369, 1989.

Rhoads, A.F. and Block, T.H., The Plants of Pennsylvania, An Illustrated Manual, Morris Arboretum of the University of Pennsylvania, University of Pennsylvania Press, Philadelphia, PA, 1060, 2000.

Richardson, D.M. and Bond, W.J., Determinants of plant-distribution—Evidence from pine invasions, Am. Nat ., 137, 639, 1991.

Richardson, D.M. and Pyšek, P., Plant invasions: Merging the concepts of species invasiveness and community invasibility, Prog. Phys. Geogr., 30, 3, 409, 2006.

Rudis, V.A., Gray, A., McWilliams, W., O'Brien, R., Olson, C., Oswalt, S., and Schulz, B., Regional monitoring of nonnative plant invasions with the Forest Inventory and Analysis program, in Proceedings of the Sixth Annual FIA Symposium (September 21–24, 2004, Denver, CO), McRoberts, R.E., Reams, G.A., Van Deusen, P.C., and McWilliams, W.H., Eds., Gen. Tech. Rep. WO-70, U.S. Department of Agriculture, Forest Service, Washington, DC, 49, 2006.

Sax, D.F., Latitudinal gradients and geographic ranges of exotic species: Implications for biogeography, J. Biogeogr., 28, 139, 2001.

Shannon, C.E., A mathematical theory of communication, Bell System Tech. J., 27, 379, 1948.

U.S. Department of Agriculture, The PLANTS database, Natural Resource Conservation Service, National Plant Data Center, Baton Rouge, LA, 2007. Available at http:== plants.usda.gov, accessed September 24, 2007.

Watkins, R.Z., Chen, J., Pickens, J., and Brosofske, K.D., Effects of roads on understory plants in a managed hardwood landscape, Conserv. Biol., 17, 2, 411, 2003.

Webster, C.R., Jenkins, M.A., and Jose, S., Woody invaders and the challenges they pose to forest ecosystems in the eastern United States, J. For., 104, 7, 366, 2006.

Woodall, C.W. and Miles, P.D., New method for determining the relative stand density of forest inventory plots, in Proceedings of the Sixth Annual Forest Inventory and Analysis Symposium (September 21–24, 2004, Denver, CO), McRoberts, R.E., Reams, G.A., Van Deusen, P.C., and McWilliams, W.H., Eds., Gen. Tech. Rep. WO-70, U.S. Department of Agriculture Forest Service, Washington, DC, 105, 2006.

4 Chapter 4. Invasion Pattern of Exotic Plants in Forest Ecosystems

Barden, L.S., Invasion of microstegium vimineum (Poaceae), an exotic, annual, shade-tolerant, C4 grass, into a North Carolina floodplain, Am. Midl. Nat., 118, 40, 1987.

Brothers, T.S. and Spingarn, A., Forest fragmentation and alien plant invasion of central Indiana old-growth forests, Conserv. Biol., 6, 91, 1992.

Chornesky, E.A., Bartuska, A.M., Aplet, G.H., et al., Science priorities for reducing the threat of invasive species to sustainable forestry, Bioscience, 55, 335, 2005.

Deckers, B., Verheyen, K., Hermy, M., and Muys, B., Effects of landscape structure on the invasive spread of black cherry in an agricultural landscape in Flanders, Belgium, Ecography, 28, 99, 2005.

Hanowski, J.M., Niemi, G.J., and Christian, D.C., Influence of within-plantation heterogeneity and surrounding landscape composition on avian communities in hybrid populations, Conserv. Biol., 11, 936, 1997.

Jules, E.S., Kaufmann, M.J., Ritts, W., and Carroll, A.L., Spread of an invasive pathogen over a variable landscape: A non-native root rot on Port Orford cedar, Ecology, 83, 3167, 2002.

Kentucky Division of Geographic Information, http:==kymartian.ky.gov=, accessed October 2007.

Kolb, A., Alpert, P., Enters, D., and Holzapfel, C., Patterns of invasion within a grassland community, J. Ecol., 90, 871, 2002.

Kotanen, P.M., Effects of experimental soil disturbance on revegetation by natives and exotics in coastal Californian meadows, J. Appl. Ecol., 34, 631, 1997.

Lodge, D.M., Biological invasions: Lessons from ecology, Trends Ecol. Evol., 13, 195, 1993.

Mack, M.C. and D'Antonio, C.M., Impacts of biological invasions on disturbance regimes, Trends Ecol. Evol., 13, 195, 1998.

Mooney, H.A. and Hobbs, R.J., Invasive Species in a ChangingWorld, Island Press, Washington, DC, 2000.

Pimentel, D., Lach, L., Zuniga, R., and Morrison, D., Environmental and economic costs of nonindigenous species in the United States, Bioscience, 50, 53, 2000.

Silveri, A., Dunwiddie, P.W., and Michaels, H.J., Logging and edaphic factors in the invasion of an Asian woody vine in a mesic North American forest, Biol. Invasions, 3, 379, 2001.

U.S. Geological Survey (USGS), http:==seamless.usgs.gov=, accessed October 2007.

With, K.A., The landscape ecology of invasive spread, Conserv. Biol., 16, 1192, 2002.

5 Chapter 5. Spatial and Temporal Dynamics of Exotic Tree Invasions: Lessons from a Shade-Tolerant Invader, Acer platanoides

Abrams, M.D. and Scott, M.L., Disturbance-mediated accelerated succession in two Michigan forest types, For. Sci., 35, 1, 1989.

Anderson, R., Disturbance as a factor in the distribution of sugar maple and the invasion of Norway maple into a modified woodland, Rhodora, 101, 264, 1999.

Andow, D., Spread of invading organisms: Patterns of spread, in Evolution of Insect Pests: The Pattern of Variations, Kim, K.C., Ed., Wiley, New York, 219, 1993.

Andow, D.A., Kareiva, P.M., Levin, S.A., and Okubo, A., Spread of invading organisms, Landscape Ecol., 4, 177, 1990.

Bergelson, J., Newman, J.A., and Floresroux, E.M., Rates of weed spread in spatially heterogeneous environments, Ecology, 74, 999, 1993.

Bertin, R.I., Manner, M.E., Larrow, B.F., Cantwell, T.W., and Berstene, E.M., Norway maple (Acer platanoides) and other non-native trees in urban woodlands of central Massachusetts, J. Torrey Bot. Soc., 132, 225, 2005.

Braithwaite, R.W., Lonsdale, W.M., and Estbergs, J.A., Alien vegetation and native biota in tropical Australia: The impact of Mimosa pigra, Biol. Conserv., 48, 189, 1989.

Brown, K.A., Scatena, F.N., and Gurevitch, J., Effects of an invasive tree on community structure and diversity in a tropical forest in Puerto Rico, Forest Ecol. Manage., 226, 145, 2006.

Bruce, K.A., Cameron, G.N., and Harcombe, P.A., Initiation of a new woodland type on the Texas coastal prairie by the Chinese tallow tree (Sapium sebiferum (L.) Roxb.), Bull. Torrey Bot. Club, 122, 215, 1995.

Buckley, D.S., Crow, T.R., Nauertz, E.A., and Schulz, K.E., Influence of skid trails and haul roads on understory plant richness and composition in managed forest landscapes in Upper Michigan, USA, Forest Ecol. Manage., 175, 509, 2003.

Burns, R.M. and Honkala, B.H., Silvics of North America: 1.

- Conifers; 2. Hardwoods, Agriculture Handbook 654, U.S. Department of Agriculture, Forest Service, Washington, DC, 2, 1990.
- Call, L.J. and Nilsen, E.T., Analysis of spatial patterns and spatial association between the invasive tree-of-heaven (Ailanthus altissima) and the native black locust (Robina pseudoacacia), Am. Midl. Nat., 150, 1, 2003.
- Fagan, M.E. and Peart, D.R., Impact of the invasive shrub glossy buckthorn (Rhamnus frangula L.) on juvenile recruitment by canopy trees, Forest Ecol. Manage., 194, 95, 2004.
- Fang, W., Spatial analysis of an invasion front of Acer platanoides: Dynamic interferences from static data, Ecography, 28, 283, 2005.
- Foxcroft, L.C., Rouget, M., Richardson, D.M., and Fadyen, S.M., Reconstructing 50 years of Opuntia stricta invasion in the Kruger national park, South Africa: Environmental determinants and propagule pressure, Divers. Distrib., 10, 427, 2004.
- Frappier, B., Eckert, R.T., and Lee, T.D., Potential impacts of the invasive exotic shrub Rhamnus frangula L. (glossy buckthorn) on forests of southern New Hampshire, Northeast. Nat., 10, 277, 2003a.
- Frappier, B., Lee, T.D., Olson, K.F., and Eckert, R.T., Small-scale invasion pattern, spread rate, and lag-phase behavior of Rhamnus frangula L., Forest Ecol. Manage., 186, 1, 2003b.
- Gordon, A.G. and Rowe, D.C.F., Seed Manual for Ornamental Trees and Shrubs, Her Majesty's Stationary Office, London, 80, 1982.
- Harrington, R.A., Brown, B.J., and Reich, P.B., Ecophysiology of exotic and native shrubs in Southern Wisconsin. I. Relationship of leaf characteristics, resource availability, and phenology to seasonal patterns of carbon gain, Oecologia, 80, 356, 1989.
- Higgins, S.I., Nathan, R., and Cain, M.L., Are long-distance dispersal events in plants usually caused by nonstandard means of dispersal? Ecology, 84, 1945, 2003.
- Higgins, S.I. and Richardson, D.M., A review of models of alien plant spread, Ecol. Model., 87, 249, 1996.

Kloeppel, B.D. and Abrams, M.D., Ecophysiological attributes of the native Acer saccharum and the exotic Acer platanoides in urban oak forest in Pennsylvania, USA, Tree Physiol., 15, 739, 1995.

Knapp, L.B. and Canham, C.D., Invasion of an old-growth forest in New York by Ailanthus altissima: Sapling growth and recruitment in canopy gaps, J. Torrey Bot. Soc., 127, 307, 2000.

Knopf, F.L., Avian assemblages on altered grasslands, Stud. Avian Biol., 15, 247, 1994.

Lichstein, J.W., Grau, H.R., and Aragon, R., Recruitment limitation in secondary forests dominated by an exotic tree, J. Veg. Sci., 15, 721, 2004.

Loehle, C., Competitive displacement of trees in response to environmental change or introduction of exotics, Environ. Manage., 32, 106, 2003.

Martin, P.H., Norway maple (Acer platanoides) invasion of a natural forest stand: Understory consequence and regeneration pattern, Biol. Invasions, 1, 215, 1999.

Matlack, G.R., Diaspore size, shape, and fall behavior in wind-dispersed plant species, Am. J. Bot., 74, 1150, 1987.

Meiners, S.J., Seed and seedling ecology of Acer saccharum and Acer platanoides: A contrast between native and exotic congeners, Northeast. Nat., 12, 23, 2005.

Milstein, R.L., Mackinac Island State Park, Michigan, in Geological Society of America Centennial Field Guide—North Central Section, Briggs, D.L., Ed., Geological Society of America, Boulder, CO, 285, 1987.

Moody, M.E. and Mack, R.N., Controlling the spread of plant invasions: The importance of nascent foci, J. Appl. Ecol., 25, 1009, 1988.

Neubert, M.G. and Caswell, H., Demography and dispersal: Calculation and sensitivity analysis of invasion speed for structured populations, Ecology, 81, 1613, 2000.

Nowak, D.J. and Rowntree, R.A., History and range of Norway maple, J. Arboriculture, 16, 291, 1990.

Orwig, D.A. and Foster, D.R., Forest response to the

introduced hemlock woolly adelgid in southern New England, USA, J. Torrey Bot. Soc., 125, 60, 1998.

Paynter, Q., Downey, P.O., and Sheppard, A.W., Age structure and growth of the woody legume weed Cytisus scoparius in native and exotic habitats: Implications for control, J. Appl. Ecol., 40, 470, 2003.

Radosevich, S.R., Stubbs, M.M., and Ghersa, C.M., Plant invasions—Process and patterns, Weed Sci., 51, 254, 2003.

Reichard, S. and Hamilton, C., Predicting invasions of woody plants introduced into North America, Conserv. Biol., 11, 1993, 1997.

Reinhart, K.O., Greene, E., and Callaway, R.M., Effects of Acer platanoides invasion on understory plant communities and tree regeneration in the northern Rocky Mountains, Ecography, 28, 573, 2005.

Reinhart, K.O., Maestre, F.T., and Callaway, R.M., Facilitation and inhibition of seedlings of an invasive tree (Acer platanoides) by different tree species in a mountain ecosystem, Biol. Invasions, 8, 231, 2006.

Rice, S.K., Westerman, B., and Federici, R., Impacts of the exotic, nitrogen-fixing black locust (Robinia pseudoacacia) on nitrogen-cycling in a pine-oak ecosystem, Plant Ecol., 174, 97, 2004.

Richardson, D.M., Williams, P.A., and Hobbs, R.J., Pine invasions in the Southern Hemisphere: Determinants of spread and invadability, J. Biogeogr., 21, 511, 1994.

Rilov, G., Benayahu, Y., and Gasith, A., prolonged lag in population outbreak of an invasive mussel: A shifting habitat model, Biol. Invasions, 6, 347, 2004.

Rouget, M., Richardson, D.M., Nel, J.L., and Van Wilgen, B.W., Commercially important trees as invasive aliens—Towards spatially explicit risk assessment at a national scale, Biol. Invasions, 4, 397, 2002.

Rouget, M., Richardson, D.M., Milton, S.J., and Polakow, D., Predicting invasion dynamics of four alien Pinus species in a highly fragmented semi-arid shrubland in South Africa, Plant Ecol., 152, 79, 2004.

Sanford, N.L., Harrington, R.A., and Fownes, J.H., Survival and growth of native and alien woody seedlings in open and

- understory environments, Forest Ecol. Manage., 183, 377, 2003.
- Shigesada, N., Kawasaki, K., and Takeda, Y., Modelling stratified diffusion in biological invasions, Am. Nat., 146, 229, 1995.
- Silander, J.A., Jr. and Klepeis, D.M., The invasion ecology of Japanese barberry (Berberis thunbergii) in the New England landscape, Biol. Invasions, 1, 189, 1999.
- Spooner, P.G., Lunt, I.D., and Briggs, S.V., Spatial analysis of anthropogenic disturbance regimes and roadside shrubs in a fragmented agricultural landscape, Appl. Veg. Sci., 7, 61, 2004.
- Suarez, A.V., Holway, D.A., and Case, T.J., Patterns of spread in biological invasions dominated by long-distance jump dispersal: Insights from Argentine ants, Proc. Natl. Acad. Sci., 98, 1095, 2001.
- Wangen, S.R. and Webster, C.R., Potential for multiple lag phases during biotic invasions: Reconstructing an invasion of the exotic tree Acer platanoides, J. Appl. Ecol., 43, 258, 2006.
- Wangen, S.R., Webster, C.R., and Griggs, J.A., Spatial characteristics of the invasion of Acer platanoides on a temperate forested island, Biol. Invasions, 8, 1001, 2006.
- Webb, S.L., Dwyer, M.E., Kaunzinger, C.K., andWyckoff, P.H., The myth of the resilient forest: Case study of the invasive Norway maple (Acer platanoides), Rhodora, 102, 332, 2000.
- Webb, S.L. and Kauzinger, C.K., Biological invasion of the Drew University (New Jersey) Forest Preserve by Norway maple (Acer platanoides L.), Bull. Torrey Bot. Club, 120, 343, 1993.
- Webb, S.L., Pendergast, T.H., and Dwyer, M.E., Response of native and exotic maple seedling banks to removal of the exotic, invasive Norway maple (Acer platanoides), J. Torrey Bot. Soc., 128, 141, 2001.
- Webb, S.L. and Scanga, S.E., Windstorm disturbance without patch dynamics: Twelve years of change in a Minnesota forest, Ecology, 82, 893, 2001.
- Webster, C.R., Jenkins, M.A., and Jose, S., Woody invaders

and the challenges they pose to forest ecosystems in the eastern United States, J. Forestry, 104, 366, 2006.

Webster, C.R., Nelson, K., and Wangen, S.R., Stand dynamics of an insular population of an invasive tree, Acer platanoides, Forest Ecol. Manage., 208, 85, 2005.

Whitney, G.D., Soil Survey of Mackinac County, Michigan, USDA Natural Resource Conservation Service, Washington, DC, 1997.

With, K.A., The landscape ecology of invasive spread, Conserv. Biol., 16, 1192, 2002.

Wyckoff, P.H. and Webb, S.L., Understory influence of the invasive Norway maple (Acer Platanoides), Bull. Torrey Bot. Club, 123, 197, 1996.

6 Chapter 6. Invasive Species and the Resiliency of a Riparian Environment

Adams, C.R. and Galatowitsch, S.M., Phalaris arundinacea (reed canary grass): Rapid growth and growth pattern in conditions approximating newly restored wetlands, Ecoscience, 12, 569, 2005.

Allegheny National Forest (ANF), Allegheny National Wild and Scenic River: River Management Plan, USDA Forest Service, Warren, PA, 1996.

Allen, C.R., Gunderson, L., and Johnson, A.R., The use of discontinuities and functional groups to assess relative resilience in complex systems, Ecosystems, 8, 958, 2005.

Alpert, P., Bone, E., and Holzapfel, C., Invasiveness, invisibility and the role of environmental stress in the spread of non-native plants, Perspect. Plant Ecol. Evol. Syst., 3, 52, 2000.

Apfelbaum, S.I. and Sams, C.E., Ecology and control of reed canary grass (Phalaris arundinaceae L.), Nat. Area. J., 7, 69, 1987.

Babbitt, E.L., The Allegheny Pilot, 1st ed., Babbitt, Freeport, PA, 1855.

Barnes, W.J., Vegetation dynamics on the floodplain of the lower Chippewa River in Wisconsin, J. Torrey Bot. Soc., 124, 189, 1997.

Beerling, D.J., Bailey, J.P., and Conolly, A.P., Fallopia japonica (Houtt.) Ronse Decraene (Reynoutria japonica Houtt.; Polygonum cuspidatum Sieb. & Zucc.), J. Ecol., 82, 959, 1994.

Bendix, J. and Hupp, C.R., Hydrological and geomorphological impacts on riparian plant communities, Hydrol. Process., 14, 2977, 2000.

Bram, M.R. and McNair, J.N., Seed germinability and its seasonal onset of Japanese knotweed (Polygonum cuspidatum), Weed Sci., 52, 759, 2004.

Carpenter, S.R., Westley, F., and Turner, M.G., Surrogates for resilience of social-ecological systems, Ecosystems, 8, 941, 2005.

Cerutti, J.R., Soil Survey of Warren and Forest Counties,

Pennsylvania, USDA Soil Conservation Service, Washington, DC, 1985.

Cowell, C.M. and Dyer, J.M., Vegetation development in a modified riparian environment: Human imprints on an Allegheny River Wilderness. Ann. Assoc. Am. Geogr., 92, 189, 2002.

Cowell, C.M. and Stoudt, R.T., Dam-induced modifications to upper Allegheny River streamflow patterns and their biodiversity implications, J. Am. Water Resour. Assoc., 38, 187, 2002.

Cronon, W., The trouble with wilderness or, getting back to the wrong nature, Environ. Hist., 1, 7, 1996.

Cronon, W., The riddle of the Apostle Islands: How do you manage a wilderness full of human stories? Orion, 22, 36, 2003.

Cumming, G.S., Barnes, G., Perz, S., Schmink, M., Sieving, K.E., Southworth, J., Binford, M., Holt, R.D., Stickler, C., and Van Holt, T., An exploratory framework for the empirical measurement of resilience, Ecosystems, 8, 975, 2005.

Drever, C.R., Peterson, G., Messier, C., Bergeron, Y., and Flannigan, M., Can forest management based on natural disturbance maintain ecological resilience? Can. J. For. Res., 36, 2285, 2006.

Dyer, J.M., Revisiting the deciduous forests of eastern North America, Bioscience, 56, 341, 2006.

Elton, C.S., The Ecology of Invasion by Animals and Plants, Methuen, London, 1958, Chapter 6.

Folke, C., Carpenter, S., Walker, B., Scheffer, M., Elmqvist, T., Gunderson, L., andHolling, C.S., Regime shifts, resilience, and biodiversity in ecosystem management, Annu. Rev. Ecol. Evol. Syst., 35, 557, 2004.

Forys, E.A. and Allen, C.R., Functional group change within and across scales following invasions and extinctions in the Everglades ecosystem, Ecosystems, 5, 339, 2002.

Gifford, A.L.S., Ferdy, J.B., and Molofsky, J., Genetic composition and morphological variation among populations of the invasive grass, Phalaris arundinacea, Can. J. Bot., 80, 779, 2002.

- Grime, J.P., Plant Strategies, Vegetation Processes, and Ecosystem Properties, 2nd ed., Wiley, Chichester, UK, 2001, Chapters 1 and 2.
- Hack, J.T. and Goodlett, J.C., Geomorphology and Forest Ecology of a Mountain Region in the Central Appalachians, Geological Survey Professional Paper 347, U.S. Government Printing Office, Washington, DC, 1960.
- Hierro, J.L., Maron, J.L., and Callaway, R.M., A biogeographical approach to plant invasions: The importance of studying exotics in their introduced and native range, J. Ecol., 93, 5, 2005.
- Holling, C.S., Resilience and stability in ecological systems, Annu. Rev. Ecol. Syst., 4, 1, 1973.
- Hulme, P.E., Biological invasions: Winning the science battles but losing the conservation war? Oryx, 37, 178, 2003.
- Hupp, C.R., Upstream variation in bottomland vegetation patterns, northwestern Virginia, B. Torrey Bot. Club, 113, 421, 1986.
- Hupp, C.R. and Osterkamp, W.R., Bottomland vegetation distribution along Passage Creek, Virginia, in relationship to fluvial landforms, Ecology, 66, 670, 1985.
- Hupp, C.R. and Osterkamp, W.R., Riparian vegetation and fluvial geomorphic processes, Geomorphology, 14, 277, 1996.
- Johnson, W.C., Woodland expansion in the Platte River, Nebraska: Patterns and causes, Ecol. Monogr., 64, 45, 1994.
- Kercher, S.M. and Zedler, J.B., Multiple disturbances accelerate invasion of reed canary grass (Phalaris arundinacea L.) in a mesocosm study, Oecologia, 138, 455, 2004.
- Knutson, M.G. and Klaas, E.W., Floodplain forest loss and changes in forest community composition and structure in the upper Mississippi River: A wildlife habitat at risk, Nat. Area. J., 18, 138, 1998.
- Lavergne, S. and Molofsky, J., Reed canary grass (Phalaris arundinacea) as a biological model in the study of plant invasions, Crit. Rev. Plant Sci., 23, 415, 2004.

Lavoie, C., Jean, M., Delisle, F., and Létourneau, G., Exotic plant species of the St. Lawrence River wetlands: A spatial and historical analysis, J. Biogeogr., 30, 537, 2003.

Lindig-Cisneros, R. and Zedler, J.B., Phalaris arundinacea seedling establishment: Effects of canopy complexity in fen, mesocosm, and restoration experiments, Can. J. Bot., 80, 617, 2002.

Lodge, D.M., Williams, S., MacIsaac, H.J., et al., Biological invasions: Recommendations for U.S. policy and management, Ecol. Appl., 16, 2035, 2006.

Marston, R.A., Girel, J., Pautou, G., Piegay, H., Bravard, J.P., and Arneson, C., Channel metamorphosis, floodplain disturbance, and vegetation development: Ain River, France, Geomorphology, 13, 121, 1995.

Mayer, A.L. and Rietkerk, M., The dynamic regime concept for ecosystem management and restoration, Bioscience, 54, 1013, 2004.

Miller, J.R., Schulz, T.T., Hobbs, N.T., Wilson, K.R., Schrupp, D.L., and Baker, W.L., Changes in the landscape structure of a southeastern Wyoming riparian zone following shifts in stream dynamics, Biol. Conserv., 72, 371, 1995.

Miller, R.C. and Zedler, J.B., Responses of native and invasive wetland plants to hydroperiod and water depth, Plant Ecol., 167, 57, 2003.

Naiman, R.J., Décamps, H., and Pollock, M., The role of riparian corridors in maintaining regional biodiversity, Ecol. Appl., 3, 209, 1993.

Nilsson, C. and Berggren, K., Alteration of riparian ecosystems caused by river regulation, Bioscience, 50, 783, 2000.

Noss, R.F., LaRoe, E.T., and Scott, J.M., Endangered ecosystems of the United States: A preliminary assessment of loss and degradation, Biological Report 28, U.S. Department of Interior, National Biological Service, Washington, DC, 1995.

Oliver, C.D. and Larson, B.C., Forest Stand Dynamics, McGraw Hill, New York, 1996.

Perry, L.G. and Galatowitsch, S.M., The influence of light

availability on competition between Phalaris arundinaceae and a native wetland sedge, Plant Ecol., 170, 73, 2004.

Prieur-Richard, A.H. and Lavorel, S., Invasions: The perspective of diverse plant communities, Aust. Ecol., 25, 1, 2000.

Pyšek, P. and Prach, K., Plant invasions and the role of riparian habitats: A comparison of four species alien to central Europe, J. Biogeogr., 20, 413, 1993.

Richardson, D.M. and Pyšek, P., Plant invasions: Merging the concepts of species invasiveness and community invisibility, Prog. Phys. Geogr., 30, 409, 2006.

Scheffer, M.S., Carpenter, S.R., Foley, J.A., Folke, C., and Walker, B., Catastrophic shifts in ecosystems, Nature, 413, 591, 2001.

Smith, T.L., An overview of old-growth forest in Pennsylvania, Nat. Area. J., 9, 40, 1989.

Sprugel, D.S., Disturbance, equilibrium, and environmental variability: What is ''natural'' vegetation in a changing environment? Biol. Conserv., 58, 1, 1991.

Stover, M.E. and Marks, P.L., Successional vegetation on abandoned cultivated and pastured land in Tompkins County, New York, J. Torrey Bot. Soc., 125, 150, 1998.

Tickner, D.P., Angold, P.G., Gurnell, A.M., and Mountford, J.O., Riparian plant invasions: Hydrogeomorphological control and ecological impacts, Prog. Phys. Geog., 25, 22, 2001.

Vale, T.R., The American Wilderness: Reflections on Nature Protection in the United States, University of Virginia Press, Charlottesville, VA, 2005, Chapter 10.

Vitousek, P.M., Walker, L.R., Whiteaker, L.D., Mueller-Dombois, D., and Matson, P.A., Biological invasion by Myrica faya alters ecosystem development in Hawaii, Science, 238, 802, 1987.

Walker, B.S., Carpenter, S., Anderies, J., Abel, N., Cumming, G.S., Janssen, M., Lebel, L., Norberg, J., Peterson, G.D., and Pritchard, R., Resilience management in socialecological systems: A working hypothesis for a participatory approach, Conserv. Ecol., 6, 14, 2002 [online]. Available at http:==www.ecologyandsociety.org=vol6=iss1=art14=print.pdf.

Weston, L.A., Barney, J.N., and DiTommaso, A., A review of the biology and ecology of three invasive perennials in New York State: Japanese knotweed (Polygonum cuspidatum), mugwort (Artemisia vulgaris) and pale swallow-wort (Vincetoxicum rossicum), Plant Soil, 277, 53, 2005.

White, P.S. and Jentsch, A., The search for generality in studies of disturbance and ecosystem dynamics, Prog. Bot., 62, 399, 2001.

Wiegman, P.G. and Lutz, K.A., Establishment Record for the Crull's Island Research Natural Area within the Allegheny National Forest, Warren County, Pennsylvania, USDA Forest Service, Warren, PA, 1988.

7 Chapter 7. Biogeography of Invasive Plant Species in Urban Park Forests

Adams, D.W., Restoring American Gardens, Timber Press, Portland, OR, 419, 2004.

Bailey, L.H., Bailey, E.Z., and Staff of Liberty Hyde Bailey Hortorium, Hortus Third, Macmillan, New York, 1290, 1976.

Braun, E.L., Deciduous Forests of Eastern North America, Hafner, New York, 596, 1950.

Cook, R. and Tancredi, J., Management strategies for increasing habitat and species diversity in an urban national park, in Environmental Restoration: Science and Strategies for Restoring the Earth, Berger, E., Ed., Island Press, Washington, DC, 171, 1990.

DeCandido, R.V., Recent changes in plant species diversity in Pelham Bay Park, Bronx County, New York City, 1947–1998, Ph.D. Dissertation, City University of New York, New York, 2001.

Dehnen-Schmutz, K., Medieval castles as centers of spread of non-native plant species, in Plant Invasions: Ecological Mechanisms and Human Responses, Starfinger, U., Edwards, K., Kowarik, I., and Williamson, M., Eds., Backhuys, Leiden, 307, 1998.

Dickson, J.H., Interpretations of the patterns: City lovers, city haters and neutrals, in The Changing Flora of Glasgow Urban and Rural Plants Through the Centuries, Dickson, J.H., Macpherson, P., and Watson, K.J., Eds., Edinburgh University Press, Edinburgh, 290, 2000.

Drayton, B.E., Changes in the flora of the Middlesex Fells, 1894–1993, M.A. Thesis, Boston University, Boston, MA, 1993.

Drayton, B.E. and Primack, R.B., Plant species lost in an isolated conservation area in metropolitan Boston from 1894–1993, Biol. Conserv. 107, 30, 1996.

Fairmont Park Commission, Fairmount Park system: Natural lands restoration master plan, Vol. 1, Fairmont Park Commission, Philadelphia, PA, 1999 (unpublished report).

Fleming, P. and Kanal, R., Annotated checklist of vascular plants of Rock Creek Park, National Park Service,

Washington, DC, Castanea 60, 283, 1995.

Foy, C.L., Forney, D.R., and Cooley, W.E., History of weed introductions, in Exotic Plant Pests and North American Agriculture, Academic Press, New York, Chap. 4, 1983.

Grapow, L., Di Marzio, C.P., and Blasi, C., The importance of alien and native species in the urban flora of Rome (Italy), in Plant Invasions: Species Ecology and Ecosystem Management, Brundu, G., Brock, J., Camarada, I., Child, L., and Wade, M., Eds., Backhuys, Leiden, 209, 2001.

Haruska,K.,A comparative analysis of the urbanflora of Italy,Braun-Blanquetia, 3, 45, 1989.

Horwitz, R.J., Rhoads, A., and Schuyler, A.E., Species list, Natural Lands Restoration and Environmental Education Program, Fairmont Park Commission, Philadelphia, PA, 2004 (unpublished report).

Kartesz, J.T., A Synonymized Checklist of the Vascular Flora of the United States, Canada, and Greenland, Timber Press, Portland, OR, 342, 1999.

Kowarik, I., Some responses of flora and vegetation to urbanization in central Europe, in Urban Ecology, Sukopp, H., Ed., SPB Academic, Amsterdam, 45, 1990.

Kowarik, I., On the role of alien species in urban flora and vegetation, in Plant Invasions: General Aspects and Special Problems, Pysek, P., Prach, K., Rejmanek, M., and Wade, P.M., Eds., SPB Academic, Amsterdam, 85, 1995.

Kuhn, I., Brandl, R., and Kotz, S., The flora of German cities is naturally species rich, Evol. Ecol. Res. 6, 749, 2004.

Leighton, A., American Gardens of the Nineteenth Century, University of Massachusetts Press, Amherst, MA, 395, 1987.

Loeb, R.E., Long-term arboreal change in a landscaped forest, Central Park, New York, J. Arbor. 19, 238, 1993.

Loeb, R.E., Evidence of prehistoric corn (Zea mays) and hickory (Carya spp.) planting in New York City: Vegetation history of Hunter Island, Bronx County, New York, J. Torrey Bot. Soc. 125, 74, 1998.

McKinney, M.L., Urbanization as a major cause of biotic homogenization, Biol. Conserv. 127, 247, 2006.

McKinney, M.L. and Lockwood, J.L., Community composition and homogenization: Evenness and abundance of native and exotic plant species, in Species Invasions: Insights into Ecology, Evolution, and Biogeography, Sax, S.V., Stachowicz, J.J., and Gaines, S.D., Eds., Sinauer, Sunderland, MA, 365, 2005.

National Academy Press, Predicting Invasions of Nonindigenous Plants and Plant Pests, National Academy Press, Washington, DC, 194, 2002.

National Park Service, U.S. Department of the Interior, Resource management plan, Rock Creek Park, Washington, DC, 466, 1996 (unpublished report).

Natural Resources Group, Natural areas management plan: Pelham Bay Park, Bronx, City of New York, Parks and Recreation, New York, 40, 1988 (unpublished report).

Natural Resources Group, Natural areas management plan: Van Cortlandt Park, Bronx, City of New York, Parks and Recreation, New York, 47, 1990 (unpublished report).

Pielou, E.C., The Interpretation of Ecological Data: A Primer on Classification and Ordination, Wiley, New York, 263, 1984.

Profous, G.V. and Loeb, R.E., Vegetation and plant communities of Van Cortlandt Park, Bronx County, New York, Bull. Torrey Bot. Club, 111, 80, 1984.

Pyšek, P., Alien and native species in central European urban floras: A quantitative comparison, J. Biogeogr., 25, 155, 1998.

Redman, D.E., An annotated checklist of the vascular flora of Oregon Ridge Park, Baltimore County, Maryland, Maryland Nat., 43, 1, 1999.

Robinson, G.R., Yurlina, M.E., and Handel, S.N., A century of change in the Staten Island flora: Ecological correlates of species losses and invasions, Bull. Torr. Bot. Club, 121, 119, 1994.

Sukopp, H., Urban ecology and its application in Europe, in Urban Ecology, Sukopp, H., Ed., SPB Academic, Amsterdam, 1, 1990.

Tancredi, J.T., Coastal zone management practices at an

urban national park, Environ. Manage., 7, 143, 1983.

United States Department of Agriculture Natural Resources Conservation Service, Invasive and noxious weeds list. Retrieved August 25, 2007 from http:==plants.usda.gov=index.html.

United States National Parks Service Alien Plant Working Group, Mid-Atlantic list of alien plant invaders, 2007. Retrieved August 25, 2007 from http:==www.nps. gov=plants=alien=list= midatlantic.htm.

Venezia, K. and Cook, R.P., Flora of Gateway Natural Recreation Area, United States National Parks Service, Gateway National Recreation Area, Division of Natural Resources and Compliance, New York, 40, 1991 (unpublished report).

8 Chapter 8. Alien Invasive Plant Species and Their Effects on Hill Forest Ecosystems of Bangladesh

- ADB (Asian Development Bank), Forest Institutions, Forestry Master Plan, ADB (TA No. 1355-Ban), UNDP=FAO BGD 88=025, Ministry of Environment and Forest, Government of Bangladesh, 191, 1992.
- ADB (Asian Development Bank), Forestry Master Plan: Main Plan-93=2012, Vol. 1, Ministry of Environment and Forest, Government of Bangladesh, 162, 1993.
- Alam, M.K., Annoted checklist of the woody flora of Sylhet forests, Bulletin 5, Plant Taxonomy Series, Bangladesh Forest Research Institute, Chittagong, 153, 1988.
- Ali, S.B., Plant introduction—A continuous process, in Two Centuries of Plant Studies in Bangladesh and Adjacent Regions, Nurul Islam, A.K.M., Ed., Asiatic Society of Bangladesh, Dhaka, 195, 1991.
- Ameen, M., Development of guiding principles for the prevention of impacts of alien species, Paper presented at a consultative workshop in advance of the fourth meeting of SBSTTA to the CBD, IUCN Bangladesh, Dhaka, May 25, 1999.
- Amin, S.M.R., Ali, M.O., and Fattah, M.I.M., Eds., Eucalypts in Bangladesh, in Proceedings of Seminar at Bangladesh Agricultural Research Council, Dhaka, April 6, 1994, 73, 1995.
- Ara, S., Gafur, M.A., and Islam, K.R., Growth and biomass production performance of Acacia auriculiformis and Eucalyptus camaldulensis reforested in the denuded hilly lands, Bangladesh J. Bot., 18, 2, 187, 1989.
- Barua, S.P., Khan, M.M.H., and Reza, A.H.M.A., The status of alien invasive species in Bangladesh and their impact on the ecosystem, in Report of Workshop on Alien Invasive Species, GBF-SSEA, Colombo, Balakrishna, P., Ed., IUCN Regional Biodiversity Programme, Asia, Colombo, Sri Lanka, 1, 2001.
- Biswas, S.R., Choudhury, J.K., Nishat, A., and Rahman, M.M., Do invasive plants threaten the Sundarbans mangrove forest of Bangladesh? For. Ecol. Manage., 245, 1, 2007.
- Davidson, J., Ecological aspects of Eucalyptus plantations, in Proceedings of the Regional Expert Consultation on

Eucalyptus, RAP publication, 1996=44, Vol. 1, 35–72, October 4–8, FAO Bangkok, Thailand, 1993.

Dogra, K.S., Kohli, R.K., Batish, D., and Singh, H.P., Status of exotic invasive plants in Kangra district of Himachal Pradesh (India), Bull. Environ. Sci., I, II, 13, 2004.

Evans, J., Plantation Forestry in Tropics, 2nd ed., Clarendon, Oxford, 403, 1992.

Hossain, M.K., Role of plantation forestry in the rehabilitation of degraded and secondary hill forests of Bangladesh, in Proceedings of the IUFRO Inter-Divisional Seoul Conference on Forest Ecosystem and Land use in Mountain Areas, October 12–17, 1998, Seoul, 243, 1998.

Hossain, M.K. and Pasha, M.K., An account of the exotic flora of Bangladesh, J. For. Environ., 2, 99, 2004.

Hossain, M.K., Islam, S.A., Zashimuddin, M., Tarafdar, M.A., and Islam, Q.N., Growth and biomass production of some Acacia and Eucalyptus species in degenerated sal forest areas of Bangladesh, Indian For., 123, 3, 211, 1997.

Hossain, M.K., Hossain, M.S., and Aryal, U.K., Initial growth performance of eight provenances of Acacia auriculiformis at Chittagong University Campus, Bangladesh, Indian For., 124, 4, 256, 1998.

Hughes, C.E., Risks of species introductions in tropical forestry, Commonw. For. Rev., 73, 4, 243, 1994.

Islam, A.K.M.N., Two Centuries of Plant Studies in Bangladesh and Adjacent Regions, Asiatic Society of Bangladesh, Dhaka, 299, 1991.

Kanowski, P.J. and Savill, P.S., Forest plantations: Towards sustainable practice, in Plantation Politics: Forest Plantations in Development, Sargent, C. and Bass, S., Eds., Earthscan, London, Chapter 6, 121, 1992.

Khan, M.S. and Afza, S.K., A taxonomic report on the angiospermic flora of Teknaf and St. Martin's Island, Dhaka Univ. Stud., 16, B, 25, 1968.

Khan, M.S., Rahman, M.M., Huq, A.M., and Mia, M.M.K., Assessment of biodiversity of Teknaf game reserve in Bangladesh focusing on economically and ecologically important plant species, Bangladesh J. Plant Taxonomy, 1, Kohli, R.K., Batish, D.R., Singh, H.P., and Dogra, K.S., Status, invasiveness and environmental threats of three tropical American invasive weeds (Parthenium hysterophorus L. Ageratum conyzoides L., Lantana camara L.) in India, Biol. Invasion, 8, VII, 1501, 2006.

Kohli, R.K., Dogra, K.S., Batish, D.R., and Singh, H.P., Impact of invasive plants on the structure and composition of natural vegetation of northwestern Indian Himalayas, Weed Technol., 18, 1296, 2004.

Ministry of Environment and Forest (MoEF), National Biodiversity Strategy and Action Plan for Bangladesh, Government of the People's Republic of Bangladesh, Bangladesh, 102, 2004.

Nath, T.K., Hossain, M.K., and Alam, M.K., Diversity and composition of trees in Sitapahar forest reserve of Chittagong Hill Tracts (South) forest division, Bangladesh, Ann. For., 6, 1, 1, 1998.

Singh, H.P., Batish, D.R., and Kohli, R.K., Allelopathic interactions and allelochemicals: New possibilities for sustainable weed management, Crit. Rev. Plant Sci., 22, 239, 2003.

9 Chapter 9. Ecological Status of Some Invasive Plants of Shiwalik Himalayas in Northwestern India

Achhireddy, N.R. and Singh, M., Allelopathic effects of lantana (Lantana camara) on milkweed vine (Morrenia odorata), Weed Sci., 32, 757, 1984.

Ambika, S.R., Poornima, S., Palaniraj, R., Sati, S.C., and Narwal, S.S., Allelopathic plants. 10. Lantana camara L., Allelopathy J., 12, 147, 2003.

Angiras, N.N., Tripathi, B., and Singh, C.M., Studies on chemical control of Ageratum sp., in Proceedings of Seminar on Control of Lantana and Ageratum, Singh, C.M. and Angiras, N.N., Eds., Himachal Pradesh Krishi Vishvwidyalaya, Palampur, 66, 1988.

Arora, R.K. and Kohli, R.K., Autotoxic impact of essential oils extracted from Lantana camara L., Biol. Plant., 35, 293, 1993.

Balokhra, J.M., The Wonderland: Himachal Pradesh, H.G. Publications, New Delhi, 1999.

Bansal, R.P., Bahl, J.R., Garg, S.N., Naqvi, A., Sharma, S., Muni, R., and Kumar, S., Variation in quality of essential oil distilled from vegetative and reproductive stages of Tagetes minuta crop grown in north Indian plains, J. Essent. Oil Res., 11, 747, 1999.

Batish, D.R., Singh, H.P., Kaur, S., and Kohli, R.K., Phytotoxicity of Ageratum conyzoides towards growth and nodulation of Cicer arietinum, Agric. Ecosyst. Environ., 113, 399, 2006.

Batish, D.R., Singh, H.P., Kohli, R.K., Johar, V., and Yadav, S., Management of invasive exotic weeds requires community participation, Weed Technol., 18, 1445, 2004.

Bennet, S.S.R., Naithani, H.P., and Raizada, M.B., Parthenium L. in India: Review and history, Indian J. For., 1, 128, 1978.

Crawley, M.J., Biodiversity, in Plant Ecology, Crawley, M.J., Ed., Blackwell Scientific, Oxford, UK, 595, 1997.

Day, M.D., Wiley, C.J., Playford, J., and Zalucki, M.P., Lantana: Current Management, Status and Future Prospects, Australian Centre for International Agricultural Research, Canberra, 2003.

- Dogra, K.S., Impact of some invasive species on the structure and composition of natural vegetation of Himachal Pradesh, Ph.D. Thesis, Panjab University, Chandigarh, 2007.
- Drake, J.A., Mooney, H.A., di-Castri, F., Groves, R.H., Kruger, F.J., Rejmanek, M., and Williamson, M., Biological Invasions: A Global Perspective, Wiley, Chichester, UK, 1989.
- GISD, Global Invasive Species Database. Available online at http:==www.issg.org=database, 2007.
- Heirro, J.L. and Callaway, R.M., Allelopathy and exotic plant invasion, Plant Soil, 256, 29, 2003.
- Herron, P.M., Martine, C.T., Latimer, A.M., and Leicht-Young, S.A., Invasive plants and their ecological strategies: Prediction and explanation of woody plant invasion in New England, Divers. Distrib., 13, 633, 2007.
- Holm, L., Doll, J., Holm, E., Pancho, J., and Herberger, J., World Weeds. Natural Histories and Distribution, Wiley, New York, 1997.
- Holm, L.G., Plucknett, D.L., Pancho, J.V., and Herberger, J.P., The World's Worst Weeds: Distribution and Biology, The University of Hawaii, Honolulu, HI, 1977.
- Khuroo, A.A., Rashid, I., Reshi, Z., Dar, G.H., and Wafai, B.A., The alien flora of Kashmir Himalaya, Biol. Invasions, 9, 269, 2007.
- Kil, J.-H., Shim, K.-C., and Lee, K.-J., Allelopathy of Tagetes minuta L. aqueous extracts on seed germination and root hair growth, Korean J. Ecol. Sci., 1, 171, 2002.
- Kohli, R.K., Batish, D.R., Singh, H.P., and Dogra, K.S., Status, invasiveness and environmental threats of three tropical American invasive weeds (Parthenium hysterophorus L., Ageratum conyzoides L., Lantana camara L.) in India, Biol. Invasions, 8, 1501, 2006.
- Kohli, R.K., Dogra, K.S., Batish, D.R., and Singh, H.P., Impact of invasive plants on the structure and composition of natural vegetation of northwestern Indian Himalayas, Weed Technol., 18, 1296, 2004.
- Kohli, R.K. and Rani, D., Parthenium hysterophorus—A

review, Res. Bull. (Sci.) Panjab Univ., 44, 105, 1994.

Kong, C., Hu, F., Xu, T., and Lu, Y., Allelopathic potential and chemical constituents of volatile oil from Ageratum conyzoides, J. Chem. Ecol., 25, 2347, 1999.

Kong, C., Hu, F., and Xu, X., Allelopathic potential and chemical constituents of volatile oil from Ageratum conyzoides under stress, J. Chem. Ecol., 28, 1173, 2002.

Lee, S.Y., Shim, K.C., and Kil, J.H., Phytotoxic effects of aqueous extracts and essential oils from southern marigold (Tagetes minuta), N.Z. J. Crop Hort. Sci., 30, 161, 2002.

Mack, R.N., Simberloff, D., Lonsdale, W.M., Evans, H., Clout, M., and Bazzaz, F.A., Biotic invasions: Causes, epidemiology, global consequences and control, Ecol. Appl., 10, 689, 2000.

Mersie, W. and Singh, M., Allelopathic effects of Lantana on some agronomic crops and weeds, Plant Soil, 98, 25, 1987.

Moore, P.D., Alien Invaders, Nature, 403, 492, 2000.

National Focal Point for APFISN, India, Stocktaking of National Forest Invasive Species Activities, India (India Country Report 101005), Ministry of Environment and Forests, New Delhi, 2005.

Okunade, A.L., Ageratum conyzoides L. (Asteraceae), Fitoterapia, 73, 1, 2002.

Pimentel, D., Zuniga, R., and Morrison, D., Update on the environmental and economic costs associated with alien invasive species in the United States, Ecol. Econ., 52, 273, 2005.

Rao, R.S., Parthenium a new record for India, J. Bombay Nat. Hist. Soc., 54, 218, 1956.

Sala, O.E., Chapin, F.S., III, Armesto, J.J., et al., Global biodiversity scenarios for the year 2100, Science, 287, 1770, 2000.

Scrivanti, L.R., Zunino, M.P., and Zygadlo, J.A., Tagetes minuta and Schinus areira essential oils as allelopathic agents, Biochem. Syst. Ecol., 31, 563, 2003.

Sharma, G.P., Raghuvanshi, A.S., and Singh, J.S., Lantana

invasion: An overview, Weed Biol. Manage., 5, 157, 2005a.

Sharma, G.P., Singh, J.S., and Raghuvanshi, A.S., Plant invasions: Emerging trends and future implications, Curr. Sci., 88, 726, 2005b.

Singh, B., Sood, R.P., and Singh, V., Chemical composition of Tagetes minuta L. oil from Himachal Pradesh (India), J. Essent. Oil Res., 4, 525, 1992.

Singh, M. and Achhireddy, N.R., Influence of Lantana on growth of various citrus rootstocks, HortScience, 22, 385, 1987.

Singh, H.P., Batish, D.R., Pandher, J.K., and Kohli, R.K., Assessment of allelopathic properties of Parthenium hysterophorus residues, Agric. Ecosyst. Environ ., 95, 537, 2003.

Singh, S.P., A review of biological suppression of Chromolaena odorata K & R in India, in Proceedings of the Fourth International Workshop on Biological Control and Management of Chromolaena odorata, Ferrar, P., Muniaapan, R. and Jayanth, K.P., Eds., University of Guam, Guam, 86, 1998.

Soule, J.A., Tagetes minuta: A potential new herb from South America, in New Crops, Janick, J. and Simon, J.E., Eds., Wiley, New York, 649, 1993.

Wadhwani, C. and Bhardwaja, T.N., Effect of Lantana camara L. extracts on fern spore germination, Experientia, 37, 245, 1981.

Wagner, W.L., Herbst, D.R., and Sohmer, S.H., Manual of the Flowering Plants of Hawaii, Revised ed., Two volumes, Bernice P. Bishop Museum Special Publication, University of Hawaii Press=Bishop Museum Press, Honolulu, HI, 1999.

Xuan, T.D., Shinkichi, T., Hong, N.H., Khanh, T.D., and Min, C.I., Assessment of phytotoxic action of Ageratum conyzoides L. (billy goat weed) on weeds, Crop Prot., 23, 915, 2004.

10 Chapter 10. Invasive Species and Their Impacts on Endemic Ecosystems in China*

- Bomford, M. and O'Brien, P., Eradication or control for vertebrate pests?Wildl. Soc. Bull., 23, 249, 1995.
- Che, J.D. and Guo, X.H., Canada goldenrod, Solidago Canadensis, Chin. Weed Sci., 1, 17, 1999.
- Fang, J.C., Advances in strategy and techniques of integrated pest management on rice, in Developmental Strategy of Plant Protection Facing the 21st Century, Chinese Science and Technology Press, Beijing, 326, 2001.
- Forestry Society of China, Status of forest insect pests and diseases occurring in 2001 and tendency of the pests in 2002, Newsl. Entomol. Soc. Jiangsu Prov., 1, 6, 2002.
- He, R.Q., Pest status of pine wood nematode and its management, For. Sci. Technol., 4, 5, 2000.
- Huan, Z.L. and Cao, H.L., Occurring and damage status of mile-a-minute weed in different habitats and forest, Chin. J. Trop. Subtrop. Plant, 8, 2, 131, 2000.
- Li, D.Q., Effect of ragweed on biodiversity, in Abstract of the First National Biodiversity Protection and Sustainable Utilization, Entomological Society of China, Beijing, 107, 1994.
- Li, J.S., Chang, G.B., Song, Y.S., Wang, Y.W., and Chang, B.S., Management of red turpentine beetle, Chin. For. Pest Dis., 20, 4, 41, 2001.
- Liu, L.H. and Xie, S.C., Distribution, damage and control approach of Ageratina adenophora in China, Acta Ecol. Sin., 5, 1, 1, 1985.
- Miao, Z.W., Zhou, W.M., Huo, F.Y., et al., Biology of red turpentine beetle, Shanxi For. Sci. Technol., 1, 34, 2001.
- Qiang, S. and Cao, X.Z., Investigation and analysis on alien invasive weeds in China, Chin. J. Plant Resour. Environ., 9, 4, 34, 2000.
- Wan, F.H. and Guan, G.Q., Ragweed and Integrated Management for the Ragweed, Chinese Science and Technology Press, Beijing, 1993.
- Wang, C.L., Current status and management strategy of

- exotic invasive insects and diseases, Newsl. Entomol. Soc. Jiangsu Prov., 1, 4, 2002.
- Wang, D.L., Review on plant chemical sensitiveness in ragweed, Chin. J. Ecol., 14, 4, 48, 1995.
- Wang, M.X., Cheng, L.C., and Song, Y.S., Pest risk analysis of pine wood nematode (Bursaphelenchus xylophilus) on Hunan forestry and ecological environment, For. Pest Dis., 20, 2, 42, 2001.
- Wu, J.L., Li, Y.F., Li, G., et al., Occurring and management of Canadian goldenrod (Solidago canadensis L.) in Jiangsu, Jiangsu J. Agric. Sci., 21, 1, 11, 2005.
- Wu, K.Q., Ecological equilibrium in the Dian'chi Lake area, Newsl. Domest. Lake Collab. Netw., 1, 47, 1993.
- Xie, Y. and Li, Z., Characteristics of alien invasive species in China. Available at http:==www.baohu.org (in Chinese), 2006.
- Yang, H.J., Xia, L.R., and Fang, J.C., Effect and application technique of imidacloprid against rice water weevil, Jiangsu J. Agric. Sci., 5, 47, 1997.

11 Chapter 11. Invasive Plants in Australian Forests, with an Emphasis on Subtropics and Tropics

Adkins, S.W. and Walker, S.R., Challenges and future approaches to weed management, in Australian Weed Management Systems, Sindel, B.M., Ed., Cooperative Research Centres for Weed Management Systems, R.B. and F.J. Richardson, Melbourne, VIC, 481, 2000.

Agriculture and Resource Management Council of Australia and New Zealand (ARMCANZ), Australian and New Zealand Environment and Conservation Council and Forestry Ministers, TheNationalWeeds Strategy: A strategic approach toweed problems of national significance, National Weeds Strategy Executive Committee, Canberra, ACT, 1999.

Anonymous, Southeast Queensland environmental weeds strategy 2000–2005, Department of Natural Resources, Brisbane, QLD, 2002.

ARMCANZ and ANZECC, Weeds of national significance: Rubber vine (Cryptostegia grandiflora) strategic plan, National Weeds Strategy Executive Committee, Launceston, 2001.

Australian Bureau of Statistics, Measuring Australia's progress, ABS Catalogue No. 1370.0, Commonwealth of Australia, Canberra, ACT, 2002.

Australian National Botanic Gardens (ANBG), Environmental weeds in Australia, http:== www.anbg.gov.au=weeds=weeds.html, 2006.

Australian National Parks and Wildlife Service (ANPWS), Plant invasions: The incidence of environmental weeds in Australia, Part 1: A status review and management directions, Commonwealth of Australia, Canberra, ACT, 1991.

Batianoff, G.N. and Butler, D.W., Assessment of invasive naturalised plants in south-east Queensland, Plant Prot. Q., 17, 1, 27, 2002.

Bebawi, F.F., Campbell, S.D., Lindsay, A.M., and Grice, A.C., Impact of fire on rubber vine (Cryptostegia grandiflora R.Br.) and associated pasture and germinable seed bank in a sub-riparian habitat of north Queensland, Plant Prot. Q., 15, 2, 62, 2000.

Big Scrub Rainforest Landcare Group, Common weeds of northern NSW rainforest: A practical manual on their

identification and control, Big Scrub Rainforest Landcare Group, Bangalow, NSW, 2000.

Billyard, R., BMAD Working Group perspective on forest decline and potential management solutions, in Fundamental Causes of Eucalypt Forest Decline and Possible Management Solutions, White, T.C.R. and Jurskis, V., Eds., Proceedings of Colloquium, November 18–19, 2003, Batemans Bay, NSW, State Forests of NSW, Sydney, 31, 2004.

Blood, K., Environmental Weeds, A Field Guide for SE Australia, CH Jerram, Mt Waverly, VIC, 2001.

Bristow, M. and Skelton, D., Preliminary weed risk assessment for Khaya senegalensis in plantations in northern Australia, in Prospects for High-Value Hardwood Timber Plantations in the 'Dry' Tropics of Northern Australia, Bevege, I., Bristow, M., Nikles, D.G. and Skelton, D., Eds., published as a CD ROM by Private Forestry North Queensland Association, Kairi, QLD, 2004.

Bureau of Rural Science, National Forest Inventory, Australia's State of the Forests Report, 2003, BRS, Canberra, ACT, 408, 2003.

Day, M.D., Wiley, C.J., Playford, J., and Zalucki, M.P., Lantana: Current Management Status and Future Prospects, Australian Centre for International Agricultural Research, Canberra, ACT, 2003a.

Day, M.D., Broughton, S., and Hannan-Jones, M.A., Current distribution and status of Lantana camara and its biological control agents in Australia, with recommendations for further biocontrol introductions into other countries, Biocontrol News Inform ., 24, 63N, 2003b.

Department of Agriculture Fisheries and Forestry, Revised National Weeds Strategy: A strategic approach to weed problems of national significance, Commonwealth of Australia, Canberra, ACT, 1999.

Department of Natural Resources and Water, Weeds and pest animal management, Department of Natural Resources and Water, Brisbane, QLD, http:==www.nrm.qld.gov.au= pests=weeds=wons=index.html, 2006.

Emms, J., Virtue, J.G., Preston, C., and Bellotti, W.D., Legumes in temperate Australia: A survey of naturalisation and impact in natural ecosystems, Biol. Conserv., 125, 3, 323, 2005.

- Erskine, P.D., Land clearing and forest rehabilitation in the Wet Tropics of north Queensland, Australia, Ecol. Manage. Restor., 3, 2, 135, 2002.
- Firth, D.J., History of introduction of Cinnamomum camphora (camphor laurel tree) to Australia, J. Aust. Inst. Agric. Sci., 46, 244, 1980.
- Florence, R., Bell-miner-associated dieback: An ecological perspective, Aust. For., 68, 4, 263, 2005.
- Fox, B.J., Taylor, J.E., Fox, M.D., and Williams, C., Vegetation changes across edges of rainforest remnants, Biol. Conserv., 82, 1, 1997.
- Glanznig, A., Making State weed laws work, WWF-Australia Issues Paper, WWF-Australia, Sydney, 2005.
- Goosem, S., Landscape processes relevant to weed invasion in Australian rainforests and associated ecosystems, in Weeds of Rainforests and Associated Ecosystems, Grice, A.C. and Setter, M.J., Eds., CRC Tropical Rainforest Ecology and Management and CRC Australian Weed Management, Cairns, QLD, 24, 2003.
- Goosem, S., Morgan, G., and Kemp, J.E., Wet tropics, in The Conservation Status of Queensland's Bioregional Ecosystems, Sattler, P. and Williams, R., Eds., Environmental Protection Agency, Queensland Government, Brisbane, QLD, 1999.
- Gould, K., A historical perspective on forestry management, in Securing the Wet Tropics? McDonald, G. and Lane, M., Eds., The Federation Press, Sydney, 85, 2000.
- Grice, A.C. and Setter, M.J., Eds.,Weeds of Rainforests and Associated Ecosystems, Cooperative Research Centre for Tropical Rainforest Ecology andManagement, CRC Rainforest, Cairns, 116, 2003.
- Groves, R.H., Hosking, J.R., Batianoff, G.N., et al., Weed Categories for Natural and Agricultural Ecosystem Management, Bureau of Rural Sciences, Canberra, ACT, 2003.
- Hunt, M.A., Battaglia, M., Davidson, N.J., and Unwin, G.L., Competition between plantation Eucalyptus nitens and Acacia dealbata weeds in north-east Tasmania, For. Ecol. Manage., 233, 260, 2006.

Kanowski, J., Catterall, C.P., and Wardell-Johnson, G.W., Consequences of broadscale timber plantations for biodiversity in cleared rainforest landscapes of tropical and subtropical Australia, For. Ecol. Manage., 208, 359, 2005.

Lamb, D., Erskine, P., and Parrotta, J.A., Restoration of degraded tropical forest landscapes, Science, 310, 1628, 2005.

Low, T., Feral Future, Viking, Ringwood, VIC, 1999.

National Forest Inventory, Bureau of Rural Science, Australia's forests at a glance, 2005, Department of Agriculture, Fisheries and Forestry, Canberra, ACT, 2005.

Neilan, W., Catterall, C.P., Kanowski, J., and McKenna, S., Do frugivorous birds assist rainforest succession in weed dominated oldfield regrowth of subtropical Australia? Biol. Conserv., 129, 3, 393, 2006.

New South Wales National Parks and Wildlife Service (NSW NPWS), Lantana camara—Key threatening process declaration, http:==www.nationalparks.nsw.gov.au =npws.nsf=Content=lantana_ktp, 2006, accessed September 19, 2006.

Randall, R.P., A global compendium of weeds, http:==www.hear.org=gcw=index.html, 2002.

Responsible Use and Management of Plants (RUMP), Policy to reduce the weed threat of Leucaena, Department of Primary Industries and Fisheries, Environmental Protection Agency, Department of Natural Resources and Mines, Brisbane, QLD, 2004.

Richardson, D.M., Williams, R.A., and Hobbs, R.J., Pine invasions in the Southern Hemisphere: Determinants of spread and invadability, J. Biogr., 21, 511, 1994.

Schenk, J., Allelopathy in the ecology of camphor laurel, Southern Cross University, Lismore, NSW, SA, unpublished PhD thesis.

Sinden, J., Jones, R., Hester, S., Odom, D., Kalisch, C., James, R., and Cacho, O., The Economic Impact of Weeds in Australia, CRC for Australian Weed Management, Glen Osmond, SA, 2004.

Stone, C., Assessment and monitoring of decline and dieback of forest eucalypts in relation to ecologically sustainable

forest management: A review with a case study, Aust. For., 62, 1, 51, 1999.

Stone, C., Bell-miner-associated dieback at the tree crown scale: A multi-trophic process, Aust. For., 68, 4, 237, 2005.

Stone, C., The role of psyllids (Hemiptera:Psyllidae) and bell miners (Manorina melanophrys) in canopy dieback of Sydney blue gum (Eucalyptus saligna Sm.), Aust. J. Ecol., 21, 450, 1996.

Stubbs, B.J. and Brushett, D., Leaf oil of Cinnamomum camphor (L.) Nees and Eberm., East. Aust. J. Essent. Oil Res., 13, 51, 2001.

Stubbs, B.J., Cameron, D.M., O'Neill, M., and O'Neill, R., From pest to profit: Prospects for the commercial utilisation of camphor laurel (Cinnamomum camphora) in the Northern Rivers Region of New South Wales, Centre for Coastal Management, Southern Cross University, Northern NSW Forestry Services, Lismore, NSW, 1999.

The Leucaena Network, A code of practice for the sustainable use of Leucaena-based pasture in Queensland, The Leucaena Network, Yeppoon, QLD, 2004.

Thorp, J.R. and Lynch, R., The determination of weeds of national significance, Commonwealth of Australia and National Weeds Strategy Executive Committee, Launceston, TAS, 2000.

Tucker, N.I.J., Linkage restoration: Interpreting fragmentation theory for the design of a rainforest linkage in the humid Wet Tropics of north-eastern Queensland, Ecol. Manage. Restor., 1, 1, 35, 2000.

Virtue, J.G., Bennett, S.J., and Randall, R.P., Plant introductions in Australia: How can we resolve 'weedy' conflict of interest? in Weed Management: Balancing People, Planet and Profit, Sindel, B.M. and Johnson, S.B., Eds., Proceedings of the 14th Australian Weeds Conference, Weed Society of New South Wales, Sydney, NSW, 42, 2004.

Vranjic, J.A., Groves, R.H., and Willis, A.J., Environmental weed management systems, in Australian Weed Management Systems, Cooperative Research Centres for Weed Management Systems, Sindel, B.M., Ed., R.B. and F.J. Richardson, Meredith, VIC, 329, 2000. Wardell-Johnson, G., Stone, C., Recher, H., and Lynch, J.J., Bell miner associated dieback (BMAD), Independent scientific literature review: A review of eucalypt dieback associated with bell miner habitat in north-eastern New South Wales, Australia, Occasional Paper DEC 2006=116, Department of Environment and Conservation, Coffs Harbour, NSW, 2006.

Weeds of National Significance (WONS), Weeds in Australia, http:==www.deh.gov.au=biodiversity=invasive=weeds=wons.html, 2006.

Weeds of National Signi ficance (WONS), Lantana control manual—Current management and control options for lantana (Lantana camara) in Australia, Natural Heritage Trust, Department of Natural Resources, Mines and Energy, Queensland, New South Wales Department of Agriculture, Brisbane, QLD, 2004.

Werren, G.L., A bioregional perspective of weed invasion of rainforests and associated ecosystems: Focus on the Wet Tropics of North-East Queensland, in Weeds of Rainforests and Associated Ecosystems, Grice, A.C. and Setter, M.J., Eds., Cooperative Research Centre for Tropical Rainforest Ecology and Management, CRC Rainforest, Cairns, QLD, 9, 2003.

Westcott, D.A. and Dennis, A.J., The ecology of seed dispersal in rainforests: Implications for weed spread and a framework for weed management, in Weeds of Rainforests and Associated Ecosystems, Grice, A.C. and Setter, M.J., Eds., Cooperative Research Centre for Tropical Rainforest Ecology and Management, CRC Rainforest, Cairns, QLD, 19, 2003.

Wet Tropics Management Authority, Pressures on the world heritage area: Invasive weeds, http:==www.wettropics.gov.au=mwha=mwha_weeds.html, 2006.

Williams, J.A. and West, C.J., Environmental weeds in Australia and New Zealand: Issues and approaches to management, Aust. Ecol., 25, 425, 2000.

Williams, M.C. and Wardle, G.M., Pinus radiata invasion in Australia: Identifying key knowledge gaps and research directions, Aust. Ecol., 32, 721, 2007.

Wilson, G.W., Waterhouse, B.M., and Werren, G.L., The use of exotic species in dry tropics forestry: Assessments, potential conflicts of interests and the application of the precautionary principle, in Prospect for High-Value Hardwood Timber Plantations in the 'Dry' Tropics of Northern Australia, Bevege, D.I., Bristow, M., Nikles, D.G. and Skelton, D., Eds., Published as a CD ROM by Private Forestry North Queensland Association, Kairi, QLD, 2004.

Zavaleta, E.S., Hobbs, R.J., et al., Viewing invasive species removal in a whole-ecosystem context, Trends Ecol. Evol., 16, 8, 454, 2001.

12 Chapter 12. Risk Analysis for Alien Plants in European Forests, Illustrated by the Example of Prunus serotina

Calflora, Information on California plants for education, research and conservation (web application), The Calflora Database (a nonprofit organization), Berkeley, CA, available at http:==www.calflora.org (accessed: September 21, 2007), 2007.

Chittka, L. and Schürkens, S., Successful invasion of a floral market. An exotic Asian plant has moved in on Europe's river-banks by bribing pollinators, Nature 411, 653, 2001.

Closset-Kopp, D., Chabrerie, O., Valentin, B., Delachapelle, H., and Decocq, G., When Oskar meets Alice: Does a lack of trade-off in r=K-strategies make Prunus serotina a successful invader of European forests? For. Ecol. Manage., 247, 120, 2007.

Creative Research Systems, CLIMEX—Software to predict the effects of climate on species, available at http:==www.climatemodel.com, 2004.

Crooks, J. and Soulé, M.E., Lag times in population explosions of invasive species: Causes and implications, in Invasive Species and Biodiversity Management, Sandlund, O.T., Schei, S.J., and Vikens, A., Eds., Kluwer Academic, The Netherlands, 103, 1999.

Deckers, B., Verheyen, K., Hermy, M., and Muys, B., Effects of landscape structure on the invasive spread of black cherry Prunus serotina in an agricultural landscape in Flanders, Belgium, Ecography, 28, 99, 2005.

Dik, E.J. and Jager, K., De involved van bestrijding van loofhout op de groei van Japanse lariks, Nederlands Bosbouw Tijdschrift, 42, 95, 1970.

European and Mediterranean Plant Protection Organisation (EPPO), Guidelines for the management of invasive alien plants or potentially invasive alien plants which are intended for import or have been intentionally imported, EPPO Bull., 36, 3, 417, 2006.

Food and Agriculture Organisation (FAO), ISPM No. 2, Guidelines for Pest Risk Analysis, International Standard for Phytosanitary Measures Publication No. 2, Food and Agriculture Organisation of the United Nations, Rome, 1996. Food and Agriculture Organisation (FAO), Interim Commission on Phytosanitary Measures: Excerpts from the Report of the Conference of FAO (C97=REP), 29 Session, Rome, November 7–18, 1997, Appendix I: Interpretations as agreed by the fourteenth session of the Committee on Agriculture, ICPM-98=INF=1, Food and Agriculture Organisation of the United Nations, Rome, 1998.

Food and Agriculture Organisation (FAO), ISPM No. 11, Pest Risk Analysis for Quarantine Pests Including Analysis of Environmental Risks, International Standards for Phytosanitary Measures Publication No. 11 (rev. 1), Food and Agriculture Organisation of the United Nations, Rome, 2004.

Food and Agriculture Organisation (FAO), ISPM No. 2 (rev.), Framework for Pest Risk Analysis, International Standard for Phytosanitary Measures Publication No. 2, Food and Agriculture Organisation of the United Nations, Rome, 2007.

Fowells, H.A., Silvics of Forest Trees of the United States, USDA Forest Service, 1965.

Goodwin, B.J., McAllister, A.J., and Fahrig, L., Predicting invasiveness of plant species based on biological information, Conserv. Biol., 13, 2, 422, 1999.

Haysom, K.A. and Murphy, S.T., The status of invasiveness of forest tree species outside their natural habitat: A global review and discussion paper, Forest Health and Biosecurity Working Paper FBS=3E, Forestry Department, FAO, Rome (unpublished, available at http:==www.fao.org=docrep=006=j1583e=J1583E04.htm), 2003.

Heger, T. and Trepl, L., Possibilities to predict biological invasions, Biol. Invasions, 5, 4, 313, 2003.

IPPC, International Plant Protection Convention, new revised text, FAO, Rome, 1997.

Kolar, C.S. and Lodge, D.M., Progress in invasion biology: Predicting invaders, Trends Ecol. Evol., 16, 4, 199, 2001.

Kowarik, I., Time lags in biological invasions with regard to the success and failure of alien species, in Plant Invasions—General Aspects and Special Problems, Pyšek, P., Prach, K., Rejmánek, M., and Wade, M., Eds., SBP Academic, Amsterdam, 15, 1995. Kowarik, I., Biologische Invasionen: Neophyten und Neozoen in Mitteleuropa, Ulmer, Stuttgart, 2003a.

Kowarik, I., Human agency in biological invasions: Secondary releases foster naturalisation and population expansion of alien plant species, Biol. Invasions, 5, 293, 2003b.

Krivánek, M. and Pyšek, P., Predicting invasions by woody species in a temperate zone: A test of three risk assessment schemes in the Czech Republic (Central Europe), Divers. Distrib., 12, 319, 2006.

Marquis, D.A., Prunus serotina Ehrh. Black Cherry, in Silvics of North America, Vol. 2: Hardwoods, Burns, R.M. and Honkala, B.H., Eds., Agriculture Handbook 654, U.S. Department of Agriculture, Forest Service, Washington, DC, 594, 1990.

Ministerium für Ernährung Landwirtschaft und Forsten in Niedersachsen (MELF), Wald und Forstwirtschaft in Niedersachsen, MELF, Hannover, 113, 1990.

Olsthoorn, A. and van Hees, A., 40 years of Black Cherry (Prunus serotina) control in the Netherlands: Lessons for management of invasive tree species, in Biologische Invasionen, Starfinger, U. and Kowarik, I., Eds., Herausforderung zum Handeln? Neobiota 1, 339, 2002.

Pairon, M., Jonard, M., and Jacquemart, A.-L., Modeling seed dispersal of black cherry, an invasive forest tree: How microsatellites may help? Can. J. For. Res., 36, 6, 1385, 2006.

Pimentel, D., McNair, S., Janecka, J., Wightman, J., Simmonds, C., O'Connell, C., Wong, E., Russel, L., Zern, J., Aquino, T., and Tsomondo, T., Economic and environmental threats of alien plant, animal, and microbe invasions, Agric. Ecosyst. Environ., 84, 1, 2001.

Platen, R. and Kowarik, I., Pflanzen-, Spinnenund Laufkäfergemeinschaften innerstädtischen Bahnbrachen, Verh. Ges. f. Ökologie, 24, 431, 1995.

Pyšek, P., Brock, J.H., Bimova, K., Mandak, B., Jarosik, V., Koukolikova, I., Pergl, J., and Stepanek, J., Vegetative regeneration in invasive Reynoutria (Polygonaceae) taxa: The determinant of invasibility at the genotype level, Am. J. Bot., 90, 10, 1487, 2003.

Reichard, S.H. and Hamilton, C.W., Predicting invasions of woody plants introduced into North America, Conserv. Biol., 11, 193, 1997.

Reinhardt, F., Herle, M., Bastiansen, F., and Streit, B., Ökonomische Folgen der Ausbreitung von gebietsfremden Organismen in Deutschland, UBA-Forschungsbericht, 201, 86, 211, 2003.

Rejmánek, M., Invasive plants: Approaches and predictions, Aust. Ecol., 25, 5, 497, 2000.

Rejmánek, M. and Richardson, D.M., What attributes make some plant species more invasive? Ecology, 77, 6, 1655, 1996.

Rejmánek, M., Richardson, D.M., Higgins, S.I., Pitcairn, M., and Grotkopp, E., Ecology of Invasive Plants: State of the Art, in Mooney, H.A., McNeely, J.A., Neville, L., Schei, P.J., and Waage, J., Eds., Invasive alien species: A new synthesis, Island Press, Washington, DC, 104, 2005.

Rode, M., Kowarik, I., Müller, T., and Wendebourg, T., Ökosystemare Auswirkungen von Prunus serotina auf norddeutsche Kiefernforsten, Neobiota, 1, 135, 2002.

Schrader, G., A new working program on invasive alien species started by a multinational European organisation dedicated to protecting plants, Weed Technol., 18, 1342, 2004.

Schrader, G. and Unger, J.G., Plant quarantine as a measure against invasive alien species: The framework of the International Plant Protection Convention and the plant health regulations in the European Union, Biol. Invasions, 5, 4, 357, 2003.

Späth, I., Balder, H., and Kilz, E., Das Problem mit der Spätblühenden Traubenkirsche in den Berliner Forsten, Allgemeine Forstund Jagdzeitung, 11, 234, 1994.

Starfinger, U., Population biology of an invading tree species—Prunus serotina, in Species Conservation: A Population Biology Approach, Seitz, A. and Loeschke, V., Eds., A. Birkhäuser Verlag, Basel, 171, 1991.

Starfinger, U., Introduction and naturalization of Prunus serotina in central Europe, in Plant Invasions: Studies from North America and Europe, Brock, J.H., Wade, M., Pyšek, P., and Green, D., Eds., Backhuys, Leiden, 161,

Starfinger, U., NOBANIS—Invasive alien species fact sheet—Prunus serotina, Online Database of the North European and Baltic Network on Invasive Alien Species, NOBANIS, available at http:==www.nobanis.org (accessed September 25, 2007), 2006.

Starfinger, U., Kowarik, I., Rode, M., and Schepker, H., From desirable ornamental plant to pest to accepted addition to the flora? The perception of an alien plant species through the centuries, Biol. Invasions, 5, 323, 2003.

Uchytil, R.J., Prunus serotina, in Fire effects information system, U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory, available at http:==www.fs.fed.us=database=feis= (accessed October 1, 2007), 1991.

van den Tweel, P.A. and Eijsackers, H., Black cherry, a pioneer species or ''forest pest,'' Proc. K. Ned. Akad. Wet. Ser. C, 90, 59, 1987.

Verheyen, K., Vanhellemont, M., Stock, T., and Hermy, M., Predicting patterns of invasion by black cherry (Prunus serotina Ehrh.) in Flanders (Belgium) and its impact on the forest understorey community, Divers. Distrib., 13, 487, 2007.

Williamson, M., Biological Invasions, Chapman & Hall, London, 1996.

Williamson, M., Invasions, Ecography, 22, 5, 1999.

Williamson, M., Can the impacts of invasive plants be predicted? in Plant Invasions. Species Ecology and Ecosystem Management, Brundu, G., Brock, J.H., Camarda, I., Child, L.E., and Wade, P.M., Eds., Backhuys, Leiden, 11, 2001.

13 Chapter 13. Monitoring and Assessment of Regional Impacts from Nonnative Invasive Plants in Forests of the Pacific Coast, United States

Anonymous, Statement on criteria and indicators for the conservation and sustainable management of temperate and boreal forests, J. For., 93, 18, 1995.

Bechtold, W.A. and Patterson, P.L., Eds. The enhanced Forest Inventory and Analysis program-national sampling design and estimation procedures. USDA For. Serv. Gen. Tech. Rep. SRS-80, USDA Forest Service, Asheville, NC, 2004.

Blossey, B., Before, during and after: The need for long-term monitoring in invasive plant species management, Biol. Invasions, 1, 301, 1999.

D'Antonio, C.M. and Vitousek, P.M., Biological invasions by exotic grasses, the grass=fire cycle, and global change, Ann. Rev. Ecol. Syst., 23, 63, 1992.

Daubenmire, R., A canopy-coverage method of vegetational analysis, Northwest Sci., 33, 43, 1959.

Delisle, F., Lavoie, C., Jean, M., and Lachance, D., Reconstructing the spread of invasive plants: Taking into account biases associated with herbarium specimens, J. Biogeogr., 30, 1033, 2003.

Franklin, J.F. and Dyrness, C.T., Natural Vegetarian of Oregon and Washington, USDA For. Serv. Gen. Tech. Rep. PNW-8, USDA Forest Service, Portland, OR, 1973.

Gillespie, A.J.R., Rationale for a national annual forest inventory program, J. For., 97, 16, 1999.

Gray, A., Eight nonnative plants in western Oregon forests: Associations with environment and management, Environ. Monit. Assess., 100, 109, 2005.

Gray, A.N. and Azuma, D.L., Repeatability and implementation of a forest vegetation indicator, Ecol. Indicat., 5, 57, 2005.

Heinz Center (H. John Heinz III Center for Science, Economics, and the Environment), The State of the Nation's Ecosystems: Measuring the Lands, Waters, and Living Resources of the United States, Cambridge University Press, Hitchcock, C.L., Cronquist, A., Owenby, M., and Thompson, J.W., Vascular Plants of the Pacific Northwest, University of Washington Press, Seattle, Part 5, 1955.

Hurteau, M.D. and Briggs, R., Common yarrow Achillea millefolium L. plant fact sheet, United States Department of Agriculture, http:==plants.usda.gov, 2003.

Mooney, H.A. and Hobbs, R.J.H., Invasive Species in a Changing World, Island Press, Washington, DC, 2000.

Morrison, M.L. and Marcot, B.G., An evaluation of resource inventory and monitoring program used in national forest planning, Environ. Manage., 19, 147, 1995.

Morse, L.E., Randall, J.M., Benton, N., and Hiebert, R., An invasive species assessment protocol: Evaluating non-native plants for their impact on biodiversity, Version 1, NatureServe, Arlington, VA,

Mueller-Dombois, D. and Ellenberg, H., Aims and methods of vegetation ecology, Wiley, New York, 1974.

Munz, P.A. and Keck, D.D., A California Flora, University of California Press, Berkeley, CA, 1959.

National Research Council Committee to Evaluate Indicators for Monitoring Aquatic and Terrestrial Environments, Ecological Indicators for the Nation, National Academy Press, Washington, DC, 2000.

Ohmann, J.L. and Gregory, M.J., Predictive mapping of forest composition and structure with direct gradient analysis and nearest neighbor imputation in coastal Oregon, U.S.A., Can. J. For. Res., 32, 725, 2002.

Omernik, J.M., Ecoregions of the conterminous United States, Map (scale 1:7,500,000), Ann. Assoc. Am. Geogr., 77, 118, 1987.

Parendes, L.A. and Jones, J.A., Role of light availability and dispersal in exotic plant invasion along roads and streams in the H.J. Andrews Experimental Forest, Oregon, Conserv. Biol., 14, 64, 2000.

Pimentel, D., Zuniga, R., and Morrison, D., Update on the environmental and economic costs associated with alien-invasive species in the United States, Ecol. Econ., Pyšek, P. and Hulme, P.E., Spatio-temporal dynamics of plant invasions: Linking pattern to process, Ecoscience, 12, 302, 2005.

Reichard, S. and Hamilton, C.W., Predicting invasions of woody plants introduced into North America, Conserv. Biol., 11, 193, 1997.

Reichard, S. and White, P., Horticulture as a pathway of invasive plant introductions in the United States, Bioscience, 51, 103, 2001.

Ricciardi, A., Mack, R.N., Steiner, W.M., and Simberloff, D., Toward a global information system for invasive species, Bioscience, 50, 239, 2000.

Rudis, V.A., Gray, A., McWilliams, W., O'Brien, R., Olson, C., Oswalt, S., and Schulz, B., Regional monitoring of non-native plant invasions with the Forest Inventory and Analysis program, in Proceedings of the Sixth Annual Forest Inventory and Analysis Symposium, McRoberts, R.E., et al., Eds., USDA For. Serv. Gen. Tech. Rep. WO-70, USDA Forest Service, Washington, DC, 49, 2005, SAS Institute Inc., SAS=STAT User's Guide, Version 8, Carny, NC, 1999.

Schulz, B., Forest inventory and analysis: Vegetation indicator, FIA fact sheet series, USDA Forest Service, Washington, DC, http://dx.doi.org/10.1003/phi/propulses/page-10.1003/phi/p

http:==fia.fs.fed.us=library=fact-sheets=p3-fac sheets=vegetation.pdf, 2003.

Stapanian, M.A., Cline, S.P., and Cassell, D.A., Evaluation of a measurement method for forest vegetation in a large-scale ecological survey, Env. Mon. Assess., 45, 237, 1997.

Stohlgren, T.J., Falkner, M.B., and Schell, L.D., A modified-Whittaker nested vegetation sampling method, Vegetation, 117, 113, 1995.

Thornton, P.E., Running, S.W., and White, M.A., Generating surfaces of daily meteorology variables over large regions of complex terrain, J. Hydrol., 190, 214, 1997.

U.S. Census Bureau, Census 2000 gazetteer of counties of the United States, http:==www. census.gov=tiger=tms=gazetteer=county2k.txt, 2000. U.S. Executive Office, Executive Order 13112 regarding invasive species, Federal Register 64, 6183, Washington, DC.

USDA NRCS, The PLANTS Database, National Plant Data Center, Baton Rouge, LA, http:== plants.usda.gov, 2000.

Vitousek, P.M., D'Antonio, C.M., Loope, L.L., and Westbrooks, R., Biological invasions as global environmental change, Am. Sci., 84, 468, 1996.

- 14 Chapter 14. Imperata cylindrica, an Exotic Invasive Grass, Changes Soil Chemical Properties of Forest Ecosystems in the Southeastern United States
- Belnap, J. and Phillips, S., Soil biota in an ungrazed grassland: Response to annual grass (Bromus tectorum) invasion, Ecol. Appl., 11, 1261, 2001.
- Boswell, C.C. and Espie, P.R., Uptake of moisture and nutrients by Hieraceium pilosella and effects on soil in a dry sub-humid grassland, N Z J. Agric. Res., 41, 251, 1998.
- Brady, N.C. and Weil, R.R., The Nature and Properties of Soils, 13th ed., Pearson Education, Upper Saddle River, NJ, 629, 2002.
- Bray, S.R., Kitajima, K., and Sylvia, D.M., Mycorrhizae differentially alter growth, physiology, and competitive ability of an invasive shrub, Ecol. Appl., 3, 565, 2003.
- Brewer, J.S. and Cralle, S.P., Phosphorus addition reduces invasion of longleaf pine savanna (Southeastern USA) by a non-indigenous grass (Imperata cylindrica), Plant Ecol., 167, 237, 2003.
- Brook, R.M., Review of literature on Imperata cylindrica (L.) Raeuschel with particular reference to South East Asia, Trop. Pest Manage., 35, 12, 1989.
- Daneshgar, P., Jose, S., Ramsey, C.L., and Collins, A., Loblolly pine seedling response to competition from exotic vs. native plants, in Proceedings of the Thirteenth Biennial Southern Silvicultural Research Conference, Memphis, TN. USDA Forest Service Gen. Tech. Rep. SRS-92, Asheville, NC, pp. 50–52, 2005.
- Davis, M.A., Grime, P., Thompson, K., Fluctuating resources in plant communities: A general theory of invasibility. Journal of Ecology, 88, 528, 2000.
- Duda, J.J., Freeman, D.C., Emlen, J.M., Belnap, J., Kitchen, S.G., Zak, J.C., Sobek, E., Tracy,M., and Montante, J., Differences in native soil ecology associated with invasion of the exotic annual chenopod, Halogeton glomeratus, Biol. Fertil. Soils, 38, 72, 2003.
- Ehrenfeld, J.G., Effects of exotic plant invasions on soil nutrient cycling processes, Ecosystems, 6, 503, 2003.

Ehrenfeld, J.G., Kourtev, P., and Huang, W., Changes in soil functions following invasions of exotic understory plants in deciduous forests, Ecol. Appl., 11, 1287, 2001.

Eussen, J.H.H. and Soerjani, M., Problems and control of ''alang-alang'' [Imperata cylindrica (L.) Beauv.] in Indonesia, in Proc. 5th Ann. Conf. Asian-Pacific Weed Sci. Soc., 5, 58, 1975.

Evans, R.D. and Belnap, J., Long-term consequences of disturbance on nitrogen dynamics in an arid ecosystem, Ecology, 80, 150, 1999.

Feller, M.C., Effects of an exotic conifer (Pinus radiata) plantation on forest nutrient cycling in southeastern Australia, For. Ecol. Manage., 7, 77, 1983.

Hartemink, A.E. and O'Sullivan, J.N., Leaf litter decomposition of Piper aduncum, Gliricidia sepium and Imperata cylindrica in the humid lowlands of Papua New Guinea, Plant Soil, 230, 115, 2001.

Hook, P.B., Olson, B.E., and Wraith, J.M., Effects of the invasive forb Centaurea maculosa on grassland carbon and nitrogen pools in Montana, USA, Ecosystems, 7, 686, 2004.

Howard, T.G., Gurevitch, J., Hyatt, L., Carreiro, M., and Lerdau, M., Forest invasibility in communities in southeastern New York, Biol. Invasions, 6, 393, 2004.

Inderjit and Dakshini, K.M.M., Investigations on some aspects of chemical ecology of cogongrass, Imperata cylindrica (L.) Beauv., J. Chem. Ecol., 17, 343, 1991.

Kalra, Y., Determination of pH of soils by different methods: Collaborative study, J. AOAC Int., 78, 310, 1995.

Koger, C.H. and Bryson, C.T., Effects of cogongrass (Imperata cylindrica) residues on bermudagrass (Cynodon dactylon) and Italian ryegrass (Lolium multiflorum), Proc. South Weed Sci. Soc., 56, 341, 2003.

Kourtev, P., Ehrenfeld, J.G., and Huang, W., Effects of exotic plant species on soil properties in hardwood forests of New Jersey, Water Air Soil Pollut., 105, 493, 1998.

Kourtev, P., Ehrenfeld, J.G., and Huang, W., Differences in earthworm densities and nitrogen dynamics under exotic and native plant species, Biol. Invasions, 1, 237, 1999. MacDonald, G.E., Cogongrass (Imperata cylindrica)—Biology, ecology and management, Crit. Rev. Plant Sci., 23, 367, 2004.

Plaster, E.J., Soil Science and Management, 2nd ed., Delmar, Albany, NY, 1992.

Ramsey, C.L., Jose, S., Miller, D.L., Cox, J., Portier, K.M., Shilling, D.G., and Merritt, S., Cogongrass [Imperata cylindrica (L.) Beauv.] response to herbicide and disking on a cutover site in a mid-rotation pine plantation in Southern USA, For. Ecol. Manage., 179, 195, 2003.

Rutherford, M.C., Pressinger, F.M., and Musil, C.F., Standing crops, growth rates and resource use efficiency in alien plant invaded ecosystems, in The Ecology and Management of Biological Invasions in Southern Africa, Macdonald, I.A.W., Kruger, F.J. and Ferrar, A. A., Eds., Oxford University Press, Cape Town, 189, 1986.

SAS Institute, SAS User's Guide, 9th ed., SAS Institute, Cary, NC, 2002.

Saxena, K.G. and Ramakrishnan, P.S., Growth and allocation strategies of some perennial weeds of slash and burn agriculture (jhum) in northeastern India, Can. J. Bot., 61, 1300, 1983.

Scott, N., Saggar, S., and McIntosh, P.D., Biogeochemical impact of Hieracium invasion in New Zealand's grazed tussock grasslands: Sustainability implications, Ecol. Appl., 11, 1311, 2001.

Shilling,D.G.,Beckwick,T.A.,Gaffney, J.F.,McDonald, S.K.,Chase,C.A., and Johnson,E.R.R.L., Ecology, physiology, and management of Cogongrass (Imperata cylindrica), Florida Institute of Phosphate Research, Bartow, FL, 1997.

Stock, W.D., Wienard, K.T., and Baker, A.C., Impacts of invading N 2 -fixing Acacia species on patterns on nutrient cycling in town Cape ecosystems; evidence from soil incubation studies and 15 N natural abundance values, Oecologia, 101, 375, 1995.

Storer, D.A., A simple high sample volume ashing procedure for determination of soil organic matter, Commun. Soil. Sci. Plant Anal., 15, 759, 1984.

Suding, K.N., LeJeune, K.D., and Seastedt, T.R., Competitive impacts and responses of an invasive weed: Dependencies on nitrogen and phosphorus availability, Oecologia, 141, 526, 2004.

Versfeld, D.B. and van Wilgren, B.S., Impact of woody aliens on ecosystem properties, in The Ecology and Management of Biological Invasions in Southern Africa, Macdonald, I.A.W., Kruger, F.J., Ferrar, A.A., Eds., Oxford University Press, Cape Town, 239, 1986.

Vitousek, P.M. and Walker, L.R., Biological invasion by Myrica faya in Hawaii: Plant demography, nitrogen fixation, ecosystem effects, Ecol. Monogr., 59, 247, 1989.

Willard, T.R., Hall, D.W., Shilling, D.G., Lewis, J.A., and Currey, W.L., Cogongrass (Imperatacylindrica) Distribution on Florida Highway Rights-of-Way, Weed Technology, 4, 658, 1990.

Windham, L., Effects of an invasive reedgrass, Phragmites australis, on nitrogen cycling in brackish tidal marsh on New York and New Jersey, Ph.D. Dissertation, Rutgers University, New Brunswick, NJ, 1999.

Witkowski, E.T.F., Effects of invasive alien acacias on nutrient cycling in the coastal lowlands of the Cape fynbos, J. Appl. Ecol., 28, 1, 1991.

Wolf, J.J., Betty, S.W., and Seastedt, T.R., Soil characteristics of Rocky Mountain National Park grasslands invaded by Melilotus officinalis and M. alba, J. Biogeogr., 31, 415, 2004.

Zavaleta, E.S., Hobbs, R.J., and Mooney, H.A., Viewing invasive species removal in a wholeecosystem context, Trends Ecol. Evol., 16, 454, 2001.

15 Chapter 15. Adaptive Collaborative Restoration: A Key Concept in Invasive Plant Management

Allen, S.L., Hepp, G.R., and Miller, J.H., Use of herbicides to control alligator weed and restore native plants in managed marshes, Wetlands, 27, 3, 739, 2007.

Barnes, T.G., Strategies to convert exotic grass pastures to tall grass prairie communities, Weed Technol., 18, 1364, 2004.

Botkin, D.B., The naturalness of biological invasions, West. North Am. Nat., 61, 261, 2001.

Britton, K.O., Duerr, D.A., II, and Miller, J.H., Understanding and controlling nonnative forest pests in the South, in Southern Forest Science: Past, Present, and Future, Rauscher, H.M. and Johnsen, K., Eds., General Technical Report GTR SRS-75, United States Department of Agriculture, Forest Service, Asheville, NC, 133, Chap. 14, 2004.

Bryson, C.T. and Carter, R., Biological pathways for invasive weeds, Weed Technol., 18, 1216, 2004.

Buck, L.E., Geisler, C.C., Schelhas, J., and Wollenberg, E., Eds., Biological Diversity: Balancing Interests through Adaptive Collaborative Management, CRC Press, Boca Raton, FL, 2001.

Colfer, C.J.P., The Complex Forest: Communities, Uncertainty, and Adaptive Collaborative Management, Resources for the Future and CIFOR, Washington, DC and Bogor, Indonesia, 2005.

Colton, T.F. and Alpert, P., Lack of public awareness of biological invasions by plants, Nat. Areas J., 18, 262, 1998.

D'Antonio, C.M., Jackson, N.E., Horvitz, C.C., and Hedberg, R., Invasive plants in wildland ecosystems: Merging the study of invasion processes with management needs, Front. Ecol. Environ., 2, 10, 513, 2004.

Environmental Law Institute, Halting the Invasion: State Tools for Invasive Species Management, Environmental Law Institute, Washington, DC, 112, 2002.

Evan, C.W., Moorhead, D.J., Bargeron, C.T., and Douce,

G.K., Invasive Plants Responses to Silvicultural Practices in the South, Bugwood Network, BW-2006-03, The University of Georgia, Athens, GA, 51, 2006.

Ewel, J.J. and Putz, F.E., A place for alien species in ecosystem restoration, Front. Ecol. Environ., 2, 7, 354, 2004.

Foxcroft, L.C., An adaptive management framework for linking science and management of invasive alien plants, Weed Technol., 18, 1275, 2004.

Harrington, T.B., Rader-Dixon, L.T., and Taylor, J.W., Jr., Kudzu (Pueraria montana) community responses to herbicides, burning, and high-density loblolly pine, Weed Sci., 51, 965, 2003.

Jordan, N., Becker, R., Gunsolus, J., White, S., and Damme, S., Knowledge networks: An avenue to ecological management of invasive weeds, Weed Sci., 51, 271, 2003.

Lee, K.N., Compass and Gyroscope: Integrating Science and Politics for the Environment, Island Press, Washington, DC, 1993.

Liebhold, A.M., McDonald, W.L., Bergdahl, D., and Mastro, V.C., Invasion by exotic forest pests: A threat to forest ecosystems, For. Sci. Monogr., 30, 1, 1995.

Mack, R.N., Simberloff, D., Lonsdale, W.M., Evans, H., Clout, M., and Bazzaz, F., Biotic invasions: Causes, epidemiology, global consequences, and control, Ecol. Appl., 10, 689, 2000.

McPherson, G.R., Linking science and management to mitigate impacts of nonnative plants, Weed Technol., 18, 1185, 2004.

Meyerson, L.A. and Reaser, J.K., Bioinvasions, bioterrorism, and biosecurity, Front. Ecol. Environ., 1, 307, 2003.

Midwest Invasive Plant Network, CWMA Cookbook: A Recipe for Success, Midwest Invasive Plant Network, Indianapolis, IN, 22, 2006.

Minteer, B.A. and Manning, R.E., Eds., Reconstructing Conservation: Finding Common Ground, Island Press, Washington, DC, 2003.

Moran, V.C., Hoffmann, J.H., and Zimmermann, H.G.,

Biological control of invasive alien plants in South Africa: Necessity, circumspection, and success, Front. Ecol. Environ., 3, 77, 2005.

NRC (National Research Council), Predicting Invasions of Nonindigenous Plants and Plant Pests, National Academy Press, Washington, DC, 2002.

Otsamo, A., Adjers, G., Hadi, T.S., Kuusipalo, J., Tuomela, K., and Vuokko, R., Effects of site preparation and initial fertilization on the establishment and growth of four plantation tree species used in reforestation of Imperata cylindrica (L.) Beauv. dominated grasslands, For. Ecol. Manage., 73, 271, 1995.

Pal, R., Invasive plants threaten Segetal weed vegetation in South Hungary, Weed Technol., 18, 1314, 2004.

Pierre, B., A taxonomic, biogeographical and ecological overview of invasive woody plants, J. Veg. Sci., 7, 121, 1996.

Pimentel, D., Ed., Biological Invasions: Economic and Environmental Costs of Alien Plant, Animal, and Microbe Species, CRC Press, Washington, DC, 369, 2002.

Plummer, R. and Armitage, D.R., Charting the new territory of adaptive co-management: A Delphi study, Ecol. Soc., 12, 2, 10 [online], Available at http:==www.ecologyand society.org=vol12=iss2=art10=, 2007.

Sauer, L.J., The Once and Future Forest: A Guide to Forest Restoration Strategies, Island Press, Washington, DC, 380, 1998.

Schelhas, J., Buck, L., and Geisler, C., Introduction: The challenge of adaptive collaborative management, in Biological Diversity: Balancing Interests through Adaptive Collaborative Management, Buck, L., Geisler, C., Schelhas, J., and Wollenberg, E., Eds., CRC Press, Boca Raton, FL, xix, 2001.

Schrader, G., A new working program on invasive alien species started by the multinational European organization dedicated to protecting plants, Weed Technol., 18, 1342, 2004.

Sheley, R.L. and Krueger-Mangold, J., Principles for restoring invasive plant-infested rangeland, Weed Sci., 51, 260, 2003.

Simberloff, D., Impacts of introduced species in the United States, Consequences, 2, 1, 1996.

Simberloff, D., Parker, I.M., and Windle, P.N., Introduced species policy, management, and future research needs, Front. Ecol. Environ., 3, 12, 2005.

Simberloff, D. and Stiling, P., How risky is biological control? Ecology, 77, 1965, 1996.

Taylor, J.P. and McDaniel, K.C., Revegetation strategies after saltcedar (Tamarix spp.) control in headwater, transitional, and depositional watershed areas, Weed Technol., 18, 1278, 2004.

U.S. Congress, Office of Technology Assessment, Harmful Non-Indigenous Species in the United States, OTA-F-565, U.S. Government Printing Office, Washington, DC, 391, 1993.

USDA Forest Service, Southern Research Station's FIA Unit, Invasive plant database, Knoxville, TN,

Vitousek, P.M., D'Antonio, C.M., Loope, L.L., and Westbrooks, R., Biological invasions as global environmental change, Am. Sci., 84, 468, 1996.

Von der Lippe, M. and Kowarik, I., Long-distance dispersal of plants by vehicles as a driver of plant invasions, Conserv. Biol., 21, 986, 2006.

Walters, C., Challenges in adaptive management of riparian and coastal ecosystems, Conserv. Ecol. [online], 1, 2, 1, Available at

http:==www.ecologyandsociety.org=vol1=iss2=art1=, 1997.

Westbrooks, R.G., New approaches for early detection and rapid response to invasive plants in the United States, Weed Technol., 18, 1469, 2004. 16 Chapter 16. Cogongrass (Imperata cylindrica)-A Comprehensive Review of an Invasive Grass*

Ahn, P.M., The optimum length of planned fallow, in Soils Research in Agroforestry, Mongi, H.O. and Huxley, P.A., Eds., International Council for Research in Agroforestry (ICRAF), Nairobi, Kenya, 15, 1978.

Akobundu, I.O. and Ekeleme, F.E., Effect of method of Imperata cylindrica management on maize grain yield in the derived savanna of south-western Nigeria, Weed Res. (Oxford), 40, 335, 2000.

Akobundu, I.O., Ekeleme, F., and Chikoye, D., The influence of fallow management system and frequency of cropping on weed growth and crop yield, Weed Res. (Oxford), 39, 241, 1999.

Akobundu, I.O., Udensi, U.E., and Chikoye, D., Velvetbean (Mucuna spp.) suppresses speargrass (Imperata cylindrica (L.) Raeuschel) and increases maize yield, Int. J. Pest Manage., 46, 103, 2000.

Anoka, U.A., Akobundu, I.O., and Okonkwo, S.N.C., Effect of Gliricidia sepium (Jacq.) Steud. and Leucaena leucocephala (Lam.) deWit on growth and development of Imperata cylindrica (L.) Raeuschel, Agroforest. Syst., 16, 1, 1991.

Anonymous, Research report, USDA—Bureau of Animal Industry, Chinsegut Hill Sanctuary, Brooksville, FL, 23, 1949.

Avav, T., Control of speargrass (Imperata cylindrica (L.) Raeuschel) with glyphosate and fluazifop-butyl for soybean (Glycine max (L.) Merr) production in savanna zone of Nigeria, J. Sci. Food Agric., 80, 193, 2000.

Ayeni, A.O., Observations on the vegetative growth patterns of speargrass [Imperata cylindrica (L.) Beauv.], Agric. Ecosyst. Environ., 13, 301, 1985.

Ayeni, A.O. and Duke, W.B., The influence of rhizome features on subsequent regenerative capacity in speargrass (Imperata cylindrica (L.) Beauv.), Agric. Ecosyst. Environ., 13, 309, 1985

Bagnall-Oakeley, H., Conroy, C., Faiz, A., Gunawan, A., Gouyon, A., Penot, E., Liangsutthissagon, S., Nguyen, H.D., and Anwar, C., Smallholder Imperata management strategies used in rubber-based farming systems, Agroforest. Syst.,

Barnett, J.W., Jr., Byrd, J.D., Jr., and Mask, D.B., Efficacy of herbicides on cogongrass (Imperata cylindrica), Proc. South. Weed Sci. Soc., 53, 227, 2000.

Barnett, J.W., Jr., Byrd, J.D., Jr., Bruce, L.M., Li, J., Mask, D.B., Mathur, A., and Burnell, K.D., Cogongrass [Imperata cylindrica (L.) Beauv.] can be detected using hyperspectral reflectance data, Proc. South. Weed Sci. Soc., 56, 354, 2003.

Barron, M.C., MacDonald, G.E., Brecke, B.J., and Shilling, D.G., Integrated approaches to cogongrass [Imperata cylindrica (L.) Beauv.] management, Proc. South. Weed Sci. Soc., 55, 158, 2003.

Blair, G.J., Pualillin, P., and Samosir, S., Effect of fertilizers on the yield and botanical composition of pastures in South Sulawesi, Indonesia, Agron. J., 70, 559, 1978.

Boonitte, A. and Ritdhit, P., Alleopathic effects of some weeds on mungbean plants (Vigna radiata), in Proc. First Trop. Weed Conf., Hat Yai, Songkhia, Thailand, 2, 401, 1984.

Brewer, J.S. and Cralle, S.P., Phosphorus addition reduces invasion of longleaf pine savanna (Southeastern USA) by an non-indigenous grass (Imperata cylindrica), Plant Ecol., 167, 237, 2003.

Brook, R.M., Review of literature on Imperata cylindrica (L.) Raeuschel with particular reference to South East Asia, Trop. Pest Manage., 35, 12, 1989.

Bryson, C.T. and Carter, R., Cogongrass, Imperata cylindrica, in the United States, Weed Technol., 7, 1005, 1993.

Burnell, K.D., Byrd, J.D., Jr., and Meints, P.D., Evaluation of plant growth regulators for cogongrass [Imperata cylindrica (L.) Beauv.] seed development and control, Proc. South. Weed Sci. Soc., 56, 342, 2003a.

Burnell, K.D., Byrd, J.D., Jr., Ervin, J.D., Meints, P.D., Barnett, J.W., Jr., and Mask, D.B., Mowing and cultural tactics for cogongrass [Imperata cylindrica (L.) Beauv.], Proc. South. Weed Sci. Soc., 56, 352, 2003b.

Burnell, K.D., Byrd, J.D., Jr., Reddy, K.R., and Meints, P.D., Phenological modeling of flower onset in cogongrass [Imperata cylindrica (L.) Beauv.], Proc. South. Weed Sci. Soc., 57, 321, 2004.

Burns, B.K., Byrd, J.D., Jr., Chesser, Z.B., Taylor, J.M., and Peyton, B.S., Cogongrass management using a Clearfield cropping system, Proc. South. Weed Sci. Soc., 59, 193, 2006.

Casini, P., Vecchio, V., and Tamantiti, I., Allelopathic interference of itchgrass and cogongrass: Germination and early development of rice, Trop. Agric., 75, 445, 1998.

Chandrasrikul, A., A preliminary host list of plant diseases in Thailand, Tech. Bull. 6, Department of Agriculture, Bangkok, 23, 1962.

Cheng, K.T. and Chou, C., Ecotypic variation of Imperata cylindrica populations in Taiwan. I. Morphological and molecular evidences, Bot. Bull. Acad. Sinica, 38, 215, 1997.

Chikoye, D., Ekeleme, F., and Ambe, J.T., Survey of distribution and farmers' perceptions of speargrass [Imperata cylindrica (L.) Raeuschel] in cassava-based systems in West Africa, Int. J. Pest Manage., 45, 305, 1999.

Chikoye, D., Ekeleme, F., and Udensi, U., Cogongrass suppression by intercropping cover crops in corn=cassava systems, Weed Sci., 49, 658, 2001.

Chikoye, D., Manyong, V.M., Carsky, R.J., Ekeleme, F., Gbehounou, G., and Ahanchede, A., Response of speargrass (Imperata cylindrica) to cover crops integrated with handweeding and chemical control in maize and cassava, Crop Prot., 21, 145, 2002.

Chikoye, D., Manyong, V.M., and Ekeleme, F., Characteristics of speargrass (Imperata cylindrica) dominated fields in West Africa: Crops, soil properties, farmer perceptions and management strategies, Crop Prot., 19, 481, 2000.

Chikoye, D., Udensi, U.E., and Ogunyemi, S., Integrated management of cogongrass [Imperata cylindrica (L.) Rauesch.] in corn using tillage, glyphosate, row spacing, cultivar and cover cropping, Agron. J., 97, 1164, 2005.

Chou, C. and Tsai, C., Genetic variation in the intergenic spacer of ribosomal DNA of Imperata cylindrica (L.) Beauv. var. major (Cogongrass) populations in Taiwan, Bot. Bull. Acad. Sinica, 40, 319, 1999.

Coile, N.C. and Shilling, D.G., Cogongrass, Imperata cylindrica (L.) Beauv.: A good grass gone bad! Bot. Circ. No. 28, Florida Department of Agricultural and Consumer Services, Tallahassee, FL, 4, 1993.

Collins, A.R., Implications of plant diversity and soil chemical properties for cogongrass (Imperata cylindrica) invasion in Northwest Florida, Ph.D. dissertation, University of Florida, Gainesville, FL, 77, 2005.

Coster, C., Some observations on the growth and control of Imperata cylindrica, Tectona, 25, 383, 1932.

Coster, C., Grass in teak Taungya plantations, Indian For., 65, 169, 1939.

Cummings, J., Reid, N., Davies, I., and Grants, C., Adaptive restoration of sand-mined areas for biological conservation, J. Appl. Ecol., 42, 160, 2005.

Darkwa, E.O., Oti-Boateng, C., Willcocks, T.J., Terry, P.J., Johnson, B.K., Nyalemegbe, K., and Yangyuoru, M., Weed management of vertisols for small-scale farmers in Ghana, Int. J. Pest Manage., 47, 299, 2001.

Dela Cruz, R.E., Constraints and strategies for the regeneration of Imperata grasslands, in Forest Regeneration in Southeast Asia, Proceedings of the Symposium in Bogor, Indonesia, Biotropica Special Publ. No. 25, Bogor, Indonesia, 23, 1986.

Dickens, R., Cogongrass in Alabama after sixty years, Weed Sci., 22, 177, 1974.

Dickens, R. and Buchanan, G.A., Control of cogongrass with herbicides, Weed Sci., 23, 194, 1975.

Dickens, R. and Moore, G.M., Effects of light, temperature, KNO 3 , and storage on germination of cogongrass, Agron. J., 66, 187, 1974.

Dinerstein, E., An ecological survey of the Royal Karnali-Bardia wildlife reserve, Nepal, Part 1: Vegetation, modifying factors, and successional relationships, Biol. Conserv., 15, 127, 1979a. Dinerstein, E., An ecological survey of the Royal Karnali-Bardia wildlife reserve, Nepal, Part 2: Habitat=animal interactions, Biol. Conserv., 16, 265, 1979b.

Dove, M.R., Anthropogenic grasslands in Southeast Asia: Sociology of knowledge and implications for agroforestry, Agrofor. Syst., 61, 423, 2004.

Dozier, H., Gaffney, J.F., McDonald, S.K., Johnson, E.R.R.L., and Shilling, D.G., Cogongrass in the United States: History, ecology, impacts, and management, Weed Technol., 12, 737, 1998.

English, R., The regulation of axillary bud development in the rhizomes of cogongrass (Imperata cylindrica (L.) Beauv.), Ph.D. dissertation, University of Florida, Gainesville, FL, 123, 1998.

Eussen, J.H.H., Some competition experiments with alang-alang [Imperata cylindrica (L.) Beauv.] in replacement series, Oecologia, 40, 351, 1979.

Eussen, J.H.H., Biological and ecological aspects of alang-alang [Imperata cylindrica (L.) Beauv.], in Proceedings of BIOTROP Workshop on Alang-Alang in Bogor, Biotropica Special Publ. No. 5, Bogor, Indonesia, 15, 1980.

Eussen, J.H.H. and Soerjani, M., Problems and control of 'alang-alang' [Imperata cylindrica (L.) Beauv.] in Indonesia, Proc. Fifth Annu. Conf. Asian-Pacific Weed Sci. Soc., 5, 58, 1975.

Eussen, J.H.H. and Wirjahardja, S., Studies of an alang-alang, Imperata cylindrica (L.) Beauv. vegetation, Biotrop. Bull., 6, 24, 1973.

Eussen, J.H.H., Slamet, S., and Soeroto, D., Competition between alang-alang [Imperata cylindrica (L.) Beauv.] and some crop plants, Biotropica Bull. No. 10, SEAMEO Regional Center for Tropical Biology, Bogor, Indonesia, 1976.

Faircloth, W.H., Patterson, M.G., Teem, D.H., and Miller, J.H., Cogongrass (Imperata cylindrica): Management tactics on rights-of-way, Proc. South. Weed Sci. Soc., 55, 162, 2003.

Friday, K.S., Drilling, M.E., and Garrity, D.P., Imperata grassland rehabilitation using agroforestry and assisted

natural regeneration, ICRAF, Southeast Asia Regional Center, Bogor, Indonesia, 1999.

Gabel, M.L., A biosystematic study of the genus Imperata (Gramineae: Andropogoneae), Ph.D. dissertation, Iowa State University, Ames, IA, 94, 1982.

Gaffney, J.F., Ecophysiological and technical factors influencing the management of cogongrass (Imperata cylindrica), Ph.D. dissertation, University of Florida, Gainesville, FL, 111, 1996.

Gaffney, J.F. and Shilling, D.G., Factors influencing the activity of axillary buds in cogongrass (Imperata cylindrica) rhizomes, Proc. South. Weed Sci. Soc., 47, 182, 1995.

Garrity, D.P., Ed., Special issue: Agroforestry innovations for Imperata grassland rehabilitation, Agrofor. Syst., 36, 1, 1996=1997.

Garrity, D.P., Kummer, D.M., and Guiang, E.S., Country profile: The Philippines, in Sustainable Agriculture and the Environment in the Humid Tropics, US National Research Council, National Academy of Science, Washington, DC, 1993.

Garrity, D.P., Soekardi, M., Van Noordwijk, M., De La Cruz, R., Pathak, P.S., Gunasena, H.P.M., Van So, N., Huijun, G., and Majid, N.M., The Imperata grasslands of tropical Asia: Area, distribution, and typology, Agrofor. Syst., 36, 3, 1996.

Goltenboth, F. and Hutter, C.P., New options for land rehabilitation and landscape ecology in southeast Asia by "rainforestation farming," J. Nat. Conserv., 12, 181, 2004.

Greenlee, J., The Encyclopedia of Ornamental Grasses: How to Grow and Use over 250 Beautiful and Versatile Plants, Michael Friedman, New York, 1992.

Grime, J.P., Evidence for the existence of three primary strategies in plants and its relevance to ecological and evolutionary theory, Am. Nat., 111, 1169, 1977.

Hall, D.W., The grasses of Florida, Ph.D. dissertation, University of Florida, Gainesville, FL, 508, 1978.

Hall, D.W., Weed watch . . . cogongrass, Florida Weed Sci. Soc. Newsl., 5, 1, 1983.

Hall, D.W., Is cogongrass really an exotic? Wildland Weeds, 1, 14, 1998.

Hartemink, A.E. and O'Sullivan, J.N., Leaf litter decomposition of Piper aduncum, Gliricidia sepium and Imperata cylindrica in the humid lowlands of Papua New Guinea, Plant Soil, 230, 115, 2001.

Hartley, C.W.S., An experiment on mechanical methods of Lalan eradication, Malay Agric. J., 32, 236, 1949.

Hitchcock, A.S., Manual of the Grasses of the United States, 2nd ed., Misc. Publ. No. 200, U.S. Department of Agriculture, Washington, DC, 1051, 1951.

Holly, D.C. and Ervin, G.N., Characterization and quantitative assessment of interspecific and intraspecific penetration of below-ground vegetation by cogongrass [Imperata cylindrica (L.) Beauv.] rhizomes, Weed Biol. Manage., 6, 120, 2006.

Holm, L.E., Weed problems in developing countries, Weed Sci., 17, 113, 1969.

Holm, L.G., Pucknett, D.L., Pancho, J.B., and Herberger, J.P., The World's Worst Weeds, Distribution and Biology, University Press of Hawaii, Honolulu, HI, 1977.

Hubbard, C.E., Imperata cylindrica: Taxonomy, distribution, economic significance, and control, Imp. Agric. Bur. Joint Pub. No. 7, Imperial Bureau Pastures and Forage Crops, Aberystwyth, Wales, Great Britain, 53, 1944.

Ibewiro, B., Sanginga, N., Vanlauwe, B., and Merckx, R., Evaluation of symbiotic dinitrogen inputs of herbaceous legumes into tropical cover-crop systems, Biol. Fertil. Soils., 32, 234, 2000.

International Institute of Tropical Agriculture (IITA), Annual report of 1977, International Institute of Tropical Agriculture, Ibadan, 37, 1977.

Islam, K.R., Ahmed, M.R., Bhuiyan, M.K., and Badruddin, A., Deforestation effects on vegetative regeneration and soil quality in tropical semi-green degraded and protected forests of Bangladesh, Land Degrad. Dev., 12, 45, 2001.

Ivens, G.W., Imperata cylindrica (L.) Beauv. in West African agriculture, in Proceedings of BIOTROP Workshop on

- Alang-Alang in Bogor, July 27–29, 1976, Biotropica Special Publ. No. 5, Bogor, Indonesia, 149, 1980.
- Ivy, D.N., Byrd, J.D., Jr., Peyton, B.S., Taylor, J.M., and Burnell, K.D., Evaluation of herbicides for activity on cogongrass, Proc. South. Weed Sci. Soc., 59, 196, 2006.
- Johnson, E.R.R.L., Gaffney, J.F., and Shilling, D.G., Revegetation as a part of an integrated management approach for the control of cogongrass (Imperata cylindrica), Proc. South. Weed Sci. Soc., 50, 141, 1997.
- Johnson, E.R.R.L., Gaffney, J.F., and Shilling, D.G., The influence of discing on the efficacy of imazapyr for cogongrass [Imperata cylindrica (L.) Beauv.] control, Proc. South. Weed Sci. Soc., 52, 165, 1999.
- Johnson, E.R.R.L., Shilling, D.G., MacDonald, G.E., Gaffney, J.F., and Brecke, B.J., Time of year, rate of herbicide application, and revegetation: Factors that influence the control of cogongrass [Imperata cylindrica (L.) Beauv.] control, Proc. South. Weed Sci. Soc., 53, 70, 2000.
- Jose, S., Cox, J., Miller, D.L., Shilling, D.G., and Merritt, S., Alien plant invasions: The story of cogongrass in southeastern forests, J. For., 100, 41, 2002.
- Jouquet, P., Boulain, N., Gignoux, J., and Lepage, M., Association between subterranean termites and grass in a West African savanna: Spatial pattern analysis shows a significant role for Odontotermes n. pauperans, Appl. Soil Ecol., 27, 99, 2004.
- Kaewkrom, P., Gajaseni, J., Jordan, C.F., and Gajaseni, N., Floristic regeneration in five types of teak plantations in Thailand, For. Ecol. Manage., 210, 351, 2005.
- Ketterer, E.A., MacDonald, G.E., Ferrell, J.A., Barron, M.C., and Sellers, B.A., Studies to enhance herbicide activity in cogongrass [Imperata cylindrica (L.) Beauv.], Proc. South. Weed Sci. Soc., 59, 205, 2006.
- King, S.E. and Grace, J.B., The effects of gap size and disturbance type on invasion of wet pine savanna by cogongrass, Imperata cylindrica (Poaceae), Am. J. Bot., 87, 1279, 2000a.
- King, S.E. and Grace, J.B., The effects of soil flooding on the establishment of cogongrass (Imperata cylindrica), a

nonindigenous invader of the southeastern United States, Wetlands, 20, 300, 2000b.

Koger, C.H. and Bryson, C.T., Effect of cogongrass (Imperata cylindrica) residues on bermudagrass (Cynodon dactylon) and Italian ryegrass (Lolium multiflorum), Proc. South. Weed Sci. Soc., 56, 341, 2003.

Kosonen, M., Otsamo, A., and Kuusipalo, J., Financial, economic and environmental profitability of reforestation of Imperata grasslands in Indonesia, For. Ecol. Manage., 99, 247, 1997.

Kumar, P. and Sood, B.R., Renovation of Imperata cylindrica dominant natural grassland through the introduction of improved grass species, Indian J. Agron., 43, 183, 1998.

Kuusipalo, J., Adjers, G., Jafarsidik, Y., Otsamo, A., Tuomela, K., and Vuokko, R., Restoration of natural vegetation in degraded Imperata cylindrica grassland: Understorey development in forest plantations, J. Veg. Sci., 6, 205, 1995.

Lee, S.A., Germination, rhizome survival, and control of Imperata cylindrica (L.) Beauv. on peat, MARDI Res. Bull., 5, 1, 1977.

Lippincott, C.L., Effects of Imperata cylindrica (L.) Beauv. (cogongrass) invasion on fire regime in Florida sandhill, Nat. Areas J., 20, 140, 2000.

MacDicken, K.G., Hairiah, K.L., Otsamo, A., Duguma, B., and Majid, N.M., Shade based control of Imperata cylindrica: Tree fallows and cover crops, Agrofor. Syst., 36, 131, 1997.

MacDonald, G.E., Shilling, D.G., Meeker, J., Charudattan, R., Minno, M., Van Loan, A., DeValerio, J., Yandoc, C., and Johnson, E.R.R.L., Integrated management of non-native invasive plants in southeastern pine forest ecosystems—Cogongrass as a model system, Final Report, USDA Forest Service, Forest Health Technologies, Washington, DC, 50, 2001.

MacDonald, G.E., Johnson, E.R.R.L., Shilling, D.G., Miller, D.L., and Brecke, B.J., The use of imazapyr and imazapic for cogongrass [Imperata cylindrica (L.) Beauv.] control, Proc. South. Weed Sci. Soc., 55, 110, 2002.

Mangoendiharjo, S., Some notes on the natural enemies of

alang-alang (Imperata cylindrica) in Java, in Proceedings of BIOTROP Workshop on Alang-Alang in Bogor, July 27–29, 1976, Biotropica Special Publ. No. 5, Bogor, Indonesia, 47, 1980.

Marchbanks, P.R., Byrd, J.D., Jr., Barnett, J.W., Jr., Mask, D.B., and Burnell, K.D., Comparison of Burch Wet Blade 1 and conventional boom applications for control of cogongrass (Imperata cylindrica), Proc. South. Weed Sci. Soc., 55, 66, 2002.

Mask, D.B., Byrd, J.D., Jr., and Barnett, J.W., Jr., Efficacy of postemergence gramincides on cogongrass (Imperata cylindrica), Proc. South. Weed Sci. Soc., 53, 225, 2000.

Mask, D.B., Byrd, J.D., Jr., and Barnett, J.W., Jr., Will postemergent graminicides and mowing control cogongrass (Imperata cylindrica)? Proc. South. Weed Sci. Soc., 54, 63, 2001.

Matlack, G.R., Exotic plant species in Mississippi, USA: Critical issues in management and research, Nat. Areas J., 22, 241, 2002.

Matsunaga, K., Ikeda, M., Shibuya, M., and Ohizumi, Y., Cylindol A, a novel biphenylether with 5-lipoxygenase inhibitory activity, and a related compound from Imperata cylindrica, J. Nat. Prod., 57, 1290, 1994a.

Matsunaga, K., Shibuya, M., and Ohizumi, Y., Cylindrene, a novel sesquiterpenoid from Imperata cylindrica with inhibitory activity on contractions of vascular smooth muscle, J. Nat. Prod., 57, 1290, 1994b.

Matsunaga, K., Shibuya, M., and Ohizumi, Y., Graminone B, a novel lignan with vasodilative activity from Imperata cylindrica, J. Nat. Prod., 57, 1734, 1994c.

Matsunaga, K., Shibuya, M., and Ohizumi, Y., Imperanene, a novel phenolic compound with platelet aggregation inhibitory activity from Imperata cylindrica, J. Nat. Prod., 58, 138, 1995.

McDonald, S.K., Shilling, D.G., Bewick, T.A., Okoli, C.A.N., and Smith, R., Sexual reproduction by cogongrass, Imperata cylindrica, Proc. South. Weed Sci. Soc., 48, 188, 1995.

McDonald, S.K., Shilling, D.G., Okoli, C.A.N., Bewick,

- T.A., Gordon, D., Hall, D., and Smith, R., Population dynamics of cogongrass, Proc. South. Weed Sci. Soc., 49, 156, 1996.
- Menz, K.M. and Grist, P., Increasing rubber planting density to shade Imperata: A bioeconomic modelling approach, Agrofor. Syst., 34, 291, 1996.
- Miller, J.H., Refining rates and treatment sequences for cogongrass (Imperata cylindrica) control with imazapyr and glyphosate, Proc. South. Weed Sci. Soc., 53, 131, 2000.
- Moe, S.R. and Wegge, P., The effects of cutting and burning on grass quality and axis deer (Axis axis) use of grassland in lowland Nepal, J. Trop. Ecol., 13, 279, 1997.
- Myers, M.T., Byrd, J.D., Jr., Peyton, B.S., Burns, B.K., Wright, R.S., and Burnell, K.D., Should aboveground biomass be removed before herbicide applications for control of cogongrass? Proc. South. Weed Sci. Soc., 59, 197, 2006.
- Naiola, B.P., Growth variation of some Indonesian alang-alang clones, in Proc. Eighth AsianPacific Weed Sci. Soc. Conf., Vol. I, Bangalore, India, 291, 1981.
- Neldner, V.J., Fensham, R.J., Clarkson, J.R., and Stanton, J.P., The natural grasslands of Cape York pensinsula, Australia: Description, distribution and conservation status, Biol. Conserv., 81, 121, 1997.
- Ohta, S., Influence of deforestation on the soils of the Pantabangan area, Central Luzon, the Philippines, Soil Sci. Plant Nutr., 36, 561, 1990.
- Otsamo, A., Effect of nurse tree species on early growth of Anisoptera marginata Korth. (Dipterocarpaceae) on an Imperata cylindrica (L.) Beauv. grassland site in South Kalimantan, Indonesia, For. Ecol. Manage., 105, 303, 1998a.
- Otsamo, A., Removal of Acacia mangium overstorey increased growth of underplanted Anisoptera marginata (Dipterocarpaceae) on an Imperata cylindrica grassland site in South Kalimantan, Indonesia, New For., 16, 71, 1998b.
- Otsamo, A., Secondary forest regeneration under fast-growing forest plantations on degraded Imperata cylindrica grasslands, New For., 19, 69, 2000a.
- Otsamo, A., Early development of three planted indigenous tree species and natural understorey vegetation in

artificial gaps in an Acacia mangium stand on an Imperata cylindrica grassland site in South Kalimantan, Indonesia, New For., 19, 51, 2000b.

Otsamo, A., Forest plantations on Imperata grasslands in Indonesia—Establishment, silviculture and utilization potential, Ph.D. dissertation, University of Helsinki, Helsinki, Finland, 85, 2001. Available at honeybee.helsinki.fi=tropic=Aotsamo.pdf.

Otsamo, A., Early effects of four fast-growing tree species and their planting density on ground vegetation in Imperata grasslands, New For., 23, 1, 2002.

Otsamo, A., Adjers, G., Hadi, T.S., Kuusipalo, J., Tuomela, K., and Vuokko, R., Effect of site preparation and initial fertilization on the establishment and growth of four plantation tree species used in reforestation of Imperata cylindrica (L.) Beauv. dominated grasslands, Forest Ecol. Manage., 73, 271, 1995a.

Otsamo, A., Hadi, T.S., Adjers, G., Kuusipalo J., and Vuokko, R., Performance and yield of 14 eucalypt species on Imperata cylindrica (L.) Beauv. grassland 3 years after planting, New For., 10, 257, 1995b.

Otsamo, A., Adjers, G., Hadi, T.S., Kuusipalo, J., and Vuokko, R., Evaluation of reforestation potential of 83 tree species planted on Imperata cylindrica dominated grassland: A case study from South Kalimantan, Indonesia, New For., 14, 127, 1997.

Patterson, D.T., Shading effects on growth and partitioning of plant biomass in cogongrass (Imperata cylindrica) from shaded and exposed habitats, Weed Sci., 28, 735, 1980.

Patterson, D.T. and McWhorter, C.G., Distribution and control of cogongrass (Imperata cylindrica) in Mississippi, Proc. South. Weed Sci. Soc., 33, 251, 1980.

Patterson, D.T., Flint, E.P., and Dickens, R., Effects of temperature, photoperiod, and population source on the growth of cogongrass (Imperata cylindrica), Weed Sci., 28, 505, 1980.

Patterson, D.T., Terrell, E.E., and Dickens, R., Cogongrass in Mississippi, Miss. Agric. For. Exp. Stn. Res. Rep., 46, 1, 1983.

Paul, R. and C.D. Elmore, Weeds and the C 4 syndrome, Weeds

Today, 15, 3, 1984.

Peet, N.B., Watkinson, A.R., Bell, D.J., and Kattel, B.J., Plant diversity in the threatened sub-tropical grasslands of Nepal, Biol. Conserv., 88, 193, 1999a.

Peet, N.B., Watkinson, A.R., Bell, D.J., and Sharma, U.R., The conservation management of Imperata cylindrica grassland in Nepal with fire and cutting: An experimental approach, J. Appl. Ecol., 36, 374, 1999b.

Pendleton, R.L., Cogongrass, Imperata cylindrica in the western hemisphere, Agron. J., 40, 1047, 1948.

Peng, S.Y., The Biology and Control of Weeds in Sugarcane, Developments in Crop Science, Vol. 4, Elsevier Science, New York, 326, 1984.

Potter, L., Agricultural intensification in Indonesia: Outside pressures and indigenous Strategies, Asia Pac. Viewp., 42, 305, 2001.

Potter, L., Lee, J., and Thorburn, K., Reinventing Imperata: Revaluing alang-alang grasslands in Indonesia, Dev. Change., 31, 1037, 2000.

Ramsey, C.L., Jose, S., Miller, D.L., Cox, J., Portier, K.M., Shilling, D.G., and Merritt, S., Cogongrass [Imperata cylindrica (L.) Beauv.] response to herbicides and disking on a cutover site in a mid-rotation pine plantation in southern USA, For. Ecol. Manage., 179, 195, 2003.

Sajise, P.E., Evaluation of Cogon (Imperata cylindrica L.) Beauv. as a seral stage in Philippine vegetational succession. I. The cogonal seral stage and plant succession. II. Autecological studies on cogon, Ph.D. dissertation, Cornell University, Ithaca, NY, 1972.

Sajise, P.E., Evaluation of cogon [Imperata cylindrica (L.) Beauv.] as a serial stage in Philippine vegetational succession. I. The cogonal seral stage and plant succession. II. Autecological studies on cogon, Dissertation Abstracts International B, 3040, 1973 (from Weed Abstracts No. 1339, 1976).

Sandanam, S. and Jayasinghe, H.D., Manual and chemical control of Imperata cylindrica on tea land in Sri Lanka, PANS, 23, 421, 1977.

Santiago, A., Studies on the autecology of Imperata

cylindrica (L.) Beauv., in Proceedings of Ninth International Grassland Congress, San Paulo, Brazil, 499, 1965.

Santiago, A., Gene ecological aspects of the Imperata weed and practical implications, in Proceedings of BIOTROP Workshop on Alang-Alang in Bogor, July 27–29, 1976, Biotropica Special Publ. No. 5, Bogor, Indonesia, 23, 1980.

Saxena, K.G. and Ramakrishnan, P.S., Growth and allocation strategies of some perennial weeds of slash and burn agriculture (jhum) in northeastern India, Can. J. Bot., 61, 1300, 1983.

Seavoy, R.E., The origin of tropical grasslands in Kalimantan, Indonesia, J. Trop. Geogr., 40, 48, 1975.

Shilling, D.G., Bewick, T.A., Gaffney, J.F., McDonald, S.K., Chase, C.A., and Johnson, E.R.R.L., Ecology, physiology, and management of cogongrass (Imperata cylindrica), Final Report, Florida Institute of Phosphate Research, Bartow, FL, 128, 1997.

Snelder, D.J., Soil properties of Imperata grasslands and prospects for tree-based farming systems in Northeast Luzon, The Philippines, Agroforest. Syst., 52, 27, 2001.

Soedarsan, A., The effect of alang-alang [Imperata cylindrica (L.) Raeuschel] and control techniques on plantation crops, in Proceedings of BIOTROP Workshop on Alang-Alang in Bogor, July 27–29, 1976, Biotropica Special Publ. No. 5, Bogor, Indonesia, 71, 1980.

Soemarwoto, O., The Effect of Light and Potassium Nitrate on the Germination of AlangAlang [Imperata cylindrica (L.) Beauv.], University of Gadjah Mada, Jogjakarta, Indonesia, 13, 1959.

Soenarjo, E., Alang-alang gall midge potential as an alternate host for parasitoids, Int. Rice Res. Newsl., 11, 22, 1986.

Soerianegara, I., The alang-alang (Imperata cylindrica (L.) Beauv.) problem in forestry, in Proceedings of BIOTROP Workshop on Alang-Alang in Bogor, July 27–29, 1976, Biotropica Special Publ. No. 5, Bogor, Indonesia, 237, 1980.

Soerjani, M., Alang-alang Imperata cylindrica (L.) Beav., pattern of growth as related to its problem of control,

Biol. Trop. Bull., 1, 88, 1970.

Soerjani, M. and Soemarwoto, O., Some factors affecting germination of alang-alang Imperata cylindrica rhizome buds, PANS, 15, 376, 1969.

Sriyani, N., Hopen, H.J., Balke, N.E., Tjitrosemito, S., and Soerianegara, I., Rhizome bud kill of alang-alang (Imperata cylindrica) as affected by glyphosate absorption, translocation and exudation, Biotrop. Spec. Publ., 58, 93, 1996.

Stobbs, T.H., Animal production from Hyparthena grassland oversown with Stylosanthes gracilis, East Afr. Agric. For. J., 35, 128, 1969.

Suganda, T. and Yulia, E., Effect of crude water extract of cogongrass (Imperata cylindrica Beauv.) rhizome against fusarium wilt disease of tomato, Int. Pest Control., 40, 79, 1998.

Suryatna, E.S. and McIntosh, J.L., Food crops production and control of Imperata cylindrica (L.) Beauv. on small farms, 135, in Proceedings of BIOTROP Workshop on AlangAlang in Bogor, July 27–29, 1976, Biotropica Special Publ. No. 5, Bogor, Indonesia, 15, 1980.

Suyanto, S., Permana, R.P., Khususiyah, N., and Joshi, L., Land tenure, agroforestry adoption, and reduction in fire hazard in a forest zone: A case study from Lampung, Sumatra, Indonesia, Agroforestry Syst., 65, 1, 2005.

Tabor, P., Cogongrass, Imperata cylindrica (L.) Beauv., in the southeastern United States, Agron. J., 41, 270, 1949.

Tabor, P., Comments on cogon and torpedograsses: A challenge to weed workers, Weeds, 1, 374, 1952.

Tanner, G.W., Wood, J.M., and Jones, S.A., Cogongrass (Imperata cylindrica) control with glyphosate, Fla. Sci., 55, 112, 1992.

Terry, P.J., Adjers, G., Akobundu, I.O., Anoka, A.U., Drilling, M.E., Tjitrosemito, S., and Utomo, M., Herbicides and mechanical control of Imperata cylindrica as a first step in grassland rehabilitation, Agroforest. Syst., 36, 151, 1997.

Tominaga, T., Growth of seedlings and plants from rhizome pieces of cogongrass (Imperata cylindrica (L.) Beauv.),

Weed Biol. Manage., 3, 193, 2003.

Townson, J.K. and Butler, R., Uptake, translocation and phytotoxicity of imazapyr and glyphosate in Imperata cylindrica (L.). Raeuschel: Effect of herbicide concentration, position of deposit and two methods of direct contact application, Weed Res. (Oxford), 30, 235, 1990.

Tuomela, K., Otsamo, A., Kuusipalo, J., Vuokko, R., and Nikles, G., Effect of provenance variation and singling and pruning on early growth of Acacia mangium Willd. plantation on Imperata cylindrica (L.) Beauv. dominated grassland, For. Ecol. Manage., 84, 241, 1996.

Turvey, N.D., Growth at age 30 months of Acacia and Eucalyptus species planted in Imperata grasslands in Kalimantan Selatan, Indonesia, For. Ecol. Manage., 82, 185, 1996.

Udensi, U.E., Akobundu, I.O., Ayeni, A.O., and Chikoye, D., Management of cogongrass (Imperata cylindrica) with velvetbean (Mucuna pruriens var. utilis) and herbicides, Weed Technol., 13, 201, 1999.

Van Loan, A.N., Meeker, J.R., and Minno, M.C., Cogongrass, in Biological Control of Invasive Plants in the Eastern United States, Van Driesche, R., Ed., USDA Forest Service Publication FHTET-2002–04, Washington, DC, 413, 2002.

Van Noordwijk, M., Hairiah, K., Partoharjono, S., Labios, R.V., and Garrity, D.P., Foodcrop-based production systems as sustainable alternatives for Imperata grasslands? Agrofor. Syst., 36, 55, 1996.

Vayssiere, P., Les mauvaises herbes en Indo-Malasie, J. Agric. Trop. Bot. Appl., 4, 392, 1957.

Verma, J., Singh, B.P., Gangal, S.V., Arora, N., and Sridhara, S., Purification and partial characterization of a 67-kD cross-reactive allergen from Imperata cylindrica pollen extract, Int. Arch. Allergy. Immunol., 122, 251, 2000.

Versteeg, M.N., Amadji, F., Eteka, A., Gogan, A., and Koudokpon, V., Farmers adoptability ofMucuna fallowing and agroforestry techniques in the coastal savanna of Benin, Agric. Syst., 56, 269, 1998.

Wilcut, J.W., Dute, R.R., Truelove, B., and Davis, D.E.,

- Factors limiting distribution of cogongrass, Imperata cylindrica, and torpedograss, Panicum repens,Weed Sci., 36, 577, 1988a.
- Wilcut, J.W., Truelove, B., Davis, D.E., and Williams, J.C., Temperature factors limiting the spread of cogongrass (Imperata cylindrica) and torpedograss (Panicum repens), Weed Sci., 36, 49, 1988b.
- Willard, T.R., Biology, ecology and management of cogongrass [Imperata cylindrica (L.) Beauv.], Ph.D. dissertation, University of Florida, Gainesville, FL, 113, 1988.
- Willard, T.R. and Shilling, D.G., The influence of growth stage and mowing on competition between Paspalum notatum and Imperata cylindrica, Trop. Grassl., 24, 81, 1990.
- Willard, T.R., Hall, D.W., Shilling, D.G., Lewis, J.A., and Currey, W.L., Cogongrass (Imperata cylindrica) distribution on Florida highway rights-of-way, Weed Technol., 4, 658, 1990.
- Willard, T.R., Shilling, D.G., Gaffney, J.F., and Currey, W.L., Mechanical and chemical control of cogongrass (Imperata cylindrica), Weed Technol., 10, 722, 1996.
- Willard, T.R., Gaffney, J.F., and Shilling, D.G., Influence of herbicide combinations and application technology on cogongrass (Imperata cylindrica) control, Weed Technol., 11, 76, 1997.
- Yandoc, C., Biological control of cogongrass, Imperata cylindrica (L.) Beauv., Ph.D. dissertation, University of Florida, Gainesville, FL, 120, 2001.
- Yandoc, C., Charudattan, R., and Shilling, D.G., Suppression of cogongrass (Imperata cylindrica) by a bioherbicide fungus and plant competition, Weed Sci., 52, 649, 2004.
- Yandoc, C., Charudattan, R., and Shilling, D.G., Enhancement of efficacy of Bipolaris sacchari (E.Butler) Shoem., a bioherbicide agent of cogongrass [Imperata cylindrica (L.) Beauv.], with adjuvants, Weed Sci. Soc. Am. Abstr., 39, 72, 1999.
- Yoon, S.J., Lee, M.K., Sung, S.H., and Kim, Y.C., Neuroprotective 2-(2-phenylethyl)chromones of Imperata cylindrical, J. Nat. Prod., 69, 290, 2006.

17 Chapter 17. Exotic Plant Species Invasion and Control in Great Smoky Mountains National Park, United States

Amrine, J.W., Multiflora rose, in Biological Control of Invasive Plants in the Eastern United States, Van Driesche, R., Lyons, S., Blossey, B., Hoddle, M., and Reardon, R., Eds., Publication FHTET-2002–04, USDA Forest Service, Washington, DC, Chap. 22, 2002.

Bailey, C., Tennessee Natural Heritage Program rare plant list: 2004, Division of Natural Heritage, Tennessee Department of Environment and Conservation, Nashville, TN, 2004.

Barden, L.S., Invasion ofMicrostegium vimineum (Poaceae), an exotic, annual, shade-tolerant, C 4 grass, into a North Carolina floodplain, Am. Midl. Nat., 123, 122, 1987.

Bartuszevige, A.M., Gorchov, D.L., and Raab, L., The relative importance of landscape and community features in the invasion of an exotic shrub in a fragmented landscape, Ecography, 29, 213, 2006.

Bowen, B., Johnson, K., Franklin, S., Call, G., and Webber, M., Invasive exotic pest plants in Tennessee, J. Tenn. Acad. Sci., 77, 45, 2002.

Bransby, D.I., Sladden, S.E., and Aiken, G.E., Mimosa as a forage plant: A preliminary evaluation, in Proc. Forage Grassl.Conf., American Forage and Grassland Council, Georgetown, TX, 28, 1992.

Brose, P., Schuler, T.M., Van Lear, D., and Best, J., Bringing fire back: The changing regimes of the Appalachian mixed-oak forests, J. For., 99, 30, 2001.

Brothers, T.S. and Spingarn, A., Forest fragmentation and alien plant invasion of central Indiana old-growth forests, Conserv. Biol., 6, 91, 1992.

Brown, M.L., The Wild East: A Biography of the Great Smoky Mountains, University of Florida Press, Gainesville, FL, 137, 2000.

Burkett, V., Ritschard, R., McNulty, S., and O'Brien, J.J., Potential consequences of climate variability and change for the southeastern United States, in Climate Change Impacts on the United States: The Potential Consequences of Climate Variability and Change: Report of the National Assessment Synthesis Team, US Climate Change Science Program=US Global Change Research Program, Washington, DC, Chap. 5, 2001.

Cadenasso, M.L. and Pickett, S.T.A., Effect of edge structure on the flux of species into forest interiors, Conserv. Biol., 15, 91, 2001.

Callaway, R.M. and Aschehoug, E.T., Invasive plants versus their new and old neighbors: A mechanism for exotic invasion, Science, 290, 521, 2000.

Callaway, R.M. and Ridenour, W.M., Novel weapons: Invasive success and the evolution of increased competitive ability, Front. Ecol. Environ., 2, 436, 2004.

Cavers, P.B., Heagy, M.I., and Kokron, R.F., The biology of Canadian weeds. 35. Alliaria petiolata (M. Bieb.) Cavara and Grande, Can. J. Plant Sci., 59, 217, 1979.

Chappelka, A.H. and Samuelson, L.J., Ambient ozone effects on forest trees of the eastern United States: A review, New Phytol., 139, 91, 1998.

Claridge, K. and Franklin, S.B., Compensation and plasticity in an invasive plant species, Biol. Invasions, 4, 339, 2002.

Clebsch, E.E.C., Clements, R., and Wofford, B.E., Survey and documentation of exotic plants in Great Smoky Mountains National Park, Cooperative Agreement CA-5460-5-8004, U.S. Department of Interior, National Park Service=University of Tennessee, Knoxville, TN, 1989.

Drees, L., A retrospective on NPS invasive species policy and management, Park Sci., 22, 21, 2004.

Dwernychuk, L.W., Cau, H.D., Hatfield, C.T., Boivin, T.G., Hung, T.M., Dung, P.T., and Thai, N.D., Dioxin reservoirs in southern Viet Nam—A legacy of Agent Orange, Chemosphere, 47, 117, 2002.

Edgin, B. and Ebinger, J.E., Control of autumn olive (Elaeagnus umbellata Thunb.) at Beall Woods Nature Preserve, Illinois, USA, Nat. Areas J., 21, 386, 2001.

Ehrenfeld, J.G., Effects of exotic plant invasion on soil nutrient cycling processes, Ecosystems, 6, 503, 2003.

Emery, S.M. and Gross, K.L., Effects of timing of

prescribed fire on the demography of an invasive plant, spotted knapweed Centaurea maculosa, J. Appl. Ecol., 42, 60, 2005.

Evans, R.D., Rimer, R., Speny, L., and Belnap, J., Exotic plant invasion alters nitrogen dynamics in an arid grassland, Ecol. Appl., 11, 1301, 2001.

Fairbrothers, D.E. and Gray, J.R., Microstegium vimineum (Trin.) A. Camus (Gramineae) in the United States, Bull. Torrey Bot. Club, 99, 97, 1972.

Franklin, M.A. and Finnegan, J.T., Natural Heritage Program list of rare plant species of North Carolina: 2004, North Carolina Natural Heritage Program, N.C. Department of Environmental and Natural Resources, Raleigh, NC, 2004.

Gibson, D.J., Spyreas, G., and Benedict, J., Life history ofMicrostegium vimineum (Poaceae), an invasive grass in southern Illinois, J. Torrey Bot. Soc., 129, 207, 2002.

Gordon, D.R., Effects of invasive, non-indigenous plant species on ecosystem processes: Lessons from Florida, Ecol. Appl., 8, 975, 1998.

Green, H.A., Murray, M.N., Marshall, J.L., Couch, S.E., Ransom, A., McLeod, C., Belliveau, K.E., and Gibson, T.A., Population projections for the state of Tennessee: 2005–2025, Tennessee Advisory Committee on Intergovernmental Relations and the University of Tennessee Center for Business and Economic Outreach, Nashville, TN, 2003.

Greenberg, C.H., Smith, L.M., and Levey, D.J., Fruit fate, seed germination, and growth of an invasive vine—An experimental test of "sit and wait" strategy, Biol. Invasions, 3, 363, 2001.

Griggs, J.A., Simplified floral diversity and the legacy of a protected deer herd in Cades Cove, Great Smoky Mountains National Park, M.S. Thesis, Michigan Technological University, Houghton, MI, 2005.

Harmon, M.E., Fire history of the westernmost portion of Great Smoky Mountains National Park, Bull. Torrey Bot. Club, 109, 74, 1982.

Hendrickson, C., Bell, T., Butler, K., and Hermanutz, L., Disturbance-enabled invasion of Tussilago farfara (L.) in Gros Morne National Park, Newfoundland: Management

implications, Nat. Areas J., 25, 263, 2005.

Hibbs, D.E., Gap dynamics in a hemlock-hardwood forest, Can. J. For. Res., 12, 522, 1982.

Hiebert, R.D. and Stubbendieck, J., Handbook for Ranking Exotic Plants for Management and Control, Natural Resources Report NPS=NRMWRO=NRR-93=08, U.S. Department of Interior, National Park Service, Washington, DC, 1993.

Horton, J.L. and Neufeld, H.S., Photosynthetic responses of Microstegium vimineum (Trin.) A. Camus, a shade tolerant, C 4 grass, to variable light environments, Oecologia, 114, 11, 1998.

Jenkins, M.A. and Parker, G.R., The response of herbaceous-layer vegetation to anthropogenic disturbance in intermittent stream bottomland forests of southern Indiana, USA, Plant Ecol., 151, 223, 2000.

Jenkins, M.A. and White, P.S., Cornus florida mortality and understory composition changes in western Great Smoky Mountains National Park, J. Torrey Bot. Soc., 129, 194, 2002.

Johnson, K.D., IPM—How it works in the Smokies, in Exotic Pests of Eastern Forests: Conference Proceedings, Britton, K.O., Ed., USDA Forest Service and Tennessee Exotic Plant Council, Nashville, TN, 289, 1997.

Keeley, J.E., Fire management impacts on invasive plants in the western United States, Conserv. Biol., 20, 375, 2006.

Knapp, L.B. and Canham, C.D., Invasion of an old-growth forest in New York by Ailanthus altissima: Sapling growth and recruitment in canopy gaps, J. Torrey Bot. Soc., 127, 307, 2000.

Kuppinger, D., Community recovery and invasion by Paulownia tomentosa following fire in xeric forests of the southern Appalachians, Ph.D. Dissertation, University of North Carolina, Chapel Hill, NC, 2007.

Langdon, K.R. and Johnson, K.D., Additional notes on invasiveness of Paulownia tomentosa in natural areas, Nat. Areas J., 14, 139, 1994.

Leopold, A.S., Cain, S.A., Cottam, C.M., and Gabrielson, I., Wildlife management in the national parks: Advisory board on wildlife management appointed by Secretary of the

Interior, Trans. North Am. Wildl. Nat. Res. Conf., 28, 29, 1963.

Levine, J.M., Vila,M., D'Antonio, C.M., Dukes, J.S., Grigulis, K., and Lavorel, S., Mechanisms underlying the impacts of exotic species invasions, Proc. R. Soc. Lond., 270, 775, 2003.

Loope, L.L., Sanchez, P.G., Tarr, P.W., Loope, W.L., and Anderson, R.L., Biological invasions of arid land reserves, Biol. Conserv., 44, 95, 1988.

Margules, C.R. and Pressey, R.L., Systematic conservation planning, Nature, 405, 243, 2000.

McNab, H.W. and Loftis, D.L., Probability of occurrence and habitat features for oriental bittersweet in an oak forest in the southern Appalachian Mountains, USA, For. Ecol. Manage., 155, 45, 2002.

Meiners, S.J., Pickett, S.T.A., and Cadenasso, M.L., Exotic plant invasions over 40 years of old field successions: Community patterns and associations, Ecography, 25, 215, 2002.

Miller, K.E. and Gorchov, D.L., The invasive shrub Lonicera maackii, reduces growth and fecundity of perennial forest herbs, Oecologia, 139, 359, 2004.

Mitich, L.W., 2000, Intriguing world of weeds: Kudzu (Pueraria lobata [Wild.] Ohwi.), Weed Technol., 14, 231, 2000.

Morse, L.E., Kartesz, J.T., and Kutner, L.S., 1995, Native vascular plants, in Our Living Resources: A Report to the Nation on the Distribution, Abundance, and Health of US Plants, Animals, and Ecosystems, LaRoe, E.T., Farris, G.S., Puckett, C.E., Doran, P.D., and Mac, M.J., Eds., U.S. Department of the Interior, National Biological Service, Washington, DC, 205, 1995.

National Park Service (NPS), Administrative policies for natural areas of the National Park System, Report 16–21, U.S. Government Printing Office, Washington, DC, 1968.

NPSpecies, The National Park Service biodiversity database, Secure online version, https:== science1.nature.nps.gov=npspecies, 2006.

Nuzzo, V., Invasion pattern of the herb garlic mustard

- (Alliaria petiolata) in high quality forests, Biol. Invasions, 1, 169, 1999.
- Orwig, D.A. and Foster, D.R., Forest response to the introduced hemlock woolly adelgid in southern New England, USA, J. Torrey Bot. Soc., 125, 60, 1998.
- Pimentel, D., Lach, L., Zuniga, R., and Morrison, D., Environmental and economic costs of nonindigenous species in the United States, Bioscience, 50, 53, 2000.
- Pooler, M.R., Dix, R.L., and Feely, J., Interspecific hybridizations between the native bittersweet, Celastrus scandens, and the introduced invasive species C. orbiculatus, Southeast. Nat., 1, 69, 2002.
- Prati, D. and Bossdorf, O., Allelopathic inhibition of germination by Alliaria petiolata (Brassicaceae), Am. J. Bot., 91, 285, 2004.
- Price, C.A. and Weltzin, J.F., Managing non-native plant populations through intensive community restoration in Cades Cove, Great Smoky Mountains National Park, USA, Restor. Ecol., 11, 351, 2003.
- Pyle, C., The type and extent of anthropogenic vegetation disturbance in the Great Smoky Mountains before National Park Service acquisition, Castanea, 53, 225, 1988.
- Reid, W.V. and Miller, K.R., Keeping Options Alive: The Scientific Basis for Conserving Biodiversity, World Resources Institute, Washington, DC, 1989.
- Richburg, J.A., Dibble, A.C., and Patterson, W.A., Woody invasive species and their role in altering fire regimes of the northeast and mid-Atlantic states, Tall Timbers Res. Stn. Misc. Publ., 11, 104, 2000.
- Robbins,W.J., Ackerman, E.A., Bates,M., Cain, S.A., Darling, F.F., Fogg, J.M., Gill, T., Gillson, J.M., Hall, E.R., and Hubbs, C.L., A report by the advisory committee to the National Park Service on research, National Academy of Sciences, National Research Council, Washington, DC, 1963.
- Robertson, D.J., Robertson, M.C., and Tague, T., Colonization dynamics of four exotic plants in a northern Piedmont natural area, Bull. Torrey Bot. Club, 121, 109, 1994.

Schery, R., The curious double life of Rosa multiflora, Horticulture, 55, 56, 1977.

Schmidt, K.A. and Whelan, C.J., Effects of exotic Lonicera and Rhamnus on songbird nest predation, Conserv. Biol., 13, 1502, 1999.

Shaver, C.L., Tonnessen, K.A., and Maniero, T.G., Clearing the air at Great Smoky Mountains National Park, Ecol. Appl., 4, 690, 1994.

Simberloff, D., Impacts of introduced species in the United States, Consequences, 2, 1, 1996.

Smith, G.F. and Nicholas, N.S., Patterns of overstory composition in the fir and fir–spruce forests of the Great Smoky Mountains after balsam woolly adelgid infestation, Am. Midl. Nat., 139, 340, 1998.

Southworth, S., Schultz, A., and Denenny, D., Generalized geologic map of bedrock lithologies and surficial deposits in the Great Smoky Mountains National Park Region, Tennessee and North Carolina, Open-File Report 2004-1410, Version 1.0, U.S. Geological Survey, Reston, VA, 2005.

Underwood, J.F., Ioux, M.M., Amrine, J.W., and Bryan, W.B., Multiflora rose control, Ohio StateUniversity ExtensionBulletinNo. 857,Ohio StateUniversity, Columbus,OH, 1996.

Vandermast, D.B., Disturbance and long-term vegetation change in the high-elevation deciduous forests of Great Smoky Mountains National Park, Ph.D. Dissertation, University of North Carolina, Chapel Hill, NC, 2005.

Webster, C.R., Jenkins, M.A., and Jose, S., Woody invaders and the challenges they pose to forest ecosystems in the eastern United States, J. For., 104, 366, 2006.

White, P.S., The flora of Great Smoky Mountains National Park: An annotated checklist of the vascular plants and a review of previous floristic work, Research=Resources Management Report SER-55, U.S. Department of the Interior, National Park Service, Atlanta, GA, 1982.

White, P.S., Biodiversity and the exotic species threat, in Exotic Pests of Eastern Forests: Conference Proceedings, Britton, K.O., Ed., USDA Forest Service and Tennessee Exotic Plant Council, Nashville, TN, 1, 1997.

White, R.D., Patterson, K.D., Weakley, A., Ulrey, C.J., and Drake, J., Vegetation classification of Great Smoky Mountains National Park: Report submitted to BRD-NPS Vegetation Mapping Program, NatureServe, Durham, NC, 2003.

Wilcove, D.S., Rothstein, D., Dubow, J., Phillips, A., and Losos, F., Quantifying threats to imperiled species in the United States, Bioscience, 48, 697, 1998.

Williams, C.E., The exotic empress tree, Paulownia tomentosa: An invasive pest of forests? Nat. Areas J., 13, 221, 1993.

Willis, A.J., Memmott, J., and Forrester, M.L., Is there evidence for the post-invasion evolution of increased size among invasive plant species? Ecol. Lett., 3, 275, 2000.

Woods, K.D., Effects of invasion by Lonicera tartarica L. on herbs and tree seedlings in four New England forests, Am. Midl. Nat., 130, 62, 1993.

18 Chapter 18. Invasive Weeds of Colorado Forests and Rangeland

Kohli/Invasive VBalamugundan Bais, H.P., Vepachedu, R., Gilroy, S., Callaway, R.M., and Vivanco, J.M., Allelopathy and exotic plant invasions: From molecules and genes to species interactions, Science, 301, 1377, 2003. Bazaaz, F.A., The physiological ecology of plant succession, Annu. Rev. Ecol. Syst., 10, 351, 1979. Beck, K.G. and Sebastian, J.R., Combining mowing and fall-applied herbicides to control Canada thistle (Cirsium arvense), Weed Technol., 14, 351, 2000. Benz, L.J., Beck, K.G., Whitson, T.D., and Koch, D.W., Reclaiming Russian knapweed infested rangeland, J. Range Manage., 52, 351, 1999. Blair, A.C., Hanson, B.D., Brunk, G.R., Marrs, R.A., Westra, P., Nissen, S.J., and Hufbauer, R.A., New techniques and findings in the study of a candidate allelochemical implicated in invasion success, Ecol. Lett., 8, 1039, 2005. Blair, A.C., Nissen, S.J., Brunk, G.R., and Hufbauer, R.A., Lack of evidence for an ecological role of the putative allelochemical (@)-catechin in spotted knapweed invasion success, J. Chem. Ecol., 32, 2327, 2006. Blossey, B. and Notzgold, R., Evolution of increased competitive ability in nonindigenous plants: A hypothesis, J. Ecol., 83, 887, 1995. Callaway, R.M. and Ridenour, W.M., Novel weapons: Invasive success and the evolution of increased competitive ability, Front. Ecol. Environ., 2, 436, 2004. Chapman, S.S., Griffith, G.E., Omernik, J.M., Price, A.B., Freeouf, J., and Schrupp, D.L., Ecoregions of Colorado (color poster with map, descriptive text, summary tables, and photographs), U.S. Geological Survey (map scale 1:1,200,000), Reston, VA, 2006. Coffin, D.P., Lauenroth, W.K., and Burke, I.C., Recovery of vegetation in a semi-arid grassland 53 years after disturbance, Ecol. Appl., 6, 538, 1996. Colorado State Forest Service, Report on the condition of Colorado's forests, http:==csfs.colostate.edu=CO.htm, 2001.Colorado State Forest Service, Report on the health of Colorado's forests, http:==csfscolostate.edu=CO.htm, 2003. Colorado State Forest Service, Report on the health of Colorado's forests, http:==csfs.colostate.edu=CO.htm, 2005. Doesken, N.J., Pielke, R.A., Sr., and Bliss, O.A.P., Climate of Colorado, Climatology of the United States No. 60, Department of Atmospheric Sciences, Colorado State University, Fort Collins, CO, http:==ccc.atmos.colostate.edu, 2003. Gagne, R.J., Gall midge complex (Diptera: Cecidomyiidae) in bud galls of Palearctic Euphorbia (Euphorbiaceae), Ann. Entomol. Soc. Am., 83, 335, 1990. Goslee, S.C., Beck, K.G., and Peters, D.P.C., Distribution of Russian knapweed in Colorado: Climate and environmental factors, J. Range Manage., 56,

206, 2003. Goslee, S.C., Peters, D.P.C., and Beck, K.G., Modelling invasive weeds in grasslands: The role of allelopathy in Acroptilon repens invasion, Ecol. Model., 139, 31, 2001. Grant, D.W., Peters, D.P.C., Beck, K.G., and Fraleigh, H.D., In fluence of an exotic species, Acroptilon repens, on seedling emergence and growth of native grasses, Plant Ecol., 166, 157, 2003. Grubb, R.T., Nowierski, R.M., and Sheley, R.L., Effects of Brachypterolus pulicarius (L.) (Coleoptera: Nitidulidae) on growth and seed production of Dalmatian toadflax Linaria genistifolia ssp. dalmatica (L.) Maire and Petitmengin (Scrophulariaceae), Biol. Control, 23, 107, 2002. Harris, P. and Shorthouse, J.D., Effectiveness of gall inducers in weed biological control, Can. Entomol., 128, 1021, 1996. Hartman, R.L. and Nelson, B.E., A checklist of the vascular plants of Colorado, Laramie, WY Rocky Mountain Herbarium, Department of Botany, University of Wyoming, Laramie, WY, http:==www.rmh.uwyo.edu, 2001.

Kohli/Invasive VBalamugundan Hervey, G.R., A European nitidulid, Brachypterolus pulicarius L. (Coleoptera: family Nitidulidae), J. Econ. Entomol., 20, 809, 1927. Hoy, M.A., Improving the establishment of arthropod natural enemies, in Biological Control in Agricultural IPM Systems, Hoy, M.A. and Herzog, D.C., Eds., Academic Press, Orlando, FL, 151, 1985. Lane, E.M., An assessment of federal and state agency weed management efforts in Colorado, a report to theColoradoGeneralAssembly,ColoradoDepartmentof the Interior,Littleton,CO,

Kohli/Invasive VBalamugundan Nowierski, R.M., Dalmatian toadflax Linaria genistifolia ssp. dalmatica L. Maire and Petitmengin (Scrophulariaceae), in Biological Control in the Western United States Region: Accomplishments and Benefits of Regional Research Project W84 (1964- 1989), Andres, L.A., Beardsley, J.W., Goeden, R.D., and Jackson, G., Eds., University of California Agricultural and Natural Resource publication No. 3361, University of California Press, Berkeley, CA, 312, 1995. Paschke, M.W., McClendon, T., and Redente, E.F., Nitrogen availability and old-field succession on a shortgrass steppe, Ecosystems, 3, 144, 2000. Powell, R. and Meyers, J., The effect of Sphenoptera jugoslavica on its host plant diffuse knapweed, J. Appl. Entomol., 106, 25, 1988. Reever Morghan, K.J. and Seastedt, T.R., Effects of soil nitrogen reduction on non-native plants in restored grasslands, Restor. Ecol., 7, 1, 51, 1999. Reeves, F.B., Wagner, D., Moorman, T., and Kiel, J., The role of endomycorrhizae in revegetation practices in the semi-arid west. A comparison of incidence of mycorrhizae in severely disturbed vs. natural environments,

Am. J. Bot., 66, 6, 1979. Reichardt, K.L., Succession of abandoned fields on the shortgrass prairie. Northeastern Colorado, Southwest. Nat., 27, 299, 1982. Rocchio, J., Rocky mountain lower montane riparian woodland and shrubland ecological system, ecological integrity assessment, Colorado Natural Heritage Program, Colorado State University, Fort Collins, CO, http:==cnhp.colostate.edu=reports.html, 2006. Roche, B. and Roche, C., Identification, introduction, distribution, ecology, and economics of Centaurea species, in Noxious Rangeland Weeds, James, L.F., Evans, J.O., Ralphs, M.H., and Child, R.D., Eds., Westview Press, Boulder, CO, 274, 1991. Roderick, G.K. and Navajas, M., Genes in new environments: Genetics and evolution in biological control, Nat. Rev. Genet., 4, 889, 2003. Rogers, P., Atkins, D., Frank, M., and Parker, D., Forest health monitoring in the Interior West, General Technical Report RMRS-GTR-75, U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Flagstaff, AZ, 2001. Rousch, R.T., Genetic considerations in the propagation of entomophagus species, in New Directions in Biological Control, Alternatives for Suppressing Agricultural Pests and Diseases, Baker, R.R. and Dunn, P.E., Eds., Alan R. Liss, New York, 373, 1990. Rowe, H.I., Brown, C.S., and Claassen, V.P., Comparison of mycorrhizal responsiveness with field soil and commercial inoculum for six native montane species and Bromus tectorum, Restor. Ecol., 15, 44, 2007. Scharer, H.M. and Schroeder, D., The biological control of Centaurea species in North America: Do insects solve the problem? Pestic. Sci., 37, 343, 1993. Selleck, G.W., A competition study of Cardaria spp. and Centaurea repens, Proc. Seventh Br. Weed Control Conf., 7, 569, 1964. Sheley, R.L., Svejcar, T.J., and Maxwell, B.D., A theoretical framework for developing successional weed management strategies on rangeland, Weed Technol., 10, 766, 1996. Solinas, M. and Pecora, P., The midge complex (Diptera: Cecidomyiidae) on Euphorbia species I., Entomologica, 19, 167, 1984. St. John, T., Mycorrhizal inoculation in habitat restoration, Land Water, 42, 17, 1998. Stevens, K.L., Allelopathic polyacetylenes from Centaurea repens (Russian knapweed), J. Chem. Ecol., 12, 6, 1205, 1986. Stohlgren, T.J., Binkley, D., Chong, G.W., Kalkhan, M.A., Schell, L.D., Bull, K.A., Otsuki, Y., Newman, G., Bashkin, M., and Son, Y., Exotic plant species invade hot spots of native plant diversity, Ecol. Monogr., 69, 1, 25, 1999a. Stohlgren, T.J., Schell, L.D., and Vanden Heuvel, B., How grazing and soil quality affect native and exotic plant diversity in Rocky Mountain grasslands, Ecol. Appl., 9, 1, 45, 1999b.

Kohli/Invasive VBalamugundan Sutherland, S., Fuels

consequences fact sheet 07: Fire and weeds, Research Note RMRS-RN-23-7WWW, U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Flagstaff, AZ, 2004. Sutton, J.R., Prediction and characterization of yellow toadflax (Linaria vulgaris Mill.) infestations at two scales in the Flat Tops Wilderness of Colorado, M.S. Thesis, Colorado State University, Fort Collins, CO, 2003. Torchin, M.E., Lafferty, K.D., Dobson, A.P., McKenzie, V.J., and Kuris, A.M., Introduced species and their missing parasites, Nature, 421, 628, 2003. Walker, R.H. and Buchanan, G.A., Crop manipulations in integrated weed management systems, Weed Sci., 30, 17, 1982. Watson, A.K., The biology of Canadian weeds, 43, Acroptilon (Centaurea) repens (L.) D.C., Can. J. Plant Sci., 60, 993, 1980. Weir, T.L., Bais, H.P., and Vivanco, J.M., Intraspecific and interspecific interactions mediated by a phytotoxin (₪) catechin secreted by the roots of Centaurea maculosa (spotted knapweed), J. Chem. Ecol., 29, 2397, 2003. Wilson, R., Beck, K.G., and Westra, P., Combined effects of herbicides and Sphenoptera jugoslavica on diffuse knapweed (Centaurea diffusa) population dynamics, Weed Sci., 52, 418, 2004. Ziska, L.H., Evaluation of the growth response of six invasive species to past, present, and future atmospheric carbon dioxide, J. Exp. Bot., 54, 381, 395, 2003.

planning: Science synthesis and integration; environmental

Kohli/Invasive VBalamugundan

Kohli/Invasive VBalamugundan

19 Chapter 19. Ecology and Management of Tropical Africa's Forest Invaders

Adair, R., Black wattle: South Africa manages conflict of interest, CABI Biocontrol News, 23, 1, 2002.

Agyeman, V.K., Natural regeneration of tropical timber tree species under Broussonetia papyrifera: Implications for natural forest management in Ghana, 2000.

Agyeman, V.K. and Kyereh, B., Natural regeneration of tropical tree species under Broussonetia papyrifera, Newsl. Ghana Inst. Prof. For., 2, 1, 3, 1997.

Binggeli, P. and Hamilton, A.C., Biological invasion by Maesopsis eminii in the East Usambara forests, Tanzania, Opera Bot., 121, 229, 1993.

Binggeli, P., Hall, J.B., and Healey, J.R., An Overview of Invasive Woody Plants in the Tropics, School of Agricultural and Forest Science Publication No. 13, University of Wales, Bangor, 1998.

Bosu, P.P. and Apetorgbor, M.M., Broussonetia papyerifera in Ghana: Its invasiveness, impact and control attempts, Presented at First Executive Committee Meeting of the Forest Invasive species network for Africa (FISNA), Pietermaritzburg, South Africa, May 16–17, 2007.

Chevalier, A., Deaux Composées permettant de lutter contre l'Imperata et l'empèchant la degradation des sol tropiquaux qu'il faudrait introduire rapidement en Afrique noire, Rev. Bot. Appl. Agric. Trop., 32, 359, 1952.

Chilima, C.Z., An update of forest invasive species in Malawi, Presented at First Executive Committee Meeting of the Forest Invasive species network for Africa (FISNA), Pietermaritzburg, South Africa, May 16–17, 2007.

Chilima, C.Z., Kayambazinthu, D., and Soka, D., Proceedings of the First Workshop on the Forest Invasive Species Network for Africa (FISNA), Sokoine University of Agriculture, Morogoro, Tanzania, August 29, 2005.

Corlett, R.T., The naturalized flora of Hong Kong: A comparison with Singapore, J. Biogeogr., 15, 421, 1992.

Day, M.D., Wiley, C.J., Playford, J., and Zalucki, M.P., Lantana: Current Management, Status and Future Prospects, Australian Centre for International Agricultural Research, Drake, J., di Castri, F., Groves, R., Kruger, F., Rejmánet, M., and Williamson, M., Eds., Biological Invasions: A Global Perspective, Wiley, Chichester, UK, 1989.

Duffey, E., Ed., Biological invasions of nature reserves, Biol. Conserv., 44, 1, 1988.

Duffey, E., The terrestrial ecology of Ascension Island, J. Appl. Ecol., 1, 219, 1964.

Entsie, P.-K., Ecologically sustainable Chromolaena odorata management in Ghana in the past and present, and the future role of farmers' field schools, in Proceedings of the Fifth International Workshop on Biological Control and Management of Chromolaena odorata, Durban, South Africa, Zachariades, C., Muniappan, R., and Strathie, L.W., Eds., ARC-PPRI, 128, 2002.

Fensham, R.J., Fairfax, R.J., and Cannell, R.J., The invasion of Lantana camara L. in Forty Mile Scrub National Park, North Queensland, Aust. J. Ecol., 19, 297, 1994.

Foli, E.G., Community forestry management project on farm research services, Report submitted to the Forest Plantation Development Centre, Ministry of Lands, Forestry and Mines, August 2006.

Greathead, D.J., Progress in the biological control of Lantana camara in East Africa and discussion of problems raised by the unexpected reaction of some of the more promising insects to Sesamum indicum, in Proceedings of the IX International Symposium on Biological Control of Weeds, Moran, V.C. and Hoffman, J.H., Eds., Stellenbosch, South Africa, 261, 1971.

Hall, J.B., Maesopsis eminii and its status at Amani, Report to the East Usambara Catchment Forest Project, 37, 1995.

Harris, D.R., Invasion of oceanic islands by alien plants: An example from the Leeward Islands, West Indies, Inst. Br. Geogr. Trans., 31, 67, 1962.

Juhé-Beaulaton, D., Les jardins des forts européens de Ouidah: Premiers jardins d'essai (xviiième siècle), Cah. du CRA, 8, 83, 1994.

Katabazi, B.K., A review of biological control of insect

pests and noxious weeds in Fiji (1969– 1978), Fiji Agric. J., 41, 55, 1983.

Kiwuso, P. and Otara, E., Status of invasive alien species in Uganda, Presented at First Executive Committee Meeting of the Forest Invasive species network for Africa (FISNA), Pietermaritzburg, South Africa, May 16–17, 2007.

Lale, N.E.S., Neem in the conventional Lake Chad Basin area and the threat of oriental yellow scale insects (Aonidiella orientalis Newstead) (Homoptera: Psyllidae), J. Arid Environ., 40, 191, 1998.

Lenachuru, C., Impacts of Prosopis species in Baringo District, in Proceedings of the Workshop on Integrated Management of Prosopis in Kenya, Choge, S.K. and Chikamai, B.N., Eds., Kenyan Forestry Research Institute (KEFRI), Kenya, 53, 2004.

Maddofe, S.S. and Mbwambo, J., Status of forest invasive species in Tanzania, Presented at First Executive Committee Meeting of the Forest Invasive species network for Africa (FISNA), Pietermaritzburg, South Africa, May 16–17, 2007.

Mbulamberi, D.B., Recent outbreaks of human trypanosomiasis in Uganda, Insect Sci. Appl., 11, 289, 1990.

Munir, A.A., A taxonomic review of Lantana camara and L. montevidensis (Spreng.) Briq. (Verbenaceae) in Australia, J. Adelaide Bot. Gard., 17, 1, 1996.

Mwangi, L., Kenya country report: Invasive tree species and diseases, Presented at First Executive Committee Meeting of the Forest Invasive species network for Africa (FISNA), Pietermaritzburg, South Africa, May 16–17, 2007.

Neser, S., Conflict of interest? The Leucaena controversy, Plant Prot. News S. Afr., 6, 8, 1994.

Ngujiri, F.D. and Choge, S.K., Status and impacts of Prosopis species in Kenya, in Proceedings of the Workshop on Integrated Management of Prosopis in Kenya, Kenyan Forestry Research Institute (KEFRI), Kenya, 17, 2004.

Okoth, J.O. and Kapaata, R., A study of the resting sites of Glossina fuscipes (Newstead) in relation to Lantana camara thickets and coffee and banana plantations in the sleeping sickness epidemic focus, Busoga, Uganda, Insect Sci. Appl., 8, 57, 1987.

Pasiecznik, N.M., Harris, P.J.C., and Smith, S.J., Identifying Tropical Prosopis Species: A Field Guide, HDRA, Coventry, UK, 2004.

Pyšek, P., Prach, K., Rejmánek, M., and Wade, P.M., Eds., Plant Invasions, General Aspects and Special Problems, SPB Academic, Amsterdam, 1995.

Ramakrishnan, P.S., Ed., Ecology of Biological Invasions in the Tropics, International Scientific Publications, New Delhi, 1991.

Senayit, R., Agajie, T., Taye, T., Adefires, W., and Getu, E., Invasive alien plant control and prevention in Ethiopia, pilot surveys and control baseline conditions, Report submitted to EARO, Ethiopia and CABI under the PDF B phase of the UNEP GEF project— Removing barriers to invasive plant management in Africa, EARO, Addis Ababa, Ethiopia, 2004.

Sharma, O.P., Makkar, H.P.S., and Dawra, R.K., A review of the noxious plant Lantana camara, Toxicon, 26, 975, 1988.

Shiferaw, H., Teketay, D., Nemomissa, S., and Assefa, F., Some biological characteristics that foster the invasion of Prosopis julifora (Sw.) DC. at Middle Awash Rift Valley Area, north-eastern Ethiopia, J. Arid Environ., 58, 135, 2004.

Spongberg, S.A., A Reunion of Trees. The Discovery of Exotic Plants and Their Introduction into North American and European Landscapes, Harvard University Press, Cambridge, MA, 1990.

Strahm, W.A., The conservation of the flora of Mauritius and Rodrigues, PhD Dissertation, University of Reading, Reading, UK, 1993.

Thakur, M.L., Ahmad, M., and Thakur, R.K., Lantana weed (Lantana camara var. aculeate Linn) and its possible management through natural insect pests in India, Indian For., 118, 466, 1992.

Thaman, R.R., Lantana camara: Its introduction, dispersal and impact on islands of the tropical Pacific Ocean, Micronesia, 10, 17, 1974.

Thomas, S.E. and Ellison, C.A., A century of classical biological control of Lantana camara: Can pathogens make a significant difference? in Proceedings of the X International Symposium on Biological Control of Weeds, Spencer, N.R., Ed., Bozeman, MT, 97, 2000.

Tie Bi, T., Contribution a la capacite de fourniture en azote des sols climat tropical humid (Côte d'Ivoire). Application a l'entretien de la productive de terres de culture, Doctrat d'Etat, National University of Côte d'Ivoire, 166, 1995.

Timbilla, J.A., Effect of Biological Control of Chromolaena odorata on Biodiversity: A case study in the Ashanti Region of Ghana, in Proceedings of the Fourth International Workshop on Biological Control and Mangement of Chromolaena odorata, Bangalore, 1996.

Timbilla, J.A. and Braimah, H., A survey of the introduction, distribution and spread of Chromolaena odorata in Ghana, in Proceedings of the Third International Workshop on Biological Control and Management of C. odorata, Côte d'Ivoire, 1994.

Vanderwoude, C., Scanlan, J.C., Davis, B., and Funkhouser, S., Plan for national delimiting survey for Siam weed, Natural Resources and Mines Land Protection Services, Queensland Government, Queensland, 2005.

Wakibara, J.V. and Mnaya, B.J., Possible control of Senna spectabilis (Caesalpiniaceae), an invasive tree in Mahale Mountains National Park, Tanzania, Oryx, 36, 357, 2002.

Whistler, W.A. and Elevitch, C.R., Broussonetia papyrifera (paper mulberry) Moraceae (fig family), Species Profiles for Pacific Island Agroforestry, Permanent Agriculture Resources, Holualoa, HI, 13, 2005.

Whitmore, T.C., Invasive woody plants in perhumid tropical climates, in Ecology of Biological Invasion in the Tropics, Ramakrishnan, P.S., Ed., International Publications, New Delhi, 35, 1991.

Wild, H., Weeds and Aliens of Africa: The American Immigrant, University College of Rhodesia, Salisbury, 1968.

Winder, J.A. and Harley, K.L.S., The phytophagous insects on Lantana in Brazil and their potential for biological control in Australia, Trop. Pest Manage., 29, 346, 1983.

20 Chapter 20. Invasive Plants in Namibian Subtropical and Riparian Woodlands

Alpert, P., Bone, E., and Holzapfel, C., Invasiveness, invasibility and the role of environmental stress in the spread of non-native plants, Perspect. Plant Ecol. Evol. Syst., 3, 1, 52, 2002.

Barnard, P., Ed., Biological Diversity in Namibia—A Country Study, Directorate of Environmental Affairs, Windhoek, 1998.

Barnard, P., Brown, C.J., Jarvis, A.M., Robertson, A., and van Rooyen, L., Extending the Namibian protected area network to safeguard hotspots of endemism and diversity, Biodivers. Conserv., 7, 531, 1998.

Barnard, P., Shikongo, S., and Zeidler, J., Eds., Biodiversity and development in Namibia, Namibia's ten-year strategic plan of action for sustainable development through biodiversity conservation 2001–2010, National Biodiversity Task Force, Ministry of Environment and Tourism, Windhoek, Namibia, n.d.

Berry, M., An investigation into the occurrence, population parameters, and suitable control methods of an alien invasive cactus species, Cereus jamacaru, at Waterberg Plateau Park, Namibia, Unpublished B. Tech. thesis, Polytechnic of Namibia, Windhoek, Namibia, 2000.

Bethune, S., Griffin, M., and Joubert, D.F., National Review of Invasive Alien Species in Namibia. Consultancy to Collect Information on Invasive Alien Species in Namibia, Directorate of Environmental Affairs discussion document, Directorate of Environmental Affairs, Namibia, 2004.

Boyer, D.C. and Boyer, H.J., The status of alien invasive plants in the major rivers of the Namib Naukluft Park, Madoqua, 16, 1, 51, 1989.

Brown, C.J., Macdonald, I.A.W., and Brown, S.E., Invasive alien organisms in South West Africa=Namibia, South African National Scientific Programmes Report 119, CSIR, Pretoria, 1985.

Central Bureau of Statistics, Population and housing census, National report—Basic analysis and highlights, Central Bureau of Statistics, Windhoek, Namibia, 2003.

Cunningham, P.L., Tecoma stans as a potential alien invasive in Namibia, Dinteria, 30, 33, 2008.

Cunningham, P.L., Joubert, D.F., and Adank, W., Dodonaea angustifolia an alien invasive to Namibia? Dinteria, 29, 11, 2004.

Curtis, B.A. and Mannheimer, C.A., Tree Atlas of Namibia, National Botanical Research Institute, Windhoek, 2005.

Daehler,C.C.,Denslow, J.S.,Ansari, S., andKuo,H.,A risk-assessment system for screening out invasive pest plants fromHawaii andother Pacific islands,Conserv. Biol., 18, 2, 360, 2004.

D'Antonio, C.M., Fire, plant invasions, and global changes, in Invasive Species in a Changing World, Mooney, H.A. and Hobbs, R.J., Eds., Island Press, Washington, DC, 65, 2000.

Dean, W.R.J., Anderson, M.D., Milton, S.J., and Anderson, T.A., Avian assemblages in native Acacia and alien Prosopis drainage line woodlands in the Kalahari, South Africa, J. Arid Environ., 51, 1, 1, 2002.

De Klerk, J.N., Bush encroachment in Namibia. Report on phase 1 of the Bush encroachment research, monitoring and management project, Ministry of Environment and Tourism, Namibia, 2004.

Duggin, J.A. and Gentle, C.B., Experimental evidence on the importance of disturbance intensity for invasion of Lantana camara L. in dry rainforest—open forest ecotones in northeastern NSW, Australia, For. Ecol. Manage., 110, 279, 1998.

Erkillä, A. and Siiskonen, H., Forestry in Namibia 1850–1990. Silva Carelica, University of Joensuu, Joensuu, Finland, 1992.

FAO, On Definitions of Forest and Forest Change, FRA Working Paper No. 33, Food and Agricultural Organization, Rome,

Gabanakgang, S.B., Mapping of selected alien plant species along the Klein Windhoek River, Unpublished land management diploma project, Polytechnic of Namibia, Windhoek, Namibia, 2003.

Giess, W., A preliminary vegetation map of South West Africa, Dinteria, 4, 1, 1971. Gracela, N.N., Bussmann, W.R., Gemmill, B., Newton, L.E., and Ngumi, V.W., Utilisation of weed species as sources of traditional medicines in central Kenya, Lyonia, 7, 2, 71, 2004

Henderson, L., Alien Weeds and Invasive Plants. A Complete Guide to Declared Weeds and Invaders in South Africa, Plant Protection Research Institute, Agricultural Research Council, South Africa, 2001.

Hines, C.J., Schlettwein, C.H.G., and Kruger, W., Invasive alien plants in Bushmanland, Kavango and Caprivi, in Invasive Alien Organisms in South West Africa=Namibia, Brown, C.J., Macdonald, I.A.W. and Brown, S.E., Eds., South African national scientific programmes report no. 119, Pretoria, RSA, CSIR, 6, 1985.

Honu, Y.A.K. and Dang, Q.L., Responses of tree seedlings to the removal of Chromolaena odorata in a degraded forest in Ghana, For. Ecol. Manage., 137, 75, 2000.

Hughes, C., Leucaena leucocephala, in the Global Invasive Species Database, 2006, available at

Jacobson, P.J., Jacobson, K.M., and Seely, M.K., Ephemeral Rivers and Their Catchments— Sustaining People and Development in Western Namibia, DRFN, Windhoek, 1995.

Joubert, D.F. and Cunningham, P.L., The distribution and invasive potential of Fountain Grass, Pennisetum setaceum, in Namibia, Dinteria, 27, 37, 2002.

Leslie, A.J. and Spotila, J.R., Alien plant threatens Nile crocodile (Crocodylus niloticus) breeding in Lake St. Lucia, South Africa, Biol. Conserv., 98, 347, 2001.

MacDonald, I.A.W. and Nott, T.B., Invasive alien organisms in central SWA=Namibia: Results of a reconnaissance survey conducted in November 1984, Madoqua, 15, 1, 21, 1987.

MacDonald, I.A.W., Reaser, J.K., Bright, C., Neville, L.K., Howard, G.W., Murphy, S.J., and Preston, G., Eds., Invasive Alien Species in Southern Africa: National Reports and Directory of Resources, Global Invasive Species Programme, Cape Town, 2003.

Mack, R.N., Simberloff, D., Lonsdale, W.M., Evans, H., Clout, M., and Bazzaz, F., Biotic invasions: Causes, epidemiology, global consequences and control, Ecol. Appl., 10, 689, 2000.

Malan, J., Discussion document on the regulation of alien invasive species, Unpublished Directorate of Environmental Affairs discussion paper, Directorate of Environmental Affairs, Namibia, n.d.

Mendelsohn, J. and el Obeid, S., Forests and Woodlands of Namibia, RAISON, Windhoek, 2005.

Mendelsohn, J. and Roberts, C., An Environmental Profile and Atlas of Caprivi, Directorate of Environmental Affairs, Namibia, 1997.

Mendelsohn, J., Jarvis, A., Roberts, C., and Robertson, T., Atlas of Namibia: A Portrait of the Land and Its People, David Phillip Publishers, Cape Town, South Africa, 2002.

Ministry of Environment and Tourism, The draft environmental management bill, Ministry of Environment and Tourism, Windhoek, Namibia, 1998.

Ministry of Environment and Tourism, The forestry act no. 12 of 2001, Ministry of Environment and Tourism, Windhoek, Namibia, 2001.

Ministry of Environment and Tourism, The parks and wildlife management bill, draft, Ministry of Environment and Tourism, Windhoek, Namibia, 2004.

NBRI, Unpublished list of specially protected plants in Namibia, National Botanical Research Institute, Windhoek, Namibia, 2002.

Office of the President, Namibia vision 2030. Prosperity, harmony, peace and political stability—Policy framework for long-term national development, Office of the President, Namibia, 2004.

Republic of South Africa, National environmental management biodiversity act (unnumbered) of 2004, Republic of South Africa, South Africa, 2004.

Republic of South Africa, The agricultural pests act 1973 (Act no. 3 of 1973), Republic of South Africa, South Africa, 1973.

Richardson, D.M., Forestry trees as invasive aliens, Conserv. Biol., 12, 1, 18, 1998.

- Shapaka, T., Joubert, D.F., and Cunningham, P.L., Alien invasive plants in the Daan Viljoen Game Park, Dinteria, 30, 19, 2008.
- Silori, C. and Mishra, B., Assessment of livestock grazing pressure in and around the elephant corridors in Mudumalai Wildlife Sanctuary, south India, Biodivers. Conserv., 10, 2181, 2001.
- Smit, P., Geo-ecology and environmental change: An applied approach to manage Prosopisinvaded landscapes in Namibia, Ph.D. Thesis, University of Namibia, Windhoek, Namibia, 2005.
- Smit, P., Prosopis: A review of existing knowledge relevant to Namibia, J. Namibia Sci. Soc., 52, 13, 2004.
- Smith, D., Western Australia bans Jatropha curcas, Biofuel review, 2006, available online at http:==www.biofuelreview.com=content=view=28=2.
- Tarr, P.W. and Loutit, R., Invasive alien plants in the Skeleton Coast Park, Western Damaraland and Western Kaokoland, in Invasive Alien Organisms in South West Africa= Namibia, Brown, C.J., Macdonald, I.A.W. and Brown, S.E., Eds., South African national scientific program report no. 119, CSIR, RSA, Pretoria, 19, 1985.
- United Nations Convention on Biodiversity (UNCBD), Convention on biological diversity, Montreal, Canada, 1992, http:==www.cbd.int=default.shtml.
- U.S. Forest Service, Pacific Island ecosystems at risk (PIER), Jatropha curcas, 2005, available at http: ==www.hear.org=Pier=species=Jatropha_curcas, 2005, accessed July 1, 2006.
- U.S. Forest Service, Pacific Island ecosystems at risk (PIER), 2006, available at http: ==www. hear.org=Pier=species, 2006, accessed July 1, 2006.
- Van Wyk, B. and Gericke, N., People's Plants. A Guide to Useful Plants of Southern Africa, Briza, Pretoria, 2000.
- Vinejevold, R.D., Bridgeford, P., and Yeaton, D., Invasive alien plants in the Namib-Naukluft Park, in Invasive Alien Organisms in South West Africa= Namibia, Brown, C.J., Macdonald, I.A.W. and Brown, S.E., Eds., South African national scientific programmes report no. 119, CSIR, RSA, Pretoria, 24, 1985.

Visser, J.N., Effect of Prosopis glandulosa on natural vegetation in Lower Swakop River, Unpublished nature conservation diploma project, Polytechnic of Namibia, Namibia, 1998.

William, P.A., Ecology and Management of Invasive Weeds, Conservation sciences publication 7, Department of Conservation, Wellington, 1997.

Williamson, M., Biological Invasions, Chapman and Hall, London, 1996.

Wilson, C., Chromolaena odorata, in the Global invasive species database, 2006, available at

Zachariades, C. and Goodall, J.M., Distribution, impact and management of Chromolaena odorata in Southern Africa, in Proceedings of the Fifth International Workshop on Biological Control and Management of Chromolaena odorata, Durban, South Africa, October 23–25, 2000, Zachariades, C., Muniappan, R. and Strathie, L.W., Eds., ARCPPRI, Pretoria, 34, 2002.

Zimmermann, H.G., Ed., Country profile report: South Africa, Meeting on prevention and management of invasive alien species: Forging cooperation throughout southern Africa, Lusaka, June 10–12, 2000.

21 Chapter 21. The Economics, Law, and Policy of Invasive Species Management in the United States: Responding to a Growing Crisis

Aquino, J.A., Navigating in uncertain waters: 2006 update on the regulation of ballast water discharge in the United States, Pittsburgh J. Environ. Public Health Law, 1, 101, 2006.

Born, W., Rauschmayer, F., and Brauer, I., Economic evaluation of biological invasions—A survey, Ecol. Econ., 55, 321, 2005.

Buhle, E.R., Margolis, M., and Ruesink, J.L., Bang for buck: Cost-effective control of invasive species with different life histories, Ecol. Econ., 52, 355, 2005.

Courchesne, C.G., Comprehensive approach to combat invasive species on the horizon, American Bar Association, ABA Trends, 37, 6, 1, 2006.

Eisworth, M.E. and Johnson, W.S., Managing nonindigenous invasive species: Insights from dynamic analysis, Environ. Resour. Econ., 23, 319, 2002.

Environmental ProtectionAgency (EPA), Invasive non-native species,WatershedAcademyWeb,

Environmental Protection Agency (EPA), September 2006 U.S. District Court Order granting injunctive relief,

Finnoff, D., Shogren, J.F., Leung, B., and Lodge, D., Take a risk: Preferring prevention over control of biological invaders, Ecol. Econ., 62, 2, 16, 2007.

Horan, R.D. and Lupi, F., Tradeable risk permits to prevent future introductions of invasive alien species into the Great Lakes, Ecol. Econ., 52, 289, 2005.

Idaho State Department of Agriculture, Noxious Weeds Program, Overview of Idaho's 2004 noxious weeds management program, 2005.

IUCN (World Conservation Union), IUCN guidelines for the prevention of biodiversity loss caused by alien invasive species, Information paper from the Fifth Meeting of the Conference of the Parties to the Convention on Biological Diversity, Nairobi, Kenya, May 15–26, 2000.

Jenkins, P.T., Paying for protection from invasive species, Issues Sci. Technol., 19, 1, 67, 2002.

Kaiser, B.A., Economic impacts of non-indigenous species: Miconia and the Hawaiian economy, Euphytica, 148, 1–2, 135, 2006.

Kolar, C.S. and Lodge, M.L., Progress in invasion biology: Predicting invaders, Trends Ecol. Evol., 16, 4, 199, 2001.

Le Maitre, D.C., Richardson, D.M., and Chapman, R.A., Alien plant invasions in South Africa: Driving forces and the human dimension, S. Afr. J. Sci., 100, 103, 2004.

Leung, B., Finnoff, D., Shogren, J.F., and Lodge, D., Managing invasive species: Rules of thumb for rapid assessment, Ecol. Econ., 55, 24, 2005.

Leung, B., Lodge, D.M., Finnoff, D., Shogren, J.F., Lewis, M.A., and Lamberti, G., An ounce of prevention or a pound of cure: Bioeconomic risk analysis of invasive species, Proc. Biol. Sci. (Formerly Proc. R. Soc. Lond. B), 269, 2407, 2002.

Margolis, M., Shogren, J.F., and Fischer, C., How trade politics affect invasive species control, Ecol. Econ., 52, 305, 2005.

Maryland Department of Natural Resources, Potential economic losses associated with uncontrolled nutria populations in Maryland's portion of the Chesapeake Bay, Maryland Department of Natural Resources, Annapolis, MD, 2004.

McCarraher, A.G., The phantom menace: Invasive species, N Y Univ. Environ. Law J., 14, 73, 2006.

McNeely, J.A., Ed., The Great Reshuffling: Human Dimensions of Invasive Alien Species, IUCN, Gland, Switzerland and Cambridge, UK, 2001.

Myers, N., Global biodiversity II: Losses and threats, in Principles of Conservation Biology, 2nd ed., Meffe, G.K. and Carroll, C.R., Eds., Sinauer, Sunderland, MA, 123, 1997.

National Invasive Species Council (NISC), Meeting the invasive species challenge: National Invasive Species management plan, Washington, DC, 80, 2001.

National Invasive Species Council (NISC), Progress report on the national invasive species management plan, Washington, DC, 30, 2005.

National Invasive Species Information Center (NISIC), http:==www.invasivespeciesinfo.gov=, 2007.

Nature Conservancy, America's Least Wanted: Alien Species Invasion of U.S. Ecosystems, The Nature Conservancy, Arlington, VA, 1996.

Nature Conservancy, Seedlings of change, Nature Conservancy Magazine online, http:==www. nature.org=magazine=spring2007=misc=index.html, 2007.

Pimentel, D., Zuniga, R., and Morrison, D., Update on the environmental and economic costs associated with alien-invasive species in the United States, Ecol. Econ., 52, 3, 273, 2005.

Salmony, S.E., Invoking the precautionary principle, Environ. Health Perspect., 113, 8, 509A, 2005.

Schmitz, D.C. and Simberloff, D., Biological invasions: A growing threat, Issues Sci. Technol., 13, 4, 33, 1997.

Settle, C., Crocker, T.D., and Shogren, J.F., On the joint determination of biological and economic systems, Ecol. Econ., 42, 301, 2002.

Sharov, A.A. and Liebhold, A.M., Bioeconomics of managing the spread of exotic pest species with barrier zones, Ecol. Appl., 8, 3, 833, 1998.

Shine, C., Williams, N., and Gundling, L., A Guide to Designing Legal and Institutional Frameworks on Alien Invasive Species, IUCN, Bonn, 2000.

United States Department of Agriculture (APHIS), Asian Longhorned Beetle Cooperative Eradication Program Strategic Plan, http:==www.aphis.usda.gov= ppq=ep=alb=strategic.pdf, 2005

United States Forest Service (USFS), National strategy and implementation plan for invasive species management, Forest Service FS-805, United States Department of Agriculture, Washington, DC, 2004.

United States General Accounting Office (GAO), Homeland security: Management and coordination problems increase the

vulnerability of U.S. agriculture to foreign pests and disease, http:==www.gao.gov=new.items=d06644.pdf, 2006.

United States Government, Executive Order 13112 of February 3, 1999, invasive species, Fed. Regist., 64, 25, 6183, 1999.

U.S. Congress, Office of Technology Assessment (OTA), Harmful non-indigenous species in the United States, OTA-F-565, U.S. Government Printing Office,Washington, DC, 1993.

Wilcove, D.S., Rothstein, D., Dubow, J., Phillips, A. and Losos, E., Quantifying threats to imperiled species in the United States, Bioscience, 48, 8, 607, 1998.

Wittenberg, R. and Cock, M.J.W., Invasive Alien Species. How to Address One of the Greatest Threats to Biodiversity: A Toolkit of Best Prevention and Management Practices, CAB International, Wallingford, Oxon, UK, 2001.

Wonham, M., Species Invasions, in Principles of Biological Conservation, 3rd ed., Groom, M.J., Meffe, G.K., and Carroll, R., Eds., Sinauer, Sunderland, MA, 2006.