

## New taxa, new records and name changes for southern African plants

G. E. GIBBS RUSSELL, C. REID, L. FISH, G. GERMISHUIZEN, M. VAN WYK, J. VAN ROOY and STAFF

**Keywords:** name changes, new records, new taxa, PRECIS, southern Africa

### ABSTRACT

Alterations for the year 1986 to the inventory maintained in PRECIS are reported for bryophytes, pteridophytes and monocotyledons, and for a few dicotyledons. For the cryptogams and monocots there are 77 newly described species or infraspecific taxa, 27 names brought back into use, and nine species newly reported for southern Africa, resulting in 113 additions to the total list of species. Five species were removed because they were mistakenly recorded from the area. Seventy-five names have gone into synonymy, there are 52 new combinations, and there are 35 orthographic corrections, resulting in 237 alterations to the list of species. The total of 355 additions, deletions and alterations represents about 5% of the total species and infraspecific taxa for the cryptogams and monocots.

### UITTREKSEL

Veranderings vir die jaar 1986 aan die lys wat in PRECIS gehou word, word van briofiete, pteridofiete en monokotiele, en van 'n paar dikotiele vermeld. By die kriptogame en monokotiele is daar 77 nuut-beskryfde spesies of infraspesifieke taksons, 27 name wat in gebruik teruggebring is en 9 spesies wat nuut aangeteken is in suidelike Afrika, wat gelei het tot 113 toevoegings tot die totale lys van spesies. Vyf spesies moes verwyder word omdat hulle verkeerdelik in die gebied aangeteken is. Vyf-en-sewentig name is in sinonimie geplaas, daar is 52 nuwe kombinasies en daar is 35 ortografiese regstellings, wat 237 wysigings aan die lys van spesies tot gevolg gehad het. Die totaal van 355 toevoegings, skrapings en wysigings verteenwoordig meer as 5% van die totale getal spesies en infraspesifieke taksons by die kriptogame en monokotiele.

### INTRODUCTION

This is the third in this series that reports annual alterations to the complete inventory of southern African plants maintained in the computer system, PRECIS. The previous annual lists of changes were published in *Bothalia* 15: 757–759 (1985) and 16: 109–118 (1986) (Staff of the National Herbarium 1985, 1986). The format continues to be that of the *List of species of southern African plants, Edn 2, Part 1* (Gibbs Russell *et al.* 1985). The complete and up-to-date listing of names, literature and useful synonyms for all the 24 000 southern African plants is continuously maintained as part of PRECIS. Listings of the most recent treatment for any family or genus can be supplied by the Botanical Research Institute.

The majority of changes reported here apply only to cryptogams and monocots because changes for the dicotyledons to 30 June 1986 are included in the *List of species of southern African plants, Edn 2, Part 2* (Gibbs Russell *et al.* 1987). However, a few changes for dicots published in the last half of 1986 are listed here.

Families and genera follow the order and numbering of the Englerian classification system, as given by Dyer (1975, 1976), and species are in alphabetical order. A name in current use appears in capital letters with its PRECIS number. Synonyms appear in lower case letters, and each synonym is entered twice, once indented below the name for which it is a

synonym, and once in its alphabetical place in the genus. New collection records are indicated by quoting a specimen and its locality. Naturalized taxa are shown by an asterisk following the name.

The length of the list is again surprising to its compilers. During 1986 there were additions, deletions and alterations in about 5% of the names for cryptogams and monocots, compared to about 6% for 1985. Additions include 77 newly described species or infraspecific taxa, 27 names brought back into use that were not in previous lists, and nine species newly reported for southern Africa (all grasses, seven of them naturalized), giving a total of 113 additions to the list. Deletions include five pteridophyte species that were removed from the list because they had been mistakenly recorded from southern Africa. Alterations include 75 names that have been reduced to synonymy, 52 new combinations, and 35 orthographic corrections, giving a total of 237 alterations to the list.

The effort necessary to evaluate and compile the changes, to implement them curatorially in herbaria, and to use them in conjunction with existing literature has been discussed previously (Staff of the National Herbarium 1986). At that time it was thought that the 1985 figure of 6% changes to the overall list for cryptogams and monocots was unusually high because of many alterations in Restionaceae (Linder 1985). Therefore, changes amounting to 5% of the list in a year, when there have been no revisions of large groups, is unexpected.

Each contributor is acknowledged at the name of the group or family for which he is responsible.

\* Botanical Research Institute, Private Bag X101, Pretoria 0001.

## REFERENCES

- DYER, R. A. 1975. *The genera of southern African flowering plants*, Vol. 1, *Dicotyledons*. Botanical Research Institute, Pretoria.
- DYER, R. A. 1976. *The genera of southern African flowering plants*, Vol. 2, *Monocotyledons*. Botanical Research Institute, Pretoria.
- GIBBS RUSSELL, G. E., REID, C., VAN ROOY, J. & SMOOK, L. 1985. List of species of southern African plants, edn 2, part 1. Bryophyta, Pteridophyta, Gymnospermae, Monocotyledonae. *Memoirs of the Botanical Survey of South Africa* No. 51.
- GIBBS RUSSELL, G. E., WELMAN, W. G., GERMISHUIZEN, G., RETIEF, E., IMMELMAN, K. L., VAN WYK, M., PIENAAR, B. & NICHOLAS, A. 1987. List of species of southern African plants, edn 2, part 2. *Dicotyledonae*. *Memoirs of the Botanical Survey of South Africa* No. 56.
- LINDER, H. P. 1985. Conspectus of the African species of Resurrectionaceae. *Bothalia* 15: 387-504.
- STAFF OF THE NATIONAL HERBARIUM 1985. New taxa, new records and name changes for southern African plants. *Bothalia* 15: 751-759.
- STAFF OF THE NATIONAL HERBARIUM 1986. New taxa, new records and name changes for southern African plants. *Bothalia* 16: 109-118.
- BRYOPHYTA** Contributed by J. van Rooy 1000
- HEPATICAE**
- An up-to-date systematic arrangement of southern African liverwort genera in orders, families and subfamilies after Grolle (1983), which is essentially that of Schuster (1980), will be followed in future.
- Grolle, R. 1983. *Acta Bot. Fennica* 121: 1-62.
  - Schuster, R.M. 1980. *Syst. Assn. Special Vol.* 14: 41-82.
- PTERIDOPHYTA** Contributed by C. Reid
- SELAGINELLACEAE** 30
- 30 -SELAGINELLA BEAUV.  
5. SCHELPE & ANTHONY. 1986. FSA.
- 300 S. IMBRICATA (FORSSK.) SPRING EX DECNE.  
(Note author correction)
- ISOETACEAE** 40
- 40 -ISOETES L.  
5. SCHELPE & ANTHONY. 1986. FSA.  
I. rhodesiana Alston = I. SCHWEINFURTHII
- 520 I. PERRIERIANA IVERSEN  
(Note correct spelling)
- 550 I. SCHWEINFURTHII A. BR.  
(=I. rhodesiana Alston) 5
- 720 I. TRANSVAALENSIS JERMY & SCHELPE  
(Note author change)
- OPHIOGLOSSACEAE** 60
- 60 -OPHIOGLOSSUM L.  
4. SCHELPE & ANTHONY. 1986. FSA.
- 400 O. POLYPHYLLUM A. BR. IN SEUB.  
(Note author change)
- OSMUNDACEAE** 80
- 80 -OSMUNDA L.  
4. SCHELPE & ANTHONY. 1986. FSA.
- 100 O. REGALIS L.  
(=O. schelpei Bobrov) 4  
(=O. transvaalensis Bobrov) 4  
O. schelpei Bobrov = O. REGALIS  
O. transvaalensis Bobrov = O. REGALIS
- SCHIZAEACEAE** 100
- 100 -ANEMIA SWARTZ  
4. SCHELPE & ANTHONY. 1986. FSA.
- 200 A. SIMII TARDIEU  
(Note author change)
- MARSILEACEAE** 190
- 190 -MARSILEA L.  
4. LAUNERT. 1983-84. GARCIA DE ORTA 6: 119.
- 1000 M. RUBICA A. BR. VAR. GYMNOCARPA (LEPR. EX A. BR.) LAUNERT
- AZOLLACEAE** 200
- 200 -AZOLLA LAM.  
4. ASHTON & WALMSLEY. 1984. BOT. J. LINN. SOC. 89: 239  
A. nilotica Decne. ex Mett. does not occur in Southern Africa
- 300 A. PINNATA R. BR.
- DENNSTAEDTIACEAE** 220
- 230 -HISTIOPTERIS (AGARDH) J. SM.  
4. SCHELPE & ANTHONY. 1986. FSA.  
(Note author change for genus)
- ADIANTACEAE** 280
- 290 -ACTINIOPTERIS LINK  
4. SCHELPE & ANTHONY. 1986. FSA.
- 200 A. RADIATA (KOENIG EX SWARTZ) LINK  
(Note author change)
- 300 -ADIANTUM L.  
4. SCHELPE & ANTHONY. 1986. FSA.
- 400 A. POIRETII WIKSTR.
- 500 A. poiretii Wikstr. var. sulphureum (Kaulf.)  
Tryon is only known in cultivation
- 330 -CERATOPTERIS BRONGN.  
5. SCHELPE & ANTHONY. 1986. FSA.
- 100 C. cornuta sensu Jacobsen = C. THALICTROIDES  
C. THALICTROIDES (L.) BRONGN.  
(=C. cornuta sensu Jacobsen) 5
- 340 -CHEILANTHES SWARTZ  
5. ANTHONY. 1984. CONTR. BOLUS HERB. 11.
- 1480 C. QUADRIPINNATA (FORSSK.) KUHN  
(=Pellaea quadrupinnata (Forssk.) Prantl) 5
- 1550 C. ROBUSTA (KUNZE) R. TRYON  
(=Pellaea robusta (Kuntze) Hook.) 5
- 360 -PELLAEA LINK  
P. quadrupinnata (Forssk.) Prantl =  
CHEILANTHES QUADRIPINNATA  
P. robusta (Kunze) Hook. = CHEILANTHES ROBUSTA
- 370 -PITYROGRAMMA LINK  
4. SCHELPE & ANTHONY. 1986. FSA.  
P. aurea (Willd.) C. Chr. Southern African specimens accommodated in P. ARGENTEA  
P. calomelanos (L.) Link var. calomelanos does not occur in southern Africa
- LINDSAEACEAE** 390
- 390 -LINDSAEA DRYAND. APUD J.E. SM.  
4. SCHELPE & ANTHONY. 1986. FSA.  
(Note author change for genus)
- GRAMMITIDACEAE** 395
- 395 -GRAMMITIS SWARTZ  
4. SCHELPE & ANTHONY. 1986. FSA.
- 100 G. POEPPIGANA (METT.) PICHI-SERM.  
(Note author change)
- POLYPODIACEAE** 410
- 450 -PLEOPELTIS H.B.K. EX WILLD.  
4. SCHELPE & ANTHONY. 1986. FSA.  
(Note author change for genus)
- 470 -PYRROSIA MIRB.  
4. SCHELPE & ANTHONY. 1986. FSA.
- 200 P. SCHIMPERIANA (METT. EX KUHN) ALSTON  
(Note spelling correction)
- DAVALLIACEAE** 480
- 500 -NEPHROLEPIS SCHOTT  
4. SCHELPE & ANTHONY. 1986. FSA.  
N. undulata (Afzel. ex Swartz) J. Sm. does not occur in southern Africa.
- 510 -OLEANDRA CAV.  
4. SCHELPE & ANTHONY. 1986. FSA.  
(Note author correction for genus)
- ASPLENIACEAE** 520
- 520 -ASPLENIUM L.  
4. SCHELPE & ANTHONY. 1986. FSA.
- 200 A. ADIANTUM-NIGRUM L. VAR. SOLIDUM (KUNZE) J.P. ROUX
- 2100 A. PREUSSII HIERON. EX BRAUSE

- 3100 A. THECIFERUM (H.B.K.) METT. VAR. CONCINNUM (SCHRAD.) SCHELPE  
(Note author changes in these three species)
- THELYPTERIDACEAE 532
- 531 -Amauropelta Kunze = THELYPTERIS  
A. knysnaensis (N.C. Anthony & Schelpe) Parris = THELYPTERIS KNYSNAENSIS
- 532 -THELYPTERIS SCHMIDEL  
6. PARRIS. 1986. KEW BULL. 41: 70.
- 650 T. KNYSNAENSIS N.C. ANTHONY & SCHELPE  
(=Amauropelta knysnaensis (N.C. Anthony & Schelpe) Parris) 6 ♀
- ASPIDIACEAE 590
- 650 -POLYSTICHUM ROTH  
5. SCHELPE & ANTHONY. 1986. FSA.  
P. lucidum sensu Schelpe, non (Burm. f.)  
Becherer = P. PUNGENS
- 300 P. MACLEAE (BAK.) DIELS  
(Note correct spelling)
- 350 P. PUNGENS (KAULF.) PRESL  
(=P. lucidum sensu Schelpe, non (Burm. f.)  
Becherer) 5
- BLECHNACEAE 690
- 690 -BLECHNUM L.  
4. SCHELPE & ANTHONY. 1986. FSA.
- 300 B. CAPENSE BURM. F.  
(Note author change)
- GYMNOSPERMAE Contributed by C. Reid
- PODOCARPACEAE
- 0013000 -PODOCARPUS L'HERIT. EX PERS.  
(Note author correction)
- ANGIOSPERMAE
- MONOCOTYLEDONAE Contributed by C. Reid
- HYDROCHARITACEAE 85000
- 0087000 -EGERIA PLANCH.  
2. COOK & URMI-KONIG. 1984. AQUATIC BOTANY  
19: 73.
- 0095000 -OTTELIA PERS.  
2. COOK, SYMOENS & URMI-KONIG. 1984. AQUATIC  
BOTANY 18: 263.
- POACEAE Contributed by L. Smook 9900010
- 9900220 -HACKELOCHLOA KUNTZE  
2. CLAYTON & RENVOIZE. 1982. FTEA.  
3. VELDKAMP. 1986. BLUMEA 31: 281.
- 100 H. GRANULARIS (L.) KUNTZE 2
- 9900290 -COELORACHIS BRONGN.  
1. CHIPPINDALL. 1955. GR. & PAST.  
2. VELDKAMP. 1986. BLUMEA 31: 281.
- 100 C. CAPENSIS STAFF 1  
(Note change in spelling of genus)
- 9900321 -Mnesithea Kunth  
1. Veldkamp 1986. Blumea 31: 281.  
Species could be transferred to this genus from  
HACKELOCHLOA and COELORACHIS
- 9900490 -VETIVERIA LEM.-LISANC.  
(Note author change for genus)
- 9900730 -HYPARRHENIA FOURN.  
2000 H. SCHIMPERI (A. RICH.) STAFF  
(Note author change for both genus and  
species)
- 9900940 -ALLOTEROPSIS C.B. PRESL  
(Note author correction for genus)
- 9901010 -PSEUDECHINOLAENA STAFF  
100 P. POLYSTACHYA (KUNTH) STAFF  
(Note author change)
- 9901020 -ERIOCHLOA KUNTH  
75 E. MACCLOUNII STAFF  
Tropical African species collected in  
Botswana. 1823 (Siambisso): Floodplain  
of Sibuyo (-BC), P.A. Smith 4299.
- 9901021 -ENTOLASIA STAFF  
300 E. OLIVACEA STAFF  
Tropical African species collected in  
Transvaal. 2329 (Pietersburg): Dap  
Naude Dam, Magoebaskloof area (-DB),  
Johannsmeyer 372.
- 9901040 -BRACHIARIA (TRIN.) GRISEB.  
(Note author change for genus)
- 9901870 -PERIBALLIA TRIN.  
1. CHIPPINDALL. 1955. GR. & PAST.  
2. TUTIN. 1980. FL. EUROP.
- 100 P. MINUTA (L.) ASCH. & GRAEBN. \* 1  
(Species treated in MOLINIERIELLA in Fl.  
Europ., without synonymy)
- 9901890 -DESCHAMPSIA BEAUV.  
100 D. CESPITOSA (L.) BEAUV. \*  
(Note corrected spelling)
- 9901970 -HELICTOTRICHON SCHULT.  
(Note author change for genus)
- 9902080 -PENTAMERIS BEAUV.  
1. SCHWEICKERDT. 1938. FEDDES REPRIMUM  
42: 91.
- 400 P. OBTUSIFOLIA (HOCHST.) SCHWEICK.  
(=P. squarrosa Stapf) 1  
P. squarrosa Stapf = P. OBTUSIFOLIA
- 9902140 -PHRAGMITES ADANSON  
(Note author correction for genus)
- 9902860 -ERAGROSTIS WOLF  
(Note author correction for genus)
- 9902960 -CYNODON RICH.  
(Note author change for genus)
- 9902970 -BRACHYACHNE STAFF  
(Note author change for genus)
- 9903180 -TRIPOGON ROEM. & SCHULT.  
(Note author change for genus)
- 9903310 -ELEUSINE GAERTN.  
3. DE WET ET AL. 1984. AMER. J. BOT. 71:  
550.
- 150 E. CORACANA (L.) GAERTN. SUBSP. AFRICANA  
(K.-O'BYRNE) HILU & DE WET  
(=E. indica (L.) Gaertn. subsp. africana  
(K.-O'Byrne) S.M. Phillips) 3  
E. indica (L.) Gaertn. subsp. africana  
(K.-O'Byrne) S.M. Phillips =  
E. CORACANA SUBSP. AFRICANA
- 9903311 -ACRACHNE CHIOV.  
(Note author correction for genus)
- 9903360 -COELACHYRUM HOCHST. & NEES  
(Note author correction for genus)
- 9903570 -ENNEAPOGON BEAUV.  
(Note author change for genus)
- 9903730 -CYNOSURUS L. Revision: H.P. Linder (BOL).  
2. LINDER. 1986. BOTHALIA 16: 61.
- 50 C. COLORATUS LEHM. EX NEES \*
- 9903980 -DACTYLIS L. Revision: H.P. Linder (BOL).  
(Note correction for genus number)
- 9904040 -BRIZA L. Revision: H.P. Linder (BOL).  
B. triloba Nees \* = CHASCOLYTRUM SUBARISTATUM
- 9904041 -CHASCOLYTRUM DESV.  
1. MATTHEI. 1975. WILLDENOWIA, BEIHEFT  
8: 79.
100. C. SUBARISTATUM (LAM.) DESV. \*  
(=Briza triloba Nees) 1
- 9904070 -POA L. Revision: H.P. Linder (BOL).  
#. PRE HERBARIUM PRACTICE, FOLLOWING LINDER.  
P. atherstonei Stapf = P. BINATA  
P. bidentata Stapf = P. PRATENSIS  
P. BINATA NEES  
(=P. atherstonei Stapf) ♀
- 400 P. BULBOSA L.  
(=P. vivipara (L.) Willd.) ♀
- 450 P. LEPTOCLADUS A. RICH
- 550 P. PRATENSIS L. \*
- 600 (=P. bidentata Stapf) ♀
- 650 P. TRIVIALIS L. \*  
P. vivipara (L.) Willd. = P. BULBOSA
- 9904150 -PUCCINELLIA PARL. Revision: H.P. Linder  
(BOL).



- 250 \* PRE HERBARIUM PRACTICE, FOLLOWING LINDER.  
P. DISTANS (L.) PARL. \*
- 9904170 -FESTUCA L. Revision: H.P. Linder (BOL).  
2. CLAYTON. 1985. KEW BULL. 40: 727.  
3. LINDER. 1986. BOTHALIA 16: 61.
- 75 F. AFRICANA (HACK.) CLAYTON  
(=Pseudobromus africanus (Hack.) Stapf)  
2  
(=Pseudobromus silvaticus K. Schum.) 2  
F. arundinacea Schreb. = F. ELATIOR  
F. DRACOMONTANA LINDER  
725 F. ELATIOR L. \*  
750 (=F. arundinacea Schreb.) 3  
1100 F. VULPIOIDES STEUD.
- 9904250 -Pseudobromus = FESTUCA  
P. africanus (Hack.) Stapf = F. AFRICANA  
P. silvaticus K. Schum. = F. AFRICANA
- 9904280 -BROMUS L. Revision: H.P. Linder (BOL).  
3. PINTO-ESCOBAR. 1976. CALDASIA 11: 9-16.  
4. LINDER. 1986. BOTHALIA 16: 61.  
\* PRE HERBARIUM PRACTICE, FOLLOWING LINDER
- 25 B. ALOPECURUS POIR. \*  
50 B. CATHARTICUS VAHL \*  
(=B. unioloides H.B.K.) 3  
(=B. willdenowii Kunth) 3
- 350 B. FIRMIOR (NEES) STAPF  
(=B. firmior (Nees) Stapf var.  
firmior) \*  
(=B. firmior (Nees) Stapf var.  
leiorhachis Stapf) \*  
B. firmior (Nees) Stapf var. firmior =  
B. FIRMIOR  
B. firmior (Nees) Stapf var. leiorhachis Stapf  
= B. FIRMIOR
- 420 B. HORDEACEUS L. SUBSP. FERRONII (MABILLE)  
P.M. SM.
- 430 B. HORDEACEUS L. SUBSP. MOLLIFORMIS (J. LLOYD)  
MAIRE & WEILLER  
(=B. molliformis Lloyd) \*  
B. japonicus sensu Chippind., non Thunb. var.  
japonicus = B. PECTINATUS  
B. japonicus sensu Chippind., non Thunb. var.  
velutinus (Nocc.) Aschers &  
Graebn. = B. PECTINATUS  
B. molliformis Lloyd = B. HORDEACEUS SUBSP.  
MOLLIFORMIS
- 1000 B. NATALENSIS STAPF  
(=B. natalensis Stapf var. lasiophilus  
Stapf) \*  
(=B. speciosus sensu Compton, non Nees)  
\*
- B. natalensis Stapf var. lasiophilus Stapf =  
B. NATALENSIS
- 1115 B. PECTINATUS THUNB.  
(=B. japonicus sensu Chippind., non  
Thunb. var. japonicus) \*  
(=B. japonicus sensu Chippind., non  
Thunb. var. velutinus (Nocc.)  
Aschers. & Graebn.) \*
- 1125 B. RIGIDUS ROTH \*  
B. speciosus sensu Compton, non Nees =  
B. NATALENSIS
- 1300 B. TECTORUM L. \*  
B. unioloides H.B.K. = B. CATHARTICUS  
B. willdenowii Kunth = B. CATHARTICUS
- 9904330 -LOLIUM L. Revision: H.P. Linder (BOL).  
\* PRE HERBARIUM PRACTICE, FOLLOWING LINDER.  
L. loliaeum (Bory & Chaup.) Hand.-Mazz =  
L. RIGIDUM
- 325 L. MULTIFLORUM X PERENNE  
350 L. RIGIDUM GAUDIN \*  
(=L. loliaeum (Bory & Chaup.)  
Hand.-Mazz) \*
- 9904340 -AGROPYRON GAERTN.  
1. CHIPPINDALL. 1955. GR. & PAST.  
2. DEWEY. 1984. GENOMIC CLASSIFICATION IN  
GUSTAFSON, GENE MANIPULATION.:  
209.
- 100 A. DISTICHUM (THUNB.) BEAUV. 1  
= THINOPYRUM DISTICHUM (THUNB.) LOEVE 2
- 200 A. REPENS (L.) BEAUV. \* 1  
= ELYTRIGIA REPENS (L.) NEVSKI 2
- Morphological generic concepts (1) and  
cytogenetic generic concepts  
(2) do not coincide in the  
tribe Triticeae. Alternative  
names are therefore presented  
without implying synonymy.
- ELYTRIGIA DESV. = AGROPYRON P.P.  
1. CHIPPINDALL. 1955. GR. & PAST.  
2. DEWEY. 1984. GENOMIC CLASSIFICATION IN  
GUSTAFSON, GENE MANIPULATION.:  
209.
- E. REPENS (L.) NEVSKI \* 2  
= AGROPYRON REPENS (L.) BEAUV. \* 1
- THINOPYRUM LOEVE = AGROPYRON P.P.  
1. CHIPPINDALL. 1955. GR. & PAST.  
2. DEWEY. 1984. GENOMIC CLASSIFICATION IN  
GUSTAFSON, GENE MANIPULATION.:  
209.
- T. DISTICHUM (THUNB.) LOEVE \* 2  
= AGROPYRON DISTICHUM (THUNB.) BEAUV. \* 1
- 9904510 -HORDEUM L.  
3. HUMPHRIES. 1980. FL. EUROP.  
4. DEWEY. 1984. GENOMIC CLASSIFICATION IN  
GUSTAFSON, GENE MANIPULATION.:  
209.
- 250 H. MARINUM HUDS. SUBSP. GUSSONEANUM (PARL.)  
THELL. \* 3 = CRITESION  
MARINUM (HUDS.) LOEVE \* 4
- 320 H. MURINUM L. SUBSP. MURINUM \* 3  
= CRITESION MURINUM (L.) LOEVE \* 4
- 385 H. STENOSTACHYS GOOR. \* 3  
= CRITESION STENOSTACHYS (GOOR.)  
LOEVE \* 4
- Morphological generic concepts (3) and  
cytogenetic generic concepts  
(4) do not coincide in the  
tribe Triticeae. Alternative  
names are therefore presented  
without implying synonymy.
- CRITESION RAF. = HORDEUM P.P.  
1. HUMPHRIES. 1980. FL. EUROP.  
2. DEWEY. 1984. GENOMIC CLASSIFICATION IN  
GUSTAFSON, GENE MANIPULATION.:  
209.
- C. MARINUM (HUDS.) LOEVE \* 2  
= HORDEUM MARINUM HUDS. \* 1
- C. MURINUM (L.) LOEVE \* 2  
= HORDEUM MURINUM L. \* 1
- C. STENOSTACHYS (GOOR.) LOEVE \* 2  
= HORDEUM STENOSTACHYS GOOR. \* 1
- CYPERACEAE 452000
- 0459000 -CYPERUS L.  
10. FOSBERG. 1976. KEW BULL. 31: 835.  
11. BURTT. 1986. NOTES R. BOT. GDN EDINB.  
43: 356.
- \*\*\* PRE HERBARIUM PRACTICE, FOLLOWING REID.  
C. alopecuroides sensu Thunb., non Rottb. =  
MARISCUS THUNBERGII
- C. niveus Retz. var. flavissimus (Schrad.) Lye  
= C. OBTUSIFLORUS VAR.  
SPHAEROCEPHALUS
- C. niveus Retz. var. leucocephalus (Kunth)  
Fosberg = C. OBTUSIFLORUS  
VAR. OBTUSIFLORUS
- C. obtusiflorus Vahl var. flavissimus Boeck. =  
C. OBTUSIFLORUS VAR.  
SPHAEROCEPHALUS
- 4750 C. OBTUSIFLORUS VAHL VAR. SPHAEROCEPHALUS  
(VAHL) KUEKENTH.  
(=C. niveus Retz. var. flavissimus  
(Schrad.) Lye) 11, \*\*\*  
(=C. niveus Retz. var. leucocephalus  
(Kunth) Fosberg) 11, \*\*\*  
(=C. obtusiflorus Vahl var. flavissimus  
Boeck.) 11, \*\*\*  
(=C. sphaerocephalus Vahl) 11, \*\*\*
- C. sphaerocephalus Vahl = C. OBTUSIFLORUS VAR.  
SPHAEROCEPHALUS
- 0459030 -MARISCUS GAERTN. Revision: P.J. Vorster  
(STE-U).  
6. VORSTER. 1986. S. AFR. J. BOT. 52: 181.  
7. VORSTER. 1986. S. AFR. J. BOT. 52: 265.
- 850 M. DRAKENSBERGENSIS P.J. VORSTER 6  
2860 M. SOLIDUS (KUNTH) P.J. VORSTER  
2950 M. THUNBERGII (VAHL) SCHRAD.  
(=Cyperus alopecuroides sensu Thunb.,  
non Rottb.) 7  
(=M. riparius Schrad. var. robustior  
C.B. Cl.) 6
- 0465000 -FICINIA SCHRAD. Revision: T.H. Arnold & C.  
Reid (PRE).  
6. BURTT. 1986. NOTES R. BOT. GDN EDINB.  
43: 357.
- 200 F. ACUMINATA (NEES) NEES  
(Note author change)
- 1750 F. CRINITA (POIR.) B.L. BURTT  
(=F. oligantha (Steud.) J. Raynal var.  
crinita (Poir.) J. Raynal) 6
- 2650 F. FILICULMEA B.L. BURTT  
3920 F. NANA B.L. BURTT

- F. oligantha (Steud.) J. Raynal var. crinita  
(Poir.) J. Raynal = F. CRINITA  
5950 F. UNDOSA B.L. BURTT (=W. conferta N.E. Br.) 4  
(=W. ustulata B. Nord.) 4  
W. ustulata B. Nord. = W. SPICATA VAR.  
USTULATA
- 0467000 -FUIRENA ROTTB. 1700 W. VARIABILIS B. NORD.  
4. FORBES. 1986. S. AFR. J. BOT. 52: 237. 68888 W. HYBRID  
F. microlepis sensu C.B. Cl., non Kunth =  
F. OBCORDATA 0984000 -BULBINELLA KUNTH  
950 F. OBCORDATA P.L. FORBES \*\*\*. PRE HERBARIUM PRACTICE, FOLLOWING  
(=F. microlepis sensu C.B. Cl., non P.L. PERRY.  
Kunth) 4 140 B. CILIOLATA KUNTH  
330 B. LATIFOLIA KUNTH  
0468000 -SCIRPUS L. 340 B. MUTANS (THUNB.) DUR. & SCHINZ  
S. macer Boeck. = ISOLEPIS COSTATA VAR. MACRA
- 0468020 -ISOLEPIS R. BR. 1024000 -KNIPHOFIA MOENCH  
6. BURTT. 1986. NOTES R. BOT. GDN EDINB. 3. CODD. 1986. BOTHALIA 16: 231.  
43: 362. 250 K. ANGUSTIFOLIA (BAK.) CODD  
(=K. rufa sensu Codd, non Bak.) 3
- 20 I. ANGELICA B.L. BURTT 2150 K. ICHOPENSI BAK. EX SCHINZ VAR. ACIFORMIS  
220 I. COSTATA (BOECK.) A. RICH. VAR. COSTATA CODD  
230 I. COSTATA (BOECK.) A. RICH. VAR. MACRA 2200 K. ICHOPENSI BAK. EX SCHINZ VAR. ICHOPENSI  
(BOECK.) B.L. BURTT K. rufa sensu Codd, non Bak. = K. ANGUSTIFOLIA  
(=Scirpus macer Boeck.) 6 1026000 -ALOE L. Revision: H.F. Glen & D.S. Hardy  
730 I. PELLOCOLEA B.L. BURTT (PRE).  
5. PLOWES. 1986. ALOE 23: 32.  
\*\*\*. PRE HERBARIUM PRACTICE, FOLLOWING GLEN &  
HARDY.
- 0471010 -BULBOSTYLIS KUNTH 5. BURTT. 1986. NOTES R. BOT. GDN EDINB. 43: 353.  
990 B. ORITREPHE (REDLEY) C.B. CL. SUBSP. 750 A. ANGOLENSIS BAK. #  
AUSTRALIS B.L. BURTT 1250 A. BARBERIAE T.-DYER #  
1000 B. ORITREPHE (RIDLEY) C.B. CL. SUBSP. 7750 A. INCONSPICUA PLOWES 5  
ORITREPHE
- 0515000 -SCLERIA BERG. Revision: E.F. Hennessy  
(Durban-Westville).  
2800 S. POIFORMIS RETZ. 50 N. FRAGRANS (VENT.) KUNTH = N. GRACILE  
(Note spelling correction) N. GRACILE (AIT.) STEARN \*  
(=N. fragrans (Vent.) Kunth) 1  
(=N. inodorum (Ait.) Nicholson) 2  
N. inodorum (Ait.) Nicholson = N. GRACILE
- 0521000 -SCHOENOXIPHIUM NEES 2. BURTT. 1986. NOTES R. BOT. GDN EDINB. 43: 364.  
50 S. ALTUM KUKKONEN 1080000 -URGINEA STEINH.  
123 S. BRACTEOSUM KUKKONEN U. forsteri Bak. = DRIMIA CAPENSIS  
126 S. BURTTII KUKKONEN 1081000 -GALTONIA DECNE.  
254 S. MOLLE KUKKONEN 2. HILLIARD & BURTT. 1986. NOTES R. BOT. GDN  
580 S. STRICTUM KUKKONEN EDINB. 43: 369.  
250 G. REGALIS HILLIARD & BURTT
- 0525000 -CAREX L. Revision: C. Reid (PRE).  
3. KUEKENTHAL. 1909. PFLANZENR. 38 (IV,20). 1082000 -DRIMIA JACQ. EX WILLD.  
4. NELMES. 1940. KEW BULL. 1940: 136. 4. WIJNANDS. 1983. BOTANY OF COMMELINS: 130.  
7. RAYMOND. 1964. NATUR. CANADA 91: 126. 450 D. CAPENSIS (BURM. F.) WIJNANDS  
8. GORDON-GRAY IN ROSS. 1972. FL. NATAL. (=D. forsteri (Bak.) Oberm.) 4  
(=Urginea forsteri Bak.) 4
- 320 C. AUSTRO-AFRICANA (KUEKENTH.) RAYMOND 1098000 -LACHENALIA JACQ. F. EX MURRAY  
(=C. cernua Boott. var. austro-africana Kuekenth.) 7 8. BARKER. 1984. JL S. AFR. BOT. 50: 535.  
C. cernua Boott. var. austro-africana Kuekenth. 350 L. ARBUTHNOTIAE W.F. BARKER
- 600 C. COGNATA KUNTH VAR. COGNATA 1110000 -SANSEVIERIA THUNB.  
600 C. COGNATA KUNTH VAR. DRAKENSBERGENSIS (C.B. CL.) KUEKENTH. #. PRE HERBARIUM PRACTICE, FOLLOWING  
(=C. drakensbergensis C.B. Cl.) 3 OBERMEYER.  
C. drakensbergensis C.B. Cl. = C. COGNATA VAR. 200 S. angustiflora Lindb. = S. HYACINTHOIDES  
DRAKENSBERGENSIS S. HYACINTHOIDES (L.) DRUCE  
(=S. angustiflora Lindb.) #
- 1500 C. huttoniana Kuekenth. = C. ZULUENSIS  
C. MOSSII NELMES  
(=C. petitiana sensu Kuekenth., non A. Rich.) 4  
C. petitiana sensu Kuekenth., non A. Rich. =  
C. MOSSII
- 2300 C. ZULUENSIS C.B. CL. 1175000 -NERINE HERB.  
(=C. huttoniana Kuekenth.) 3,8 4. DOUGLAS. 1985. BOTHALIA 15: 545.  
N. breachiae W.F. Barker = N. HUMILIS  
N. flexuosa (Jacq.) Herb., p.p. = N. HUMILIS  
N. HUMILIS (JACQ.) HERB.  
(=N. breachiae W.F. Barker) #  
(=N. flexuosa (Jacq.) Herb., p.p.) 4  
(=N. peersii W.F. Barker) #  
(=N. pulchella Herb.) 4  
(=N. tulbaghensis W.F. Barker) 4  
N. peersii W.F. Barker = N. HUMILIS  
N. pulchella Herb. = N. HUMILIS  
N. tulbaghensis W.F. Barker = N. HUMILIS
- JUNCACEAE 930000
- 0936000 -JUNCUS L. 4. HILLIARD & BURTT. 1986. NOTES R. BOT. GDN  
EDINB. 43: 367.  
2050 J. MOLLIFOLIUS HILLIARD & BURTT
- LILIACEAE 942000
- 0972000 -MURMBEA THUNB. Revision: B. Nordenstam (S).  
4. NORDENSTAM. 1986. OPERA BOT. 87: 1.  
W. conferta N.E. Br. = W. SPICATA VAR.  
USTULATA 1176000 -AMARYLLIS L.  
2. GOLDBLATT. 1984. TAXON 33: 511.
- 350 W. DOLICHANTHA B. NORD. 1186000 -GETHYLLIS L. Revision: D. Muller-Doblies  
(Herb. M-D).  
3. MULLER-DOBLIES. 1986. ENUMERATION.  
WILDENOWIA 15: 465.
- 550 W. HIEMALIS B. NORD. 220 G. BARKERAE D. MULLER-DOBLIES SUBSP. BARKERAE  
600 W. INUSTA (KUNTH) B. NORD. 240 G. BARKERAE D. MULLER-DOBLIES SUBSP. PAUCIFOLIA  
W. longiflora Willd. = W. MONOPETALA D. MULLER-DOBLIES  
1000 W. MARGINATA (DESR. IN LAM.) B. NORD. 300 G. BRITTENIANA BAK. SUBSP. BRITTENIANA  
(=W. purpurea Dryand.) 4 320 G. BRITTENIANA BAK. SUBSP. BRUYNSII D. MULLER-  
DOBLIES  
1150 W. MONOPETALA (L. F.) B. NORD. (=W. longiflora Willd.) 4  
W. purpurea Dryand. = W. MARGINATA  
1270 W. RECURVA B. NORD. 340 G. BRITTENIANA BAK. SUBSP. HERREI (L. BOL.)  
1400 W. ROBUSTA B. NORD. (=G. herrei L. Bol.) 3  
1450 W. SPICATA (BURM. F.) DUR. & SCHINZ VAR. 450 G. CAVIDENS D. MULLER-DOBLIES  
SPICATA 500 G. CILIARIS (THUNB.) THUNB. SUBSP. CILIARIS  
1460 W. SPICATA (BURM. F.) DUR. & SCHINZ VAR. USTULATA (B. NORD.) B. NORD.



- 510 G. CILIARIS (THUNB.) THUNB. SUBSP. LONGITUBA (L. BOL.) D. MULLER-DOBLIES
- 530 G. FIMERIATULA D. MULLER-DOBLIES (=G. longituba L. Bol.) 3
- 550 G. GRANDIFLORA D. MULLER-DOBLIES
- 560 G. GREGORIANA D. MULLER-DOBLIES
- 580 G. HALLII D. MULLER-DOBLIES
- 590 G. HEINZEANA D. MULLER-DOBLIES
- G. herrei L. Bol. = G. BRITTENIANA SUBSP. HERREI
- 650 G. KAAPENSIS D. MULLER-DOBLIES
- 750 G. LATA L. BOL. SUBSP. LATA
- 770 G. LATA L. BOL. SUBSP. ORBICULARIS D. MULLER-DOBLIES
- G. longituba L. Bol. = G. CILIARIS SUBSP. LONGITUBA
- 1260 G. OLIGOPHYLLA D. MULLER-DOBLIES
- 1270 G. OLIVERORUM D. MULLER-DOBLIES
- 1280 G. PECTINATA D. MULLER-DOBLIES
- 1450 G. ROGGEVELDENSIS D. MULLER-DOBLIES
- 1600 G. SPIRALIS (THUNB.) THUNB. (=G. unilateralis L. Bol.) 3
- 1650 G. TRANSKAROOICA D. MULLER-DOBLIES
- G. unilateralis L. Bol. = G. SPIRALIS
- 1850 G. UTEANA D. MULLER-DOBLIES
- 1187000 -APODOLIRION BAK. Revision: D. Muller-Doblies (Herb. M-D).  
2. D. MULLER-DOBLIES. 1986. ENUMERATION. WILDENOWIA 15: 465.
- 50 A. AMYANUM D. MULLER-DOBLIES
- 200 A. BUCHANANII BAK. (=A. ettae Bak.) 2 (=A. mackenii Bak.) 2
- 250 A. CEDARBERGENSE D. MULLER-DOBLIES
- 1191000 -CYRTANTHUS L. F.  
7. HILLIARD & BURTT. 1986. NOTES R. BOT. GDN EDINB. 43: 189.
- 550 C. BRACHYSIPHON HILLIARD & BURTT
- 1050 C. ELATUS (JACQ.) TRAUB (=C. purpureus (Ait.) Traub) 7 (=Vallota purpurea (Ait.) Herb.) 3, 7 (=Vallota speciosa (L. f.) Dur. & Schinz) 3, 7
- HYPOXIDACEAE 1229010
- 1230000 -HYPOXIS L.  
3. HILLIARD & BURTT. 1986. NOTES R. BOT. GDN EDINB. 43: 201.
- 550 C. COLCHICIFOLIA BAK. (=E. latifolia Hook.) 3 (=E. oligotricha Bak.) 3
- 2100 H. HEMEROCALLIDEA FISCH. & MEY. (=H. rooperi S. Moore) 3
- 2250 H. IRIDIFOLIA BAK. (=H. nitida Verdoorn) 3 (=H. obtusa Burch. ex Edwards) 3
- H. latifolia Hook. = H. COLCHICIFOLIA
- H. nitida Verdoorn = H. IRIDIFOLIA
- 3720 H. OBTUSA KER-GAWL.  
H. obtusa Burch. ex Edwards = H. IRIDIFOLIA  
H. oligotricha Bak. = H. COLCHICIFOLIA  
H. rooperi S. Moore = S. HEMEROCALLIDEA
- VELLOZIACEAE 1246000
- 1247010 -XEROPHYTA JUSS.  
3. HILLIARD. 1986. NOTES R. BOT. GDN EDINB. 43: 405.
- 250 X. LONGICAULIS HILLIARD
- IRIDACEAE 1259000
- 1265000 -MORAEA MILL.  
7. GOLDBLATT. 1982. ANN. MISSOURI BOT. GDN 73: 102.  
8. GOLDBLATT. 1982. ANN. MISSOURI BOT. GDN 73: 140.  
#. PRE HERBARIUM PRACTICE, FOLLOWING GOLDBLATT.
- 2070 M. DESERTICOLA GOLDBL.
- 2370 M. EXILIFLORA GOLDBL.
- 2870 M. FUGAX (DELAROCHE) JACQ. SUBSP. FILICAULIS (BAK.) GOLDBL.
- 3000 M. FUGAX (DELAROCHE) JACQ. SUBSP. FUGAX
- 3850 M. GRANITICOLA GOLDBL.
- 3870 M. HEXAGLOTTIS GOLDBL.
- 4470 M. MACROCARPA GOLDBL.
- 6250 M. PSEUDOSPICATA GOLDBL.
- 6710 M. RIGIDIFOLIA GOLDBL.
- 8220 M. VENENATA DINTER
- 8500 M. WORCESTERENSIS GOLDBL.
- 1295000 -ARISTEA AIT.  
4. VINCENT. 1985. J. AFR. J. BOT. 51: 209.
- 1301000 -HESPERANTHA KER-GAWL. Revision: O.M. Hilliard & B.L. Burtt (E).  
3. HILLIARD & BURTT. 1979. NOTES R. BOT. GDN EDINB. 37: 302.  
5. HILLIARD & BURTT. 1982. NOTES R. BOT. GDN EDINB. 40: 278.  
7. HILLIARD & BURTT. 1986. NOTES R. BOT. GDN EDINB. 43: 407.
- 150 H. ALBOROSEA HILLIARD & BURTT
- 300 H. BAURII BAK. SUBSP. BAURII
- 350 H. BAURII BAK. SUBSP. FORMOSA HILLIARD & BURTT
- 600 H. CANDIDA BAK.
- 720 H. CURVULA HILLIARD & BURTT
- 1150 H. GLAREOSA HILLIARD & BURTT
- 1170 H. GRACILIS BAK.
- 1510 H. HUTCHINGSIAE HILLIARD & BURTT
- 1555 H. INGELIENSIS HILLIARD & BURTT
- 1575 H. LACTEA BAK.
- 2650 H. PUBERINERVA HILLIARD & BURTT
- 2720 H. PULCHRA BAK.
- 2864 H. SCOPULOSA HILLIARD & BURTT
- 3150 H. TYSONII BAK.
- 1306010 -CROCOSMIA PLANCH. Revision: M.P. de Vos (STEU).  
4. MIJNANDS. 1986. BOTHALIA 16: 51.  
C. AUREA (PAPPE EX HOOK.) PLANCH. VAR. AUREA  
C. AUREA (PAPPE EX HOOK.) PLANCH. VAR. MACULATA BAK.  
800 C. X CROCOSMIIFLORA (LEMOINE EX BURBIDGE & DEAN) N.E. BR.
- 1311000 -GLADIOLUS L.  
6. HILLIARD & BURTT. 1986. NOTES R. BOT. GDN EDINB. 43: 206.
- 7250 G. LOTENIENSIS HILLIARD & BURTT
- 1315000 -WATSONIA MILL. Revision: P. Goldblatt (MO).  
#. PRE HERBARIUM PRACTICE, FOLLOWING GOLDBLATT.
- 200 W. ANGUSTA (JACQ.) KER-GAWL.
- 800 W. COCCINEA HERB.
- 1500 W. FULGENS (ANDR.) KER-GAWL.
- 1900 W. HUMILIS MILL.
- 2150 W. LACCATA (JACQ.) KER-GAWL.
- 4000 W. VANDERSPUYIAE L. BOL.
- ORCHIDACEAE 1389000
- 1434000 -DISA BERG.  
7. ANDERSON & V.D. MERHE. 1986. VELD & FLORA 72: 11.  
8. LINDER. 1986. BOTHALIA 16: 56.
- 1750 D. FILICORNIS (L. F.) THUNB. (=D. patens Swartz) 8  
D. lutea Linder = D. TENUIFOLIA  
D. patens sensu (L. f.) Thunb., non Swartz = D. TENUIFOLIA  
D. patens Swartz = D. FILICORNIS  
D. TENUIFOLIA SWARTZ (=D. patens sensu (L. f.) Thunb., non Swartz) 8  
(=D. lutea Linder) 8
- 6240 D. UNIFLORA X CAULESCENS
- 6850 D. UNIFLORA X CAULESCENS
- 1440000 -CORYCIUM SWARTZ  
2. OLIVER. 1985. S. AFR. J. BOT. 52: 256.
- 650 C. INGEANUM E.G.H. OLIVER
- 1830030 -YPSILOPUS SUMMERH.  
2. CRIBB & STEWART. 1985. KEM BULL 40: 417.
- 50 Y. ERECTUS (CRIBB) CRIBB & STEWART (=Y. longifolius (Kraenzl.) Summerh. subsp. erectus Cribb) 2  
Y. longifolius (Kraenzl.) Summerh. subsp. erectus Cribb = Y. ERECTUS
- 1837000 -MYSTACIDIUM LINDL.  
H. caffrum (H. Bol.) H. Bol. = MARGELLIANTHA CAFFRA
- 1837010 -MARGELLIANTHA CRIBB  
1. CRIBB. 1979. KEM BULL. 34: 329.  
2. CRIBB & STEWART. 1985. KEM BULL. 40: 413.
- 100 M. CAFFRA (H. BOL.) CRIBB & STEWART (=Mystacidium caffrum (H. Bol.) 2
- DICOTYLEDONAE
- SANTALACEAE Contributed by G. Germishuizen 2096000
- 2118000 -THESIUM L. Revision: O.M. Hilliard (E).  
5. BRENNAN. 1985. KEM BULL. 40: 82.
- 3450 T. DAVIDSONAE BRENNAN
- ROSACEAE Contributed by G. Germishuizen 3316000

3375000	-ALCHEMILLA L. 3. HILLIARD & BURTT. 1986. NOTES. R. BOT GDN EDINB. 43: 370.			13. VAN DER WALT & BOUCHER. 1986. S. AFR. J. BOT. 52: 438-462.
250	A. COLURA HILLIARD			14. VORSTER. 1986. S. AFR. J. BOT. 52: 481-484.
FABACEAE	Contributed by G. Germishuizen	3436000		P. caucalifolium Jacq. = P. CAUCALIFOLIUM SUBSP. CAUCALIFOLIUM
3468000	-ENTADA ADANS. E. spicata (E. Mey.) Druce = ADENOPODIA SPICATA		3450	P. CAUCALIFOLIUM JACQ. SUBSP. CAUCALIFOLIUM (=P. caucalifolium Jacq.) 13
3468020	-ADENOPODIA PRESL 1. BRENAN. 1986. KEW BULL. 41: 77.		3455	P. CAUCALIFOLIUM JACQ. SUBSP. CONVULVIFOLIUM (SCHLTR. EX KNUTH) J.J.A. VAN DER WALT (=P. convolvulifolium Schltr. ex Knuth) 13
100	A. SPICATA (E. MEY.) PRESL (=Entada natalensis Benth. var. aculeata Harv.) 1 (=Entada spicata (E. Mey.) Druce) 1 (=Mimosa spicata E. Mey.) 1		5775	P. EXHIBENS VORSTER P. longicaule Jacq. = P. LONGICAULE VAR. LONGICAULE
3602000	-SOPHORA L. Revision: C.H. Stirton (K). S. capensis L. = VIRGILIA OROBOIDES SUBSP. OROBOIDES	9525 9530		P. LONGICAULE JACQ. VAR. ANGUSTIPETALUM BOUCHER P. LONGICAULE JACQ. VAR. LONGICAULE (=P. longicaule Jacq.) 13
	S. oroboides Berg. = VIRGILIA OROBOIDES SUBSP. OROBOIDES	10400 10450		P. MULTICAULE JACQ. SUBSP. MULTICAULE P. MULTICAULE JACQ. SUBSP. SUBHERBACEUM (KNUTH) J.J.A. VAN DER WALT (=P. subherbaceum Knuth) 13
3608000	-VIRGILIA POIRET Revision: B-E. van Wyk (Rand AU). 2. VAN WYK. 1986. S. AFR. J. BOT. 52: 347-353.		16420	P. subherbaceum Knuth = P. MULTICAULE SUBSP. SUBHERBACEUM
	V. capensis (L.) Lam. = V. OROBOIDES SUBSP. OROBOIDES		16425	P. SUBURBANUM CLIFFORD EX BOUCHER SUBSP. BIPINNATIFIDIUM (HARV.) BOUCHER (=P. urbanum (Eckl. & Zeyh.) Steud. var. bipinnatifidum Harv.) 13
	V. capensis (L.) Poir. subsp. capensis = V. OROBOIDES SUBSP. FERRUGINEA			P. SUBURBANUM CLIFFORD EX BOUCHER SUBSP. SUBURBANUM (=P. urbanum (Eckl. & Zeyh.) Steud. var. pinnatifidum Harv.) 13
100	V. DIVARICATA ADAMSON (=V. capensis sensu Pole Evans, non Lam.) 2			P. urbanum (Eckl. & Zeyh.) Harv. var. pinnatifidum Harv. = P. SUBURBANUM SUBSP. SUBURBANUM
150	V. OROBOIDES (BERG.) SALTER SUBSP. FERRUGINEA B.-E. VAN WYK (=V. capensis (L.) Poir. subsp. capensis) 2			P. urbanum (Eckl. & Zeyh.) Harv. var. bipinnatifidum Harv. = P. SUBURBANUM SUBSP. BIPINNATIFIDIUM
200	V. OROBOIDES (BERG.) SALTER SUBSP. OROBOIDES (=Hypocalyptus capensis (L.) Thunb.) 2 (=Podalyria capensis (L.) Willd.) 2 (=Sophora capensis L.) 2 (=Sophora oroboides Berg.) 2 (=V. capensis (L.) Lam.) 2 (=V. oroboides (Berg.) Salter) 2			
3621000	-PODALYRIA WILLD. Revision: S. Schelpe (BOL). P. capensis (L.) Willd = VIRGILIA OROBOIDES SUBSP. OROBOIDES		5435000	THYMELAEACEAE Contributed by E. Retief 5429000
3657000	-LOTONONIS (DC.) ECKL. & ZEYH. Revision: B-E. van Wyk (Rand AU). 5. HILLIARD & BURTT. 1986. NOTES. R. BOT. GDN EDINB. 43: 210.		5320	-GNIDIA L. 19. HILLIARD & BURTT. 1986. NOTES R. BOT. GDN EDINB. 43: 218.
1100	L. BIFLORA (H. BOL.) DUEMMER (=L. wylei J.M. Wood) 5 L. wylei J.M. Wood = L. BIFLORA		5436000	-STRUTHIOLA L. 4. PETERSON & HILLIARD. 1986. NOTES R. BOT. GDN EDINB. 43: 219.
3657040	-Genista L. Southern African species moved to CYCLOPIA, POLHILLIA, MELOLOBIUM		125	S. ANGUSTILOBA PETERSON & HILLIARD
3665000	-MELOLOBIUM ECKL. & ZEYH. 2. STIRTON. 1986. S. AFR. J. BOT. 52: 354-356.		APIACEAE	5893000
970	M. INVOLUCRATUM (HARV.) C.H. STIRTON (=Argyrolobium involucreatum (Thunb.) Harv.) 2 (=Genista involucreata (Thunb.) Briq.) 2 (=Psoralea involucreata Thunb.) 2		6016010	-DRACOSCIADIUM HILLIARD & BURTT 1. HILLIARD & BURTT. 1986. NOTES R. BOT. GDN EDINB. 43: 220.
3673000	-ARGYROLOBIUM ECKL. & ZEYH. A. involucreatum (Thunb.) Harv. = MELOLOBIUM INVOLUCRATUM		100 200	D. ITALAE HILLIARD & BURTT D. SANICULIFOLIUM HILLIARD & BURTT
3683000	-HYPOCALYPTUS THUNB. H. capensis (L.) Thunb. = VIRGILIA OROBOIDES SUBSP. OROBOIDES		6045000	-POLEMANNIA ECKL. & ZEYH. 4. HILLIARD & BURTT. 1986. NOTES R. BOT. GDN EDINB. 43: 225.
3702000	-INDIGOFERA L. Revision: B. Schrire & G. Germishuizen (PRE). 6. HILLIARD & BURTT. 1986. NOTES R. BOT. GDN EDINB. 43: 207-210.		350	P. SIMPLICIOR HILLIARD & BURTT
17630	I. PSEUDOEVANSII HILLIARD & BURTT		EBENACEAE	Contributed by E. Retief 6403000
3703000	-PSORALEA L. Revision: C.H. Stirton (K). P. involucreata Thunb. = MELOLOBIUM INVOLUCRATUM		6403000	-Royena L. R. parviflora Hiern = DIOSPYROS SIMII
GERANIACEAE	Contributed by M. van Wyk and G. Germishuizen	3924000	6404000	-EUCLEA MURRAY 3. RETIEF. 1986. BOTHALIA 16: 228.
3928000	-PELARGONIUM L'HERIT. Revision: J.J.A. van der Walt & P. Vorster (STE-U).	4450 6250	550	E. DEWINTERI RETIEF
			6406000	-DIOSPYROS L. 1. DE WINTER. 1963. FSA 26: 54.
			2500	D. SIMII (KUNTZE) DE WINTER (=Royena parviflora Hiern)
			PERIPLOCACEAE	Contributed by E. Retief 6729000
			6747000	-RAPHIONACHE HARV. Revision: H.J.T. Venter (BLFU). 6. VENTER & VERHOEFEN. 1986. S. AFR. J. BOT. 52: 332.
			925	R. NAMIBIANA VENTER & VERHOEFEN
			ASCLEPIADACEAE	Contributed by E. Retief 6752000
			6791000	-ASCLEPIAS L. Revision: A. Nicholas (PRE). 5. NICHOLAS. 1986. NOTES R. BOT. GDN EDINB. 43: 192.
			4450 6250	6. HILLIARD & BURTT. 1986. NOTES R. BOT. GDN EDINB. 43: 193.
				A. OREOPHILA A. NICHOLAS A. XYSMALOBIOIDES HILLIARD & BURTT