

ANNEXURE A

Background Information Document

Proposed Waste Management Facility – Walvis Bay

BACKGROUND INFORMATION DOCUMENT

ENVIRONMENTAL SCOPING STUDY

RENT-A-DRUM

The Leaders in Waste Management since 1989

NAMWASTE



Knight Piésold
CONSULTING

BACKGROUND

Rent-A-Drum (Pty) Ltd (Rent-A-Drum) has been operating in the Namibian waste management sector for 34 years. The Séché Environnement Group acquired a majority stake in the Rent-A-Drum Group in 2023. Namwaste (Pty) Ltd, the applicant for the proposed project, is a subsidiary of Rent-A-Drum. Namwaste (Pty) Ltd has applied to the Environmental Commissioner for an Environmental Clearance Certificate in terms of Environmental Management Act, 2007 for the Proposed Waste Management Facility in Walvis Bay.

This document aims to provide background information on the proposed Project to enable interested and affected parties to provide their comments or concerns.

PROJECT DESCRIPTION

Rent-A-Drum, through its subsidiary, Namwaste (Pty) Ltd., aims to develop new industrial waste treatment and disposal facilities in Namibia, which will address the pressing shortage of solutions for industrial and hazardous waste management in the Country and will contribute to the protection of the environment whilst also creating employment opportunities and fostering economic growth.

Namwaste is proposing to develop an integrated waste management, treatment, transfer and recovery facility in Walvis Bay, Namibia. Portion 160 of the Proposed Portion A of the Remainder of Farm 38, Walvis Bay, of approximately 7.8133 ha, has been identified and secured, approximately 20 km from the Port entrance. The site is located just north of the Tropic of Capricorn in the Kuiseb River Delta and lies at the end of the TransNamib Railway to Windhoek, and on B2 road.

The facility will largely be tailored to the specific needs of the offshore oil and gas exploration and production industry.

The primary site-specific activities include the following:

- Thermo-mechanical cuttings cleaner treatment plant which treats Oil Based Mud Cuttings and recovers base oil (slops and cuttings)
- General and hazardous solid and liquid waste treatment including but not limited to:


- Neutralization
- Stabilization
- Solidification
- Evaporation
- Reduction of the hazardous nature of the waste through chemical treatment using various chemical additives (e.g., hydrogen peroxide, ozone, chlorine, lime etc.)
- Water treatment (slops treatment unit including centrifuge, chemical treatment, Dissolved Air Flotation Unit (DAF), oxidation, and polishing)
- Handling, treatment, baling, shredding and similar, of waste materials, recyclables and other materials. A manual dirty material recovery facility will be constructed and operated
- Scrap metal, wood, plastic, etc., processing for recycling and reuse
- Storage of waste streams onsite in appropriate bunds, warehouses and tanks
- Tank and skip washing
- Discharge of treated effluent – destination to be determined
- Storage tanks for drilling materials and liquid wastes in silos and tanks also referred to as a tank farm or mud plant
- Truck depot
- Bin yard.

Ancillary infrastructure associated with the project will include stormwater management infrastructure, access control facilities, fuel storage facilities, weighbridges and control rooms, offices and administrative buildings, workshops, chemical stores and staff dining and ablution facilities. In addition, an analytical laboratory will be present to test and verify the classification of incoming and treated waste.

Utilities servicing the plant will include the following:

- Electricity supply from municipal supply and/or solar plant
- Water supply from municipal mains and/or boreholes
- Sewage line connection to municipal mains.

The map below provides the proposed project location.



Potential environmental impacts have been identified and are presented in the table below, together with proposed mitigation measures.

ANTICIPATED IMPACTS AND PROPOSED MITIGATION	
Impact	Mitigation
Change in land use	• Demarcate sensitive areas • Declare these as "no go" areas
Increase noise levels	• Working hours restricted • All vehicles and machinery to conform with regional noise standards
Increased emissions impacting air quality	• Development and implementation of routine emissions and ambient air quality monitoring program to determine whether there are any significant increases in emissions • Limit vehicle idling and keep vehicles well maintained to minimise gaseous emissions
Increase in water use	• Undertake study to ascertain available water resources
Reduced biodiversity	• Species of conservational concern to be carefully handled and replanted/relocated elsewhere
Increase surface water runoff	• Implement erosion control measures • Design surface water infrastructure such as culverts and drains
Topsoil loss and contamination	• Store topsoil in secure stockpiles • Store hazardous substances in appropriately bunded areas or specified containers
Potential leachate impacting groundwater quality	• Implement proper design and operational measures to avoid or minimise the generation and/or release of contaminated water to the receiving environment • Stormwater infrastructure must be constructed and operated with the aim of minimising the potential for pollution in groundwater • Install a groundwater monitoring network around the elements of the waste treatment facility capable of affecting groundwater
Socio-economic benefit	• A number of job opportunities will be created

ENVIRONMENTAL SCOPING AND IMPACT ASSESSMENT PROCESS

According to Regulations 5 and 6 of the Namibian EIA Regulations in Government Notice (GN) 30 of 2012; an Environmental Clearance Certificate (ECC) must be obtained prior to the undertaking of any activities listed in GN (29) of 2012. An application for an ECC has been submitted to the Ministry of Environment, Fisheries and Tourism (MEFT) in terms of Section 32 of the Environmental Management Act (2007). The environmental scoping and impact assessment process includes project application and screening with the MEFT, followed by environmental scoping and impact assessment phases, as well as the compilation of an Environmental Management Plan (EMP) to ensure that the potential environmental and social impacts are avoided, minimised and /or mitigated throughout the project phases. During the scoping and impact assessment phases, specialist studies will be undertaken such as socio-economic, cultural heritage and hydrogeological assessments. This background information document serves as the start of the Environmental scoping and public participation processes for the Project.

All Interested and Affected Parties (I&AP) are invited to register as such and participate in the public process. To register as an I&AP, please submit your full name and contact details to Knight Piésold at the details provided below with the project title as the email subject. The Environmental Scoping Report, once drafted, will be made available online for a public review period of 30 days. Registered I&APs will be informed of the review period dates and details via email and sms.

FOR FURTHER INFORMATION PLEASE CONTACT:

Lloyd Lynch llynch@knightpiesold.com or

Amelia Briel abriel@knightpiesold.com


ANNEXURE B

Public Meeting Notices


SITE NOTICE



COUNCIL NOTICE



NOTICES AT OK AND SPAR



CLASSIFIEDS

Tel: (061) 208 0800/44

Fax: (061) 220 584

Email: classifieds@nepc.com.na

Services Employment Employment Notice Notice Notice Notice

CLASSIFIEDS

Rules and Deadlines:

- To avoid disappointment, an advertisement not appearing on the date you wish, please book timeously.
- Classifieds emails and notices: 12:00, two working days prior to placing.
- Cancellations and alterations: 16:00, two days before date of publication in writing only.
- Notice (VAT inclusive):
- Legal Notice: N\$460.00
- Lost Letter: N\$575.00
- Liquor License: N\$460.00
- Name Change: N\$460.00
- Birthdays from: N\$200.00
- Deaths Notices from: N\$200.00
- Timesheet Invoicing from: N\$200.00
- Thank You Messages from: N\$200.00

Terms and Conditions Apply.

African Deli

VACANCY ASSISTANT FACTORY MANAGER

African Deli, based in Walvis Bay, was founded in 2013 with the purpose of providing cost-effective ready-to-eat food as well as bringing convenience thereby packaging solutions to the market. The consumer without a fridge or protected storage space can now store our products for 24 months in a room temperature environment. The Assistant Factory Manager is responsible for facilitating manufacturing of products by leading the Production and Maintenance department by ensuring that a standardized, optimum, efficient, and profitable waste stream manufacturing system is in place and maintained.

Education & Skills:

- Honors Degree in Industrial and Manufacturing Engineering OR Qualification in Manufacturing Production and Manufacturing Engineering.
- Minimum of 5 years of experience in Process Plant Manufacturing Industry (FMCG, Production and Maintenance).

Additional Competencies:

- Project management skill and experience will be an added advantage.
- Lean manufacturing or Six Sigma certification will be an added advantage.
- Working knowledge of ISO 9001, ISO 14001, OHSAS 18001, ISO 22000.
- A demonstrated understanding in Programmatic Logical Control systems will be a distinct advantage.
- Knowledge of customization of Enterprise Resource Planning systems in terms of general ledger, bill of materials, auto manufacturing and costing.
- Attention to detail and good with various industrial models and production models systems.
- Detailed financial and plant planning skills.
- Depth knowledge of a vast range of industrial machinery.

Responsibilities:

- Responsible for new product development, production lines designing and installation, production process flow, and maintenance of production process systems.
- Maintaining manufacturing equipment through preventative and corrective maintenance.
- Providing technical support and training of employees on factory equipment.
- Implement continuous improvement methods, minimizing production waste and ensuring perfect team functioning in terms of quality of departmental budgets, production and maintenance repairs and projects management.
- Demand planning, inventory planning, material planning and manpower planning.
- Ensuring safety, health, and environment following regulatory guidelines.
- Record and risk analysis and mitigation.
- Manage waste management systems.
- Configure or perform waste management processes on SAP/ERP systems.
- Customization of SAP/ERP system to suit supply chain of newly developed products and production processes.

Closing Date for Applications: 26 March 2024

CVs with qualifications to be sent to assistant@afriandeli.com if you have not heard from us within 2 weeks of your application, please regard your application as having been unsuccessful.

REPUBLIC OF NAMIBIA MINISTRY OF INDUSTRIALIZATION AND TRADE, LIQUOR ACT, 1998

NOTICE OF APPLICATION TO A COMMITTEE IN TERMS OF THE LIQUOR ACT, 1998

REGULATIONS 14, 26 & 33

Notice is given that an application in terms of the Liquor Act, 1998, particularly of which application will be made to the Regional Liquor Licensing Committee, Region: KHOMAS.

1. Name and postal address of applicant: DREAMWORLD GAMING AND ENTERTAINMENT CC, PO BOX 14, WINDHOEK.
2. Name of business or proposed business to which applicant relates: DREAMWORLD GAMING AND ENTERTAINMENT CC.
3. Address/Location of premises to which application relates: ERF 156 INDEPENDENCE AVENUE, WINDHOEK BLOCKS.
4. Nature and details of application: SPECIAL LIQUOR LICENSE.
5. Date of the court with whom application will be lodged: WINDHOEK MAGISTRATE COURT.
6. Date on which application will be lodged: 10 FEBRUARY - 29 MARCH 2024.
7. Date of meeting of Committee at which application will be heard: 30 APRIL 2024.

Any objection or written submission in terms of section 28 of the Act in relation to the application must be sent or delivered to the Secretary of the Committee to reach the Secretary not less than 21 days before the date of the meeting of the Committee at which the application will be heard.

REPUBLIC OF NAMIBIA MINISTRY OF INDUSTRIALIZATION AND TRADE, LIQUOR ACT, 1998

NOTICE OF APPLICATION TO A COMMITTEE IN TERMS OF THE LIQUOR ACT, 1998

REGULATIONS 14, 26 & 33

Notice is given that an application in terms of the Liquor Act, 1998, particularly of which application will be made to the Regional Liquor Licensing Committee, Region: KHOMAS.

1. Name and postal address of applicant: LA BELLA VITA INVESTMENT CC, PO BOX 24, WINDHOEK.
2. Name of business or proposed business to which applicant relates: LA BELLA VITA INVESTMENT CC.
3. Address/Location of premises to which application relates: ERF 1081, ARA STREET, DOBADO, KHOMAS.
4. Nature and details of application: SPECIAL LIQUOR LICENSE FOR BAR AND GAMBLING.
5. Date of the court with whom application will be lodged: WINDHOEK MAGISTRATE COURT.
6. Date on which application will be lodged: 10 FEBRUARY - 29 MARCH 2024.
7. Date of meeting of Committee at which application will be heard: 30 APRIL 2024.

Any objection or written submission in terms of section 28 of the Act in relation to the application must be sent or delivered to the Secretary of the Committee to reach the Secretary not less than 21 days before the date of the meeting of the Committee at which the application will be heard.

NOTICE OF ENVIRONMENTAL IMPACT ASSESSMENT PROCESS FOR THE PROPOSED DEVELOPMENT OF NAMWASTE WASTE TREATMENT FACILITY, LOCATED IN THE ERONGO REGION OF NAMIBIA.

Notice is hereby given in terms of the Environmental Management Act (Act 7 of 2007) (EMA) and Regulation 21 of the Environmental Impact Assessment (EIA) Regulations (Government Notice No. 30 of 2012) for the application of an Environmental Clearance Certificate (ECC) for the proposed construction and operation of the Waste Management Facility.

Applicant: Namwaste (Pty) Ltd (Namwaste)

Nature of the proposed activity: Namwaste intends to develop and operate a general and hazardous waste management treatment facility in Walvis Bay, Erongo Region.

Location: The proposed waste management facility is located on Portion 141 of the Lands of Farm 38 in Walvis Bay within the Erongo Region.

Application of ECC: An application for ECC has been submitted to the Ministry of Environment, Forestry and Tourism (MEFT) in terms of EMA. Environmental Assessment Practitioner: Knight Piesold Consulting (Pty) Ltd has been appointed to undertake the EIA process for the proposed project.

Public Consultation Process (PCP): The PCP is conducted in terms of regulation 21 and 22 of the EIA Regulation, 2012. Thus, Interested and Affected Parties (I&APs) are invited to register on the database by submitting their full names and contact details to Knight Piesold on the details provided below. For registration and documents required, please email Heidi Nel at heidnel@kpi.co.za or Lloyd Lynch at lloydlynch@kpi.co.za.

Public Meeting: To provide I&APs with the opportunity to participate in this process a public meeting is scheduled as follows:
Venue: Namwaste Community Hall, Walvis Bay
Date: 11 April 2024
Time: 17:30

DO YOU URGENTLY NEED CASH?

Get up to 75% of your credit limit in cash in as little as 45 minutes.

Call us now on 0800 123 456 or visit www.quickcash.com

Employment

EMPLOYMENT OPPORTUNITIES

We are an international independent firm of regulatory compliance specialists offering services as professional valuers of Land & Buildings and Plant & Machinery, including property consultancy services to the following people to join the workforce:

- Graduate with a Degree or Diploma in a property related discipline
- Graduate with a Degree or Diploma in a property related discipline

PROFESSIONAL VALUERS & E

- Degree/Diploma plus relevant professional registration with at least two years experience

Applicants should send their CVs to the following address:

Continental building office
2nd floor no. 206
Gamsberg
spruitvaluers@yahoo.com
Tel: +264 82747792

Closing date: 30 April 2024

REPUBLIC OF NAMIBIA MINISTRY OF INDUSTRIALIZATION AND TRADE, LIQUOR ACT, 1998

NOTICE OF APPLICATION TO A COMMITTEE IN TERMS OF THE LIQUOR ACT, 1998

REGULATIONS 14, 26 & 33

Notice is given that an application in terms of the Liquor Act, 1998, particularly of which application will be made to the Regional Liquor Licensing Committee, Region: KHOMAS.

1. Name and postal address of applicant: PHILIPUS KONGURUWA, PO BOX 781, ORANJEMUND.
2. Name of business or proposed business to which applicant relates: TANGU INVESTMENTS CC.
3. Address/Location of premises to which application relates: HEINDELITZ PROPERTY, 8003 ORANJEMUND.
4. Nature and details of application: SHEBEN LIQUOR LICENSE.
5. Date of the court with whom application will be lodged: ORANJEMUND MAGISTRATE COURT.
6. Date on which application will be lodged: 10 APRIL 2024.
7. Date of meeting of Committee at which application will be heard: 08 MAY 2024.

Any objection or written submission in terms of section 28 of the Act in relation to the application must be sent or delivered to the Secretary of the Committee to reach the Secretary not less than 21 days before the date of the meeting of the Committee at which the application will be heard.

NOTICE

Take note that SWB Trading CC, as the owner of the registered owner of Erf 24, Stampriet Proper, intends to apply to the Stampriet Village Council and the Ministry of Urban and Rural Development for the:

- REZONING OF ERF 24, STAMPRIET PROPER FROM "SINGLE RESIDENTIAL" TO "A DENSITY OF 1:500m² TO A SINGLE RESIDENTIAL WITH A DENSITY OF 1:300m² AND SUBDIVISION OF ERF 24, STAMPRIET INTO ERF 24A, 24B, 24C AND REMAINDER.

Erf 24, Stampriet Proper is located in Stampriet town, Erongo Region, approximately 150km² from the nearest town. The area is currently zoned "Single Residential" with a density of 1:500m² and accommodates 4 single residential dwellings.

SWB Trading CC wish to inform the general public that it is our clients' intention to rezone Erf 24, Stampriet Proper from "Single Residential" to "Single Residential" with a density of 1:300m² to "Single Residential" with a density of 1:500m² in order to subdivide the property into four plots.

Access to the Erf will remain from the existing street network, and on-site parking will be provided in accordance to the Stampriet Town Planning Scheme.

Take note that the plan of the area for rezoning is on file with the Office of the Stampriet Town Council and the Office of the Minister of Urban and Rural Development. Further, take note that any person objecting to the proposed use of land must do so in writing to the relevant authority together with the grounds thereof, with Council, and with the applicant in writing, within 14 days after the appearance of this notice. The last day for objections will be Friday, 09 of April 2024.

SWB Trading CC
P. B. van Jaarsveld
Cell: +26461 790 0374
Email: swbtrading@swbtrading.com

NOTICE OF ENVIRONMENTAL IMPACT ASSESSMENT PROCESS FOR THE PROPOSED DEVELOPMENT OF NAMWASTE WASTE TREATMENT FACILITY, LOCATED IN THE ERONGO REGION OF NAMIBIA.

Notice is hereby given in terms of the Environmental Management Act (Act 7 of 2007) (EMA) and Regulation 21 of the Environmental Impact Assessment (EIA) Regulations (Government Notice No. 30 of 2012) for the application of an Environmental Clearance Certificate (ECC) for the proposed construction and operation of the Waste Management Facility.

Applicant: Namwaste (Pty) Ltd (Namwaste)

Nature of the proposed activity: Namwaste intends to develop and operate a general and hazardous waste management treatment facility in Walvis Bay, Erongo Region.

Location: The proposed waste management facility is located on Portion 141 of the Lands of Farm 38 in Walvis Bay within the Erongo Region.

Application of ECC: An application for ECC has been submitted to the Ministry of Environment, Forestry and Tourism (MEFT) in terms of EMA. Environmental Assessment Practitioner: Knight Piesold Consulting (Pty) Ltd has been appointed to undertake the EIA process for the proposed project.

Public Consultation Process (PCP): The PCP is conducted in terms of regulation 21 and 22 of the EIA Regulation, 2012. Thus, Interested and Affected Parties (I&APs) are invited to register on the database by submitting their full names and contact details to Knight Piesold on the details provided below. For registration and documents required, please email Heidi Nel at heidnel@kpi.co.za or Lloyd Lynch at lloydlynch@kpi.co.za.

Public Meeting: To provide I&APs with the opportunity to participate in this process a public meeting is scheduled as follows:
Venue: Turnhalle Hall, Lüderitz
Date: 9 April 2024
Time: 17:30

EMPLOYMENT OPPORTUNITIES

We are an international independent firm of regulatory compliance specialists offering services as professional valuers of Land & Buildings and Plant & Machinery, including property consultancy services to the following people to join the workforce:

- Graduate with a Degree or Diploma in a property related discipline
- Graduate with a Degree or Diploma in a property related discipline

PROFESSIONAL VALUERS & E

- Degree/Diploma plus relevant professional registration with at least two years experience

Applicants should send their CVs to the following address:

Continental building office
2nd floor no. 206
Gamsberg
spruitvaluers@yahoo.com
Tel: +264 82747792

Closing date: 30 April 2024

PUBLIC NOTICE ENVIRONMENTAL IMPACT ASSESSMENT

Shamwari Planning Consultants (Pty) Ltd hereby gives notice in all potentially interested and affected parties (I&APs) that an application will be made to the Environmental Management Act (Act 7 of 2007) and the Environmental Impact Assessment Regulations (No. 30 of 2012) for the following:

PROJECT DETAILS:

- Subdivision of Erf 1250, Outapi Extension into Erf 1 and the Remainder.
- Subdivision of Erf 1250, Outapi Extension into Erf 1 and the Remainder.
- Rezoning of Erf 1250, Outapi Extension from "Local Authority" to "Residential" with a density of 1:500.
- Subdivision of the Remainder of Portion 1 of the Farm Outapi No. 118 into Portion 1, 1.1, 1.2 and the Remainder.
- Subdivision of Erf 1186, Outapi Extension into Erf 1 and the Remainder.
- Rezoning of Erf 1186, Outapi Extension from "Local Authority" to "Residential" with a density of 1:500.
- Subdivision of Erf 1186, Outapi Extension into Erf 1 and the Remainder.
- Rezoning of Erf 1186, Outapi Extension from "Local Authority" to "Residential" with a density of 1:500.
- Subdivision of Erf 1186, Outapi Extension into Erf 1 and the Remainder.
- Rezoning of Erf 1186, Outapi Extension from "Local Authority" to "Residential" with a density of 1:500.

The proposed work is to rezone the existing system as shown 320, 335 and 358, Outapi Extension into Erf 1 and the Remainder of Portion 1 of the Farm Outapi No. 118.

The Applicant: Outapi Town Council
Environmental Assessment Practitioner (EAP): Shamwari Planning Consultants (Pty) Ltd

REGISTRATION OF I&APs AND SUBMISSION OF COMMENTS:

In line with Namibia's Environmental Management Act (No. 7 of 2007) and EIA Regulations (No. 30 of 2012), all I&APs are hereby invited to register and submit their comments, objections or questions in writing, on or before Friday, 05 April 2024.

Email: shamwari@shamwari.co.za
Tel: 081 251 1189
Or Fax: 06 200024

ERONGA DOWNTOWN

NEED A WEBSITE?

Get a professional website for your business or organization. We offer a range of services including website design, development, and hosting.

Call us on 061 2080800 or fax us on 220584

Put the **WOEMA** back into your business!

NEED A WEBSITE?

Get a professional website for your business or organization. We offer a range of services including website design, development, and hosting.

Call us on 061 2080800 or fax us on 220584

Put the **WOEMA** back into your business!

GIVE YOUR BUSINESS THE BEST BOOST YOU CAN!

Advertise in our weekly motoring supplement **WOEMA**! Be it any accessories or gadgets for your vehicle.

Call us on 061 2080800 or fax us on 220584

Put the **WOEMA** back into your business!

THE NAMIBIAN

TUESDAY 2 APRIL 2024 21

Classifieds

Tel: +264-61-279 632 / 279 646 • Fax: +264-61-22 9206 • Email: classifieds@namibian.com.na

HEADLINE 12000 • WORKING JOURNALIST TO PLACEMENT

INDEX

1210 Announcements
1220 Weddings
1230 Birthdays
1240 Graduations
1250 Special Messages
1270 Thank You Messages
1280 Valentine's Messages

1410 Opportunities
1420 Business for Sale
1430 Taxi Licenses

1620 House & Garden
1630 General
1640 Communications & Security
1650 Law & Moving
1660 Transport Wanted & Offered

1910 Education & Training

2710 Wanted
2720 Offered

3210 Food & Beverages

3410 Wanted
3420 For Sale
3430 Auctions

3910 Health & Beauty

4010 Hospitality
(See also Travel & Tourism)

4110 Wanted
4120 For Rent
4130 For Sale

4910 Leisure & Entertainment

5210 Services & Parts

5310 Licenses & Permits
5320 Auctions
5330 For Sale
5340 Law & Moving
5350 Wanted

5910 Vehicles Wanted
5920 Vehicles for Hire
5930 Vehicle Auctions
5940 Vehicle Spares & Accessories

5950 Legal
5960 Public
5970 Transport
5980 Marine Change
5990 Resolving

6000 In Memoriam
6010 Tombstones/Unmarked
6020 Death & Funeral Notices
6030 Condolences
6040 Thank you messages

6050 Travel & Tourism

6060 Travel & Tourism

6070 Travel & Tourism

6080 Travel & Tourism

6090 Travel & Tourism

6100 Travel & Tourism

6110 Travel & Tourism

6120 Travel & Tourism

6130 Travel & Tourism

6140 Travel & Tourism

6150 Travel & Tourism

6160 Travel & Tourism

6170 Travel & Tourism

6180 Travel & Tourism

6190 Travel & Tourism

6200 Travel & Tourism

6210 Travel & Tourism

6220 Travel & Tourism

6230 Travel & Tourism

6240 Travel & Tourism

Business & Finance

• Opportunities •

1210 ANNOUNCEMENTS
1220 WEDDINGS
1230 BIRTHDAYS
1240 GRADUATIONS
1250 SPECIAL MESSAGES
1270 THANK YOU MESSAGES
1280 VALENTINE'S MESSAGES

1410 OPPORTUNITIES
1420 BUSINESS FOR SALE
1430 TAXI LICENSES

1620 HOUSE & GARDEN
1630 GENERAL
1640 COMMUNICATIONS & SECURITY
1650 LAW & MOVING
1660 TRANSPORT WANTED & OFFERED

1910 EDUCATION & TRAINING

2710 WANTED
2720 OFFERED

3210 FOOD & BEVERAGES

3410 WANTED
3420 FOR SALE
3430 AUCTIONS

3910 HEALTH & BEAUTY

4010 HOSPITALITY
(See also Travel & Tourism)

4110 WANTED
4120 FOR RENT
4130 FOR SALE

4910 LEISURE & ENTERTAINMENT

5210 SERVICES & PARTS

5310 LICENSES & PERMITS
5320 AUCTIONS
5330 FOR SALE
5340 LAW & MOVING
5350 WANTED

5910 VEHICLES WANTED
5920 VEHICLES FOR HIRE
5930 VEHICLE AUCTIONS
5940 VEHICLE SPARES & ACCESSORIES

5950 LEGAL
5960 PUBLIC
5970 TRANSPORT
5980 MARINE CHANGE
5990 RESOLVING

6000 IN MEMORIAM
6010 TOMBSTONES/UNMARKED
6020 DEATH & FUNERAL NOTICES
6030 CONDOLENCES
6040 THANK YOU MESSAGES

6050 TRAVEL & TOURISM

6060 TRAVEL & TOURISM

6070 TRAVEL & TOURISM

6080 TRAVEL & TOURISM

6090 TRAVEL & TOURISM

6100 TRAVEL & TOURISM

6110 TRAVEL & TOURISM

6120 TRAVEL & TOURISM

6130 TRAVEL & TOURISM

6140 TRAVEL & TOURISM

6150 TRAVEL & TOURISM

6160 TRAVEL & TOURISM

6170 TRAVEL & TOURISM

6180 TRAVEL & TOURISM

6190 TRAVEL & TOURISM

6200 TRAVEL & TOURISM

6210 TRAVEL & TOURISM

6220 TRAVEL & TOURISM

6230 TRAVEL & TOURISM

6240 TRAVEL & TOURISM

Immigration

• Hospitality •

1210 ANNOUNCEMENTS
1220 WEDDINGS
1230 BIRTHDAYS
1240 GRADUATIONS
1250 SPECIAL MESSAGES
1270 THANK YOU MESSAGES
1280 VALENTINE'S MESSAGES

1410 OPPORTUNITIES
1420 BUSINESS FOR SALE
1430 TAXI LICENSES

1620 HOUSE & GARDEN
1630 GENERAL
1640 COMMUNICATIONS & SECURITY
1650 LAW & MOVING
1660 TRANSPORT WANTED & OFFERED

1910 EDUCATION & TRAINING

2710 WANTED
2720 OFFERED

3210 FOOD & BEVERAGES

3410 WANTED
3420 FOR SALE
3430 AUCTIONS

3910 HEALTH & BEAUTY

4010 HOSPITALITY
(See also Travel & Tourism)

4110 WANTED
4120 FOR RENT
4130 FOR SALE

4910 LEISURE & ENTERTAINMENT

5210 SERVICES & PARTS

5310 LICENSES & PERMITS
5320 AUCTIONS
5330 FOR SALE
5340 LAW & MOVING
5350 WANTED

5910 VEHICLES WANTED
5920 VEHICLES FOR HIRE
5930 VEHICLE AUCTIONS
5940 VEHICLE SPARES & ACCESSORIES

5950 LEGAL
5960 PUBLIC
5970 TRANSPORT
5980 MARINE CHANGE
5990 RESOLVING

6000 IN MEMORIAM
6010 TOMBSTONES/UNMARKED
6020 DEATH & FUNERAL NOTICES
6030 CONDOLENCES
6040 THANK YOU MESSAGES

6050 TRAVEL & TOURISM

6060 TRAVEL & TOURISM

6070 TRAVEL & TOURISM

6080 TRAVEL & TOURISM

6090 TRAVEL & TOURISM

6100 TRAVEL & TOURISM

6110 TRAVEL & TOURISM

6120 TRAVEL & TOURISM

6130 TRAVEL & TOURISM

6140 TRAVEL & TOURISM

6150 TRAVEL & TOURISM

6160 TRAVEL & TOURISM

6170 TRAVEL & TOURISM

6180 TRAVEL & TOURISM

6190 TRAVEL & TOURISM

6200 TRAVEL & TOURISM

6210 TRAVEL & TOURISM

6220 TRAVEL & TOURISM

6230 TRAVEL & TOURISM

6240 TRAVEL & TOURISM

Law

• Legal •

1210 ANNOUNCEMENTS
1220 WEDDINGS
1230 BIRTHDAYS
1240 GRADUATIONS
1250 SPECIAL MESSAGES
1270 THANK YOU MESSAGES
1280 VALENTINE'S MESSAGES

1410 OPPORTUNITIES
1420 BUSINESS FOR SALE
1430 TAXI LICENSES

1620 HOUSE & GARDEN
1630 GENERAL
1640 COMMUNICATIONS & SECURITY
1650 LAW & MOVING
1660 TRANSPORT WANTED & OFFERED

1910 EDUCATION & TRAINING

2710 WANTED
2720 OFFERED

3210 FOOD & BEVERAGES

3410 WANTED
3420 FOR SALE
3430 AUCTIONS

3910 HEALTH & BEAUTY

4010 HOSPITALITY
(See also Travel & Tourism)

4110 WANTED
4120 FOR RENT
4130 FOR SALE

4910 LEISURE & ENTERTAINMENT

5210 SERVICES & PARTS

5310 LICENSES & PERMITS
5320 AUCTIONS
5330 FOR SALE
5340 LAW & MOVING
5350 WANTED

5910 VEHICLES WANTED
5920 VEHICLES FOR HIRE
5930 VEHICLE AUCTIONS
5940 VEHICLE SPARES & ACCESSORIES

5950 LEGAL
5960 PUBLIC
5970 TRANSPORT
5980 MARINE CHANGE
5990 RESOLVING

6000 IN MEMORIAM
6010 TOMBSTONES/UNMARKED
6020 DEATH & FUNERAL NOTICES
6030 CONDOLENCES
6040 THANK YOU MESSAGES

6050 TRAVEL & TOURISM

6060 TRAVEL & TOURISM

6070 TRAVEL & TOURISM

6080 TRAVEL & TOURISM

6090 TRAVEL & TOURISM

6100 TRAVEL & TOURISM

6110 TRAVEL & TOURISM

6120 TRAVEL & TOURISM

6130 TRAVEL & TOURISM

6140 TRAVEL & TOURISM

6150 TRAVEL & TOURISM

6160 TRAVEL & TOURISM

6170 TRAVEL & TOURISM

6180 TRAVEL & TOURISM

6190 TRAVEL & TOURISM

6200 TRAVEL & TOURISM

6210 TRAVEL & TOURISM

6220 TRAVEL & TOURISM

6230 TRAVEL & TOURISM

6240 TRAVEL & TOURISM

Law

• Legal •

1210 ANNOUNCEMENTS
1220 WEDDINGS
1230 BIRTHDAYS
1240 GRADUATIONS
1250 SPECIAL MESSAGES
1270 THANK YOU MESSAGES
1280 VALENTINE'S MESSAGES

1410 OPPORTUNITIES
1420 BUSINESS FOR SALE
1430 TAXI LICENSES

1620 HOUSE & GARDEN
1630 GENERAL
1640 COMMUNICATIONS & SECURITY
1650 LAW & MOVING
1660 TRANSPORT WANTED & OFFERED

1910 EDUCATION & TRAINING

2710 WANTED
2720 OFFERED

3210 FOOD & BEVERAGES

3410 WANTED
3420 FOR SALE
3430 AUCTIONS

3910 HEALTH & BEAUTY

4010 HOSPITALITY
(See also Travel & Tourism)

4110 WANTED
4120 FOR RENT
4130 FOR SALE

4910 LEISURE & ENTERTAINMENT

5210 SERVICES & PARTS

5310 LICENSES & PERMITS
5320 AUCTIONS
5330 FOR SALE
5340 LAW & MOVING
5350 WANTED

5910 VEHICLES WANTED
5920 VEHICLES FOR HIRE
5930 VEHICLE AUCTIONS
5940 VEHICLE SPARES & ACCESSORIES

5950 LEGAL
5960 PUBLIC
5970 TRANSPORT
5980 MARINE CHANGE
5990 RESOLVING

6000 IN MEMORIAM
6010 TOMBSTONES/UNMARKED
6020 DEATH & FUNERAL NOTICES
6030 CONDOLENCES
6040 THANK YOU MESSAGES

6050 TRAVEL & TOURISM

6060 TRAVEL & TOURISM

6070 TRAVEL & TOURISM

6080 TRAVEL & TOURISM

6090 TRAVEL & TOURISM

6100 TRAVEL & TOURISM

6110 TRAVEL & TOURISM

6120 TRAVEL & TOURISM

6130 TRAVEL & TOURISM

6140 TRAVEL & TOURISM

6150 TRAVEL & TOURISM

6160 TRAVEL & TOURISM

6170 TRAVEL & TOURISM

6180 TRAVEL & TOURISM

6190 TRAVEL & TOURISM

6200 TRAVEL & TOURISM

6210 TRAVEL & TOURISM

6220 TRAVEL & TOURISM

6230 TRAVEL & TOURISM

6240 TRAVEL & TOURISM

Law

• Legal •

1210 ANNOUNCEMENTS
1220 WEDDINGS
1230 BIRTHDAYS
1240 GRADUATIONS
1250 SPECIAL MESSAGES
1270 THANK YOU MESSAGES
1280 VALENTINE'S MESSAGES

1410 OPPORTUNITIES
1420 BUSINESS FOR SALE
1430 TAXI LICENSES

1620 HOUSE & GARDEN
1630 GENERAL
1640 COMMUNICATIONS & SECURITY
1650 LAW & MOVING
1660 TRANSPORT WANTED & OFFERED

1910 EDUCATION & TRAINING

2710 WANTED
2720 OFFERED

3210 FOOD & BEVERAGES

3410 WANTED
3420 FOR SALE
3430 AUCTIONS

3910 HEALTH & BEAUTY

4010 HOSPITALITY
(See also Travel & Tourism)

4110 WANTED
4120 FOR RENT
4130 FOR SALE

4910 LEISURE & ENTERTAINMENT

5210 SERVICES & PARTS

5310 LICENSES & PERMITS
5320 AUCTIONS
5330 FOR SALE
5340 LAW & MOVING
5350 WANTED

5910 VEHICLES WANTED
5920 VEHICLES FOR HIRE
5930 VEHICLE AUCTIONS
5940 VEHICLE SPARES & ACCESSORIES

5950 LEGAL
5960 PUBLIC
5970 TRANSPORT
5980 MARINE CHANGE
5990 RESOLVING

6000 IN MEMORIAM
6010 TOMBSTONES/UNMARKED
6020 DEATH & FUNERAL NOTICES
6030 CONDOLENCES
6040 THANK YOU MESSAGES

6050 TRAVEL & TOURISM

6060 TRAVEL & TOURISM

6070 TRAVEL & TOURISM

6080 TRAVEL & TOURISM

6090 TRAVEL & TOURISM

6100 TRAVEL & TOURISM

6110 TRAVEL & TOURISM

6120 TRAVEL & TOURISM

6130 TRAVEL & TOURISM

6140 TRAVEL & TOURISM

ANNEXURE C

22 February 2024 Recon Site Meeting Minutes

MEETING MINUTES

**Namwaste
Walvis Bay Municipality Meeting**

Reconnaissance Meeting:

Date: 22 February 2024 **File No.:** 1284
Time: 14:30– 15:30 **Cont. No.:** <<Continuity_Number>
Place: WWEM Office Room, Walvis Bay, >
Note Taker: Tresia Amwaalwa

Participants:	Refer to attached attendance register (embedded file)
Regrets:	None
Distribution:	

Minutes and Action Items:

Item No.	Description
1.0	Welcome
	Mr. Uushana from WBM welcomes all.
2.0	Introduction of Participants
	All participants introduced themselves.
3.0	Objectives
	Heidri Bindemann-Nel from UDA explained the objectives of the meeting.
4.0	Technical Background
	Mr. Provendier from Rent a Drum provided some technical back ground on the project related to question that was asked.
5.0	Discussions
	The main points raised during discussions are as follows:
5.1	The Green Valley Community: The proposed site is located on Portion 160 of Farm 38, east of the D1983 road, situated less than 1km from the Green Valley community. Discussions have highlighted concerns regarding the impact of air quality on nearby land uses, particularly focusing on the Green Valley informal housing development to the west of the D1983. However, it is noteworthy that to the east of the site, existing land uses include various

Item No.	Description
	activities such as the Oval track, King Charcoal factory, CPP Quarry, and BC Stone operations, all of which are known for their potential to impact air quality in the area. Importantly, some of these existing land uses already involve hydrocarbons.
5.2	Impact of waste water: Mr. Dreyer expressed concerns about the potential ramifications of releasing wastewater into the sewage system, which is presently operating at full capacity. Mr. Provendier clarified by explaining that the site will include an evaporation plant for treating wastewater. He further elaborated that the wastewater to be discharged will not originate from the waste treatment process, but will exclusively come from the ablution blocks used by the 40 workers.
5.3	Security of the site: Mr. Dreyer highlighted the importance of ensuring security at the site. In response, Mr. Louw affirmed that the area will be securely fenced off and equipped with appropriate security measures.
5.4	Alternative hazardous waste site: Mr. Louw emphasised that the site will generate hazardous waste. Mrs. Nel inquired about an alternative hazardous waste site, specifically the proposed area designated in Walvis Bay's Structural Plan, which has earmarked a location for hazardous materials near the airport on Farm 58. Mr. Louw clarified that hazardous waste will be transported from Portion 160 to the proposed Namwaste Management Facility (NMF) near Arandis for safe treatment and disposal.
5.5	Route determination: Given that the client has not yet disclosed the quantity of waste to be handled, Mr. Provendier currently lack the necessary information to estimate the route or determine the number of trucks required for transportation from the port to the site. Therefore, he is unable to provide this information at this time.
5.6	The potential impact on the river and dam: An additional concern was raised during the meeting, emphasising the locality of the site from the nearby river and the three NamWater reservoirs near Mile 7 in the study.
6.0	Summary of decisions
6.1	Urban Dynamics will commence with a public consultation phase in April, which will include a public meeting in Walvis Bay. Ms. Amulenya indicated that the municipality will assist with inviting stakeholders to the meetings.
7.0	Meeting closure
	Attendees were invited to visit the site with Urban Dynamics.

Attendance registers

No.	Participant's name	Gender (Tick ✓)	Organisation	Position	Contact number	e-mail address or Postal address
12.	Zohar Khan	M	Rent-A-Drum	Coastal Manager	081452858	rchm@rent-a-drum.com.na
13.	Tresia	✓	UDA	Town Planner	0813548051	tresia@udanam.com
14.	Deville Dreyer	M	Municipality	Chief Health	081 1283887	cdreyer@walvisbaycc.org.na
15.	Lovisa Haisela	✓	Municipality	Environmental Officer	064-214306	lhaisela@walvisbaycc.org.na
16.	Nangula Amulenya	✓	Municipality	Environment Coordinator	064-214305	Namutenya@walvisbaycc.org.na
17.	DAVID UNSTONA	✓	"	MANAGER: JWB	0811220814	DUNSTONA@.....
18.	Haidin-Nel	✓	UDA	EP	0816617336	heidin@udanam.com
19.	Marelize Mostert	✓	Geo Bus. Solution	GIS Practitioner	0818278703	maralize@geosol.com.na
20.	Thierry Provendier	✓	Rent-A-Drum	Director of dep	+27	P. T. Provendier@rent-a-drum.co
21.	Virginia T	✓	Interwaste SA		083 707 1917	Virginia.T@interwaste.co.za
22.						
23.						
24.						

ANNEXURE D

12 April 2024 Public Meeting Minutes and
Attendees Register

PUBLIC MEETING FOR THE NAMWAST WASTE MANAGEMENT FACILITY – WALVIS BAY

Date: 11/04/2024

Region: Erongo Region

Place: Narrawille Community Hall

Name of activity: Public Meeting

No.	Participant's name	Gender (Tick ✓)		Organisation	Position	Contact number	e-mail address or Postal address
		M	F				
1.	Theofelus-Hofeni		✓	we care youth Empowerment	Founder	0814757123	weareyouththeofelus30@gmail.com
2.	Lise Steyn		✓	Intervaste	Environmental Scientist	082 491 8149	l.steyn@intervaste.co.za
3.	Hulisani Netchisaulu		✓	Intervaste	Environmental Scientist	0726064102	hulisani@intervaste.co.za
4.	Heleiril Jonathan		✓	Urban Dynamics	Environment	0816517336	Heleiril@urbanen.co
5.	Ewert Smeu	✓		UDA.	Sociologist	081945788	ewst@uolaraa
6.	T. Nhone		✓	Resident		0816081746	theapanyhoney@gmail.com
7.	Lloyd Lynch	✓		Knight Presold	Senior Environmental Scientist	0832961131	llynch@knightpresold.com
8.	Hilke Hamukwaye		✓	RHS	PR Manager	081277913	Pr@rent-a-drum.com.ng
9.	Sandra Garden		✓	Resident		0811419153	sandra.garden@ol.ng
10.	Paulina Nghalembe		✓	Kuisebmond	resident	08141113403	Paulina.kapau.com@gmail
11	Niel Busch	✓		Narrawille	resident	0814270548	

PUBLIC MEETING FOR THE NAMWAST WASTE MANAGEMENT FACILITY – WALVIS BAY

Date: 11/04/2024

Region: Erongo Region

Place: Narraville Community HallName of activity: Public Meeting

No.	Participant's name	Gender (Tick ✓)		Organisation	Position	Contact number	e-mail address or Postal address
		M	F				
1.	Naomi Isaacs		✓	Narraville		08140723911	—
2.	Sara Samud		✓	Narraville		0817990332	Samuel.sara@gmail.com
3.	Collins Johannes	✓		Narraville		0813749244	
4.	Titus SHALongo	✓		Narraville		0817264048	
5.	Mushumba Elizabeth		✓	Narraville		0813571306	
6.	Munizozo Jipena	✓		Narraville		0813883016	typerunofambimunizozedonald@gmail.com
7.							
8.							
9.							
10.							
11.							

MEETING MINUTES

Namwaste
Walvis Bay Public Consultation

Public Meeting:

Date: 11 April 2024 **File No.:** 1284
Time: 17:30– 19:00
Place: Narraville Community Hall, Walvis Bay,
Note Taker: Heidri Nel

Participants:	Refer to attached attendance register
Regrets:	None
Distribution:	

Minutes and Action Items:

Item No.	Description
1.0	Welcome:
	The meeting facilitator, Ernst Simon from Urban Dynamics Africa (UDA), extended a warm welcome to all attendees.
2.0	Purpose:
	Ernst provided insights into the purpose of the meeting.
3.0	Project Background:
	Ernst introduced the project teams and provided an overview of Urban Dynamics Africa. Lloyd Lynch from Knight Piésold (KP) Consulting Engineers gave insights into KP's role in the project.
5.0	Project Infrastructure & Technical Background:
	Lise Steyn from Interwaste provided insight into the project infrastructure and technical background.
6.0	The ECC Process:
	Lloyd explained the phases of the Environmental Clearance Certificate (ECC) process and the project's current status.
7.0	Project Site:
	Lloyd provided an overview of the project site.
8.0	Project Impacts:
	Lloyd discussed the potential environmental impacts of the project, while Ernst addressed the possible social impacts.

Item No.	Description
9.0	Questions and Comments:
	The community had the opportunity to raise concerns and provide feedback regarding the project.
9.1	Q: When will the facility become operational? A: Construction is set to begin within 8 months, with operations expected to commence by October 2025.
9.2	Q: What impact will the project have on local job opportunities? A: Priority will be given to recruiting local individuals and young people, with a commitment to employing 40% of local residents for sorting roles. Additionally, there will be opportunities for truck drivers to transport waste to and from the port to the site. Skilled workers from Walvis Bay currently located elsewhere may also return for job opportunities.
9.3	Q: Will there be training opportunities? A: Yes, training will focus on skill transfer and developing local expertise. This includes training local residents in skills relevant to operating the facility.
9.4	Q: What types of waste will the facility handle? A: The facility will primarily manage waste from oil industry vessels. Additionally, Walvis Bay's current Rent-a-Drum recycling facility will handle household waste, wood, and steel. Hazardous waste will be transported to the proposed Hazardous Waste facility near Arandis.
9.5	Q: How will unauthorised access by trash pickers be prevented? A: The facility will be fenced and equipped with security measures to prevent unauthorised access. Waste from the boats will be securely packed, ensuring it remains in a controlled environment and minimising the possibility of interference by trash pickers.
9.6	Q: What will be the traffic impact? A: The project will involve five trucks continuously hauling waste from the port to the facility 24/7. This will result in a cumulative traffic impact over time. It is crucial to consider this long-term impact on traffic flow and plan accordingly to mitigate potential congestion or safety concerns.
10.0	Conclusion:
	The meeting concluded at approximately 19:00. Ernst indicated that all attendees would be registered as Interested and Affected Parties and would receive the final report.




Proposed Waste Management Facility: NAMWASTE Walvis Bay

Public Consultation Meeting

Narraville Community Hall, Walvis Bay
11/04/2024

 Knight Piésold Consulting
Adding value. Delivering results.



Agenda/Outline

1. Introductions
2. Purpose
3. Project Background
4. Project Infrastructure
5. ECC Process
6. Project Site
7. Project Impacts

Introductions

Project Core Team

- **Namwaste (Pty) Ltd** 
 - Thierry Provendier (Rent-A-Drum)
 - Hiika Hamukuaja (Rent-A-Drum)
 - Lise Steyn (Interwaste)
 - Hulisani Netshisaulu (Interwaste)
- **Knight Piésold Consulting (Pty) Ltd** 
 - Lloyd Lynch
 - Joe Mulders
 - Lima Maartens
- **Urban Dynamics(Pty) Ltd** 
 - Heidri Nel
 - Ernst Simon

 Knight Piésold Consulting
Public Meeting 3

Project Background

Urban Dynamics Africa

- Urban Dynamics Africa (Pty) Ltd is a Namibian based consulting company.
- We provide professional services in the fields of urban and regional planning, socio-economic research, social impact assessments, indicator & monitoring systems development, property portfolio management, environmental management & feasibility studies.



 Knight Piésold Consulting
Public Meeting 4

Project Background

KP Namibia

- Knight Piésold Consulting (Pty) Ltd began operations in Namibia in 2008 with the opening of the Windhoek office.
- We provide engineering design and construction supervision services to the infrastructure, transportation, water resources, power, building, and mining industries.
- Various Awards:
 - Diamond Arrow Awards from PMR Africa: Top consulting engineering firm in Namibia (2022 and 2023).
 - Consulting Engineers of Southern Africa (CESA): Several awards for projects completed in Namibia.



 Knight Piésold Consulting
Public Meeting 5

Purpose

Public Meeting

- Inform Stakeholders of the Proposed Project
- Inform Stakeholders of the Authorisations Required (ECC)
- Gain Inputs / Concerns from Public
- Open Channels of Communication

 Knight Piésold Consulting
Public Meeting 6

Project Background

Namwaste (Pty) Ltd

- Rent-A-Drum (Pty) Ltd (Rent-A-Drum), which has been operating in the Namibian waste management sector for 34 years was acquired by the Sèche Environnement Group in 2023. Rent-A-Drum currently offers integrated waste management solutions and has an operational footprint in 6 of Namibia's regions, serving over 2,000 customers and employing approximately 550 full time staff members.
- Rent-A-Drum, through its subsidiary, Namwaste (Pty) Ltd., aims to develop new industrial waste treatment and disposal facilities in Namibia, which will address the pressing shortage of solutions for industrial and hazardous waste management in the Country.

Project Background

Summary of Group Structure for the Project



Project Background

Proposed Project

- Development of new industrial waste treatment and disposal facilities in Namibia
 - Lüderitz
 - Approximately 3.2 km from Port entrance
 - Walvis Bay
 - Approximately 20 km from Port entrance
- Increased production of waste offshore of both Lüderitz and Walvis Bay, existing commercial and industrial uses of the Port and the lack of suitable industrial waste treatment facilities necessitate a private sector solution to manage the waste on-shore, both from off-shore activities and port activities.

Project Background

Project Location: Walvis Bay



Project Infrastructure Overview

Project Infrastructure Overview

- Thermo-mechanical cuttings cleaner (TCC) treatment plant
- Slops treatment plant
- Incinerator
- Waste and drilling fluid storage infrastructure
- Tank and skip washing bay
- Storage tanks for drilling fluid in silos and tanks
- Truck depot & bin yard

Project Infrastructure Overview

Ancillary Infrastructure

- Stormwater/runoff management infrastructure
- Plant/vehicle wash bay with contaminated runoff control measures
- Analytical laboratory – Test and verify classification of incoming and treated wastes
- Access Road
- Access control facilities
- Weighbridges and control room
- Fuel storage facilities
- Offices and administrative buildings
- Borehole monitoring network
- Additional features such as ablutions, accommodation camp, workshops, sewage management facilities, etc.
- Utilities:
 - Electricity supply from municipal supply
 - Water supply from municipal mains or from Namwater (potable water) and potential supply from boreholes will be investigated
 - Municipal sewage connection

Project Infrastructure Overview

Example of Proposed Infrastructure Units



Knight Process

Public Meeting 13

Treatment Processes

Project Waste Streams & Drilling Fluids

- Waste streams
 - Slops → ~ 10% oil, 80% water & 10% solids (rock).
 - Cuttings → ~ 15% oil, 15% water & 70% solids (rock).
 - General and hazardous solid waste
 - Medical waste
- Drilling fluids
 - Mud → oil, water or synthetic based – suspends rocks in well and lubricates drill bit.
 - Brine → water with high salt content – controls pressure in well and cools drill bit.



Slops and Cuttings



Medical waste



General solid waste



Hazardous solid waste

Knight Process

Public Meeting 14

Treatment Processes

End Products

- Recovered oil – back to client
- Recovered water – discharge to ocean, evaporation and/or reuse on site
- Solids (e.g. non-organics, salts & heavy metals) from slops and cuttings treatment – disposed to landfill
- Incinerator ash – sent to landfill for use in treatment recipes
- Recyclables – sent for processing
- Solid hazardous waste (e.g. paint cans) – disposed to landfill



Oil



Solids



Recovered water



Ash




Recyclables

Knight Process

Public Meeting 15

Treatment Processes

Process Flow



Knight Process

Public Meeting 16

Treatment Processes

Cuttings & mud treatment

- Thermo-mechanical cuttings cleaner (TCC) grinds cuttings which forms frictional heat used to separate oil, water & solids.
- Oil is condensed using heat and recovered.
- Steam is condensed to form water and recovered.
- Solids are disposed to landfill.




Knight Process

Presentation Title 17

Treatment Processes

Slops & brine treatment

- Centrifuge separates solids and liquids.
- Solids are disposed to landfill.
- Liquid component treated → pH is corrected, coagulation and flocculation process.




Knight Process

Presentation Title 18

Treatment Processes

Slops treatment

- Treated water proceeds to Dissolved Air Flotation Unit (DAFU) – air bubbles attach to impurities and flocculated particles and floats them to the water's surface.
- Solids are skimmed off and put into the main solids waste stream for disposal to landfill.
- Treated water from DAFU is polished through filtering, oxidation and/or reverse osmosis.
- Treated effluent (water) can either be discharged to the water treatment plant or ocean, evaporated and reuse on site



Knight Research

Presentation Title 19

Treatment Processes

Tank & skip washing

- Tanks and skips are cleaned before leaving the site with water and a degreaser.
- Contaminated water is treated through the slops treatment process.




Before After

Knight Research

Presentation Title 20

Environmental Clearance Certificate Process

ECC Process



Knight Research

Public Meeting 21

Environmental Clearance Certificate Process

Listed activities that may be triggered

Listed activity
2.1 The construction of facilities for waste sites, treatment of waste and disposal of waste
2.2 Any activity entailing a scheduled process referred to in the Atmospheric Pollution Prevention Ordinance, 1976
2.3 The import, processing, use and recycling, temporary storage, transit or export of waste
5.1(b) Light industrial use to heavy industrial use
6.1 The abstraction of ground or surface water for industrial or commercial purposes
6.2 The abstraction of groundwater at a volume exceeding the threshold authorised in terms of a law relating to water resources
8.6 Construction of industrial and domestic wastewater treatment plants and related pipeline systems
9.1 The manufacturing, storage, handling or processing of a hazardous substance defined in the Hazardous Substances Ordinance, 1974
9.2 Any process or activity which requires a permit, licence or other form of authorisation, or the modification of or changes to existing facilities for any process or activity which requires an amendment of an existing permit, licence or authorisation or which requires a new permit, licence or authorisation in terms of a law governing the generation or release of emissions, pollution, effluent or waste
9.4 The storage and handling of a dangerous goods, including petrol, diesel, liquid petroleum gas or paraffin, in containers with a combined capacity of more than 30 cubic meters at any one location.

Knight Research

Public Meeting 22

Environmental Clearance Certificate Process

ECC Process

- MEFT Pre-Application Meeting (29 Jan 2024)
- Application with MEFT: APP-002775
- Feedback from MEFT (5 Feb 2024): Environmental Scoping Report
- Current Phase: Draft Scoping Report
- Estimated Completion: July/August 2024

Specialist studies:

- Hydrogeology Specialist Study
- Geophysics Assessment
- Archaeological Specialist Study
- Social Specialist Study
- Air Quality and Noise Specialist Study



Knight Research

Public Meeting 23

Environmental Clearance Certificate Process

ECC Process – Public Consultation Process

- Completed steps on Public Consultation Process:
 - Identification of I&APs / stakeholders
 - Placement of newspaper adverts (The Namibian and New Era – 26 March and 02 April 2024)
 - Placement of site notices (Local Notice Boards and Near Project Site)
 - Focus group meetings with key stakeholders (18 – 20 February 2024)
 - Public Meeting (11 April 2024)
- Next Steps on Public Consultation Process:
 - Notifications of availability of Draft Scoping Report for Review (30-day review) – ~June 2024
 - Compilation of Comments and Response Report – ~July 2024
 - Notifications of Final Report submission to MEFT – ~July/August 2024


Knight Research

Public Meeting 24

Project Site Overview

Project Site

- Selected Project Site: 7.8 ha site on ERF 160 of the remainder of Farm 38
- Site Selection:
 - Land use zoning as industrial;
 - Availability of established plots for similarly zoned industrial activities;
 - Pre-existing stakeholder consultations, specifically with the Walvis Bay Municipality; and
 - Access to utilities, main roads and proximity to the Walvis Bay Port.
- Sand dominated, sparsely vegetated site with gentle gradient located off the D1983 road



Project Site Overview

Project Site Proposed Layout



Project Site Overview

Project Site Environmental Features: Physical Environment

- Predominantly flat topography
- Harsh, arid climate with limited rainfall
- Dominated by sand
- Uniform soil profile in and surrounding project site
- Hydrogeological zones characterised by shallow, saline groundwater
- Based on municipal air quality data, good air quality is anticipated*
 - Air Quality Specialist Assessment to confirm baseline conditions
- Ephemeral Kuiseb River approximately 14 km south of the project site
- No cultural heritage artefacts recorded within the project area

Project Site Overview

Project Site Environmental Features: Biological Environment

- Situated within Namib Desert ecoregion
 - Transition zone between Central Namib and Succulent Karoo
- Several scattered plant specimens observed in project area
 - Arthroa leubnitziae* - Not Evaluated by IUCN Red List
- No evidence of live fauna, scat or tracks observed
- Low biodiversity expected



Potential Project Impacts

Potential Environmental Impacts

- | | |
|---|---|
| <ul style="list-style-type: none"> Climate <ul style="list-style-type: none"> Release of carbon dioxide stored in vegetation Localised GHG emissions Localised microclimate alterations Visual <ul style="list-style-type: none"> Alteration in site aesthetics Emissions from incinerator | <ul style="list-style-type: none"> Land Use <ul style="list-style-type: none"> Change in Land Use Topography <ul style="list-style-type: none"> Alteration in local topography Air Quality <ul style="list-style-type: none"> Increased dust generation Emissions from vehicles Increased emissions due to waste treatment |
|---|---|

Potential Project Impacts

Potential Environmental Impacts

- | | |
|--|---|
| <ul style="list-style-type: none"> Noise <ul style="list-style-type: none"> Increase in noise emissions Groundwater <ul style="list-style-type: none"> Groundwater contamination through spills Reduction of local groundwater levels through abstraction | <ul style="list-style-type: none"> Soil <ul style="list-style-type: none"> Contamination of soil Soil erosion Terrestrial Fauna and Flora <ul style="list-style-type: none"> Loss / Disturbance of flora Loss / Disturbance of faunal habitat / Habitat fragmentation Road Fatalities Introduction of invasive plant species Establishment of pest species |
|--|---|

Project Site Overview

Project Site Environmental Features: Social Environment

- Portion 160 of the Rem. Farm 38:
 - Next to lease areas for industrial use
 - Oval track, King Charcoal factory, CPP Quarry and BC Stone operations portions close to the site
 - Green Valley Development located north-west of the proposed site
 - Access to water and power connections



Project Site Overview

Project Site Features:

- Dominant Wind Directions:
 - East-northeast and Southwest.
 - Prevailing wind directions quite favourable.
- Transport Logistics:
 - Access to the site from the Harbour via Hanna Mupetami Road, on to the MR36, and D1983 and to Arandis via MR44 seems feasible but the cumulative impact needs to be determined.



Project Impacts

Potential Social Impacts

- Traffic
 - Increased truck traffic and noise adds to the already high heavy vehicle traffic flows through Hanna Mupetami Street. While there will be a few trucks per day, the cumulative impact is of concern.
 - Additional traffic increases the potential of road accidents
 - The access road is unsurfaced and this will cause substantial dust along
- Safety/ Health Risks
 - A health and safety issue, construction and operations requires the necessary health and safety protocols.
 - Dust and pollutants transport operation and operational activities at the site may impact social receptors on neighbouring sites as well as the residential development at Green Valley
- Employment
 - Local job opportunities will be created and local economic development is likely to be strengthened and forward and backward integration can be expected.

Project Impacts

Potential Social Impacts

- Local Economic Development
 - Proposed facility creates a new industry, serving the emerging oil and gas sector
 - Enhance other opportunities within the waste management sector.
 - Promoting local employment and gender equality through preferential employment guidelines

Q&A

Lloyd Lynch
llynch@knightpiesold.com

THANK YOU

Lloyd Lynch
llynch@knightpiesold.com

ANNEXURE E

Stakeholder's List

VARIOUS STAKEHOLDER GROUPS FOR THE WALVIS BAY

Category	Name	Title	Name	Surname	Designation	Email
1. GOVERNMENT MINISTRY / DEPARTMENT/ INTUITION/ PARASTATAL						
Government ministry/ department/ institution/ parastatal	Directorate of Education, Arts and Culture- Erongo Region	Ms.	Ernfriede	Stephanus	Director	-
Government ministry/ department/ institution/ parastatal	Erongo Red	Mr.	Fessor	Mbango	Chief Executive Officer	support@erongored.com.na
Government ministry/ department/ institution/ parastatal	Erongo Red	Ms.	Alta	Smit	Personal Assistant	support@erongored.com.na
Government ministry/ department/ institution/ parastatal	Ministry of Agriculture, Water and Land Reform	Ms.	Margaret	Kalo	Chief Public Relation Officer	Margaret.Kalo@mawf.gov.na
Government ministry/ department/ institution/ parastatal	Ministry of Agriculture, Water and Land Reform	Ms.	Maria	Amakali	Director: Water Resource Management	gwamakali@gmail.com
Government ministry/ department/ institution/ parastatal	Ministry of Agriculture, Water and Land Reform	Mr.	Percy. W	Misika	Executive Director	Percy.Misika@mawf.gov.na
Government ministry/ department/ institution/ parastatal	Ministry of Environment, Forestry and Tourism	Ms.	Saima	Angula	Deputy Director for Environmental Assessments	saima@webmail.co.za
Government ministry/ department/ institution/ parastatal	Ministry of Environment, Forestry and Tourism	Mr.	Timoteus	Mufeti	Environmental Commissioner	timoteus.mufeti@met.gov.na
Government ministry/ department/ institution/ parastatal	Ministry of Fisheries and Marine Resources	Dr.	Moses	Maurihungirire	Executive Director	moses.maurihungirire@mfmr.gov.na
Government ministry/ department/ institution/ parastatal	Ministry of Fisheries and Marine Resources	Ms	Rauna	Kalola	Public Relations Officer	rauna.kalola@mfmr.gov.na
Government ministry/ department/ institution/ parastatal	Ministry of Health and Social Services	Ms.	Manga	Libita	Public Relations Officer	Public.Relations@mhss.gov.na
Government ministry/ department/ institution/ parastatal	Ministry of Industrialisation, Trade and SME Development	Hon.	Lucia	lipumbu	MP	Lucia.lipumbu@mitsmed.gov.na
Government ministry/ department/ institution/ parastatal	Ministry of Industrialisation, Trade and SME Development	Dr.	Micheal	Humavindu	Deputy Executive Director	Micheal.Humavindu@mitsmed.gov.na
Government ministry/ department/ institution/ parastatal	Ministry of Industrialisation, Trade and SME Development	Hon.	Verna	Sinimbo	Deputy Minister	Verna.Sinimbo@mitsmed.gov.na
Government ministry/ department/ institution/ parastatal	Ministry of Industrialisation, Trade and SME Development	Amb.	Steve	Katjuanja	Executive Director	Steven.Katjuanja@mitsmed.gov.na
Government ministry/ department/ institution/ parastatal	Ministry of Information and Communication Technology	Mr.	Mbeuta	Ndjarakana	Permanent Secretary	Belinda.vries@mict.gov.na
Government ministry/ department/ institution/ parastatal	Ministry of Mines and Energy	Ms.	Maggy	Shikongo	Chief Geoscientist	Maggy.Shino@mme.gov.na
Government ministry/ department/ institution/ parastatal	Ministry of Mines and Energy	Mr.	Tupa	Iyambo	Chief Petroleum Inspector	Tupa.Iyambo@mme.gov.na

Government ministry/ department/ institution/ parastatal	Ministry of Mines and Energy	Ms.	Miina	Auene-Gahutu	Deputy Director, Windhoek	miina.auene-gahutu@mme.gov.na
Government ministry/ department/ institution/ parastatal	Ministry of Urban and Rural Development	Mr.	Dana	Beukes		Dana.Beukes@mlr.gov.na
Government ministry/ department/ institution/ parastatal	Ministry of Urban and Rural Development	Mr.	Tobias	Newaya	Town Planner	tnewaya@murd.gov.na
Government ministry/ department/ institution/ parastatal	Ministry of Works and Transport	Mr.	Julius	Ngweda	Chief Public Relation Officer	jngweda@mwtc.gov.na
Government ministry/ department/ institution/ parastatal	Namibia Airports Company	Mr.	Bisey	/Uirab	Chief Executive Officer	uirabb@airports.com.na
Government ministry/ department/ institution/ parastatal	Namibia Airports Company	Ms.	Liz	Jacobs	PA	JacobsI@airpors.com.na
Government ministry/ department/ institution/ parastatal	Namibia Airports Company	Ms.	Chrizelda	George	Airport Manager	george@airports.com.na
Government ministry/ department/ institution/ parastatal	Namibia Civil Aviation Authority	Mr.	Golden	Siteka	Senior Manager	siteketag@dca.com.na
Government ministry/ department/ institution/ parastatal	Namibia Development Corporation	Mr.	Pieter	De Wet	Managing Director	pieter.dewet@ndc.org.na
Government ministry/ department/ institution/ parastatal	Namibia Estate Agents Board	Mr.	Richard	Steen	Manager	manager.neab@iway.na
Government ministry/ department/ institution/ parastatal	Namibia Ports Authority	Mr.	Gottfried	Araeb	Manager: Projects	g.araeb@namport.com.na
Government ministry/ department/ institution/ parastatal	Namibia Ports Authority	Ms.	Justina	Evelinus	Manager: Property Management	j.evelinus@namport.com.na
Government ministry/ department/ institution/ parastatal	Namibia Post & Telecommunications Ltd	Mr.	Festus	Hangula	Chief Executive Officer	ceopa@nampost.com.na
Government ministry/ department/ institution/ parastatal	Namibia Training Authority	Mr.	Richwell	Lukonga	General Manager	info@nta.com.na
Government ministry/ department/ institution/ parastatal	NamWater	Mr.	Henry	Mukendwa	Chief: Planning and Water Resource Management	MukendwaH@namwater.com.na
Government ministry/ department/ institution/ parastatal	NamWater	Mr.	Conie	Koegenberg	Chief Water Supply: Business Unti Coastal	KoegelenbergK@namwater.com.na
Government ministry/ department/ institution/ parastatal	Namibian Industrial Development Agency	Mr.	Uparura	Kuvare	Executive Director	Uparura.Kuvare@nida.com.na
Government ministry/ department/ institution/ parastatal	NamPower	Mr.	Calvin	Sisamu	Environmentalist	Calvin.Sisamu@nampower.com.na
Government ministry/ department/ institution/ parastatal	NamPower	Mr.	Gert	Fourie	Engineering, Planning and Design	gert.fourie@nampower.com.na
Government ministry/ department/ institution/ parastatal	National Housing Enterprise	Mr.	Elton Khoitage	!Gaoseb	Acting Chief Executive Officer	gaosebe@nhe.com.na

ANNEXURE F

NAMWASTE Walvis Bay - Project Description Rev
07 (December 2025)

Walvis Bay Integrated Waste Management, Treatment, Transfer and Recovery Facility

Project Description

17 December 2025
Rev 07

1. Introduction

1.1 Applicant background and purpose of application

Rent-A-Drum (Pty) Ltd (Rent-A-Drum), which has been operating in the Namibian waste management sector for 36 years was acquired by the Séché Environnement Group (Séché) in 2023. Rent-A-Drum currently offers integrated waste management solutions and has an operational footprint in 6 of Namibia's regions, serving over 2,000 customers and employing approximately 450 full time staff members. Séché, an established French-owned company which has been in operation for 40 years and operates in 16 countries throughout the world is a major player in the circular economy and waste management, decontamination and emergency environmental services sector.

Rent-A-Drum, through its subsidiary, Namwaste (Pty) Ltd (hereafter referred to as Namwaste), aims to develop new industrial waste treatment and disposal facilities in Namibia, which will address the pressing shortage of solutions for industrial and hazardous waste management in the Country and will contribute to the protection of the environment whilst also creating employment opportunities and fostering economic growth. The partnership will make a significant investment in Namibia over the next 10 years, to ensure that hazardous waste is managed in line with international best practice. Rent-A-Drum is aware that oil and gas exploration and production drilling has increased offshore Namibia in the past few years. Activity levels for exploration drilling will have 2-4 active drill rigs in Namibian waters for the next 3 years. Production drilling is set to increase above these levels. It is anticipated that at least 5 drilling rigs will be based in Walvis Bay for the next 5 years drilling at least 40 wells offshore. Should production drilling lead to production; large floating production storage and offloading (FPSOs) will be based offshore to allow oil production. Drilling and production of oil and gas reserves offshore will generate significant quantities of solid and liquid industrial waste with the possibility of hydrocarbon contamination.

Increased production of waste offshore Walvis Bay, existing commercial and industrial uses of the Port and the lack of suitable industrial waste treatment facilities necessitate a private sector solution to manage the waste on-shore, both from off-shore activities and port activities.

Rent-a-Drum's business case is based on receiving a minimum of ~40,000 tons of liquid waste and ~30,000 tons of cuttings (solid waste) generated from 5 drilling rigs operating from Walvis Bay per year. Therefore, there is a need to establish suitable treatment facilities as close as possible to the source of generation.

Séché, through Rent-A-Drum, is committed to using its expertise to develop and implement safe and sustainable solutions for waste management in Namibia. A portion of the investment to be made in the waste management sector will be allocated to the development of the Walvis Bay Integrated

Waste Management, Treatment, Transfer and Recovery Facility offering waste treatment and recovery solutions in Walvis Bay and specifically to the industrial sector in this region.

1.2 Location

Namwaste is proposing to develop an integrated waste management, treatment, transfer and recovery facility in Walvis Bay, Namibia. Walvis Bay is a small port town on the Atlantic Ocean in the Erongo region of southern Namibia. Walvis Bay town is located just north of the Tropic of Capricorn in the Kuiseb River Delta and lies at the end of the TransNamib Railway to Windhoek, and on B2 road. Besides being an export terminal for certain products, there is a small fishing and sealing industry as well as diamond industry.

The proposed site is located on Portion 160 of Remainder of Farm 38, ESE of Walvis Bay and approximately 20 km from the Port entrance, as shown in Figure 1. The proposed site is approximately 78 133 m² (7.81 ha) in extent. The corner coordinates of the site are indicated in Table 1.

The nearest residential housing stands exist approximately 15 km West NNE of the site. The landscape is partly exposed rock and sandy lands with little established vegetation typical of the surrounding environment.

The site was selected as a preferred alternative for the project based on several factors including:

1. Land use zoning as industrial;
2. Availability of established plots for similarly zoned industrial activities;
3. Stakeholder consultations, and in particular with the Walvis Bay Municipality; and
4. Access to utilities, main roads and proximity to the port.




Figure 1: Locality map for the proposed Walvis Bay Integrated Waste Management, Treatment, Transfer and Recovery Facility.

Table 1: Coordinates of the proposed Project site.

Corner	Longitude	Latitude
1	14.6185155	-23.0230970
2	14.6209455	-23.0218930
3	14.6223409	-23.0243059
4	14.6197324	-23.0250695
5	14.6196350	-23.0250328

1.3 Industries to be serviced and waste types to be accepted

The facility will largely be tailored to the specific needs of the offshore oil and gas exploration and production (E&P) industry. The E&P industry produces a wide range of industrial wastes in small quantities such as used and redundant chemicals, chemical containers and paints as well as two specific waste streams in large quantities during drilling phases: cuttings and slops. The E&P industry produces two specific waste streams (cuttings (~15% oil, 15% water & 70% solids (rock)) and slops (~10% oil, 80% water & 10% solids (rock)) in large quantities during drilling as well as a wide range of industrial waste such as used and redundant chemicals, chemical containers and paints in smaller quantities. General solid waste and medical waste is also generated by the personnel on the rigs.

In addition, drilling fluids (mud and brine), which are used to aid the drilling of wells, become contaminated with hydrocarbons during the process and require treatment prior to reuse.

1.4 Project activities overview

Project activities will consist of waste management specific activities and supporting / ancillary activities common to industrial sites. Waste management specific activities which will take place on the site include:

- Treatment of cuttings and mud and recovery of hydrocarbons using a Thermo-mechanical Cuttings Cleaner (TCC) or a Thermal Desorption Unit (TDU);
- Treatment of slops in a slops treatment unit (mainly a centrifuge);
- Discharge of treated effluent into the evaporation ponds or the municipal wastewater treatment works;
- Storage of cuttings and slops in suitable, bunded containment facilities;
- Temporary storage of waste (solid and liquid) in suitable, bunded containment facilities;
- Tank and skip washing.

Ancillary infrastructure and supporting activities required to conduct primary activities include:

- Truck depot and Bin yard;
- Stormwater/ run-off management infrastructure for collection and containment of any contaminated water;
- Effluent storage in ponds/dams for evaporation with surface area of 17,000m² or discharge into the municipal wastewater treatment works;
- A plant/vehicle washing bay with contaminated runoff control;
- Laboratory to test and verify the classification of incoming and/or treated waste as required;
- Access road (~1.2km) to the facility;
- Access control facilities including perimeter fencing;

- Weighbridges and control room;
- Fuel storage facilities with capacity of 23 000L;
- Water storage tank with a capacity of 200 m³;
- Back-up generators – 5x 500kVA
- Offices and other administrative buildings;
- Staff dining and ablution facilities;
- Camp for ~50-100 employees;
- Workshops and stores,
- Weather station;
- Utility connections:
 - Electricity connections – connection to municipal supply located approximately 200m from the site. Requirement of 2500 kVA.
 - Water supply from municipal 25m³ per day.
 - Sewage management – Package sewer plant.

The location of the proposed infrastructure and/or activities are indicated in Figure 2.




Figure 2: Conceptual layout of the facility

1.5 Biodiversity preservation and restoration strategy

The preservation of biodiversity has been one of the Séché Group's core values since its inception over 40 years ago. A dedicated team of ecologists drive sustainable development by linking landscape, biodiversity and environment into all activities of the Group. The development of this approach has evolved over time and Séché is now implementing biodiversity preservation and restoration programs across operations internationally in alignment to its voluntary commitments to Act4Nature.

Biodiversity preservation and restoration will be included in the design and ongoing development and management of the Walvis Bay Integrated Waste Management, Treatment, Transfer and Recovery Facility. Specialist studies are being undertaken as part of the Environmental and Social Impact Assessment (ESIA) and these, together with consultation with experts, will inform the biodiversity strategy for the site. The aim will be to protect, restore and regenerate biodiversity as well as to educate and build relationships / connections to enhance biodiversity protection in the communities in close proximity to the facility.

1.6 Operating Standards

All activities conducted at the facility and associated operations will meet or exceed Good International Industrial Practice (GIIP). The following standards will be met:

- Corporate and project authorizations related to E&P drilling in Namibia;
- World Bank and especially International Finance Corporation (IFC) Performance standards and guidance notes and in particular the IFC's Environmental, Health, and Safety (EHS) *Guidance for upstream oil and gas as well as the EHS guidance for waste management*, and IFC EHS Guidelines, *Environmental, Health, and Safety Guidelines for Offshore Oil and Gas Development*;
- International Petroleum Industry Environmental Conservation Association (IPIECA) and Open Government Partnership (OGP) guidelines and directives, including OGP's *Guidelines for Waste Management – with Special Focus on Areas with Limited Infrastructure*;
- IFC EHS Guidelines, Environmental, Health, and Safety Guidelines for Offshore Oil and Gas Development, 2015;
- Country of operation (laws and regulations of Namibia); and
- Séché Environnement Corporate Policy and directives.

2. Description of Project Activities/Components

The project will be implemented in a phased approach:

- Phase 1- 2027: during the construction of the facility, the site will be used as a transfer station. During this time the slops will be concentrated in the ponds;
- Phase 2 – 2028: the facility will be used for treatment. The slops will be treated to reduce the volume to be transported to the final disposal site; and

- Phase 3 – 2030: the cuttings will be treated to recover the oil and reuse it.

2.1 Waste transport

Slops, cuttings and source separated recyclables from the riggs, and port will be sent to the Namwaste Walvis Bay facility for treatment and sorting. General waste from the riggs and the port will be transported directly to a disposal facility. Medical waste from the riggs will be transported directly to suitable medical waste treatment facilities. The vehicles used and the estimated number of trips per vehicle type is indicated in Table 2.

Table 2: Types of vehicles to be used for the transportation of waste.

Type of vehicle	Number of vehicles per day	Waste stream
Tanker trucks	6	Bulk liquid waste (slops)
Flatbed trucks	6	Containerized cuttings
Skip trucks	2	Solid general and hazardous waste
Super sucker trucks	3	Transfer of liquid waste from the PSV to the tanker trucks, at the port.
Medium duty vehicles (3-5 tons)	4	Solid general and hazardous waste

2.2 Waste acceptance and offloading procedure

The Technical Services Department and Facility Manager will be responsible for ensuring that all waste loads which are sent to the facility can be treated at the facility in a legal manner. A Technical Services Acceptance Sheet (TSAS) will be prepared for each waste load before it can be booked for treatment at the facility which will describe the processes to be followed on site and will contain an overview of major hazards and precautions to be taken.

One 18-m steel-deck weighbridge will be installed at the entrance to the facility. This system will be used to record the mass of all waste loads delivered to the facility. Every vehicle carrying waste destined for treatment at the facility will be weighed before entering the facility and upon leaving the facility.

All arriving waste loads will be inspected by the Lab Technician and/or be subjected to verification analysis for conformance to the TSAS which should accompany the load before it enters the facility. Arriving waste loads will be further evaluated in respect of wastes that are prohibited or restricted. Should there be no notable discrepancies or deviations from the aforementioned criteria, the load will be accepted for processing.

After trucks have been weighed and cleared reception, they will proceed to the bunded offloading area. Bulk liquids will be discharged into bunded storage tanks. Most solids will be containerized in DNV skips or similar and these will be offloaded via forklift.

2.3 Primary waste streams

The primary waste streams and the estimated minimum tonnages of each waste stream to be managed at the facility are provided in Table 3 below.

Table 3: Primary drill waste streams to be managed on site.

Waste streams	Minimum tonnages per month
Cuttings	2,500 tons
Slops	3,500 tons
General Waste	1,200 tons
Source Separated Recyclables	120 tons
Medical Waste	12 tons

2.4 Waste Treatment and Management Processes

The waste will be treated using various treatment processes to recover the re-usable waste. The following main activities will take place on the site:

- Treatment of cuttings and mud and recovery of hydrocarbons using a Thermo-mechanical Cuttings Cleaner (TCC) or Thermal Desorption Unit (TDU);
- Treatment of slops in a slops treatment unit which will include a tricanter, a disk stack centrifuge, tanks for pH correction, coagulation, and flocculation;
- Storage of cuttings and slops in suitable, bunded containment facilities (for treatment on site or transport to a suitable facility for treatment);
- Temporary storage of waste (solid and liquid) in suitable, bunded containment facilities; and
- Tank and skip washing.

The treatment or management method applicable to each waste to be treated or managed at the facility is shown in Figure 3 below.




Figure 3: Waste Treatment Process Flow Diagram

2.4.1 Cuttings Treatment

2.4.1.1 Thermo-Mechanical Cuttings Cleaner

Cuttings come containerized from the vessel. The containers are collected on flatbed trucks. Upon clearing the reception of the facility, they will be offloaded by forklift onto a bunded platform. A rotary head forklift will empty the container into a sump or dam, where the cuttings will be homogenized using an excavator as a mixer. The sump or dam will be lined with HDPE over which a sacrificial concrete layer will be cast. The homogenized cuttings will then be put into the TCC for a general drill cutting plant process flow. A general drill cutting plant process flow is shown in Figure 4 below.

Sam Nujoma Drive (next to Tony Rust Race Track) | PO Box 30735, Pionierspark, Windhoek, Namibia
Tel: +264 61 244 097 | Fax: +264 88 623 797 | Email: reception@rent-a-drum.com.na

DIRECTORS: GYS J LOUW (CEO, DIRECTOR), ROSA C LOUW (DIRECTOR)

GENERAL DRILL CUTTING PLANT PROCESS FLOW




Figure 4: General drill cutting plant process flow

A TCC is considered the least cost and most beneficial unit for treating drill cuttings. The TCC can be described as a hammer mill that uses heat generated by friction to vaporize and then recover hydrocarbon from the cuttings. The unit uses a lower temperature from kinetic energy / "frictional" heat to vaporize the hydrocarbons. This allows for better preservation of the original base oils contaminating the cuttings. Less heat allows for lower energy consumption and is therefore more environmentally friendly.

Recovered base oil is returned to customers and reused in oil-based mud (OBM) or alternatively used for energy. The solid portion of the cuttings will be transported to and disposed of at the proposed Namwaste Management Facility's Class A disposal site, close to Arandis. Recovered water will be used to re-treat solids or can be sent for further industrial uses. The TCC generally has 4-6 tons per hour capacity which results in recovery of 95+% of the base oil. Less than 1% (usually 0.2-0.3%) residual oil content on solids remains.

A general process flow and layout of a cuttings treatment facility is shown in Figure 5 and Figure 6 below.




Figure 5: General layout of a cuttings treatment facility



Figure 6: General layout of a Cuttings Treatment Facility

2.4.1.2 Thermal Desorption Unit

A Thermal Desorption Unit (TDU) is a specialized system used for the treatment of drilling cuttings, oil sludge, and hazardous waste material generated during oil exploration, production, refining, and storage. The TDU treats contaminated solids by heating them to temperatures that vaporize the contaminants. It acts on the principle that when heat is applied to waste material, it causes the volatile contaminants to separate from the solids. These contaminants are then captured, condensed, and treated, leaving the cleaned solids behind. TDUs are particularly effective for treating oil-based drill cuttings and other hydrocarbon-contaminated materials.

Drill cuttings are fed into the processing chamber of the TDU, where the rotating heat exchanger (rotor) heats up with cuttings via indirect heat. Indirect heating is accomplished through the circulation of heated oil, as well as by the use of electrical heating elements. The first section of the rotor evaporates water from the cuttings, while the subsequent section evaporates oil from the cuttings at temperatures up to 500 °C. A condenser liquidizes the evaporated water and oil, which then flow into the water/oil separator. The solids are discharged at the end of the process, where they are then cooled and mixed with recovered water to avoid dust emissions when fed into solids containers (skips etc.). The typical thermal desorption process is shown in Figure 7 below.

Thermal Desorption Process

1. Pre-Treatment
2. Feed Hopper
3. Main Processor
4. High-Temperature Section
5. Discharge
6. Condenser
7. Separator
8. Oil/Water Discharge
9. Boiler for HTO




Figure 7: Thermal Desorption Process

2.4.2 Slops Treatment Unit

Slops are generally transferred in bulk from the rig utilizing the Platform Supply Vessel (PSV) tanks. Tanker trucks are used to transfer slops from the PSV tanks to the facility. Upon clearing the reception of the facility, the slops will be discharged into bunded storage tanks via pumps and homogenized.

The slops treatment unit will include various steps of treatment as described below and in Figure 8




Figure 8:

1. Phase separation using a tri-canter centrifuge to separate hydrocarbons, water and solids. Solids will be discharged for disposal at a suitable landfill. Hydrocarbons will be discharged into a buffer tank for re-use (by others).
2. Chemical pre-treatment such as flocculation, pH correction, coagulation, acid treatment and similar chemical treatments / corrections.
3. Treated effluent will be discharged into the evaporation pond (s) or the municipal wastewater treatment plant.

The process for the slops treatment is discussed in the sections below:

Homogenisation tank and pre-treatment

Since the raw feed is an inhomogeneous mixture, it enters the homogenisation day tank, which is fitted with a slow rotating, low shear agitator. A heat exchanger is installed upstream of the tank, to

heat the incoming effluent from ambient temperature to $\sim 60^{\circ}\text{C}$. The heat exchanger used is a shell and tube heat exchanger, best suited for effluent with this level of solids ($\sim 10\%$), and uses steam (at 4 bar(g)) as heating fluid. A boiler is included for the provision of steam at the various points of use. The selected demulsifier is injected upstream of the tank, into the pre-heated effluent stream. The pre-treated effluent enters the homogenisation tank, where the agitator assists in dispensing the emulsion breaker throughout the slops effluent, and assist in homogenising the effluent prior to downstream treatment. The tank makes provision for a residence time of ~ 1.5 hours (tank size 8.5 m^3 with freeboard).

Heat exchanger and flocculant dosing

Downstream of the homogenisation tank, the pre-treated effluent enters a heat exchanger, where the effluent is heated from 60°C to 95°C for optimal separation in the downstream separation process. Additional demulsifier is injected upstream of the heat exchanger, and flocculant is injected downstream of the heat exchanger, before going into the downstream separation process. As with the upstream heat exchanger, a shell and tube heat exchanger using steam (at 4 bar(g)) as heating fluid will be used.

Tricanter

The pretreated effluent enters the Tricanter unit, which is the first separation step. The pretreated effluent, after heating, and demulsifier and flocculant injection, enters the Tricanter. The Tricanter is a three-phase separation unit, and separates the slops effluent into a solids fraction, in the form of a sludge, as well as two liquid fractions, the oil and the water. The pretreated slops effluent is fed into the high-speed rotating bowl, through the feed tube, and is accelerated to bowl speed. The solids settle on the inner bowl wall, due to the action of centrifugal force. The solids are scraped off the wall by a scroll armoured with hard metal, which again transport the solids to the solids discharge point. The clarified liquid, as well as the recovered oil, is conveyed to the heavy phase discharge, and the light phase discharge respectively.

The oil removal efficiency of the Tricanter is estimated at 99%, leading to an expected oil content in the recovered water fraction of $\sim 1\,000$ ppm. The recovered water fraction from the Tricanter will enter a buffer tank, for further treatment downstream. The expected solids content of the recovered water is 5000 – 10 000 ppm. The oil discharge from the Tricanter will enter a buffer tank for disposal (by others). Similarly, the solids/sludge discharge from the Tricanter, will also be disposed of.

Heat exchanger and flocculant dosing

The separated water from the Tricanter enters a buffer tank, from where it is pumped to the secondary separation unit, a Disc Stack Centrifuge. Upstream of the unit, the effluent is heated again to ensure the effluent is at the optimal temperature (75°C - 85°C) for best possible separation. A flocculant is also injected to aid the downstream separation process.

Disk stack centrifuge

The recovered water is treated further via Disc Stack Centrifuge for the removal of residual oil. The disc stack centrifuge is a type of high-speed centrifuge used to separate liquids and solids or different liquid phases based on their densities.

The preheated effluent (via heat exchanger) enters the disk stack centrifuge, after injection of additional flocculant in-line. An automatic filter is installed in-line, preventing any coarse particles from reaching the bowl and blocking the rising channel within the disc stack. The effluent flows from above into the center of the separator bowl. The heavy water phase is separated from the finest oil particles and is conveyed under pressure by a centripetal pump to the discharge. The separated impurities accumulated in the sludge space are discharged into the sludge tank periodically.

The clean water (product) is monitored by an in-line oil monitor, before being discharged into the product water tank. Should the oil content exceed the required level (5 – 10 ppm), the off-spec product is automatically routed back to the inlet buffer tank, upstream of the heat exchanger. The oil fraction is discharged separately into the oily waste buffer tank.

The Disc Stack Centrifuge is an automatic, self-cleaning unit. The unit is designed based on continuous operation. The unit only needs to be flushed when the unit is stopped. Flushing can be done with water at 75°C. This unit will perform ejections (desludges) continuously to remove the solids from the bowl while in operation to reduce downtime as no opening of the bowl etc. is required while operating.

The solids ejection takes place automatically. The desludging frequency depends on the solids loading and therefore depends on the upstream decanter centrifuge efficiency in terms of particle removal. For this application, since the feed to the machine will be the recovered liquid from the Tricanter, the desludging ejection frequency is expected to be > 60 mins. The expected residual oil from the disk stack centrifuge is 5 - 10 ppm.




Figure 8: Slops unit process flow

Treated effluent resulting from drilling and produced water is generally limited in reuse by the total concentration of dissolved solids (i.e., salts) and as such the treated effluent will be discharged into the evaporation ponds or the municipal wastewater treatment works.

2.4.3 Temporary storage of waste

The facility will cater for the temporary storage of hazardous and non-hazardous waste. Waste (solids and liquids) will be temporarily stored in suitable, bunded containment facilities on site.

2.4.4 Other containerized wastes

While the primary waste streams generated during the offshore drilling phases are drill cuttings and drilling slops; offshore O&G exploration projects generate a variety of other waste streams in significantly smaller quantities. These include a wide variety of common wastes such as packaging, recyclables, sewage and domestic effluent, scrap metals and similar. In addition to these, there are industrial hazardous waste streams such as used and redundant chemicals, chemical containers and paints.

General waste will be separated into recyclables and non-recyclables at the source. Non-recyclables will be transported for disposal at a suitable landfill. Recyclables will be sorted at the existing Materials Recovery Facility (MRF) in Walvis Bay and will be bailed and transported to suitable recycling facilities. Hazardous waste will be transported for disposal at a suitable landfill.

Once exploration is complete and production occurs, there are additional waste streams that are produced from the production of hydrocarbons. In this case, Namwaste anticipates large volumes of produced water (potentially contaminated with hydrocarbons and salts) as well as tank bottoms which are largely comprised of heavy, long-chain hydrocarbons and other solids.

2.5 Ancillary Infrastructures

The following ancillary infrastructures will be developed on site:

2.5.1 Fuel Storage tanks

The facility will have a fuel storage tank with capacity of 23 000L, of diesel for refuelling of the trucks. The facility will have the following:

- There will be 1 - 2 dispensing points.
- The site will be under 24-hour security, fenced in and gated with access control on a 24-hour basis.
- It will be a double wall tank in accordance with EN12285 standards.
- Spill containment infrastructure, with an oil/water separator will be installed to protect against spillages in accordance with the Ministry of Mines and Energy's requirements.
- The proposed facility will include bund walls and floors with traps to contain spillages which might happen during the handling of diesel.
- The tank will be linked via underground pipes to the relevant fuel dispenser points (curbside pump).
- The curbside pump will be installed over a spill slab with a trap to prevent any spilled diesel from leaching into the soil. The trap sump will be linked to a 3-chamber separator which will collect any spilled diesel for proper disposal.
- The driveway areas will be paved. The tank will be supplied with fuel by road tankers (operated by properly licensed operators and drivers) which will discharge via filler points.

Filling of the tank will be carried out on an “as and when required” basis, but it is envisaged that tanks will require filling on average two times per month.

- A concrete slab will be constructed around the island, under the canopy (around pumps), over the tank and around the filler point.
- The refuelling area is covered by an overhead canopy.
- The entire driveway area, the area surrounding the dispensing points and area below the canopy will be raised by land infill and sloped and landscaped and provided with proper drainage in order not to be subject to storm water damage/flooding.

2.5.2 Tanker and Skip Washing Bay

After off-loading the waste, the tanks and skips will be washed before leaving the site to avoid cross contamination. Contaminated water from the wash bay and workshop area, as well as from the waste treatment facility area will be contained in suitable containment facility.

2.5.3 Stormwater/contaminated runoff management infrastructure

All storage will be bunded. The site will have stormwater diversion to limit and control run-on. Run-off from working areas will be segregated and directed towards ponds/dams for evaporation. Pavements and potentially contaminated areas will have fats, oils and grease (FOGs) separation.

Run-off from non-working areas will be controlled to limit potential for erosion and prevent co-mingling. There will be no uncontrolled discharge from the site.

The following water management measures will be implemented on the site:

- Installation of a network of background (upstream) and detection (downstream) boreholes for groundwater quality monitoring purposes in line with authorisation requirements as determined by the Competent Authority.
- Monitoring of surface and ground water quality in line with authorisation requirements as determined by the Competent Authority.
- Immediate removal of all waste spillages along roads within the site followed by appropriate treatment or disposal.
- Spill kits will be available on site to contain and rehabilitate spillages on site.
- All contaminated soil at any spills will be collected, treated if required, and then disposed of responsibly.
- Diesel, fuel, and oil will be stored in tanks kept within bund walls to contain spills. The volume within the bund walls must be able to contain at least 110% of the maximum contents of the tanks. Where more than one container or tank is stored, the bund must be capable of storing at least 110% of the largest tank or 25% of the total storage capacity, whichever is greater.

- Contaminated water from the wash bay and workshop area, as well as from the waste treatment facility will be contained in suitable containment facilities.

2.5.4 Evaporation Ponds

Treated effluent from the waste treatment process will be discharged into the evaporation ponds on site and left to evaporate, relying on both natural and enhanced evaporation to reduce the water volume sufficiently. The brine from cleaning of the evaporation pond will be pre-treated on site to reduce the water content, prior to disposal to an approved disposal site. The development of two evaporation ponds is proposed to be sized 7 000 m² and 10 000 m² respectively each with a containment barrier of a 1mm HDPE liner. The evaporation dam will be designed to evaporate 2500m³/month (with a 30% margin of risk) and a depth of 1 m (below surface), with a freeboard of 0.5m (above surface).

2.5.4.1 Enhanced Passive Evaporation Process

The targeted evaporation from the ponds is 2 500 m³/month. It was found that this level of evaporation cannot be achieved through natural evaporation alone, and therefore alternatives were investigated for enhanced evaporation. Mechanical surface evaporators are used to increase evaporation from evaporation ponds and have many references worldwide.

Floating units (as shown in Figure 9) have specifically been designed for areas where there is very stringent legislation regarding spray drift and potential negative impacts on the surrounding environment.

The floating units are sprayer-less evaporators, which therefore negates the problems with spray-drift. The unit sucks in fresh, less humid air from above the pond and forces it down into the boundary layer of impoundment surface, sweeping the boundary layer, and enhancing the evaporation rates. The process also causes small waves on the surface of the evaporation dam, thereby increasing the surface area, which means more evaporation surface area enhancing the natural evaporation. For the required evaporation rate for this application, it is envisaged that ~20 units are required.



Figure 9: Floating surface evaporator unit for enhanced evaporation

2.5.5 Site Access

The proposed site can be accessed through the D1983 gravel road from the M36 road. A site access road of approximately 1.2km will be constructed from the existing D1983 as shown on Figure 10.



Figure 10: Site Access Road

2.5.6 Water Supply

The facility will require approximately 25m³ per day of water. The water supply pipeline will be constructed from the existing Namwater connection point located approximately 2.5km north of the proposed site as shown in Figure 11.




Figure 11: Water Supply route

2.5.7 Electricity Supply

The facility will require a maximum electricity supply of 2500 kVA - TCC + 750 kW Disc Stack centrifuge/Slops treatment process + 110 kW Enhanced Passive Evaporation process for use on site. The electricity will be sourced from the existing connection point located approximately 200m east of the site as shown in Figure 12.



Figure 12: Electricity Supply Route

2.5.8 Sewage Treatment

Sewage will be treated on-site through the sewage package plant, the solid waste will be disposed of at the landfill site and the treated water will be discharged into the environment, depending on the quality or discharged into the evaporation pond or stored in septic tank for transportation and discharge at the municipal wastewater plant.

2.6 Operating hours, staffing, access control and security

There will be no public access to the site. Only authorized and pre-approved transporters will be granted access to the site.

2.6.1 Operating hours

General operations will take place daily from 07h00 am – 17h00 on weekdays (i.e., Monday - Friday). On Saturdays, operations will be conducted from 07h00 am – 13h00. On public holidays and Sundays, operations are limited, and the site is closed. However, due to the nature of O&G operations, treatment plants and similar operations require to be conducted 24 hours per day, 7 days per week schedule. This is specific to the following activities:

1. Collection of waste from the port and return of empty containers to the vessels which will include night travel;
2. Operation of the cuttings treatment unit; and
3. Operation of the Slops Treatment Unit may be required to be operated 24 hours per day.

2.6.2 Staffing

The proposed staffing in terms of types of employment and number of employees is indicated in Table 4.

Table 4: Proposed staffing.

Staff	Number of employees
General manager and deputy	2
HSE supervisor	2
Administrative	3
Laboratory analyst	2
Supervisors	9
Deputy supervisors	6
Yellow plant	6
Mechanical plant	12
Drivers/assistants	36
General workers	18
Total	96

2.6.3 Access control and security

The entire facility will be fenced with at least a 2.4m high fence. Security access at gates will be controlled. 24-hour security will be in place at all times.

General operations will take place daily from 07h00 am – 17h00 on weekdays (i.e., Monday - Friday). On Saturdays, operations will be conducted from 07h00 am – 13h00. On public holidays and on Sundays operations are limited, and the site is closed for deliveries.

2.7 Construction and operational timelines

The interim project timelines are provided in Table 5.

Table 5: Provisional Project Timelines.

Timeline	Activity
August 2025 - December 2025	ESIA
September 2026 – September 2027	Construction • Fencing of the area • Earthwork to level the terrain • Connection to water, electricity and sewage networks • Civil engineering • Equipment assembly
September 2027 – December 2028	Commence with site commissioning
January 2029	Commence with site operations

ANNEXURE G

Proof Of Public Notification for Final ESIA Review

Namwaste: Walvis Bay ESIA Public Review



Heidi <heidri@udanam.com>

To: 'mugonena@ncaa.na'; 'stephan@eccenvironmental.com'; 'Mattheus.Hambabi@mawf.gov.na'; 'support@erongored.com.na'; 'rcampbell@meatco.com.na'; 'Margaret.Kalo@mawf.gov.na'; 'gwamakali@gmail.com'; 'Percy.Miska@mawf.gov.na'; **+49 others**
Cc: 'Lloyd Lynch'

Reply Reply All Forward ...

Wed 26/01/2026 2:15 pm

Click here to download pictures. To help protect your privacy, Outlook prevented automatic download of some pictures in this message.

Dear stakeholder,

We welcome you to review the Environmental Scoping, Impact Assessment and Management Plan report for the proposed Waste Management Facility in Walvis Bay, with Namwaste (Pty) Ltd as the project proponent. Knight Piésold Consulting (Pty) Ltd (KP) has been appointed as the Independent Environmental Assessment Practitioner to manage the Environmental Clearance Certificate (ECC) application process.

Notice is hereby given in terms of the Environmental Management Act, 7 of 2007 and Regulation 21 of the Environmental Impact Assessment (EIA) Regulations (January 2012) that the draft report for the abovementioned proposed Project has been made available online for a 14-day public review period from 28 January – 12 February 2026. To ensure that your issues and/or comments are included in the final report, these should be provided to KP in writing to the addresses provided below by 12 February 2026:

- Project - namwastewalvisbay@knightpiessold.com
- Lloyd Lynch - lynnch@knightpiessold.com
- Joseph Mulders - jmulders@knightpiessold.com
- Heidi Bindemann-Nel - heidri@udanam.com

The draft report and associated appendices can be accessed by the link below:

[Namwaste WB - Project Sites](#)

Kind Regards

Lloyd Lynch

Senior Environmental Scientist
Knight Piésold (Pty) Ltd.

T: +27 11 806 7111
1 Discovery Place, The Ridges, Sandhurst
Sandton | Gauteng | 2196 | South Africa