

## **Environmental Impact Assessment (EIA) Study: Scoping Report**

The Proposed Construction and Operation of a New Telecommunication Guyed Mast Tower (Naimanya Site) and Associated Activities in the Kavango West Region - Application for Environmental Clearance Certificate (ECC)



ECC Application No.: APP-005347

Document Type: Scoping Report

Version: Final for Submission

Proponent: Mobile Telecommunications Limited

P. O. Box 23051 Windhoek, Namibia



### **DOCUMENT INFORMATION**

Title: Environmental Impact Assessment (EIA) Study for the Proposed Construction and Operation of a New Telecommunication Guyed Mast Tower (Naimanya Site) and Associated Activities in the Kavango West Region – Application for Environmental Clearance Certificate (ECC)

## Prepared by:

Author / Environmental	Fredrika N. Shagama		
Assessment Practitioner (EAP):	•		
Assessment Practitioner (EAP):  Qualifications:	Market proposal de la Market participa del Market participa de la Market participa del Market participa de la Market participa del Market participa del Market participa del Market participa del Market participa de la Market participa de la Market participa del Market participa de la Market participa del Marke		
Professional Affiliations:	Environmental Assessment Professionals of Namibia (EAPAN) - Practitioner (Membership No. 183); Geoscience Council of Namibia (GSCN) — Geoscientist, Registration No. GSCN/G-057; International Association of Hydrogeologists (IAH) - Full Member, Membership No.139790; Namibian Hydrogeological Association (NHA) — Member		
Contact Details:	Mobile No.: +264 81 749 9223; eias.public@serjaconsultants.com  Postal Address: P.O. Box 27318 Windhoek, Namibia		
Signature:	1 trans		
Date:	07/04/2025		
	PROPONENT DETAILS		
Proponent:	Mobile Telecommunications Limited		
Name of Representative & Role:	: Tuhafeni Erastus Coordinator: Site Sharing and Network Development		
Contact details:	+264 81 3251726 TErastus@mtc.com.na		
Signature:	E. A. A.		
Date:	07/04/2025		

# **SERJA'S STATEMENT OF INDEPENDENCE**

As the Appointed Environmental Consultant to undertake the EIA Study for the Proposed Construction and Operation of a New Telecommunication Guyed Mast Tower (Naimanya Site) and Associated Activities in the Kavango West Region, Serja Hydrogeo-Environmental Consultants cc declares that we:

- do not have, to our knowledge, any information or relationship with Mobile Telecommunications Limited (MTC Namibia or Proponent) or the Ministry of Environment, Forestry and Tourism (MEFT)'s Department of Environmental Affairs and Forestry (DEAF) that may reasonably have potential of influencing the outcome of this EIA Study and the subsequent Environmental Clearance Certificate (ECC) applied for.
- have knowledge of and experience in conducting environmental assessments, the Environmental Management Act (EMA) No. 7 of 2007, and its 2012 Environmental Impact Assessment (EIA) Regulation, as well as other relevant national and international legislation, guidelines, policies, and standards that govern the proposed project as presented herein.
- have performed work related to the ECC application in an objective manner, even if the results in views and findings, or some of these may not be favorable to the Proponent.
- have complied with the EMA and other relevant regulations, guidelines and other applicable laws as listed in this document.
- declare that we do not have and will not have any involvement or financial interest in the
  undertaking/implementation of the proposed project, other than remuneration (professional fees)
  for work performed to conduct the EIA and apply for the ECC in terms of the EIA Regulations'
  requirement as an Environmental Assessment Practitioner (EAP).

<u>Disclaimer:</u> Serja Hydrogeo-Environmental Consultants will not be held responsible for any omissions and inconsistencies that may result from information that was not available at the time this document was prepared and submitted for evaluation.

.....

Michagama

Signature:

Fredrika N. Shagama: Principal Environmental Assessment Practitioner & Hydrogeologist

Date: 04 April 2025

#### **EXECUTIVE SUMMARY**

Mobile Telecommunications Limited (hereinafter referred to as MTC Namibia or the Proponent) proposes to construct and operate an 80m high guyed mast telecommunication tower at Naimanya in the Kavango West Region (the project site). The site is internally referred to by MTC as the Naimanya Tower Site.

The proposed tower is planned for a 9m x 9m project site (footprint) located at Naimanya, about 35km south of Nkurenkuru Town in the Tondoro Constituency, Kavango West Region (coordinates: -17.928040, 18.577170), under the Ukwangali Traditional Authority.

### **Proposed Project Activities**

The anticipated project phases for the proposed tower establishment and operation are as follows:

- <u>Planning and Design:</u> The structure proposed for the Naimanya site is an 80m high guyed structure
  that will host 3x dual-band antennae and 1x microwave dish. According to the Proponent, the
  selection of the tower site was based on radio access network rural coverage for both voice and
  data services. Access to the site will be limited to authorised personnel only.
  - The structure will be mounted to a concrete foundation and will require supporting cables, which is typical for guyed structures. The physical assembling of the network structure and the construction of the foundations will take place on the site by using manual labour as far as possible. To protect the network structure from lightning, it will be earthed.
- Site Preparation and Construction: Construction works for this project will include excavation, concrete civil works, and tower rigging. There will be minimal earthworks required to prepare the sites for the tower construction and installation. The construction of the concrete foundation for the tower will take place onsite by using manual labor as far as possible. The construction work is anticipated to take 2 to 3 months, and the construction activities will be limited to normal working hours, i.e., 08h00 and 17h00.
- For security purposes, the tower site will be fenced off to restrict access to authorized personnel (such as the maintenance team) only and prevent vandalism. A contractor will be appointed to carry out the tower construction/installation.
  - The appointed contractor will have to make arrangements for the logistics (including accommodation and transport to the construction site) of their workforce. MTC and their appointed contractor for construction will be required to adhere to health, safety, and environmental requirements for construction and operation (as well as maintenance) to be presented in the Draft EMP for the project.
- Operations and Maintenance Phase: During this phase, the tower is operational and providing telecommunication signals to the communities of Naimanya and the surrounding areas that can be serviced by the new tower.

Telecommunication sites (towers) usually require very little maintenance; for instance, any software upgrading will be done mainly from MTC's head offices in Windhoek. For the upgrading of hardware (when required), this will be done on site by the MTC maintenance team/department according to maintenance schedules, when and as necessary. A minimum of two people will be required to carry out hardware maintenance onsite, particularly for tower climbing (safety concerns such as fall arrest). MTC is required to adhere to environmental, health, and safety measures to be provided in the Draft EMP.

### Communication with I&APs, and Means of Consultation Employed

Communication with I&APs with regards to the proposed development was facilitated through the following means and in this order:

- A Background Information Document (BID) containing brief information about the proposed project
  was compiled and hand delivered to the Ministry of Environment, Forestry and Tourism (MEFT)
  accompanying the ECC application, and uploaded on the MEFT (ECC) Portal for project
  registration and shared with registered Interested and Affected parties (I&APs).
- A Background Information Document (BID) containing brief information about the proposed project was compiled, uploaded on the MEFT (ECC) Portal for project registration, and circulated to the registered stakeholders/Interested and Affected parties (I&APs).
- A Stakeholders' (I&AP) List was developed and updated as new I&APs register for the EIA. The
  BID was shared with the pre-identified key stakeholders from national to local levels via email
  alongside the invitation to the consultation meeting.
- Project Environmental Assessment notices were published for two consecutive weeks in the *New Era* and *Windhoek Observer* (on the 10<sup>th</sup> and 17<sup>th</sup> of April 2025). The consultation period ran from the 10<sup>th</sup> of March 2025 to the 17<sup>th</sup> of April 2025.
- A3-size poster for public notice was compiled and pasted in the area and the Kavango West Regional Council office notice board.
- A consultation meeting was scheduled in Naimanya Village on the 26<sup>th</sup> of March 2025. The meeting
  was attended by twenty-one (21), including two environmental assessment practitioners from Serja
  Consultants. Meeting minutes were taken, and the attendance register from the meeting was
  signed by attendees.

Impact identification and assessment: Some key potential positive and negative impacts were identified by the Environmental Consultant based on project experience (since there were no comments or issues raised by I&APs during the consultation period). The potential impacts were described and assessed in this Report and mainly have a medium rating of significance pre-implementation of mitigation measures. The management and mitigation measures to the impacts have been provided in the Draft EMP (in the form of action measures) for implementation by the Proponent, their contractors, and workers to avoid and/or

minimize their significance on the environmental and social components. The effective implementation of the recommended management and mitigation measures, accompanied by monitoring, will particularly see the reduction in the significance of adverse impacts that cannot be avoided completely (from slightly high to medium rating and then low rating until negligible level) as follows:

- Physical disturbance to the site soils (during construction): pre-mitigation medium and post-mitigation low,
- Environmental pollution (littering): pre-mitigation medium rating and post-mitigation low rating,
- Occupational and community health and safety risks (during construction and maintenance): premitigation – medium rating and post-mitigation – low rating,
- Health and safety issues related to Electromagnetic Radiation emitted from the tower antennae
  may affect human health: pre-mitigation medium to slightly high rating, and post-mitigation –
  medium rating and eventually low rating (upon effective implementation of measures),
- Civil Aviation impact: pre-mitigation medium rating and post-mitigation low rating,
- Visual and aesthetic: pre-mitigation medium rating and post-mitigation low rating,
- Noise from construction activities: pre-mitigation medium rating and post-mitigation low rating,
   and
- Archaeological and Heritage resources: pre-mitigation medium rating and post-mitigation low rating.

The Scoping assessment of the EIA Study was deemed sufficient and concluded that no further detailed assessments are required for the ECC application for the proposed tower.

Serja Consultants are confident that the potential negative impacts associated with the proposed project can be managed and mitigated by the effective implementation of the recommended management and mitigation measures, and with more effort and commitment put on monitoring the implementation of these measures.

It is therefore recommended that the proposed tower be granted an ECC, and provided that:

- All the management and mitigation measures provided herein are effectively and progressively implemented.
- All required permits, licenses, and approvals for the proposed activities should be obtained as required and ensuring compliance with associated specific legal requirements.
- Transparency in communication and continued engagement with the stakeholders, specifically the
  respective land owner/custodian as well as other key stakeholders, should be maintained before
  and throughout the project.
- The Proponent, their project workers or appointed contractors, comply with the legal requirements governing their project and its associated activities and ensure that project permits and or approvals

required to undertake specific site activities are obtained and renewed as stipulated by the issuing authorities.

- Site areas where earthworks are carried out should be rehabilitated, as far as practicable. This
  includes the levelling of stockpiled topsoil, backfilling of construction trenches and pits.
- The EMP implementation should be checked and done by the responsible team member onsite (Environmental Control Officer (ECO) or Health, Safety & Environmental (HSE) Officer) and audited by an Independent Environmental Consultant on an annual basis to compile Environmental Monitoring (Audit) Reports. These reports are to be submitted to the DEAF as it will be required by the Environmental Commissioner (as part of the ECC conditions).

It can be concluded that some of the identified negative impacts may be significant, particularly during the operational phase, but they would not hinder the proposed tower implementation. However, the recommended measures should be effectively implemented and monitored. This is to ensure that the significance of adverse impacts is reduced to acceptable ratings, i.e., from high to medium and then low, or from medium to low, and eventually to a negligible significance rating. The effectiveness of the implementation of the management and mitigation measures and EMP compliance will be assessed by a responsible Officer and audited by an Independent Environmental Consultant on an annual basis. This is done so that recommended measures can be tracked via Bi-Annual Environmental Monitoring exercises and documented in the monitoring reports to the Environmental Commissioner.

The monitoring of EMP implementation will not only be done to ensure that the impact's significance is reducing and or maintaining a low significance rating, but also to ensure that all potential impacts that might arise during implementation are properly identified in time and addressed immediately.

# **TABLE OF CONTENTS**

D	OCUME	ENT	NFORMATION	i
E	XECUT	IVE S	SUMMARY	iii
T	ABLE O	F CC	ONTENTS	vii
LI	ST OF	FIGL	IRES	viii
LI	ST OF	TABI	.ES	ix
LI	ST OF	APPI	ENDICES	ix
LI	ST OF	ABBI	REVIATIONS	ix
G	LOSSA	RY (	KEY TERMS)	xi
1	INTE	RODI	JCTION	1
	1.1	Proj	ect Background and Location	1
	1.2	The	Need and Desirability of the Proposed Project	2
	1.3	The	Need for an EIA and Environmental Clearance Certificate (ECC)	2
	1.4	App	ointed Independent Environmental Consultant	3
	1.5	App	lication for the Environmental Clearance Certificate	3
	1.6	Sco	pe of Work and Report Contents	4
2	DES		PTION OF THE PROPOSED PROJECT ACTIVITIES	
	2.1	Plan	ning and Design	6
	2.1.1	1	Proposed Design and Network Structure	6
	2.1.2	2	Antennae	7
	2.1.3	3	Site Selection Criteria	7
	2.1.4	1	Sharing of Sites (Structures)	7
	2.2	Site	Preparation and Construction	8
	2.2.1	1	Required Resources and Services	8
	2.3	Ope	rations and Maintenance Phase	9
	2.4	Dec	ommissioning and Rehabilitation of Disturbed Areas Onsite	9
3	PRC	JEC	T ALTERNATIVES	11
	3.1	The	"No-go" Alternative	11
	3.2	Loca	ation of the Tower	11
	3.3	Alte	rnative for the Type of Structure	11
	3.4	Stru	cture sharing as per the Communications Act No. 8 of 2009	13
	3.5	Site	Accessibility	13
	3.6	Serv	rices Infrastructure	13
4	APP	LICA	BLE LEGAL FRAMEWORK	15
	4.1	Nati	onal and Local Legal Framework and Policies	15
	4.1.1	1	Environmental Management Act No. 7 of 2007	15

	4.1.	2 Communications Act No. 8 of 2009	15
	4.2	International Policies, Principles, Standards, Treaties, and Conventions	22
5	THE	RECEIVING ENVIRONMENT	24
	5.1	Fauna and Flora	24
	5.2	Climate	25
	5.3	Landscape and Topography	25
	5.3.	1 Geology and Soils	26
	5.4	Social and Economic Environment	28
	5.4.	1 Demography	28
	5.4.	2 Economic Activities	28
	5.5	Infrastructure and Services	29
6	PUE	BLIC CONSULTATION AND PARTICIPATION PROCESS	30
	6.1	Pre-identified and Registered Interested and Affected Parties (I&APs)	30
	6.2	Communication with I&APs and Means of Consultation Employed	30
	6.3	Feedback and Issues Raised by the Stakeholders (I&APs)	32
7	IMP	ACTS IDENTIFICATION, ASSESSMENT, AND MEASURES	33
	7.1	Identification of Potential Impacts	33
	7.1.	1 Positive Impacts (benefits)	33
	7.1.	2 Adverse (Negative) Impacts	33
	7.2	Impact Assessment Methodology	34
	7.3	Impact Significance	35
	7.1	Description and Assessment of Potential Impacts	36
8	REC	COMMENDATIONS AND CONCLUSIONS	45
9	LIS	OF REFERENCES	48
	ICT OF	FIGURES	
		1: Locality map of the proposed MTC Naimanya Tower	1
F	igure 1-	2: Naimanya Site land use map	2
		1: Typical red and white painted guyed mast tower structures in Namibia (source: MTC Namib	
		://powercom.na/)2: Different types of panel-type antennae	
F	igure 3-	1: Types of network structures: A - Lattice, B - Monopole, C - Camouflage, and D – Guyed	12
	-	1: The vegetation structure of the site area	
		2: Some young trees and shrubs around the site	
	•	4: The geology of the site area	
F	igure 5-	5: The dominant soil types around the site	28
F	igure 5-	6: The infrastructure map of the site area	29

-	lic notice posters in the Naimanya Village and the Kavango West Regional Council in31
	sultation meeting in Naimanya Village on the 26 <sup>th</sup> of March 202531
LIST OF TAB	LES
Table 3-1: The Table 4-1: List of Table 4-2: Other Table 7-1: Crite Table 7-2: Impartable 7-3: The	gn details for the Naimanya Tower Site
LIST OF APP	ENDICES
Appendix A:	Draft Environmental Management Plan (EMP)
Appendix B:	Curriculum Vitae (CV) of the responsible Environmental Assessment Practitioner (EAP)
Appendix C:	Proof of Stakeholder Consultation and Engagement
	C1 – Email communication (BID) and meeting invitation sent to the stakeholders/I&APs
	C2 - EIA Notification in the newspapers (New Era and Windhoek Observer)
	C3 – Original A3 Public Notice pasted in Naimanya and Nkurenkuru (Kavango West Regional Council)
	C4 - Consultation and engagement meeting minutes and register
Appendix D:	Land Use Consent letter issued by the relevant authority

### **LIST OF ABBREVIATIONS**

Abbreviation	Meaning
3G/4G	Third and Fourth Generation of Wireless Mobile Telecommunications Technology
AC	Alternating Current
ARPANSA	Australian Radiation Protection and Nuclear Safety Agency
BID	Background Information Document
BTS	Base Transceiver Station
CRAN	Communications Regulatory Authority of Namibia
DEAF	Department of Environmental Affairs and Forestry

Abbreviation	Meaning	
EA	Environmental Assessment	
EAP	Environmental Assessment Practitioner	
EAPAN	Environmental Assessment Professionals of Namibia	
ECC	Environmental Clearance Certificate	
EIA	Environmental Impact Assessment	
EMA	Environmental Management Act	
EMF OR EME	Electromagnetic Fields or Electromagnetic Emission	
EMP	Environmental Management Plan	
GG	Government Gazette	
GN	Government Notice	
I&APs	Interested and Affected Parties	
ICAO	International Civil Aviation Organisation	
ICNIRP	International Commission on Non-Ionizing Radiation Protection	
MEFT	Ministry of Environment, Forestry and Tourism	
MHSS	Ministry of Health and Social Services	
MICT	Ministry of Information and Communication Technology	
MTC Namibia	Mobile Telecommunications of Namibia	
NAC	Namibia Airports Company	
NCAA	Namibia Civil Aviation Authority	
NHC	National Heritage Council (NHC) of Namibia	
NORED	The Northern Regional Electricity Distributor	
NRPA	National Radiation Protection Authority of Namibia	
PPE	Personal Protective Equipment	
Reg, S	Regulation, Section	
RF	Radio Frequency	
SAR	Specific Energy Absorption Rate	
SHE	Safety, Health & Environment	

Abbreviation	Meaning
WHO	World Health Organization

# **GLOSSARY (KEY TERMS)**

Term	Definition	
Alternative	A possible course of action, in place of another that would meet the same purpose and need of the proposal.	
Base Transceiver Station (BTS)	A fixed radio transceiver in any mobile network. The BTS connects mobile devices to the network. It sends and receives radio signals to mobile devices and converts them to digital signals that it passes on the network to route to other terminals in the network or to the Internet (https://www.gartner.com/en/information-technology/glossary/bts-base-transceiver-station). A base station system consists of a collection of equipment (transceivers, controllers, etc)	
Baseline	Work done to collect and interpret information on the condition/trends of the existing environment.	
Biophysical	The part of the environment that does not originate with human activities (e.g., biological, physical, and chemical processes).	
Cumulative Impacts / Effects Assessment	Concerning an activity, it means the impact of an activity that may not be significant but may become significant when added to the existing and potential impacts eventuating from similar or diverse activities or undertakings in the area.	
Decision-maker	The person(s) entrusted with the responsibility for allocating resources or granting approval to a proposal	
Ecological Processes	Processes that play an essential part in maintaining ecosystem integrity. Four fundamental ecological processes are the cycling of water, the cycling of nutrients, the flow of energy, and biological diversity (as an expression of evolution).	
Environment	As defined in Environmental Management Act - the complex of natural and anthropogenic factors and elements that are mutually interrelated and affect the ecological equilibrium and the quality of life, including – (a) the natural environment that is land, water, and air; all organic and inorganic matter and living organisms and (b) the human environment that is the landscape and natural, cultural, historical, aesthetic, economic and social heritage and values.	

Term	Definition	
Environmental Management Plan	As defined in the EIA Regulations (Section 8(j)), a plan that describes how	
(Draft EMP)	activities that may have significant environmental effects are to be mitigated,	
	controlled, and monitored.	
Guyed mast towers	These types of towers are made of straight rods arranged in a triangular shape,	
	but they are supported by wires at all angles. These types of towers are very	
	tall/high and can reach up to 600m and are used to hold antennae high above	
	ground so that there is a stronger signal and better mobile reception. In dense	
	forest or mountainous/hilly areas, guyed towers are high to overcome	
	vegetation height and help transmit the signal over a wide area above the tree	
	canopy/vegetation (where vegetation can be thick and obstruct signal transmission).	
Interested and Affected Party	In terms of the assessment of a listed activity includes - (a) any person, group	
(I&AP)	of persons, or organization interested in or affected by an activity; and (b) any	
	organ of state that may have jurisdiction over any aspect of the activity.	
Fauna and Flora	The animals and plants found in an area.	
Mitigate	Practical measures to reduce adverse impacts.	
Mitigation	The purposeful implementation of decisions or activities that are designed to	
	reduce the undesirable impacts of a proposed action on the affected environment	
Monitoring	Activity involving repeated observation, according to a pre-determined	
	schedule, of one or more elements of the environment to detect their characteristics (status and trends).	
Network or cell towers	Also known as cell sites, they are where electric communications equipment	
	and antennae are mounted, allowing the surrounding area to use wireless	
	communication devices like telephones and radios. Cell towers are usually built	
	by a tower company or a wireless carrier when they expand their network	
	coverage or capacity, providing a better reception signal in that area	
	(https://millmanland.com/company-news/what-is-a-cell-tower-and-how-does-a-cell-tower-work/).	
Proponent	Organization (private or public sector) or individual intending to implement a	
	development proposal. As defined in the Environmental Management Act, the	
	Proponent is a person who proposes to undertake a listed activity.	
Public Consultation/Involvement	A range of techniques can be used to inform, consult, or interact with	
	stakeholders affected by the proposed activities.	

Term	Definition	
Protected Area	Refers to a protected area that is proclaimed in the Government Gazette	
	according to the Nature Conservation Ordinance number 4 of 1975, as	
	amended.	
Scoping	An early and open activity to identify the impacts that are most likely to be significant and require specialized investigation during the EIA work. Can also be used to identify alternative project designs/sites to be assessed, obtain local knowledge of the site and surroundings, and prepare a plan for public involvement. The results of scoping are frequently used to prepare a Terms of Reference for the specialized input into a full EIA.	
Significant impact	Means an impact that, by its magnitude, duration, intensity, or probability of occurrence, may have a notable effect on one or more aspects of the environment	

### 1 INTRODUCTION

## 1.1 Project Background and Location

Mobile Telecommunications Limited (hereinafter referred to as MTC Namibia or the Proponent) proposes to construct and operate an 80m high guyed mast telecommunication tower at Naimanya in the Kavango West Region (the project site). The site is internally referred to by MTC as the Naimanya Tower Site.

The proposed tower is planned for a 9m x 9m project site (footprint) located at Naimanya, about 35km south of Nkurenkuru Town in the Tondoro Constituency, Kavango West Region (coordinates: -17.928040, 18.577170), under the Ukwangali Traditional Authority. The locality map and land use map are shown in Figure 1-1 and Figure 1-2, respectively.



Figure 1-1: Locality map of the proposed MTC Naimanya Tower




Figure 1-2: Naimanya Site land use map

## 1.2 The Need and Desirability of the Proposed Project

MTC Namibia is committed to providing reliable telecommunication services to its clients (businesses, residents, and travellers) both in urban and rural areas of Namibia. Furthermore, modern society heavily relies on telecommunications from telephones, cellphones, and other electronic devices for information sharing and connections. Thus, to ensure that mobile connection services run smoothly and conveniently, the service infrastructure needs to be up to standard to provide better quality coverage to the mobile users.

The need for the tower is also aimed at providing additional capacity, thus reducing the congestion problems and improving the coverage in the area.

# 1.3 The Need for an EIA and Environmental Clearance Certificate (ECC)

Telecommunication structures and related infrastructures are among the listed activities that may not be undertaken without an ECC under the Environmental Management Act (EMA) (2007) and its 2012 Environmental Impact Assessment (EIA) Regulations. The relevant listed activities as per EIA regulations are:

Listed Activity 10: Infrastructure 10.1 The construction of (g) Communication networks including towers, telecommunication, and marine telecommunication lines and cables;

(j) Masts of any material or type and any height, including those used for telecommunication, broadcasting, and radio transmission, but excluding - (i) flag poles; and (ii) lightning conductor poles.

The EIA process will entail a baseline assessment of the biophysical & social environment and public consultation. The findings of the EIA process are then incorporated into an EIA Scoping Report, and a Draft EMP will also be developed for the proposed project activities.

The ECC application is submitted to and registered with the Ministry of Environment, Forestry and Tourism (MEFT) as the environmental regulatory authority. Once the ECC is issued by the Environmental Commissioner, the Proponent will plan for the activities and thereafter commence with the tower construction activities and subsequently, its operations and maintenance.

The purpose of the EIA Study and subsequent issuance of the ECC is therefore to ensure that the proposed project activities are undertaken in an environmentally & socially friendly and sustainable manner, through the effective implementation of recommended environmental management measures to minimize the adverse identified impacts while maximizing the positive impacts.

## 1.4 Appointed Independent Environmental Consultant

To comply with the EMA and its Regulations and ensure environmental management, protection, and sustainability, the Proponent appointed Serja Hydrogeo-Environmental Consultants CC, Independent Environmental Consultants, to apply for the ECC and conduct the required Environmental Assessment Process, which includes Public Consultation and prepare the Scoping Report and EMP (Appendix A).

The EIA process (stakeholder / public consultation and engagement, including consultation meeting facilitation) and environmental mapping were conducted and done by Mr. Stefanus Johannes, respectively. Mr. Johannes is an experienced Environmental Assessment Practitioner (EAP) and qualified and experienced GIS Specialist/Cartographer with over 4 years of experience in Natural Resources Management Consulting and Mapping (Geospatial Analysis). The EIA Scoping, EMP, and associated documents were compiled by Ms. Fredrika Shagama. Ms. Shagama is a qualified and experienced Hydrogeologist and Environmental Assessment Practitioner by training and experienced with over 10 years of experience in Groundwater and Environmental Management Consulting. The CVs of the two Environmental Assessment Practitioners are attached to this Report as Appendix B.

# 1.5 Application for the Environmental Clearance Certificate

The application for the ECC process was done as follows:

- Preparation of prepared Background Information Document (BID) for the proposed project,
- Launching of the ECC application on the ECC Portal of the Ministry of Environment, Forestry and Tourism (MEFT) with the Proponent details (accompanied by the BID) for project registration purposes and obtaining a MEFT application/reference number (APP-005347),

- Completion of Form 1 (Section 32) with the required project and Proponent information,
- Submission of the printed hard copy of the ECC application (with affixed NAD300 revenue stamps
  as application fees attached hereto) is submitted to the MEFT. The MEFT's date-stamped copy of
  the ECC application is uploaded on the ECC Portal as proof of application and payment.

The next component of the ECC application was to undertake an EIA process, which entails a baseline assessment of the biophysical and social environments as well as public/stakeholder consultation and engagement. The findings of the EIA process are then incorporated into a Scoping Report, and a Draft EMP is also developed for the mitigation of potential adverse impacts anticipated from the proposed project activities. These documents are then submitted to the Environmental Commissioner at MEFT's Department of Environmental Affairs and Forestry (DEAF) for evaluation and consideration of the ECC.

### 1.6 Scope of Work and Report Contents

This Study has been conducted according to the EMA No. 7 of 2007, and its 2012 EIA Regulations as mentioned in the preceding subsections, i.e., the proposed project may not be undertaken without an ECC. Therefore, the process has been undertaken as required and guided by the Regulations. This Report has been compiled as a required output of an environmental assessment process. The EIA Report, together with the EMP and all its appendices, will be submitted to the DEAF.

The document (Report) covers the following chapters or sections, in addition to the introductory chapter:

- Project description and associated activities (Chapter 2).
- Project alternatives considered (the environmentally friendly and technically feasible) Chapter 3.
- The legal requirements governing the project and its related activities, i.e., the legislation that the project activities must comply with (Chapter 4).
- The environmental and social baseline of the project area Chapter 5.
- The Public consultation and engagement process was undertaken to inform, invite, and engage the public (stakeholders and interested & affected parties) on the project activities Chapter 6.
- The assessment of identified potential impacts associated with the project activities (Chapter 7) -This chapter presents both the positive, negative, and cumulative impacts, assessment methodology, and the assessment of the negative impacts. The mitigation measures in the form of management action plans, with a timeframe and implementation responsibilities, are in the EMP.
- The recommendations and conclusions of the environmental assessment are presented in Chapter 8. The data sources consulted for the assessment are listed under Chapter 9.

Based on the information provided by the Proponent and the EAP's experience, a description of the project activities is presented in the next chapter.

### 2 DESCRIPTION OF THE PROPOSED PROJECT ACTIVITIES

The project phases anticipated for the proposed tower establishment and operation are presented below.

## 2.1 Planning and Design

#### 2.1.1 Proposed Design and Network Structure

The structure proposed for the Naimanya site is an 80m high guyed structure that will host 3x dual-band antennae and 1x microwave dish. According to the Proponent, the selection of the tower site was based on radio access network rural coverage for both voice and data services. Access to the site will be limited to authorised personnel only.

The structure will be mounted to a concrete foundation and will require supporting cables, which is typical for guyed structures. The physical assembling of the network structure and the construction of the foundations will take place on the site by using manual labour as far as possible. To protect the network structure from lightning, it will be earthed. The typical examples of guyed structures proposed for the Naimanya site are shown in Figure 2-1 below, while the design details of the proposed site are in Table 2-1.




Figure 2-1: Typical red and white painted guyed mast tower structures in Namibia (source: MTC Namibia and <a href="https://powercom.na/">https://powercom.na/</a>)

Table 2-1: Design details for the Naimanya Tower Site

Site	Tower Height	Antenna Type	Azimuth	Planned Power Output
Naimanya	80m	3x Panels (the tower will have microwave dishes for transmission)	350/90/190 Degrees	G9, L8 20W, 40W

### 2.1.2 Antennae

Telecommunication antennae come in different shapes and sizes, depending on the specific need. As mentioned above, the tower will host 3x dual-band antennae and 1x microwave dish.

The three antennae will be attached to the lattice structure and are designed to operate in the 900MHz, 1800MHz, and 2100MHz frequency bands and are typically mounted approximately 15 to 50m from the ground on masts. Each antenna is between 20 to 30cm wide and approximately 160cm high and contains two feeders that relay Radio Frequency (RF) signals to and from the antenna. The typical antenna panel is as shown in Figure 2-2.



Figure 2-2: Different types of panel-type antennae

#### 2.1.3 Site Selection Criteria

MTC selected this site to provide reliable network coverage in this part of Kavango West's Tondoro Constituency.

#### 2.1.4 Sharing of Sites (Structures)

In compliance with the Communications Act of 2009, which encourages or requires service providers to consider sharing existing infrastructure in the area first before constructing new structures. The sharing of infrastructure by service providers reduces the uncontrolled construction of infrastructure, and the cost of construction and operation can be shared between service providers. The Proponent has considered sharing infrastructure in the area, however, there is no other network structure within the intended site's proximity to meet the need. Thus, a need to erect a completely new structure in the area.

### 2.2 Site Preparation and Construction

Construction works for this project will include excavation, concrete civil works, and tower rigging. There will be minimal earthworks required to prepare the sites for the tower construction and installation. The construction of the concrete foundation for the tower will take place onsite by using manual labor as far as possible. The construction work is anticipated to take 2 to 3 months, and the construction activities will be limited to normal working hours, i.e., 08h00 and 17h00.

For security purposes, the tower site will be fenced off to restrict access to authorized personnel (such as the maintenance team) only and prevent vandalism. A contractor will be appointed to carry out the tower construction/installation.

The appointed contractor will have to make arrangements for the logistics (including accommodation and transport to the construction site) of their workforce.

MTC and their appointed contractor for construction will be required to adhere to health, safety, and environmental requirements for construction and operation (as well as maintenance) to be presented in the Draft EMP for the project.

#### 2.2.1 Required Resources and Services

The following services and infrastructure, as provided below, will be required for the project activities:

#### 2.2.1.1 Human Resources and Accommodation

The number of workers required for the construction of the tower and all logistics related to the workers will be determined by the contractor to be appointed for construction works, should the ECC be issued.

The construction contractor will be responsible for their private accommodation off-site.

#### 2.2.1.2 Water and Power Supply

Although an insignificant amount of water is required during tower construction, minimal water will still be needed for in-situ concrete mixture (foundation casting) as well as drinking. This water will be sourced from the nearest water point, either by purchasing from the host premises or upon agreement with the nearest town or village Council.

Electricity is not required during the construction stage of the tower, but only during the operational phase. There is a 33kV NORED overhead powerline within 100m distance, therefore, MTC will connect the tower to the grid. However, consideration might be made to use solar, should the cost of connecting to the grid be found to be higher.

#### 2.2.1.3 Fuel Supply (Machinery and Equipment)

There will be no onsite refueling of project vehicles, as this will be required to be done at the nearest fuel service stations.

#### 2.2.1.4 Site Accessibility (Roads)

The site is accessible via routes south of the D3407 road and enclosed between D3444 to the west and D3427 to the east.

#### 2.2.1.5 Waste Management

The different waste will be handled as follows:

- <u>Sewage</u>: A portable toilet will be provided on-site and emptied according to the manufacturer's instructions.
- <u>General and domestic waste</u>: Solid waste containers will be made available onsite for waste storage and later proper disposal at the nearest certified Waste Disposal site.
- <u>Hazardous waste</u>: All vehicles, machinery, and fuel-consuming equipment on site will be provided
  with drip trays to capture potential fuel spills and waste oils. The waste fuel/oils will be carefully
  stored in a standardized container to be disposed of at the nearest approved hazardous waste
  management facility.

#### 2.2.1.6 Health and Safety

Adequate and appropriate Personal Protective Equipment (PPE) will be provided to all project personnel while on and working at the site. A fully-equipped first aid kit will be readily available on-site.

#### 2.2.1.7 Potential Accidental Fire Outbreaks

A minimum of two well-serviced fire extinguishers will be readily available on-site throughout the project.

### 2.3 Operations and Maintenance Phase

During this phase, the tower is operational and providing telecommunication signals to the communities of Naimanya and the surrounding areas that can be serviced by the new tower.

Telecommunication sites (towers) usually require very little maintenance; for instance, any software upgrading will be done mainly from MTC's head offices in Windhoek. For the upgrading of hardware (when required), this will be done on site by the MTC maintenance team/department according to maintenance schedules, when and as necessary. A minimum of two people will be required to carry out hardware maintenance onsite, particularly for tower climbing (safety concerns such as fall arrest).

MTC is required to adhere to environmental, health, and safety measures to be provided in the Draft EMP.

# 2.4 Decommissioning and Rehabilitation of Disturbed Areas Onsite

Once construction works are completed, the contractor will be required to ensure that the site is left in a responsible and environmentally friendly state. Therefore, the contractor will do the following:

- Dismantle and remove all infrastructures from the project site that will no longer be needed for operations.
- Carry away all construction equipment and vehicles.

- Clean up of site working areas and remove all generated solid waste to the nearest waste management facility (as per agreement with the nearest municipality/local authority with an approved waste management facility).
- Backfill of all trenches excavated as part of construction activities and no longer required further, thus ensuring that they do not pose a risk to both people onsite, and
- Level stockpiled topsoil to ensure that the disturbed land sites are left as close to their original state as possible.

It is not anticipated that the tower will be decommissioned in the future due to the constant need to have access to good network coverage in the area.

The next chapter is the presentation different and relevant alternatives considered for the project activities.

### 3 PROJECT ALTERNATIVES

Alternatives are defined as the "different means of meeting the general purpose and requirements of the activity" (EMA, 2007). This section will highlight the different ways in which the project can be undertaken and identify the alternative that will be the most practical, but least damaging to the environment is identified.

Once the alternatives have been established, these are examined by asking the following three questions:

- What alternatives are technically and economically feasible?
- What are the environmental effects associated with the feasible alternatives?
- What is the rationale for selecting the preferred alternative?

The alternatives considered for the proposed project are discussed below.

## 3.1 The "No-go" Alternative

The "No-go" alternative is the option of not proceeding with the activity, which typically implies a continuation of the status quo. In this case, this would mean, the status quo of the proposed tower in the Naimanya area remains unchanged, with poor network/communication connection. If the tower construction is to be discontinued, there will be no improvement in the network coverage in the area, thus affecting local socioeconomic development, in terms of telecommunications services for business in the area to flourish with effective and reliable communication.

In considering the proposed activity and its benefits to the part of the Region, the no-go option is not a preferred option.

#### 3.2 Location of the Tower

The site was selected due to poor network coverage identified in this part of the Region and based on the results of technical site optimization conducted for the area. The tower site is within proximity of the services, such as an existing road for easy accessibility.

## 3.3 Alternative for the Type of Structure

There are three common network towers, and these are installed or considered depending on the need and availability of shared structures. These structure types are as follows (also shown in Figure 3-1):

- Lattice towers self-supporting structures that are generally made out of steel (selected type for the proposed tower).
- Monopole towers consist of a single tubular mast and seldom exceed heights of 60m.
- Guyed towers or structures have guyed ropes to stabilize them because of their height. These towers normally exceed heights of 80m and can go up to 600m.




Figure 3-1: Types of network structures: A - Lattice, B - Monopole, C - Camouflage, and D - Guyed

The guyed mast structures are the preferred option for this project as they are more suitable for achieving greater heights compared to other towers. Moreover, guyed mast towers are generally less expensive to build and install than other towers, such as lattice towers. This is because guyed towers require less steel and material for the structure itself, as they rely on guy wires to provide stability.

### 3.4 Structure sharing as per the Communications Act No. 8 of 2009

The Communications Act No. 8 of 2009 requires that service providers consider sharing existing infrastructure in the area first, before constructing new structures to avoid cumulative impacts. There is no network in proximity of the proposed site to consider sharing of infrastructure (to just add (mount) antennae to it for the area). Therefore, sharing with existing structures will not be feasible to align with the Communications Act regarding the sharing/using of existing structures in this instance.

It is for this reason that the new structure (tower) needs to be constructed so that it can be potentially used (shared) in the future with similar service providers, thus promoting infrastructure sharing as per the Communications Act.

## 3.5 Site Accessibility

The site is accessible via routes south of the D3407 road and enclosed between D3444 to the west and D3427 to the east. Thus, providing good access to the proposed site during the construction and operations as well and maintenance phases.

### 3.6 Services Infrastructure

Alternatives were considered for different supporting infrastructures to ensure that the most feasible options were selected. The technological, economic, and environmental limitations were considered to select the most feasible option. The alternatives considered in this regard are presented in Table 3-1 below.

Table 3-1: The presentation of service infrastructure alternatives considered for the project activities

Category of	Alternatives Considered and challenges (limitations)	Justification for the selected option
Infrastructure		
Roads	The construction of access roads in rural areas entails the physical destruction of habitats for the required footprint of the road.  Where access will be required to a proposed site from the national proclaimed public road network, an access permit will be obtained from the Roads Authority of Namibia.	There will be a need for an access road, possibly from the DR3407, and then using the local single-track road to access the road. The access road will be utilized for the project and gain access to the site.
Power supply (Cost/km or installation)	Solar infrastructure:  -Approximately N\$980,000.00 per Installation  Challenge/limitations  -Batteries need to be maintained every 4-6 months.  -Overcast conditions cause power cuts.  -Failures of the system cause technical problems.	The tower is located in a remote area. However, there is a nearby grid about 100m from the tower site. Therefore, compared to the solar installation cost, connecting to the power line is preferred for consideration.

Category of	Alternatives Considered and challenges (limitations)	Justification for the selected option
Infrastructure		
	Tap off from a power line:	
	N\$100,000.00 per km	
	<u>Challenge/limitations</u>	
	-This option can only tap off from powerlines less than 33kV.	
	-Maximum 10km, otherwise too expensive.	
	Buried powerline: Challenge/limitations	
	-Up to 3 times more expensive per km than a powerline	
Water supply	-Use water from the Naimanya Village water supply.	The contractor will obtain water from the
		Village water supply by purchasing from
		the community water supply, upon
	-Tank water from elsewhere (purchased elsewhere)	agreement with the local leadership.

The following chapter presents the national and international legal requirements that are applicable and relevant to the project.

### 4 APPLICABLE LEGAL FRAMEWORK

The project's activities or some of them may be regulated and governed by certain legal policies. Therefore, it is necessary to review and consider these legislations and legal requirements. These legal requirements are either on a local (institutional), national (Namibian), or international legislation, policies, guidelines, etc. This review serves to inform the project Proponent, Interested and Affected Parties, and the decision-makers at the DEAF of the requirements and expectations, as laid out in terms of these instruments, to be fulfilled to establish the proposed tower construction and operations activities.

## 4.1 National and Local Legal Framework and Policies

### 4.1.1 Environmental Management Act No. 7 of 2007

The Environmental Management Act No.7 of 2007 and its 2012 EIA Regulations aims to ensure that the potential impacts of the development on the environment are considered carefully and in good time; that all interested and affected parties have a chance to participate in the environmental assessments and that the findings of the environmental assessments are fully considered before any decisions are made about activities which might affect the environment.

This scoping assessment was carried out according to the EMA and the 2012 EIA Regulations (GG No. 4878 GN No. 30). The Act requires that projects with significant environmental impacts are subject to an environmental assessment process (Section 27). It also details principles that are to guide all EAs.

The EMA has stipulated requirements to complete the required documentation to obtain an Environmental Clearance Certificate (ECC) for permission to undertake certain / the following activities:

- Listed Activity 10.1 (g) the construction of masts of any material or type and any height, including those used for telecommunication, broadcasting, and radio transmission.
- (j) Masts of any material or type and any height, including those used for telecommunication, broadcasting, and radio transmission, but excluding (i) flag poles; and (ii) lightning conductor poles.

The EIA Regulations GN 28-30 (GG 4878) detail requirements for:

- Public consultation within a given environmental assessment process (GN 30 S21).
- What should be included in a Scoping Report (GN 30 S8) and an Assessment Report (GN 30 S15).

### 4.1.2 Communications Act No. 8 of 2009

The Act provides for the regulation of telecommunications services and networks, broadcasting, postal services and the use and allocation of radio spectrum; for that purpose, the establishment of an independent Communications Regulatory Authority of Namibia; to make provision for its powers and functions; the

granting of special rights to telecommunications licensees; the creation of an Association to manage the ".na" internet domain name space and for matters connected therewith.

**Applicability to the Proposed Project**: The Proponent is required to comply with the relevant Sections and Parts of the Act, and of importance is Part 5 of the Act. This Part (Special Rights of Carriers) states the following concerning the project:

- ''Applicability of this Part: Section 59(1) The rights granted by this Part are granted to all holders of technology and service neutral licences and to other licensees to whom and in so far as it has been made applicable to them in terms of section 38(12) or 38(13).
- (3) Subject to subsection (4) and (5), the rights granted by this Part, to install telecommunications facilities, only relate to wires, fibres, or any other form of telecommunication's line as well as facilities used to protect or support such wires, fibres or lines (including poles, stays, ducts and pipes), but do not relate to masts, antennas, towers, pay telephones and other similar equipment.
- Entry upon and construction of lines across any land: Section 60 A carrier may, for provision of telecommunications services, enter upon any land, including any street, road, footpath or land reserved for public purposes, and any railway, and construct and maintain a telecommunications facility upon, under, over, along or across any land, street, road, footpath or waterway or any railway, and alter or remove the same, and may for that purpose attach wires, stays or any other kind of support to any building or other structure.
- <u>Fences: Section 64(1)</u> If any fence erected or to be erected on land over which a telecommunications facility, pipe, tunnel or tube is constructed or is to be constructed by a carrier, renders or would render it impossible or inconvenient for the carrier to obtain access to that land the carrier may at its own expense erect and maintain gates in that fence and must provide duplicate keys therefor, one of which must be handed to the owner or occupier of the land.
- <u>Section 64(2)</u> Any person intending to erect any such fence must give not less than six weeks' notice in writing to the carrier of his or her intention.
- <u>Height or depth of cables and facilities (66(1)</u> Aerial telecommunication wires or cables along any railway or public or private street, road, footpath, or land must be at the prescribed height above the surface of the ground.
- <u>Section 66(2)</u> Underground telecommunication facilities, pipes, tunnels, and tubes must be placed by a carrier at the prescribed depth below the surface of the ground
- <u>Section 66(3)</u> If the owner of any private land is obstructed in the free use of his or her land because of the insufficient height or depth of any telecommunications wire, cable or other facility, pipe, tunnel or tube constructed by that carrier, the carrier must take such steps as are necessary for giving relief to that owner".

Other applicable legal frameworks and policies relevant to the proposed project are presented in Table 4-1.

Table 4-1: List of applicable legislation for the proposed tower and associated activities

Legislation / Policy /	Relevant Provisions	Implications for the project activities
Guideline		
The Constitution of the Republic of Namibia, 1990, as amended	The Constitution of the Republic of Namibia (1990 as amended) addresses matters relating to environmental protection and sustainable development. Article 91(c) defines the functions of the  Ombudsman to include:  "the duty to investigate complaints concerning the overutilisation of living natural resources, the irrational exploitation of non-renewable resources, the degradation and destruction of ecosystems and failure to protect the beauty and character of Namibia"  Article 95(I) commits the state to actively promoting and	By implementing the environmental management plan, the establishment will be in conformant with the constitution in terms of environmental management and sustainability.  Ecological sustainability will be the main priority for the proposed development.
The Regional Councils	maintaining the welfare of the people by adopting policies aimed at:  "Natural resources situated in the soil and on the subsoil, the internal waters, in the sea, in the continental shelf, and in the exclusive economic zone are property of the State."  This Act sets out the conditions under which Regional	The relevant Regional Councils are
Act (No. 22 of 1992)	Councils must be elected and administer each delineated region. From a land use and project planning point of view, their duties include, as described in section 28 "to undertake the planning of the development of the region for which it has been established with a view to physical, social and economic characteristics, urbanization patterns, natural resources, economic development potential, infrastructure, land utilization pattern and sensitivity of the natural environment.	I&APs and must be consulted during the Environmental Assessment (EA) process. The project site falls under the Kavango West Regional Council and the Tondoro Constituency.
Traditional Authority Act (Act No. 25 of 2000):	The Act also stipulates that Traditional Authorities (TAs) should ensure that natural resources are used on a sustainable basis that conserves the ecosystem. This Act implies that TAs must be fully involved in the planning of land use and development for their area. It is the responsibility of the TAs' customary leadership, the Chiefs, to exercise control on behalf of the state and the residents in their designated area.	The site falls within the Ukwangali Traditional Authority. Therefore, the TA representative who issued the consent letter should be engaged throughout the project.

Legislation / Policy /	Relevant Provisions	Implications for the project activities
Guideline		
Communal Land Reform Act 5 of 2002  Electricity Act 4 of 2007	To provide for the allocation of rights in respect of communal land; to establish Communal Land Boards; to provide for the powers of Chiefs and Traditional Authorities and boards about communal land; and to make provision for incidental matters  To provide for the requirements and conditions for	The tower will be supplied with electricity
	obtaining licenses for the provision of electricity; to provide for the powers and obligations of licensees.	from the existing power grid in the area.  Therefore, the Proponent needs to ensure that arrangements are made with the Northern Regional Electricity Distributor (NORED) to supply the site.
Atomic Energy and Radiation Protection Act, Act 5 of 2005	To provide for adequate protection of the environment and of people in current and future generations against the harmful effects of radiation by controlling and regulating the production, processing, handling, use, holding, storage, transport, and disposal of radiation sources and radioactive materials, and controlling and regulating prescribed non-ionising radiation sources.  The Act also serves to establish an Atomic Energy Board and to provide for its composition and functions; to establish a National Radiation Protection Authority; to	The Proponent should comply with the Regulations and requirements of the Act throughout the project life cycle.  The "safe distance" around the site should be determined.
	amend the Hazardous Substances Ordinance, 1974 (Ordinance No. 14 of 1974); and to provide for related matters.  Under Section 43(1) of the Act, the Non-ionising Radiation Regulations were made in 2019.	
The Aviation Act, Act 74 of 1962 (height implications in aerodrome areas)	Gives effect to certain International Aviation Conventions and makes provision for the control, regulation, and encouragement of flying within the Republic of Namibia and for other matters incidental thereto.	Provides the regulations for setting up cellular as well as other mast structures in Namibia.

Legislation / Policy /	Relevant Provisions	Implications for the project activities
Guideline		
Civil Aviation Act No. 6 of 2016	"; to establish the Air Navigation Services in the Authority; to provide for a civil aviation regulatory and control framework for maintaining, enhancing and promoting the safety and security of civil aviation for ensuring the implementation of international aviation agreements; to establish the Directorate of Aircraft Accident and Incident Investigations. Section 6(1) The Minister may, by issuing a directive, require the removal of any building structure, tree or other object whatsoever on any land or water which, in the opinion of the Minister on the advice of the Executive Director, may constitute a danger to aircraft flying following normal aviation practice.  In terms of tower heights, the Civil Aviation Authority (Namibia Civil Aviation Authority (NCAA)) and Civil Aviation Standards of the ICAO dictate that all obstructions to be erected within 15km and 8km from an airport/aerodrome reference point, respectively, should be authorized.	The applicable part of the Act is the establishment of the Directorate of Aircraft Accident and Incident Investigations, and provides for its powers and functions.  The height of the proposed tower would be a threat to the nearest aerodrome site (if the height is more than 45m, according to the Namibia Civil Aviation Regulations (NAMCARS)). However, despite the tower height being 80m, the proposed site is over 200km from the Rundu Airport (broader area). Therefore, the approval from the Namibia Airports Company (NAC) will not be required. The recommended international restriction distance from aerodromes is 15km. Thus, no approval is required.
National Heritage Act No. 27 of 2004  The National Monuments Act (No. 28 of 1969)	To provide for the protection and conservation of places and objects of heritage significance and the registration of such places and objects; to establish a National Heritage Council; to establish a National Heritage Register; and to provide for incidental matters.  The Act enables the proclamation of national monuments and protects archaeological sites.	The necessary management measures and related permitting requirements must be taken. This is done by informing the National Heritage Council of Namibia. A Chance Finds Procedure provided to the Draft EMP should be implemented upon discovery of archaeological and heritage resources.
Soil Conservation Act (No 76 of 1969)	The Act makes provision for the prevention and control of soil erosion and the protection, improvement, and conservation of soil, vegetation, and water supply sources and resources, through directives declared by the Minister.	Duty of care must be applied to soil conservation and management measures must be included in the EMP.
Forestry Act (Act No. 12 of 2001	The Act provides for the management and use of forests and forest products.	If there is a need to remove protected species, such as trees that are onsite, the Proponent will need to apply for the relevant permit under this Act. The permit should be applied for from the nearest Forestry Directorate office (MEFT).

Legislation / Policy /	Relevant Provisions	Implications for the project activities
Guideline		
Nature Conservation	Section 22. (1) provides: "Unless otherwise authorized by this Act, or by a license issued under subsection (3), no person shall on any land which is not part of a surveyed erven of a local authority area as defined in section 1 of the Local Authorities Act, 1992 (Act No. 23 of 1992) cut, destroy or remove - (a) vegetation which is on a dune or drifting sand or a gully unless the cutting, destruction or removal is done to stabilize the sand or gully; or (b) any living tree, bush or shrub growing within 100 m of a river, stream or watercourse."	The Proponent, through their appointed
Amendment Act, No. 3 of 2017	Nature Conservation Ordinance, 1975 (4 of 1975), as amended. The Ordinance provides a legal framework concerning the permission to enter a state-protected area, as well as requirements for individuals damaging objects (geological, ethnological, archaeological, and historical) within a protected area.  Although the Ordinance does not specifically refer to mining as an activity within a protected area (PA) or recreational area (RA), it does restrict access to PAs and prohibit certain acts therein, as well as the purposes for which permission to enter game parks and nature reserves may be granted.	contractor, will be required to enhance the conservation of biodiversity and the maintenance of the ecological integrity of protected areas and other State land.
The Parks and Wildlife Management Bill of 2008	Aims to provide a regulatory framework for the protection, conservation, and rehabilitation of species and ecosystems, the sustainable use and sustainable management of Indigenous biological resources, and the management of protected areas, to conserve biodiversity and contribute to national development.	
Public Health Act (No. 36 of 1919)	Section 119 states that "no person shall cause a nuisance or shall suffer to exist on any land or premises owned or occupied by him or of which he is in charge any nuisance or other condition liable to be injurious or dangerous to health."	The Proponent and all its employees should ensure compliance with the provisions of these legal instruments.
Public and Environmental Health Act No. 1 of 2015	The Act serves to protect the public from nuisance and states that no person shall cause a nuisance or shall suffer to exist on any land or premises owned or occupied by him or of which he is in charge any nuisance or other condition liable to be injurious or dangerous to health.	

Legislation / Policy / Guideline	Relevant Provisions	Implications for the project activities
Health and Safety Regulations GN 156/1997 (GG 1617)	Details various requirements regarding the health and safety of labourers.	
Atmospheric Pollution Prevention Ordinance (1976)	This ordinance provides for the prevention of air pollution and is affected by the Health Act 21 of 1988. Under this ordinance, the entire area of Namibia, apart from East Caprivi, is proclaimed as a controlled area for section 4(1) (a) of the ordinance.	The proposed project and related activities should be undertaken in such a way that they do not pollute or compromise the surrounding air quality.
Hazardous Substance Ordinance, No. 14 of 1974	The ordinance provides for the control of toxic substances. It covers manufacture, sale, use, disposal, and dumping as well as import and export. Although the environmental aspects are not explicitly stated, the ordinance provides for the importing, storage, and handling.	The Proponent should handle and manage the use of hazardous substances onsite so that they do not harm or compromise the site environment.
National Solid Waste Management Strategy	The Strategy ensures that the future directions, regulations, funding, and action plans to improve solid waste management are properly coordinated and consistent with national policy, and to facilitate cooperation between stakeholders.  Waste disposal is the main problem with the current solid waste management in Namibia. The top priority is to reduce risks to the environment and public health from current waste disposal sites and illegal dumping in many areas of Namibia.	The construction of the services infrastructure can potentially generate a significant amount of solid waste (stockpiles, soil remains, rubble) that might need proper management by contractors to avoid pollution. Waste management plans should be generated and implemented before the commencement of civil works and during project operations.  Contractors and proponents should reduce the risk of solid waste to the environment and the surroundings of the project area.
Road Traffic and Transport Act, No. 22 of 1999	The Act provides for the establishment of the Transportation Commission of Namibia; for the control of traffic on public roads, the licensing of drivers, the registration and licensing of vehicles, the control and regulation of road transport across Namibia's borders; and for matters incidental thereto.	Mitigation measures should be provided for if the roads and traffic impact cannot be avoided.

Legislation / Policy /	Relevant Provisions	Implications for the project activities
Guideline		
Labour Act (No. 6 of	The Ministry of Labour, Industrial Relations and	The Proponent should ensure that the
1992)	Employment Creation is aimed at ensuring harmonious	proposed activities do not compromise
	labour relations through promoting social justice,	the safety and welfare of workers.
	occupational health and safety, and enhanced labour	
	market services for the benefit of all Namibians. This	
	ministry ensures the effective implementation of the	
	Labour Act No. 6 of 1992.	

# 4.2 International Policies, Principles, Standards, Treaties, and Conventions

The other international statutes, such as policies, standards, and conventions that may govern the project activities, are provided under Table 4-2 below.

Table 4-2: Other international treaties and conventions governing the proposed tower activities

Statue	Relevant Provisions	Implications for the project /
		Requirements
Convention on International Civil Aviation, Annex 14	-Annex 14 to the Convention on International Civil Aviation.  -Chapter 4: Obstacle restrictions and removal  -Chapter 6: Visual aids and overcoming obstacles	The proposed new structure may pose obstacles to some aerodromes in Namibia.  Generally, these structures that are close to existing aerodromes need to be assessed per the document. Visual aids to the new structures to make
"Guidelines for Limiting Exposure	Provides international standards and guidelines for	them visible to aircraft need to be applied per this Convention.  Justifies the need for assessing the
to Time-Varying Electric, Magnetic, and Electromagnetic Fields (up to 300GHz)" (April 1998 developed by the International Commission on Non-Ionizing Radiation Protection (ICNIRP).	limiting the adverse effects of non-ionising radiation on human health and well-being, and, where appropriate, provides scientifically based advice on non-ionising radiation protection, including the provision of guidelines on limiting exposure. ICNIRP exposure limits for non-ionizing radiation are 4.5W/m².	impact of electromagnetic radiation from the tower on the nearby residents or businesses.
Stockholm Declaration on the Human Environment, Stockholm (1972)	It recognizes the need for: "a common outlook and common principles to inspire and guide the people of the world in the preservation and enhancement of the human environment.	Protection of natural resources and prevention of any form of pollution.

In addition to the project description, alternatives, and legal framework, it is also important to note that the proposed project activities will be undertaken in a specific environment, in terms of the receiving environment. Therefore, understanding these existing environmental features before the project activities is crucial for the assessment of the potential impacts stemming from the project activities on the features.

#### 5 THE RECEIVING ENVIRONMENT

The proposed tower will be constructed and operated in in specific environment. Therefore, understanding the pre-project conditions of the environment will aid in describing the status quo of environmental conditions before project implementation. The baseline information also aids in identifying the sensitive environmental features and how the best suitable management and mitigation measures can be recommended for implementation. The selected baseline environment information of the site area is provided below.

The baseline information presented below is sourced from a site visit (done on the 26<sup>th</sup> of March 2025), online sources ranging from old reports, books, as well as other relevant research information in the broader area. The project baseline that is deemed necessary for the project activities is as follows.

#### 5.1 Fauna and Flora

The project site is in a rural area where subsistence farming is practised with crops such as maize, sorghum, beans, and mahangu. On livestock, the communities keep goats, sheep, cattle, and donkeys for their own consumption and income generation. In terms of flora (vegetation), the vegetation of the site and its surroundings is mainly characterized by woodland, as shown on the vegetation map in Figure 5-1.




Figure 5-1: The vegetation structure of the site area

The observed vegetation in the area is moderately to densely distributed shrubs and young trees. Most of the area is dominated by Vachellia species, such as the Camelthorn (*Vachellia erioloba*), candle pod

(*Vachellia hebeclada*), Zambezi teak (*Baikiaea plurijuga*), and False mopane (*Guibourtia coloesperma*), which are protected species. In the grassland areas, a variety of grass species were identified, including red grass (*Themeda triandra*), finger grass (*Digitaria spp.*), and love grass (*Eragrostis spp.*). These grasses provide grazing resources for herbivores, more specifically livestock (EnviroPlan Consulting, 2023).

Some of the vegetation observed during the site visit is shown in Figure 5-2.



Figure 5-2: Some young trees and shrubs around the site

#### 5.2 Climate

The climate is classified as semi-arid with a moisture deficiency throughout the year. The Kavango regions are normally frost-free, and the climatic conditions are favourable for crop production (Ministry of Agriculture, Water and Forestry, 1994 as cited by Shagama, 2023).

The two Kavango Regions receive an annual average rainfall that varies between 450 and 600 mm, with a clear increasing trend from south to north. Rains fall almost entirely in summer, with the months from May to September usually being dry, and the first early rains coming to the region in October and November. The highest rainfalls usually occur in January and February. The Region is usually warm to hot with average maximum temperatures above 30°C for nine months of the year, and average minimums are below 10 °C during the coolest months, June, July, and August. Temperatures below freezing are occasionally recorded but are rare and are usually only experienced in low-lying valleys such as those found along the Kavango River and drainage lines (Omurambas) (Stubenrauch et al., 2015 as cited by Shagama, 2023.

# 5.3 Landscape and Topography

According to Mendelsohn et al. (2002), the landscape of the site and its surroundings is characterized by the Kalahari sediments, hence Kalahari Sandveld, as shown in Figure 5-3. This landscape is found in much of the northern and eastern Namibia, dominated by Savanna woodlands growing on sands deposited by wind over the last 70-63 million years ago. The landscape is particularly flat (elevations ranging between 951 and 1,216 meters above sea level), although the sands have been molded into dunes in some areas.




Figure 5-3: The topography and landscape of the area

#### 5.3.1 Geology and Soils

The Okavango Basin is part of the greater Kalahari Basin, which covers most of the northern and eastern parts of Namibia and extends across the Namibian border into Botswana and Angola. The bedrock underlying the basin is filled with Kalahari Sequence deposits consisting of basal rocks of the Damara Sequence, followed by the Karoo Sequence sediments, overlain and intruded by volcanics of Karoo age. The unconsolidated to semi-consolidated clay, sand, and gravel of the Kalahari Sequence fill the Okavango Sub-basin, which thickens from the northeast towards the northwest, from 0 to >400 m along the northwest trending basin axis (Bittner, 2002).

The geology of the project area is characterized by the Kalahari sands (Mendelsohn et al., 2002). Based on the site-specific geology map in Figure 5-4, the project site is underlain by the sand, calcrete, and gravel of the Kalahari Group.




Figure 5-4: The geology of the site area

In terms of soils, the site is overlain by ferralic arenosols, as shown on the soil map in Figure 5-5. According to Mendelsohn et al (2002), ferralic soils are defined as soils with high contents of combined oxides of iron and aluminium. Arenosols are formed from wind-blown sand and usually extend to a depth of at least one meter, with sand generally making up more than 70% of the soil (Mendelsohn et. al, 2002).




Figure 5-5: The dominant soil types around the site

#### 5.4 Social and Economic Environment

#### 5.4.1 Demography

According to the Namibia Statistics Agency (2014), the Kavango West Region has a total population of 123,266 as per the 2023 National Population and Housing Census. Of the total population, 59,420 were males and 63,846 females (Namibia Statistics Agency (NSA), 2023), with a population density of 8.5 in urban areas and 91.5 persons per square kilometer (km²) in rural areas. The site is in Tondoro Constituency has a population of 18,497¹ and population density of 3.8 persons per square kilometer (km²).

The Kavango West Region has a high literacy rate of 77.9%. The early childhood development (age 0 to 5) stands at 14.9%, while for the population of 15+ years of age, 17.6% have never attended school, 25.2% is the population that is currently at school, and 55.3% have left school (NSA, 2023). Furthermore, NSA (2023) indicates that the population of 3 years and above has access to the internet (10.1%), and the population that owns cellphones is at 30.5%.

#### 5.4.2 Economic Activities

According to the NSA (2023), the main source of income in households in the Region is farming (36.5%), wages and salaries (18.7%), old age pension (17.3%), as well as business and non-farming (5.7%).

¹https://nsa.org.na/census/kavango-west-region/

# 5.5 Infrastructure and Services

In terms of infrastructure, the Kavango West Region is well equipped with good infrastructure and services such as roads (tarred and gravel), water supply, powerlines, and telecommunications. In terms of the site area, this is a rural area with quite some good infrastructure, such as access roads and single-track roads, solar energy, and water supply. The map of services and infrastructures near the proposed tower site and the broader area is shown in Figure 5-6.



Figure 5-6: The infrastructure map of the site area

The public consultation and engagement process and the means employed for the EIA Study are presented under Chapter 6.

#### 6 PUBLIC CONSULTATION AND PARTICIPATION PROCESS

Public consultation and participation form an important component of an EIA process. It provides potential Interested and Affected Parties (I&APs) and stakeholders with an opportunity to comment on and raise any issues relevant to the project for consideration as part of the assessment process. The EIA consultation greatly assists the EAP to thoroughly identify and record potential impacts and to determine what extent further investigations are necessary. Public consultation can also aid in the process of identifying possible mitigation measures. The consultation for this project has been done under the EMA and its EIA Regulations, and as per the following subsections.

### 6.1 Pre-identified and Registered Interested and Affected Parties (I&APs)

Relevant and applicable national, regional, and local authorities, and other interested members of the public were identified. Pre-identified I&APs were contacted directly, while other parties who contacted the Consultant after project advertisement notices in the newspapers were registered as I&APs upon their request.

### 6.2 Communication with I&APs and Means of Consultation Employed

Regulation 21 of the EIA Regulations details the steps to be taken during a public consultation process, and these have been used in guiding this process. Communication with I&APs with regards to the proposed development was facilitated through the following means and in this order:

- A Background Information Document (BID) containing brief information about the proposed project was compiled, uploaded on the MEFT (ECC) Portal for project registration, and circulated to the registered stakeholders/Interested and Affected parties (I&APs).
- A Stakeholders' (I&AP) List was developed and updated as new I&APs register for the EIA. The BID was shared with the pre-identified key stakeholders from national to local levels via email alongside the invitation to the consultation meeting Appendix C1.
- Project Environmental Assessment notices were published for two consecutive weeks in the New Era and Windhoek Observer (on the 10<sup>th</sup> and 17<sup>th</sup> of April 2025) Appendix C2. The consultation period ran from the 10<sup>th</sup> of March 2025 to the 17<sup>th</sup> of April 2025.
- A3 size poster for public notice (Appendix C3) was compiled and pasted in the area and the Kavango West Regional Council office notice board in Nkurenkruru (Figure 6-1):





Figure 6-1: Public notice posters in the Naimanya Village and the Kavango West Regional Council in Nkurenkuru

• A consultation meeting was scheduled in Naimanya Village on the 26<sup>th</sup> of March 2025 - Figure 6-2. The meeting was attended by twenty-one (21), including two environmental assessment practitioners from Serja Consultants. Meeting minutes were taken, and the attendance register from the meeting was signed by attendees (Appendix C4).



Figure 6-2: Consultation meeting in Naimanya Village on the 26th of March 2025

Furthermore, as part of the consultation and engagement process and in obtaining land use consent requirements, a letter of consent was issued to the Proponent by the key land user (stakeholder), the Ukwangali Traditional Authority - Appendix D.

# 6.3 Feedback and Issues Raised by the Stakeholders (I&APs)

No significant comments were received during the consultations and face-to-face engagement (meeting), nor after the consultation. The community wholeheartedly welcomes the development. They only requested that the construction contractor may need to create new routes to the site, because the area leading to the site gets filled with water after heavy rains, thus making it impossible to cross.

The next chapter is the presentation of potential impacts identified, the assessment methodology, impact description, and their assessment.

# 7 IMPACTS IDENTIFICATION, ASSESSMENT, AND MEASURES

# 7.1 Identification of Potential Impacts

The proposed project and its associated activities are usually associated with different potential positive and negative impacts. For an environmental assessment, the focus is placed mainly on the negative impacts that are likely to affect the host environment and social features. The assessment is done to ensure that these impacts are sufficiently addressed, and adequate mitigation measures are recommended thereto for implementation so that the impact's significance is brought under control, while maximizing the positive impacts. The potential positive and negative impacts that have been identified from the tower activities are listed as follows:

#### 7.1.1 Positive Impacts (benefits)

- Creation of temporary jobs during the tower installation phase.
- Increase access to telecommunications by enhancing communications capacity in the area
- Promotes technical expansion of businesses and institutions such as schools and local services in the area due to improved access to reliable communication services
- Contributes to local economic development through increased access to telecommunications services for local amenities and social infrastructure in the area.

#### 7.1.2 Adverse (Negative) Impacts

- Physical land/soil disturbance resulting in compaction and erosion
- Environmental pollution (littering)
- Potential health and safety risks associated with the mishandling of construction and operations (and maintenance) equipment.
- Health and safety issues related to Electromagnetic Radiation emitted from the antennae of cellular structures may affect human health.
- Civil aviation concerns may arise regarding the height of the tower and the position and stability of transmitters concerning any civil aviation facilities in the tower's vicinity.
- Visual impact associated with the presence of the tower in the surroundings may be a nuisance to locals.
- Impact on archaeological and cultural heritage resources in the case of any archaeological and heritage finds onsite (inadvertent unearthing during site preparation/excavations).

### 7.2 Impact Assessment Methodology

The Environmental Assessment process primarily ensures that potential impacts that may occur from project activity are identified and addressed with environmentally cautious approaches and legal compliance. The impact assessment method used for this project is per Namibia's Environmental Management Act (No. 7 of 2007) and its Regulations of 2012, as well as the International Finance Corporation (IFC) Performance Standards.

The identified impacts were assessed in terms of scale/extent (spatial scale), duration (temporal scale), magnitude (severity), and probability (likelihood of occurring), as presented in Table 7-1.

To enable a scientific approach to the determination of the environmental significance, a numerical value is linked to each rating scale. This methodology ensures uniformity and that potential impacts can be addressed in a standard manner so that a wide range of impacts are comparable. It is assumed that an assessment of the significance of a potential impact is a good indicator of the risk associated with such an impact. The following process will be applied to each potential impact:

- Provision of a brief explanation of the impact,
- Assessment of the pre-mitigation significance of the impact, and
- Description of recommended mitigation measures.

The recommended mitigation measures prescribed for each of the potential impacts contribute towards the attainment of environmentally sustainable operational conditions of the project for various features of the biophysical and social environment. The following criteria (in Table 7-1) were applied in this impact assessment:

Table 7-1: Criteria used for impact assessment (extent, duration, intensity and probability)

	The Criteria used to assess the potential negative impacts.											
Extent or (spatial scale) - extent is an indication of the physical and spatial scale of the impact.												
Low (1) Low/Medium (2) Medium (3) Medium/High (4) High (5)												
Impact is localised within	Impact is beyond the site	Impacts felt within	Impact widespread far	Impact extends beyond								
the site boundary: Site	boundary: Local	adjacent biophysical and	beyond the site	National or international								
only		social environments:	boundary: Regional	boundaries								
		Regional										
<b>Duration-</b> Duration refe	<b>Duration-</b> Duration refers to the timeframe over which the impact is expected to occur, measured concerning the lifetime of the project											
Low (1)	Low/Medium (2)	Medium (3)	Medium/High (4)	High (5)								

	The Criteria used	to assess the potential i	negative impacts.	
Immediate mitigating measures, immediate progress	Impact is quickly reversible, short-term impacts (0-5 years)	Reversible over time; medium term (5-15 years)	Impact is long-term	Long term, beyond closure, permanent, irreplaceable, or irretrievable commitment
	element of the envi	ironment. This is a qualitati		
H-(10)	M/H-(8)	M-(6)	M/L-(4)	L-(2)
loss of habitat, total alteration of ecological processes, extinction of rare species  Probability of occurren	deterioration, death, illness or injury, loss of habitat/diversity or resource, severe alteration, or disturbance of important processes  ce - Probability describes t experience with similar	discomfort, partial loss of habitat/biodiversity or resource, moderate alteration  the likelihood of the impacts or projects and/or based on	Low deterioration, slight noticeable alteration in habitat and biodiversity. Little loss in species numbers  s occurring. This determination professional judgment.	nuisance or irritation, minor change in species/habitat/diversity or resource, no or very little quality deterioration.
Low (1)	Medium/Low (2)	Medium (3)	Medium/High (4)	High (5)
Improbable; low likelihood; seldom. No known risk or vulnerability to natural or induced hazards.	Likely to occur from time to time. Low risk or vulnerability to natural or induced hazards	Possible, distinct possibility, frequent. Low to medium risk or vulnerability to natural or induced hazards.	risk of vulnerability to	highly likely, continuous.

# 7.3 Impact Significance

Impact significance is determined through a synthesis of the above impact characteristics. The significance of the impact "without mitigation" is the main determinant of the nature and degree of mitigation required. As stated in the introduction to this chapter, for this assessment, the significance of the impact without prescribed mitigation actions was measured.

Once the above factors (Table 7-1) have been ranked for each potential impact, the impact significance of each is assessed using the following formula:

#### SP = (magnitude + duration + scale) x probability

The maximum value per potential impact is 100 significance points (SP). Potential impacts were rated as high, moderate, or low significance, based on the following significance rating scale (Table 7-2).

Table 7-2: Impact significance rating scale

Significance	Environmental Significance Points	Colour Code
High (positive)	>60	Н
Medium (positive)	30 to 60	М
Low (positive)	<30	L
Neutral	0	N
Low (negative)	>-30	L
Medium (negative)	-30 to -60	М
High (negative)	>-60	Н

For an impact with a significance rating of high, mitigation measures are recommended to reduce the impact to a low or medium significance rating, provided that the impact with a medium significance rating can be sufficiently controlled with the recommended mitigation measures. To maintain a low or medium significance rating, monitoring is recommended for a period to enable the confirmation of the significance of the impact as low or medium and under control.

The assessment of the project phases is done for both pre-mitigation (before implementing any mitigation) and post-mitigation (after mitigations are implemented). The objective of the mitigation measures is to firstly avoid the risk, and if the risk cannot be avoided, mitigation measures to minimize the impact are recommended. Once the mitigation measures have been applied, the identified risk will be of low significance.

# 7.1 Description and Assessment of Potential Impacts

The potential impacts of the proposed project activities are described and assessed in Table 7-3. The management and mitigation measures in the form of management action plans are provided in the Draft EMP.

Table 7-3: The Description and Assessment of the impacts of the tower construction and operations activities on the environment

Impact	Impact Description					Impact As	sessmen	t			
	·			Pre-mitigation		•		F	Post-mitigati		
		Extent	Duration	Intensity	Probability	Significance	Extent	Duration	Intensity	Probability	Significance
		1			itive Impacts	1. 10				I 84 / 11 4	
Employment	Although temporary, the project	L / M- 2	L/M-2	L/M-4	L/M-2	L - 16	M - 3	M/H-4	L/M-4	M / H - 4	M - 44
creation and	activities will add to the income										
income	of the construction contractor										
	and their team (employed staff),										
	which will continue to support										
	themselves and their families.										
Accessibility to	Increase access to	L/M-	L/M-2	L/M-4	L - 1	L - 8	M/H-	H - 5	M - 6	H - 5	H - 75
a better network	telecommunications by	2					4				
signal	enhancing communications										
	capabilities in the area.										
	Promotes the technical	L/M-	L/M-2	L/M-4	L - 1	L - 8	M / H -	H - 5	M - 6	H - 5	H - 75
	expansion of investments due to	2	L/IVI-Z	L / IVI - 4	L-1	L-0	4	п-5	IVI - O	П-3	П - 75
	· ·										
	improved access to reliable										
	communication services										
Socio-	Contributes to local economic	L / M-	L/M-2	L/M-4	L - 1	L - 8	M - 3	M / H - 4	L/M-4	M / H - 4	M - 44
economic	development through increased	2									
development	access to telecommunications										
	services for local amenities and										
	social infrastructure in the area.										
				Negative	(Adverse) Imp	arts					
Physical	The land clearing and	M - 3	M / H - 4	L/M-4	M / H - 4	M – 44	L/M - 2	L/M - 2	L - 2	L/M - 2	L - 12
disturbance to	excavations to enable the	0	, +		,		_,,,,, _	_,			2
the site soils	erection of structures,										
(during	installation of infrastructure, and										
-	movement of vehicles will										
construction)											
	potentially result in soil										

# **EIA Study - Scoping Report**

Impact	Impact Description	Impact Assessment										
				Pre-mitigation				F	Post-mitigati	on Rating	Rating	
	distruction landing to	Extent	Duration	Intensity	Probability	Significance	Extent	Duration	Intensity	Probability	Significance	
	disturbance, leading to											
	compaction of site soils. This will,											
	however, be a short-term and											
	localized impact.											
Environmental	Solid and hazardous waste may	M: -3	M: -3	M / L: -4	M / H: 4	M: -40	L/M-	L/M-2	L - 2	L/M-2	L - 12	
pollution	be generated on-site during						2					
(littering)	construction and operational											
( 0,	activities. If the generated waste											
	is not disposed of in a											
	responsible way, this may lead to											
	environmental pollution may											
	occur on and around the site.											
	occur on and around the site.											
Occupational	Potential health and safety risks	M - 3	M - 3	M - 6	M / H - 4	M – 48	L / M: -	L / M: -2	L / M: -4	L/M: 2	L: -16	
and Community	associated with the mishandling						2					
Health and	of construction and											
Safety Risks	maintenance) equipment.											
	Project personnel (workers)											
	involved in construction activities											
	may be particularly exposed to											
	health and safety risks. These											
	would happen if heavy vehicles,											
	equipment are not properly											
	secured to prevent any harm or											
	injury to the project personnel											
	and people moving within the											
	site premises.											
	The use of heavy equipment,											
	especially during excavation and											
I	erection of the tower structures,											

Impact Description	Impact Assessment									
				n Rating						
may result in accidental tripping	Extent	Duration	Intensity	Probability	Significance	Extent	Duration	Intensity	Probability	Significance
=										
equipment, and vehicles.										
The use of heavy equipment,										
especially, may result in										
accidental fire outbreaks. This										
could pose a safety risk to the										
•										
	M-3	H – 5	M/H – 8	M/H – 4	M: -64		L/M-2	L-2	L/M-2	L - 12
						2				
appliances commonly used in										
most homes today, such as										
televisions, radios, cell phones,										
microwaves, computers, etc.										
Studies showed that transceiver										
base stations emit weaker										
electromagnetic radiation than										
most household daily										
appliances, i.e. microwave or a										
cell phone used close to your										
body (Carstens and Kuliwoye,										
2012).										
The health authorities around the										
world, including the Australian										
Radiation Protection and										
Nuclear Safety Agency										
(ARPANSA) and the World										
	especially, may result in accidental fire outbreaks. This could pose a safety risk to the project personnel and locals.  Electromagnetic radiation is emitted from electrical appliances commonly used in most homes today, such as televisions, radios, cell phones, microwaves, computers, etc. Studies showed that transceiver base stations emit weaker electromagnetic radiation than most household daily appliances, i.e. microwave or a cell phone used close to your body (Carstens and Kuliwoye, 2012).  The health authorities around the world, including the Australian Radiation Protection and Nuclear Safety Agency	and falling of such structures. This could pose a safety risk to the project personnel, equipment, and vehicles.  The use of heavy equipment, especially, may result in accidental fire outbreaks. This could pose a safety risk to the project personnel and locals.  Electromagnetic radiation is emitted from electrical appliances commonly used in most homes today, such as televisions, radios, cell phones, microwaves, computers, etc. Studies showed that transceiver base stations emit weaker electromagnetic radiation than most household daily appliances, i.e. microwave or a cell phone used close to your body (Carstens and Kuliwoye, 2012).  The health authorities around the world, including the Australian Radiation Protection and Nuclear Safety Agency	may result in accidental tripping and falling of such structures. This could pose a safety risk to the project personnel, equipment, and vehicles.  The use of heavy equipment, especially, may result in accidental fire outbreaks. This could pose a safety risk to the project personnel and locals.  Electromagnetic radiation is emitted from electrical appliances commonly used in most homes today, such as televisions, radios, cell phones, microwaves, computers, etc. Studies showed that transceiver base stations emit weaker electromagnetic radiation than most household daily appliances, i.e. microwave or a cell phone used close to your body (Carstens and Kuliwoye, 2012).  The health authorities around the world, including the Australian Radiation Protection and Nuclear Safety Agency	may result in accidental tripping and falling of such structures. This could pose a safety risk to the project personnel, equipment, and vehicles.  The use of heavy equipment, especially, may result in accidental fire outbreaks. This could pose a safety risk to the project personnel and locals.  Electromagnetic radiation is emitted from electrical appliances commonly used in most homes today, such as televisions, radios, cell phones, microwaves, computers, etc. Studies showed that transceiver base stations emit weaker electromagnetic radiation than most household daily appliances, i.e. microwave or a cell phone used close to your body (Carstens and Kuliwoye, 2012).  The health authorities around the world, including the Australian Radiation Protection and Nuclear Safety Agency	may result in accidental tripping and falling of such structures. This could pose a safety risk to the project personnel, equipment, and vehicles.  The use of heavy equipment, especially, may result in accidental fire outbreaks. This could pose a safety risk to the project personnel and locals.  Electromagnetic radiation is emitted from electrical appliances commonly used in most homes today, such as televisions, radios, cell phones, microwaves, computers, etc.  Studies showed that transceiver base stations emit weaker electromagnetic radiation than most household daily appliances, i.e. microwave or a cell phone used close to your body (Carstens and Kuliwoye, 2012).  The health authorities around the world, including the Australian Radiation Protection and Nuclear Safety Agency	may result in accidental tripping and falling of such structures. This could pose a safety risk to the project personnel, equipment, and vehicles.  The use of heavy equipment, especially, may result in accidental fire outbreaks. This could pose a safety risk to the project personnel and locals.  Electromagnetic radiation is emitted from electrical appliances commonly used in most homes today, such as televisions, radios, cell phones, microwaves, computers, etc. Studies showed that transceiver base stations emit weaker electromagnetic radiation than most household daily appliances, i.e. microwave or a cell phone used close to your body (Carstens and Kuliwoye, 2012).  The health authorities around the world, including the Australian Radiation Protection and Nuclear Safety Agency	may result in accidental tripping and falling of such structures. This could pose a safety risk to the project personnel, equipment, and vehicles.  The use of heavy equipment, especially, may result in accidental fire outbreaks. This could pose a safety risk to the project personnel and locals.  Electromagnetic radiation is emitted from electrical appliances commonly used in most homes today, such as televisions, radios, cell phones, microwaves, computers, etc. Studies showed that transceiver base stations emit weaker electromagnetic radiation than most household daily appliances, i.e. microwave or a cell phone used close to your body (Carstens and Kuliwoye, 2012).  The health authorities around the world, including the Australian Radiation Protection and Nuclear Safety Agency	may result in accidental tripping and falling of such structures. This could pose a safety risk to the project personnel, equipment, and vehicles.  The use of heavy equipment, especially, may result in accidental fire outbreaks. This could pose a safety risk to the project personnel and locals.  Electromagnetic radiation is emitted from electrical appliances commonly used in most household daily appliances, i.e. microwave or a cell phone used close to your body (Carstens and Kuliwoye, 2012).  The health authorities around the world, including the Australian Radiation Protection and Nuclear Safety Agency	may result in accidental tripping and falling of such structures. This could pose a safety risk to the project personnel, equipment, and vehicles.  The use of heavy equipment, especially, may result in accidental fire outbreaks. This could pose a safety risk to the project personnel and locals.  Electromagnetic radiation is emitted from electrical appliances commonly used in most homes today, such as televisions, radios, cell phones, microwaves, computers, etc. Studies showed that transceiver base stations emit weaker electromagnetic radiation than most household dailly appliances, i.e. microwave or a cell phone used close to your body (Carstens and Kuliwoye, 2012).  The health authorities around the world, including the Australian Radiation Protection and Nuclear Safety Agency	may result in accidental tripping and falling of such structures. This could pose a safety risk to the project personnel, especially, may result in accidental fire outbreaks. This could pose a safety risk to the project personnel and locals.  Electromagnetic radiation is emitted from electrical appliances commonly used in most homes today, such as talevisions, radios, cell phones, microwaves, computers, etc. Studies showed that transceiver base stations emit weaker electromagnetic radiation than most household daily appliances, i.e. microwave or a cell phone used close to your body (Carstens and Kuliwoye, 2012).  The health authorities around the world, including the Australian Radiation Protection and Nuclear Safety Agency

Impact	Impact Description	Impact Assessment									
				Pre-mitigation					Post-mitigati	on Rating	
	Health Organization (WHO),	Extent	Duration	Intensity	Probability	Significance	Extent	Duration	Intensity	Probability	Significance
	have examined the scientific										
	evidence regarding possible										
	health effects from signal										
	transmitting towers. Current										
	research indicates that there are										
	no established health effects										
	from the low radio frequency										
	electromagnetic emission (RF										
	EME) exposure encountered by										
	the public from broadcast towers										
	(Australian Radiation Protection										
	and Nuclear Safety Agency,										
	2015).										
	Despite the above information										
	from ARPANSA, the										
	International Commission on										
	Non-Ionizing Radiation										
	Protection (ICNRP) guides										
	protecting against the adverse										
	health effects associated with										
	EMF or EME. These guidelines										
	are based on short-term,										
	immediate health effects such as										
	stimulation of peripheral nerve										
	muscles, shocks, and burns										
	caused by touching conducting										
	objects, and elevated tissue										
	temperatures resulting from										

Impact	Impact Description	Impact Assessment									
				Pre-mitigation					Post-mitigati		
	absorption of energy during	Extent	Duration	Intensity	Probability	Significance	Extent	Duration	Intensity	Probability	Significance
	exposure to EMF/EME.										
	exposure to EIVII /EIVIE.										
	Short-term Radiation										
	exposure: The basic restrictions										
	on the effects of exposure are										
	based on established health										
	effects. Different scientific bases										
	were used in the development of										
	basic exposure restrictions for										
	various frequency ranges.										
	Depending on the frequency, the										
	physical quantities used to										
	specify the basic restrictions on										
	exposure to EMF are current										
	density, SAR (Specific Energy										
	Absorption Rate), and power										
	density. For further information										
	on the short-term effect.										
	Long-term Radiation										
	exposure: In the case of										
	potential long-term health effects										
	of exposure, such as an										
	increased risk of cancer, ICNIRP										
	concluded that the available data										
	are insufficient to provide a basis										
	for this setting exposure										
	restriction. Thus, the ICNRIP										
	guidelines alone should not be										
	used as a basis for protection										

Impact	Impact Description	Impact Assessment									
				Pre-mitigation				F	Post-mitigati		
	against non-thermal effects or	Extent	Duration	Intensity	Probability	Significance	Extent	Duration	Intensity	Probability	Significance
	•										
	long-term biological effects.										
	The significance of this impact is										
	considered medium to high										
	because the long-term effect is										
	unknown. In the context of the										
	above, a cautionary approach is										
	adopted, and the Precautionary										
	Principle, which states that if an										
	action or policy has a suspected										
	risk of causing harm to the public										
	or the environment, in the										
	absence of scientific consensus										
	that the action or policy is										
	harmful, the burden of proof that										
	it is not harmful falls on those										
	taking the action. The effective										
	implementation of measures, the										
	impact significance can be										
	significantly reduced to medium										
	and eventually low.										
	Therefore, ICNIRP uses a										
	reduction factor of 10 to derive										
	occupational limits for workers										
	and a factor of about 50 to arrive										
	at exposure limits for the public.										
	This factor serves as a										
	precautionary buffer to										
	compensate for uncertainties in										
	compensate for uncertainties in										

Impact	Impact Description	Impact Assessment									
				Pre-mitigation					ost-mitigati		
	the many and Development the	Extent	Duration	Intensity	Probability	Significance	Extent	Duration	Intensity	Probability	Significance
	the research. By adhering to the										
	threshold levels of ICNIRP, the										
	precautionary measures should										
	be sufficient to adequately										
	address this impact. However,										
	the risk will not be abolished, and										
	it is recommended that the MTC										
	Namibia keep up to date with										
	regards to any new literature										
	published by ICNIRP (Carstens										
	and Kuliwoye, 2012).										
Civil Aviation	The operation of the tower	M - 3	M - 3	M - 6	M / H - 4	M – 48	L / M: - 2	L / M: -2	L / M: -4	L / M: 2	L: -16
impact	(height and position-wise) may						_				
	pose a risk to nearby civil										
	aviation infrastructures. The										
	unmarked and improper design										
	(poor visibility and height) and										
	installation of the tower may also										
	pose a risk to airplanes flying										
	over the area. Without proper										
	mitigation measures, the impact										
	can be considered medium to										
	slightly high, but upon effective										
	implementation of these										
	measures, the significance of the										
	impact can be reduced to low										
	and eventually negligible.										
Visual and	The presence of the tower in the	L/M - 2	L/M - 2	M - 6	M/H - 3	M - 30	L - 1	L/M-2	L - 2	L/M-2	L - 10
aesthetic	area may be a nuisance to locals										

Impact	Impact Description		Impact Assessment									
				Pre-mitigation		0: :6:			Post-mitigati	on Rating	0: :	
	and or travelers. However, the	Extent	Duration	Intensity	Probability	Significance	Extent	Duration	Intensity	Probability	Significance	
	site is in a vegetated area, where											
	direct visibility is limited owing to											
	vegetation cover. Therefore, the											
	impact significance is low.											
	impact significance is low.											
Noise from	Potential for noise from	L/M - 2	L/M - 2	M - 6	M/H - 3	M - 30	L - 1	L/M-2	L - 2	L / M -2	L - 10	
construction	earthwork activities and vehicles											
activities	during construction, which may											
	be a nuisance to locals and											
	possibly wildlife (the site is within											
	a conservancy). Excessive noise											
	without any protective measures											
	in place can also be a health risk											
	to workers on site. The											
	construction equipment is of											
	medium size, and the noise level											
	is bound to be limited to the site											
	boundaries only.											
		14 0	14.0	14.0	N4 / 11 4	10	1 / 14			1 /14 0	1 10	
Archaeological	The earthworks for the tower	M - 3	M - 3	M - 6	M / H - 4	M – 48	L/M- 2	L/M-2	L - 2	L/M-2	L - 12	
and Heritage	erection may result in the											
resources	inadvertent uncovering of buried											
	archaeological objects onsite.											
	The impact is considered low											
	due to the small footprint of the											
	site. Therefore, upon											
	implementation of the measures,											
	the impact significance will be											
	reduced to a negligible level.											

The recommendations and conclusion to the tower establishment EIA are presented in the next chapter.

### 8 RECOMMENDATIONS AND CONCLUSIONS

The EIA Study for the proposed tower was undertaken per the EMA and its 2012 EIA Regulations (Sections 21 to 24 of the EIA Regulations) as follows:

- A Background Information Document (BID) containing brief information about the proposed project was compiled, uploaded on the MEFT (ECC) Portal for project registration, and circulated to the registered stakeholders/Interested and Affected parties (I&APs).
- A Stakeholders' (I&AP) List was developed and updated as new I&APs register for the EIA. The BID was shared with the pre-identified key stakeholders from national to local levels via email alongside the invitation to the consultation meeting.
- Project Environmental Assessment notices were published for two consecutive weeks in the New Era and Windhoek Observer (on the 10<sup>th</sup> and 17<sup>th</sup> of April 2025). The consultation period ran from the 10<sup>th</sup> of March 2025 to the 17<sup>th</sup> of April 2025.
- A3-size poster for public notice was compiled and pasted in the area and the Regional Council
  office notice board.
- A consultation meeting was scheduled in Naimanya Village on the 26<sup>th</sup> of March 2025. The meeting
  was attended by twenty-one (21) people, including two environmental assessment practitioners
  from Serja Consultants. Meeting minutes were taken, and the attendance register from the meeting
  was signed by attendees.

Impact identification and assessment: Some key potential positive and negative impacts were identified by the Environmental Consultant based on project experience (since there were no comments or issues raised by I&APs during the consultation period). The potential impacts were described and assessed in this Report and mainly have a medium rating of significance pre-implementation of mitigation measures. The management and mitigation measures to the impacts have been provided in the Draft EMP (in the form of action measures) for implementation by the Proponent, their contractors, and workers to avoid and/or minimize their significance on the environmental and social components. The effective implementation of the recommended management and mitigation measures, accompanied by monitoring, will particularly see the reduction in the significance of adverse impacts that cannot be avoided completely (from slightly high to medium rating and then low rating until negligible level) as follows:

- Physical disturbance to the site soils (during construction): pre-mitigation medium and post-mitigation low,
- Environmental pollution (littering): pre-mitigation medium rating and post-mitigation low rating,
- Occupational and community health and safety risks (during construction and maintenance): premitigation – medium rating and post-mitigation – low rating,

- Health and safety issues related to Electromagnetic Radiation emitted from the tower antennae
  may affect human health: pre-mitigation medium to slightly high rating, and post-mitigation –
  medium rating and eventually low rating (upon effective implementation of measures),
- Civil Aviation impact: pre-mitigation medium rating and post-mitigation low rating,
- Visual and aesthetic: pre-mitigation medium rating and post-mitigation low rating,
- Noise from construction activities: pre-mitigation medium rating and post-mitigation low rating,
   and
- Archaeological and Heritage resources: pre-mitigation medium rating and post-mitigation low rating.

The Scoping assessment of the EIA Study was deemed sufficient and concluded that no further detailed assessments are required for the ECC application for the proposed tower.

Serja Consultants are confident that the potential negative impacts associated with the proposed project can be managed and mitigated by the effective implementation of the recommended management and mitigation measures, and with more effort and commitment put on monitoring the implementation of these measures.

It is therefore recommended that the proposed tower be granted an ECC, and provided that:

- All the management and mitigation measures provided herein are effectively and progressively implemented.
- All required permits, licenses, and approvals for the proposed activities should be obtained as required and ensuring compliance with associated specific legal requirements.
- Transparency in communication and continued engagement with the stakeholders, specifically the
  respective land owner/custodian as well as other key stakeholders, should be maintained before
  and throughout the project.
- The Proponent, their project workers or appointed contractors, comply with the legal requirements
  governing their project and its associated activities and ensure that project permits and or approvals
  required to undertake specific site activities are obtained and renewed as stipulated by the issuing
  authorities.
- Site areas where earthworks are carried out should be rehabilitated, as far as practicable. This includes the levelling of stockpiled topsoil, backfilling of construction trenches and pits.
- The EMP implementation should be checked and done by the responsible team member onsite (Environmental Control Officer (ECO) or Health, Safety & Environmental (HSE) Officer) and audited by an Independent Environmental Consultant on an annual basis to compile Environmental Monitoring (Audit) Reports. These reports are to be submitted to the DEAF as it will be required by the Environmental Commissioner (as part of the ECC conditions).

It can be concluded that some of the identified negative impacts may be significant, particularly during the operational phase, but they would not hinder the proposed tower implementation. However, the recommended measures should be effectively implemented and monitored. This is to ensure that the significance of adverse impacts is reduced to acceptable ratings, i.e., from high to medium and then low, or from medium to low, and eventually to a negligible significance rating. The effectiveness of the implementation of the management and mitigation measures and EMP compliance will be assessed by a responsible Officer and audited by an Independent Environmental Consultant on an annual basis. This is done so that recommended measures can be tracked via Bi-Annual Environmental Monitoring exercises and documented in the monitoring reports to the Environmental Commissioner.

The monitoring of EMP implementation will not only be done to ensure that the impact's significance is reducing and or maintaining a low significance rating, but also to ensure that all potential impacts that might arise during implementation are properly identified in time and addressed immediately.

#### 9 LIST OF REFERENCES

- 1. Bittner, A. (2002). The Environmental Profile of the Kavango Region: Hydrogeology of the Kavango Region. Windhoek: BIWAC.
- 2. Carstens, E. and Kuliwoye, E. (2012). Environmental Scoping Report and Management Plan for the proposed construction of an MTC Base Transceiver Station in Goreangab Extension 3, Windhoek. Windhoek: Unpublished.
- EnviroPlan Consulting. (2023). Environmental & Social Impact Assessment for the Upgrade Low Volume Seal (LVS) Standard of DR3425 (87km: Ncaute – Karukuvisa) in the Kavango East and Kavango West Regions. Windhoek. MEFT.
- 4. GCS Water & Environmental Consultants. (2017). Environmental Assessment for the Proposed Base Transmitter Station (BTS) at Finkenstein Windhoek, Khomas Region. Windhoek: Unpublished.
- 5. Mendelsohn J., Jarvis A., Roberts C., and Robertson T. (2002). Atlas of Namibia: A Portrait of the Land and Its People. Cape Town: David Philip Publishers.
- 6. Namibia Statistics Agency (NSA). (2024). Namibia 2023 Population & Housing Census Main Report. Windhoek. NSA.
- Shagama, F.N. (2023). Desktop Water Resources (Hydrological & Hydrogeological) Assessment Study for the Proposed Irrigation Activities in Divundu Settlement of the Kavango East Region, Namibia: A Part of the Environmental & Social Impact Assessment (ESIA) Study. Windhoek. Unpublished.

# APPENDIX A: DRAFT ENVIRONMENTAL MANAGEMENT PLAN (EMP)