# Environmental Assessment Scoping Report for

September 2025

Township Establishment on
Portion A, B & C of the
remainder of Farm
Omungwelume No. 993 to
become known as
Omungwelume Extension 2, 3
& 4, Ohangwena Region.

APP-006421

Prepared for: Ohangwena Regional Council Private Bag 88011, Ohangwena

Contact Number: +264 65 264 314
Contact Person: Etuhole Haimbili

Email: ethaimbili@ohangwenarc.gov.na



Prepared by: Stubenrauch Planning Consultants

P.O. Box 41404, Windhoek

Contact Person: Bronwynn Basson

Contact Number: +264 (61) 25 11 89 Fax Number: +264 (61) 25 11 89

Email: bronwynn@spc.com.na



#### **PROJECT DETAILS**

|                                 | Environmental Scoping Report for the:   |                      |                 |
|---------------------------------|---|----------------------|-----------------|
| Tialo                           | <ul> <li>Township Establishment on Portion A, B &amp; C of the remainded</li> </ul> |                      |                 |
| Title                           | of Farm Omungwelume No. 993 to become known   |                      | become known as |
|                                 | Omungwelume Extens  | sion 2, 3 & 4, Ohang | gwena Region    |
|                                 |   |                      |                 |
| Report Status                   | Final   |                      |                 |
|                                 |   |                      |                 |
| SPC Reference                   | W/25036   |                      |                 |
|                                 | Ohangwena Regional Counc  | -il                  |                 |
|                                 | Private Bag 88011, Ohangw   |                      | A               |
| Proponent                       | Contact Person: Etuhole Ha  |                      |                 |
| Troponent                       | Contact Number: +264 65 264 314   |                      |                 |
|                                 | Email: ethaimbili@ohangwenarc.gov.na  |                      |                 |
|                                 | Stubenrauch Planning Consultants  |                      |                 |
|                                 | P.O. Box 41404, Windhoek  |                      | П               |
| <b>Environmental Assessment</b> | Contact Person: Bronwynn Basson   |                      |                 |
| Practitioner                    | Contact Number: +264 (61) 25 11 89  |                      | Consultants     |
|                                 | Fax Number: +264 (61) 25 1  |                      |                 |
|                                 | Email: bronwynn@spc.com.na  |                      |                 |
| Donout data                     | Contombou 2025  |                      |                 |
| Report date                     | September 2025  |                      |                 |
|                                 |   |                      |                 |
|                                 | Name  | Signature            | Date            |
| Author                          | Bronwynn Basson   | Basson.              | September 2025  |
| Document Reviewer               | Victoria Shikwaya   | Whikuga              | September2025   |

#### **LEGAL NOTICE**

This report or any portion thereof and any associated documentation remain the property of SPC until the mandator effects payment of all fees and disbursements due to SPC in terms of the SPC Conditions of Contract and Project Acceptance Form. Notwithstanding the aforesaid, any reproduction, duplication, copying, adaptation, editing, change, disclosure, publication, distribution, incorporation, modification, lending, transfer, sending, delivering, serving or broadcasting must be authorised in writing by SPC.

#### **EXECUTIVE SUMMARY**

#### Introduction

The Ohangwena Regional Council hereinafter referred to as the proponent intends to undertake the following activities:

- Subdivision of the Remainder of the Farm Omungwelume Townlands No. 993 into Portions A, B, C and the Remainder; and
- Layout Approval and Township Establishment on Portion A of the Remainder of the Farm Omungwelume Townlands No. 993 to become known as Omungwelume Extension 2;
- Layout Approval and Township Establishment on Portion B of the Remainder of the Farm
   Omungwelume Townlands No. 993 to become known as Omungwelume Extension 3 and
- Layout Approval and Township Establishment on Portion C of the Remainder of the Farm Omungwelume Townlands No. 993 to become known as Omungwelume Extension 4.

The above development triggers listed activities in terms of the Environmental Management Act (No. 7 of 2007) and Environmental Impact Assessment Regulations (Government Notice No. 30 of 2012).

As such the proponent appointed Stubenrauch Planning Consultants (SPC) to undertake an independent Environmental Assessment (EA) in order to obtain an Environmental Clearance Certificate (ECC) for the above activities. The competent authority is the Ministry of Environment and Tourism: Department of Environmental Affairs (MET: DEA).

#### **Project Description**

The proponent intends to establish Omungwelume Extension 2, 3 & 4on Portion A, B & C of the Farm Omungwelume Townlands No. 993, respectively. The proposed development in the northern region has been initiated in response to the growing demand for serviced land, as identified by the Omungwelume Settlement Office. The objective of the development is to provide structured and planned land allocations that not only accommodate sustainable livelihoods but also preserve the agricultural and rural character of the area.

To align with existing land use patterns and support small-scale agricultural activities, the erven in the proposed layout have been designed to exceed 300m², offering residents adequate space for subsistence cultivation and household sustainability.

The township layouts have been developed with a strong emphasis on functionality, long-term viability, and integration. It incorporates a mix of land uses—including general residential, business, and undetermined zones—to promote a balanced, dynamic, and inclusive settlement structure. This mixed-use approach improves access to commercial services and employment opportunities while enhancing the overall liveability and economic resilience of the community.

Importantly, the proposed layouts hgave been developed with consideration for Omungwelume Extension 3 and 4, ensuring alignment and synergy with neighbouring townships. This coordination fosters a cohesive urban fabric, allowing for shared infrastructure and complementary land uses that enhance connectivity, service delivery, and community integration.

Overall, the proposed township establishment aims to facilitate orderly development, promote sustainable land use, and improve living conditions while maintaining the unique rural identity of the region.

#### **Public Participation**

Communication with Interested and Affected Parties (I&APs) about the proposed development was facilitated through the following means and in this order:

- A Background Information Document (BID) containing descriptive information about the proposed activities was compiled and sent out to all identified and registered I&APs via email on 20 June 2025;
- Notices were placed in the New Era newspaper and the Namibian Newspaper dated 20
   & 27 June 2025, briefly explaining the activity and its locality, inviting members of the public to register as I&APs (Appendix B); and
- A notice was fixed at the project site (see Appendix A);
- A public meeting was held on 05 July 2025 at Omungwelume Community Hall.

Public consultation was carried out according to the Environmental Management Act's EIA Regulations. After the initial notification, the I&APs were given two weeks to submit their comments on the project (until **23 July 2025**). The comment period remained open until the final scoping report was submitted to MET.

The Draft Scoping Report was circulated from the **15 August 2025 until the 01 September 2025** so that the public could review and comment on it. The overall commentary received from the public on the draft report wias documented in the comments and responses report document of this report.

#### **Conclusions and Recommendations**

None of the negative construction phase impacts were deemed to have a high significant impact on the environment. The construction impacts were assessed to a *Medium to Low (negative)* significance, without mitigation measures. With the implementation of the recommended mitigation measures in Chapter 7 as well as in the EMP, the significance of the construction phase impacts is likely to be reduced to a *Low (negative)*.

With reference to **Table 10**, none of the negative operational phase impacts were deemed to have a high significance impact on the environment. The operational impacts were assessed to a *Medium* (*negative*) significance, without mitigation measures. With the implementation of the

recommended mitigation measures in Chapter 7 as well as in the EMP, the significance of the construction phase impacts is likely to be reduced to a **Low (negative)**.

It is recommended that this project be authorised because, should the development not proceed, the subject area will remain in its current undeveloped state, limiting its potential to contribute to the town's structured growth. The local community is expected to benefit significantly from the proposed development through the creation of employment opportunities during the construction phase, as well as through increased investment and activity in the area. The establishment of the new townships are also anticipated to uplift the social well-being of the community by providing access to planned erven and basic services. Given the potential for economic stimulation and improved living conditions, the social impact of the project is considered to be of High (positive) significance.

The "no go" alternative was thus deemed to have a High (negative) impact, as all the benefits resulting from the development would not be realised.

The significance of negative impacts can be reduced with effective and appropriate mitigation provided in this report and the EMP. If authorised, the implementation of the EMP should be included as a condition of approval.

#### **TABLE OF CONTENTS**

| 1   | INTRODUCTION   | 1  |
|-----|--|----|
| 1.1 | PROJECT BACKGROUND   | 1  |
| 1.2 | PROJECT LOCATION   | 2  |
| 1.3 | ZONING AND OWNERSHIP   | 2  |
| 1.4 | TERMS OF REFERENCE AND SCOPE OF PROJECT                          | 5  |
| 1.5 | ASSUMPTIONS AND LIMITATIONS                                      | 5  |
| 1.6 | CONTENT OF ENVIRONMENTAL ASSESSMENT REPORT                       | 5  |
| 2   | LEGAL FRAMEWORK  | 8  |
| 3   | ENVIRONMENTAL BASELINE DESCRIPTION                               | 15 |
| 4   | PROJECT DESCRIPTION  | 23 |
| 4.1 | ENGINEERING SERVICES AND ACCESS PROVISION                        | 32 |
| 5   | PUBLIC PARTICIPATION PROCESS                                     | 33 |
| 5.1 | PUBLIC PARTICIPATION REQUIREMENTS                                | 33 |
| 6   | ASSESSMENT METHODOLOGY   | 34 |
| 6.1 | MITIGATION MEASURES  | 36 |
| 7   | ASSESSMENT OF POTENTIAL IMPACTS AND POSSIBLE MITIGATION MEASURES | 38 |
| 7.2 | PLANNING AND DESIGN PHASE IMPACTS                                | 38 |
| 7.3 | CONSTRUCTION PHASE IMPACTS ON THE BIOPHYSICAL ENVIRONMENT        | 39 |
| 7.4 | CONSTRUCTION PHASE IMPACTS ON THE SOCIO-EONOMIC ENVIRONMENT      | 40 |
| 7.5 | OPERATIONAL PHASE IMPACTS  | 42 |
| 7.6 | CUMULATIVE IMPACTS   | 43 |
| 7.7 | ENVIRONMENTAL MANAGEMENT PLAN                                    | 43 |
| 7.8 | SUMMARY OF POTENTIAL IMPACTS                                     | 43 |
| 8   | CONCLUSION   | 56 |
| a   | REFERENCES   | 58 |

#### **LIST OF FIGURES**

| Figure 1: Locality Map of Omungwelume   | 3                              |
|---|--------------------------------|
| Figure 2: Aerial Image  | 4                              |
| Figure 3: EIA flow Diagram  | 14                             |
| Figure 4: Annual average temperature  | 16                             |
| Figure 5: Average annual Rainfall   | 17                             |
| Figure 6: Geology of Namibia  | 19                             |
| Figure 7: Groundwater basins and hydrogeological regions in Namibia   | 20                             |
| Figure 8: Biomes of Namibia   | 22                             |
| Figure 9: Subdivision of the Farm Omungwelume Townlands No. 997   | 25                             |
| Figure 10: Proposed Layout Plans of Omungwelume Extension 2   | 28                             |
| Figure 11: Aerial Image for the proposed layout of Omungwelume Extension 2  | 29                             |
| Figure 12: Combined layout of Omungwelume Extension 2 to 4  | 31                             |
| Figure 13: Mitigation Hierarchy   | 36                             |
| LIST OF TABLES  Table 1: List of triggered activities identified in the EIA Regulations which apply to the proposed   |                                |
| project   |                                |
|   | 1                              |
| Table 2: Size, Zoning and Ownership   |                                |
| Table 2: Size, Zoning and Ownership  Table 3: Contents of the Scoping / Environmental Assessment Report   | 2                              |
|   | 2<br>5                         |
| Table 3: Contents of the Scoping / Environmental Assessment Report  | 2<br>5                         |
| Table 3: Contents of the Scoping / Environmental Assessment Report  | 2<br>5<br>8                    |
| Table 3: Contents of the Scoping / Environmental Assessment Report  | 2<br>8<br>15                   |
| Table 3: Contents of the Scoping / Environmental Assessment Report  Table 4: Legislation applicable to the proposed development  Table 5: Statistics of the Ohangwena Region (Namibia Statistics Agency, 2023)  Table 6: Subdivision of the Omungwelume Townlands   | 2<br>8<br>15<br>25             |
| Table 3: Contents of the Scoping / Environmental Assessment Report  Table 4: Legislation applicable to the proposed development  Table 5: Statistics of the Ohangwena Region (Namibia Statistics Agency, 2023)  Table 6: Subdivision of the Omungwelume Townlands  Table 7: Omungwelume Extension 2 Summary Table   | 2<br>8<br>15<br>25<br>26       |
| Table 3: Contents of the Scoping / Environmental Assessment Report  Table 4: Legislation applicable to the proposed development  Table 5: Statistics of the Ohangwena Region (Namibia Statistics Agency, 2023)  Table 6: Subdivision of the Omungwelume Townlands  Table 7: Omungwelume Extension 2 Summary Table  Table 8:Table of Public Participation Activities   | 2<br>8<br>15<br>25<br>26<br>33 |
| Table 3: Contents of the Scoping / Environmental Assessment Report  Table 4: Legislation applicable to the proposed development  Table 5: Statistics of the Ohangwena Region (Namibia Statistics Agency, 2023)  Table 6: Subdivision of the Omungwelume Townlands  Table 7: Omungwelume Extension 2 Summary Table  Table 8:Table of Public Participation Activities  Table 9: Impact Assessment Criteria  | 2<br>8<br>15<br>26<br>33<br>34 |
| Table 3: Contents of the Scoping / Environmental Assessment Report  Table 4: Legislation applicable to the proposed development  Table 5: Statistics of the Ohangwena Region (Namibia Statistics Agency, 2023)  Table 6: Subdivision of the Omungwelume Townlands  Table 7: Omungwelume Extension 2 Summary Table  Table 8:Table of Public Participation Activities  Table 9: Impact Assessment Criteria  Table 10: Summary of the significance of the potential impacts  | 2152526343444                  |
| Table 3: Contents of the Scoping / Environmental Assessment Report  Table 4: Legislation applicable to the proposed development  Table 5: Statistics of the Ohangwena Region (Namibia Statistics Agency, 2023)  Table 6: Subdivision of the Omungwelume Townlands  Table 7: Omungwelume Extension 2 Summary Table  Table 8:Table of Public Participation Activities  Table 9: Impact Assessment Criteria  Table 10: Summary of the significance of the potential impacts  Table 11: Proposed mitigation measures for the planning and design phase  | 2152633344449                  |
| Table 3: Contents of the Scoping / Environmental Assessment Report  Table 4: Legislation applicable to the proposed development  Table 5: Statistics of the Ohangwena Region (Namibia Statistics Agency, 2023)  Table 6: Subdivision of the Omungwelume Townlands  Table 7: Omungwelume Extension 2 Summary Table  Table 8:Table of Public Participation Activities  Table 9: Impact Assessment Criteria  Table 10: Summary of the significance of the potential impacts  Table 11: Proposed mitigation measures for the planning and design phase  Table 12: Proposed mitigation measures for the construction phase | 2152633344449                  |

Annexure A: Proof of Site Notices/ Poster
Annexure B: Proof of Advertisements
Annexure C: Public Participation process

I&AP Database & Registered List

Emails sent of BID Emails sent of DESR

Public Meeting Presentation Public Meeting Minutes Attendance Register Comments if any

Annexure D: Curriculum Vitae of Environmental Assessment Practitioner

Annexure E: Environmental Management Plan

#### **LIST OF ACRONYMS**

AIDS Acquired Immune Deficiency Syndrome

**CRR** Comments and response report

**dB** Decibels

**DESR** Draft Environmental Scoping Report

**EA** Environmental Assessment

EAP Environmental Assessment Practitioner
EAR Environmental Assessment Report
ECC Environmental Clearance Certificate

**ECO** Environmental Control Officer

EIA Environmental Impact Assessment
EMA Environmental Management Act
EMP Environmental Management Plan
FESR Final Environmental Scoping Report

Gesellschaft für Technische Zusammenarbeit

HIV Human Immunodeficiency Virus
ORC Ohangwena Regional Council
I&AP Interested and Affected Party

**IUCN** International Union for Conservation of Nature

MET Ministry of Environment and Tourism

MET: DEA Ministry of Environment and Tourism: Department of Environmental Affairs

MURD Ministry of Urban and Rural Development

**MWTC** Ministry of Works Transport and Communication

NAMPAB Namibia Planning Advisory Board
NPC Namibia Planning Commission

POS Public Open Space

**PPP** Public Participation Process

SADC Southern African Development Community

**SME** Small Medium Enterprise

**SPC** Stubenrauch Planning Consultants

**USAID** United States Agency for International Development

**VMMC** Voluntary Medical Male Circumcision

#### 1.1 PROJECT BACKGROUND

The Ohangwena Regional Council hereinafter referred to as the proponent intends to undertake the following activities:

- Subdivision of the Remainder of the Farm Omungwelume Townlands No. 993 into Portions A, B, C and the Remainder; and
- Layout Approval and Township Establishment on Portion A of the Remainder of the Farm Omungwelume Townlands No. 993 to become known as Omungwelume Extension 2;
- Layout Approval and Township Establishment on Portion B of the Remainder of the Farm
   Omungwelume Townlands No. 993 to become known as Omungwelume Extension 3 and
- Layout Approval and Township Establishment on Portion C of the Remainder of the Farm Omungwelume Townlands No. 993 to become known as Omungwelume Extension 4.

The above are listed activities in terms of the Environmental Management Act (No. 7 of 2007) and Environmental Impact Assessment Regulations (Government Notice No. 30 of 2012).

In terms of the Environmental Management Act (No. 7 of 2007) and Environmental Impact Assessment Regulations (Government Notice No. 30 of 2012), the following listed activities in **Table 1** were triggered by the proposed project:

**Table 1:** List of triggered activities identified in the EIA Regulations which apply to the proposed project.

| Activity description and No(s):     | Description of relevant Activity  | The portion of the development as per the project description that relates to the applicable listed activity |
|-------------------------------------|---|--|
| Activity 10.1 (a)<br>Infrastructure | The construction of oil, water, gas and petrochemical and other bulk supply pipelines                         | The project involves the installation of bulk services   |
| Activity 10.1 (b) Infrastructure    | The construction of Public roads  | The proposed project includes the construction of roads.   |
| Activity 10.2 (a) Infrastructure    | The route determination of roads and design of associated physical infrastructure where – it is a public road | The proposed project includes the route determination of roads.  |

The above activities will be discussed in more detail in Chapter 4. The proponent appointed Stubenrauch Planning Consultants (SPC) to undertake an independent Environmental Assessment (EA) in order to obtain an Environmental Clearance Certificate (ECC) for the above activities. The competent authority is the Ministry of Environment and Tourism: Department of Environmental Affairs (MET: DEA).

The process will be undertaken in terms of the gazetted Namibian Government Notice No. 30 Environmental Impact Assessment Regulations (herein referred to as EIA Regulations) and the Environmental Management Act (No 7 of 2007) (herein referred to as the EMA). The EIA process will investigate if there are any potential significant bio-physical and socio-economic impacts associated with the intended activities. The EIA process would also serve to provide an opportunity for the public and key stakeholders to provide comments and participate in the process.

#### 1.2 PROJECT LOCATION

The proposed Portions A, B and C of the Remainder of the Farm are located adjacent south of Omungwelume Extension 1 and east of Shack Dwellers Extension 1 in the settlement of Omungwelume. Please see **Figure 1** below.

#### 1.3 ZONING AND OWNERSHIP

The size, zoning and ownership of Portions A, B and C of the Remainder of the Farm Omungwelume Townlands No. 993 is outlined in **Table 1** below.

Table 2: Size, Zoning and Ownership.

| Portion No. | Size (Ha) | Zoning       | Ownership             | Title Deed No. |
|-------------|-----------|--------------|-----------------------|----------------|
| Portion A   | 27.69     | Undetermined | Government of Namibia | T 5910/1995    |
| Portion B   | 38.14     | Undetermined | Government of Namibia | T 5910/1995    |
| Portion C   | 18.60     | Undetermined | Government of Namibia | T 5910/1995    |




Figure 1: Locality Map of Omungwelume




Figure 2: Aerial Image

#### 1.4 TERMS OF REFERENCE AND SCOPE OF PROJECT

The scope of this project is limited to conducting an environmental impact assessment and applying for an Environmental Clearance Certificate for the following as indicated in section 1.1 above:

- Subdivision of the Remainder of the Farm Omungwelume Townlands No. 993 into Portions A, B, C and the Remainder; and
- Layout Approval and Township Establishment on Portion A of the Remainder of the Farm Omungwelume Townlands No. 993 to become known as Omungwelume Extension 2;
- Layout Approval and Township Establishment on Portion B of the Remainder of the Farm
   Omungwelume Townlands No. 993 to become known as Omungwelume Extension 3 and
- Layout Approval and Township Establishment on Portion C of the Remainder of the Farm Omungwelume Townlands No. 993 to become known as Omungwelume Extension 4.

#### 1.5 ASSUMPTIONS AND LIMITATIONS

In undertaking this investigation and compiling the Environmental Scoping Report, the following assumptions and limitations apply:

- Assumes the information provided by the proponent is accurate and discloses all information available.
- The limitation that no alternative except for the preferred subject areas and the 'no-go' option
  was considered during this assessment. The unique character and appeal of the area were
  however taken into consideration with the design perspective.
- There are no specific layout design at present, but based on the feasibility study analysis, the proposed subject areas are the identified areas that require urgent intervention.

#### 1.6 CONTENT OF ENVIRONMENTAL ASSESSMENT REPORT

Section 8 of the gazetted EIA Regulations requires specific content to be addressed in a Scoping / Environmental Assessment Report. **Table 3** below is an extract from the EMA and highlights the required contents of a Scoping / Environmental Assessment Report whilst assisting the reader to find the relevant section in the report.

**Table 3:** Contents of the Scoping / Environmental Assessment Report

| Section | Description   | Section of FESR/ Annexure  |
|---------|---|----------------------------|
| 8 (a)   | The curriculum vitae of the EAPs who prepared the report; | Refer to <b>Annexure D</b> |
| 8 (b)   | A description of the proposed activity;                   | Refer to Chapter 4         |

| Section | Description  | Section of FESR/ Annexure  |
|---------|--|--|
| 8 (c)   | A description of the site on which the activity is to be undertaken and the location of the activity on the site;  | Refer to Chapter 3   |
|         | A description of the environment that may be affected by the proposed activity and the   |  |
| 8 (d)   | manner in which the geographical, physical, biological, social, economic and cultural aspects of the environment may be affected   | Refer to Chapter 3   |
|         | by the proposed listed activity;   |  |
| 8 (e)   | An identification of laws and guidelines that have been considered in the preparation of the scoping report;   | Refer to Chapter 2   |
| 8 (f)   | Details of the public consultation process conducted in terms of regulation 7(1) in connection with the application, including   | Refer to Chapter 5   |
|         | (i) the steps that were taken to notify potentially interested and affected parties of the proposed application  | Refer to Chapter 5   |
|         | (ii) proof that notice boards, advertisements and notices notifying potentially interested and affected parties of the proposed application have been displayed, placed or given;  | Refer to <b>Annexures A</b> and <b>B</b> for site notices and advertisements respectively. |
|         | (iii) a list of all persons, organisations and organs of state that were registered in terms of regulation 22 as interested and affected parties in relation to the application;   | Refer to <b>Annexure C</b>   |
|         | (iv) a summary of the issues raised by interested and affected parties, the date of receipt of and the response of the EAP to those issues;  | Refer to <b>Annexure C</b>   |
| 8 (g)   | A description of the need and desirability of<br>the proposed listed activity and any<br>identified alternatives to the proposed<br>activity that are feasible and reasonable,<br>including the advantages and disadvantages | Refer to Chapter 4   |

| Section | Description  | Section of FESR/ Annexure                                       |
|---------|--|---|
|         | that the proposed activity or alternatives have on the environment and on the community that may be affected by the activity;  |   |
| 8 (h)   | A description and assessment of the significance of any significant effects, including cumulative effects, that may occur as a result of the undertaking of the activity or identified alternatives or as a result of any construction, erection or decommissioning associated with the undertaking of the proposed listed activity; | Refer to Chapter 7  |
| 8 (i)   | terms of reference for the detailed assessment;  | NB – Assessment of impacts<br>are included in this EA<br>Report |
| 8 (j)   | An environmental management plan   | Refer to <b>Annexure E</b>                                      |

#### 2.1 LEGISLATION RELEVANT TO THE PROPOSED DEVELOPMENT

There are multiple legal instruments that regulate and have a bearing on good environmental management in Namibia. Table 4 below provides a summary of the legal instruments considered to be relevant to this development and the environmental assessment process.

Table 4: Legislation applicable to the proposed development

| LEGISLATION/POLICIES   | RELEVANT PROVISIONS  | RELEVANCE TO PROJECT   |
|--|--|--|
| The Constitution of the<br>Republic of Namibia as<br>Amended                           | Article 91 (c) provides for duty to guard against "the degradation and destruction of ecosystems and failure to protect the beauty and character of Namibia."  Article 95(I) deals with the "maintenance of ecosystems, essential ecological processes and biological diversity" and sustainable | Sustainable development should be at the forefront of this development.                            |
|  | use of the country's natural resources.  |  |
| Environmental<br>Management Act No. 7 of<br>2007 (EMA)                                 | Section 2 outlines the objective of the Act and the means to achieve that.   | The development should be informed by the EMA.   |
|  | Section 3 details the principle of Environmental Management  |  |
| EIA Regulations GN 28, 29, and 30 of EMA (2012)  | GN 29 Identifies and lists certain activities that cannot be undertaken without an environmental clearance certificate.  | Activity 10.1 (a) Infrastructure Activity 10.1 (b) Infrastructure Activity 10.2 (a) Infrastructure |
|  | GN 30 provides the regulations governing the environmental assessment (EA) process.  |  |
| Convention on Biological Diversity (1992)  | Article 1 lists the conservation of biological diversity amongst the objectives of the convention.   | The project should consider the impact it will have on the biodiversity of the area.               |
| Draft Procedures and<br>Guidelines for conducting<br>EIAs and compiling EMPs<br>(2008) | Part 1, Stage 8 of the guidelines states that if a proposal is likely to affect people, certain guidelines should be considered by the proponent in the scoping process.   | The EA process should incorporate the aspects outlined in the guidelines.                          |

| LEGISLATION/POLICIES   | RELEVANT PROVISIONS   | RELEVANCE TO PROJECT  |
|--|---|---|
| Namibia Vision 2030  | Vision 2030 states that the solitude, silence and natural beauty that many areas in Namibia provide are becoming sought after commodities and must be regarded as valuable natural assets.  | Care should be taken that the development does not lead to the degradation of the natural beauty of the area.   |
| Water Act No. 54 of 1956   | Section 23(1) deals with the prohibition of pollution of underground and surface water bodies.  | The pollution of water resources should be avoided during construction and operation of the development.  |
| The Ministry of Environment and Tourism (MET) Policy on HIV & AIDS | MET has recently developed a policy on HIV and AIDS. In addition, it has also initiated a programme aimed at mainstreaming HIV and gender issues into environmental impact assessments.   | The proponent and its contractor have to adhere to the guidelines provided to manage the aspects of HIV/AIDS. Experience with construction projects has shown that a significant risk is created when migrant construction workers interact with local communities. |
| Urban and Regional Planning Act 5 of 2018                          | The Act provides to consolidate the laws relating to urban and regional planning; to provide for a legal framework for spatial planning in Namibia; to provide for principles and standards of spatial planning; to establish the urban and regional planning board; to decentralise certain matters relating to spatial planning; to provide for the preparation, approval and review of the national spatial development framework, regional structure plans and urban structure plans; to provide for the preparation, approval, review and amendment of zoning schemes; to provide for the establishment of townships; to provide for the alteration of boundaries of approved townships, to provide for the disestablishment of approved townships; to provide for the subdivision and consolidation of land; to provide for the alteration, | The subdivision and consolidation of land as well as the establishment of townships is to be done in accordance with the act.   |


| LEGISLATION/POLICIES                        | RELEVANT PROVISIONS  | RELEVANCE TO PROJECT  |
|---|--|---|
|   | suspension and deletion of conditions relating to land; and to provide for incidental matters.   |   |
| Local Authorities Act No. 23 of 1992        | The Local Authorities Act prescribes<br>the manner in which a town or<br>municipality should be managed by<br>the Town or Municipal Council.   | The development must comply with provisions of the Local Authorities Act.   |
| Labour Act no. 11 of 2007                   | Chapter 2 details the fundamental rights and protections.  Chapter 3 deals with the basic conditions of employment.  | Given the employment opportunities presented by the development, compliance with the labour law is essential.   |
| National Heritage Act No. 27 of 2004        | The Act is aimed at protecting, conserving and registering places and objects of heritage significance.  | All protected heritage resources (e.g. human remains etc.) discovered, need to be reported immediately to the National Heritage Council (NHC) and require a permit from the NHC before they may be relocated. |
| Roads Ordinance 17 of 1972                  | <ul> <li>Section 3.1 deals with width of proclaimed roads and road reserve boundaries</li> <li>Section 27.1 is concerned with the control of traffic on urban trunk and main roads</li> <li>Section 36.1 regulates rails, tracks, bridges, wires, cables, subways or culverts across or under proclaimed roads</li> <li>Section 37.1 deals with Infringements and obstructions on and interference with proclaimed roads.</li> </ul> | Adhere to all applicable provisions of the Roads Ordinance.   |
| Public and Environmental Health Act of 2015 | This Act (GG 5740) provides a framework for a structured uniform public and environmental health system in Namibia. It covers notification, prevention and control of diseases and sexually transmitted  | Contractors and users of the proposed development are to comply with these legal requirements.  |

| LEGISLATION/POLICIES   | RELEVANT PROVISIONS  | RELEVANCE TO PROJECT   |
|--|--|--|
|  | infections; maternal, ante-natal and neo-natal care; water and food supplies; infant nutrition; waste management; health nuisances; public and environmental health planning and reporting. It repeals the Public Health Act 36 of 1919 (SA GG 979).   |  |
| Nature Conservation Ordinance no. 4 of 1975                                | Chapter 6 provides for legislation regarding the protection of indigenous plants   | Indigenous and protected plants must be managed within the legal confines.   |
| Water Quality Guidelines<br>for Drinking Water and<br>Wastewater Treatment | Details specific quantities in terms of water quality determinants, which wastewater should be treated to before being discharged into the environment (see Appendix B).   | These guidelines are to be applied when dealing with water and waste treatment   |
| Environmental Assessment<br>Policy of Namibia (1995)                       | The Policy seeks to ensure that the environmental consequences of development projects and policies are considered, understood and incorporated into the planning process, and that the term ENVIRONMENT is broadly interpreted to include biophysical, social, economic, cultural, historical and political components. | This EIA considers this term of Environment.   |
| Water Resources Management Act No. 11 of 2013                              | Part 12 deals with the control and protection of groundwater  Part 13 deals with water pollution control   | The pollution of water resources should be avoided during construction and operation of the development. Should water need to be abstracted, a water abstraction permit will be required from the Ministry of Water, Agriculture and Forestry. |
| Forest Act 12 of 2001 and Forest Regulations of 2015                       | To provide for the establishment of a Forestry Council and the appointment of certain officials; to  | Protected tree and plant species as<br>per the Forest Act No 12 of 2001<br>and Forest Regulations of 2015 may  |

| LEGISLATION/POLICIES                                     | RELEVANT PROVISIONS   | RELEVANCE TO PROJECT  |  |
|--|---|---|--|
|  | consolidate the laws relating to the management and use of forests and forest produce; to provide for the protection of the environment and the control and management of forest fires; to repeal the Preservation of Bees and Honey Proclamation, 1923 (Proclamation No. 1of 1923), Preservation of Trees and Forests Ordinance, 1952 (Ordinance No. 37 of 1952) and the Forest Act, 1968 (Act No. 72 of 1968); and to deal with incidental matters. | not be removed without a permit from the Ministry of Agriculture, Water and Forestry.   |  |
| Atmospheric Pollution Prevention Ordinance No 45 of 1965 | Part II - control of noxious or offensive gases,  Part III - atmospheric pollution by smoke,  Part IV - dust control, and  Part V - air pollution by fumes emitted by vehicles.   | The development should consider the provisions outlined in the act. The proponent should apply for an Air Emissions permit from the Ministry of Health and Social Services (if needed). |  |

| LEGISLATION/POLICIES                     | RELEVANT PROVISIONS  | RELEVANCE TO PROJECT  |  |
|--|--|---|--|
| Hazardous Substance Ordinance 14 of 1974 | To provide for the control of substances which may cause injury or ill-health to or death of human beings by reason of their toxic, corrosive, irritant, strongly sensitizing or flammable nature or the generation of pressure thereby in certain circumstances; to provide for the division of such substances into groups in relation to the degree of danger; to provide for the prohibition and control of the importation, manufacture, sale, use, operation, application, modification, disposal or dumping of such substances; and to provide for matters connected therewith. | The handling, usage and storage of hazardous substances on site should be carefully controlled according to this Ordinance. |  |
| Soil Conservation Act No 76<br>of 1969   | Act to consolidate and amend the law relating to the combating and prevention of soil erosion, the conservation, improvement and manner of use of the soil and vegetation and the protection of the water sources  | The proposed activity should ensure that soil erosion and soil pollution is avoided during construction and operation.      |  |

This EIA process will be undertaken in accordance with the EIA Regulations. A Flow Diagram (refer to **Figure 3** below) provides an outline of the EIA process to be followed.



#### 3.1 SOCIAL ENVIRONMENT

#### 3.1.1 Socio-Economic Context

The statistics shown in **Table 5** below are derived from the 2023 Namibia Population and Housing Census (Namibia Statistics Agency, 2023), and presented from a local and regional perspective.

**Table 5:** Statistics of the Ohangwena Region (Namibia Statistics Agency, 2023)

| ONGENGA CONSTITUENCY                                     |                           |  |  |  |  |
|--|---------------------------|--|--|--|--|
| ATTRIBUTE  | INDICATOR                 |  |  |  |  |
| Population   | 27 296                    |  |  |  |  |
| Females  | 14 509                    |  |  |  |  |
| Males  | 12 787                    |  |  |  |  |
| OHANGWENA REGION   |                           |  |  |  |  |
| ATTRIBUTE  | INDICATOR                 |  |  |  |  |
| Population   | 337 729                   |  |  |  |  |
| Females  | 178 028                   |  |  |  |  |
| Males  | 159 701                   |  |  |  |  |
| Population under 5 years                                 | 16.2%                     |  |  |  |  |
| Population aged 5 to 14 years                            | 29.1%                     |  |  |  |  |
| Population aged 15 to 34 years                           | 29.9%                     |  |  |  |  |
| Population aged 35 to 59 years                           | 16.8%                     |  |  |  |  |
| Population aged 60 years and above                       | 8.0%                      |  |  |  |  |
| Female: male ratio                                       | 90:100                    |  |  |  |  |
| Literacy rate of 15 years old and above                  | 84.6%                     |  |  |  |  |
| People above 15 years who have never attended school     | 14.8%                     |  |  |  |  |
| People above 15 years who are currently attending school | 24.2%                     |  |  |  |  |
| People above 15 years who have left school               | 57.7%                     |  |  |  |  |
| Income from pension                                      | 23.8%                     |  |  |  |  |
| Income from business and non-farming activities          | 10.5%                     |  |  |  |  |
| Income from farming                                      | 22.1%                     |  |  |  |  |
| Wages and salaries                                       | 24.9%                     |  |  |  |  |
| Main Language  | Oshiwambo Languages-97.7% |  |  |  |  |

#### 3.1.2 Archaeological and Heritage Context

No archaeological and heritage resources are expected to be found on the proposed sites. The project management should however be made aware of the provisions of the National Heritage Act regarding the prompt reporting of archaeological finds. Section 3.1.2 provides an overview of the archaeological and heritage context of the town and region.

#### 3.2 BIO-PHYSICAL ENVIRONMENT

#### **3.2.1** Climate

The climate of the Ohangwena Region is classified as tropical semi-arid with a dry season of 5-6 months. The average maximum temperature varies between 24 and 32°C with the average minimum temperature between 8 and 18°C. According to the modified Koppen system Ohangwena can be classified as a warm steppe region. Similarities between climatic conditions in northern Namibia and the Sahel region in northern Africa are obvious.





Figure 4: Annual average temperature (<a href="http://www.uni-koeln.de/sfb389/e/e1/download/atlas namibia/e1 download climate e.htm#temp">http://www.uni-koeln.de/sfb389/e/e1/download/atlas namibia/e1 download climate e.htm#temp</a> erature annual)

The mean annual rainfall in the Ohangwena Region varies between 450 and 550 mm per year as indicated in **Figure 4** above, increasing from west to east. The rains occur usually between October and May, concentrating mainly on the period January-March. Rainfall is highly variable from year to year and place to place. Most of the rain falling in the region has its origin from moisture transported by trade winds from the Indian Ocean. During their movement across southern Africa these winds lose much of their humidity. Rainfall occurs often during convective thunderstorms and can be very

heavy during short periods. Rainfall is mostly experienced during the summer, with the average annual rainfall being more than 600 mm per year as indicated in **Figure 5** below. Analysis of rainfall in the North-central Namibia over the past 31 years indicated that 11 of those years inadequate rainfall necessary for crop production with surface waters also evaporates quickly or seeps away into the sandy soils (Tamayo et al., 2011).



**Figure 5:** Average annual Rainfall (http://www.uni-koeln.de/sfb389/e/e1/download/atlas\_namibia/pics/climate/rainfall-annual.jpg)

#### 3.2.2 Topography, Geology and Soils

The topography of Ohangwena Region is characterized by an extremely flat plain between 1090 and 1150m above mean sea level. The gradient of the plain is approximately 1:2500 decreasing from north to south.

Geologically, Ohangwena Region is in the Kalahari group geological formation, which is floored by mid-Proterozoic crustal rocks of the Congo craton. The formation contains possibly as much as 8600m of sedimentary rocks of the Proterozoic Damara sequence, some 360m of Karoo rocks and about

130m of cretaceous rocks overlain by a blanket of unconsolidated Kalahari sequence sediments up to 600m thick.

The successive layers of sands, sandy clay, sandstones, and conglomerates of the Kalahari group are up to 500 thick and of Tertiary to Quartemary age (30-40 million years). Kalahari sandstones can be seen everywhere in the bottoms of wells, borrow pits and water reservoirs.

The soils of Ohangwena Region can broadly be classified into four groups:

- 1. Aeolian sands (arenosols)
- 2. Solonetz soil
- 3. Non-solonetz soils
- 4. Black clays.

The area is distinguished by a myriad of drainage channels known as oshanas, these oshanas direct water to the Etosha Pan. They often fill with water during the wet season and cut into the underlying sediments (Mendelsohn et al., 2000), making the area subject to seasonal flooding; areas that are most affected by the floods in Ohangwena region are the constituencies of Endola, Ondobe, Omulonga, Engela, Ongenga, Oshikango, Eenhana, and Ohangwena (Tamayo et al., 2011).

Water to the area is partly supplied by Namwater, which is imported from the Calueque dam in Angola. Groundwater is also abstracted from the Ohangwena Kalahari Acquifer by means of boreholes (iwrm, 2015) and traditionally dug wells (Tamayo et al., 2011).

The Region lies within the Kalahari sands geophysical region as depicted in Figure 6 below.

#### Geology of Namibia I: major geological divisions Legend Border Settlement Damara Supergroup and Gariep Complex Damara granite intrusions Damaraland Igneous Province Kalahari Group Karoo Supergroup Walvis Bay Namaqua Metamorphic Complex and related rocks Oldest rocks Namagua Metamorphic SFB 389 'ACACIA', subproject E1 University of Cologne 1:7:500.000 500 km Atlas of Namibia Project, 2002, Directorate of Environmental Aff

**Figure 6:** Geology of Namibia (http://www.uni-koeln.de/sfb389/e/e1/download/atlas\_namibia/pics/physical/geology.jpg)

#### 3.2.3 Hydrology and Hydrogeology

Namibia is an arid country with low rainfall and high evapotranspiration. The only permanent rivers are along the northern and southern borders. Across the country, surface waters are ephemeral after seasonal rainfall, with many of them dammed. However, in Ohangwena Region, there are no permanent rivers or lakes. Groundwater in this region is available throughout the year but saline. The water resources available for the inhabitants and their livestock are the following:

- a) Rainfall during the rainy season. Rainwater can be collected from roofs and surface catchment areas into reservoirs and ponds.
- b) Surface water which flows during the rainy season in ephemeral rivers and oshanas and collects in natural pans. This water can be channeled and stored in ponds and reservoirs.
- c) Groundwater in different types of aquifers. Many of the aquifers in Ohangwena Region contain however saline water, which is unsuitable for human consumption without removal of salts.

d) River water transported from Kunene River in Angola by means of canals and pipelines to major settlements in Omusati, Ohangwena, Oshana and Oshikoto regions.

The fertile soils and access to fresh water in shallow wells allowed people to settle and farm in the area, it is believed that that the Cuvelai-Etosha Basin supports many more people per unit area than most rural places in Southern Africa (Mendelsohn, Jarvis and Robertson, 2013).

Water to the area is partly supplied by Namwater, which is imported from the Calueque dam in Angola. Groundwater is also abstracted from the Ohangwena Kalahari Acquifer by means of boreholes (iwrm, 2015) and traditionally dug wells (Tamayo et al., 2011).

Having said that there are no perennial rivers or surface waters in Ohangwena region, the region receives seasonal flood waters from the Cuvelai system. Therefore, the seasonal flood in the Cuvelai system is very important for the rural economy in Ohangwena region in a way that the fresh surface water, naturally or artificially collected in pans and oshanas, provides high quality water for rural households until it evaporates. Furthermore, the floodwaters also recharge groundwater, bring in fish, which is an important source of protein for the inhabitants, and regenerate grazing for livestock.




Figure 7: Groundwater basins and hydrogeological regions in Namibia


#### 3.3 TERRESTRIAL ECOLOGY

#### 3.3.1 Flora and Fauna

There are about eight major vegetation types in the Cuvelai Basin strongly influenced by various factors such as the underlying soil, geology and rainfall, The iishanas and other lowlands in the area are mostly covered by various grass species. On higher ground (omitunda) between the drainage channels Mopane trees and shrubs dominate the woodlands., however a variety of other trees typical of Kalahari woodlands are also found in some areas of the Cuvelai Drainage, Makalani palms are prominent where the soil has some salinity (Mendelsohn, Jarvis and Robertson, 2013). Other trees that could be observed on site include the marula, bird plum, jackal berry and acacia species.

Vegetation resources are a critical part of many households in the Cuvelai basin. They are used for grazing for livestock, poles for fencing and home construction, fruits for consumption and production of beverages, grass for thatching and production of baskets, wood for fuel, fish traps, storage containers etc. (Mendelsohn, Jarvis and Robertson, 2013).

The area of has between 51-80 species of birds; the northern parts of the Cuvelai Basin generally have fewer species due to the dense human population. Frog species are about 11; the African bullfrogs become very abundant after emerging from a state of aestivation during good rains and are harvested as food. The fencing of the Etosha national Park has blocked off the migration routes of wildlife, although some movements of animals may be observed they are relatively few outside the Park (Mendelsohn, Jarvis and Robertson, 2013).



**Figure 8**: Biomes of Namibia (<a href="http://www.uni-koeln.de/sfb389/e/e1/download/atlas">http://www.uni-koeln.de/sfb389/e/e1/download/atlas</a> namibia/pics/living resources/biomes.jpg)

#### 4.1 PROJECT COMPONENTS

As previously outlined in Section 1.1, the proposed project involves the following activities:

- Subdivision of the Remainder of the Farm Omungwelume Townlands No. 993 into Portions A, B,
   C and the Remainder; and
- Layout Approval and Township Establishment on Portion A of the Remainder of the Farm Omungwelume Townlands No. 993 to become known as Omungwelume Extension 2;
- Layout Approval and Township Establishment on Portion B of the Remainder of the Farm Omungwelume Townlands No. 993 to become known as Omungwelume Extension 3 and
- Layout Approval and Township Establishment on Portion C of the Remainder of the Farm Omungwelume Townlands No. 993 to become known as Omungwelume Extension 4.

These components will be described in further detail below, in terms of their design, layout and footprint.

#### 4.2 ALTERNATIVES

As pointed out in Section 1.6 above there are no specific layout design at present, but based on the feasibility study analysis, the proposed subject areas are the identified areas that require urgent intervention. As such only the no-go alternative will be discussed below.

#### 4.2.1 No – Go Alternative

The no-go alternative is the baseline against which all alternatives are assessed. This scenario would involve maintaining the current situation, where the subject area remains vacant and undeveloped. As a result, the Omungwelume Regional Council and local residents would forfeit the potential benefits associated with the township development, including employment opportunities, improved infrastructure, and access to secure land. Additionally, the continued lack of formalisation may contribute to unregulated settlement patterns. Thus, the no-go alternative is not considered to be the preferred option.

#### 4.3 THE PROPOSED DEVELOPMENT

The proposed township establishments in the northern region is driven by the pressing need for serviced land, as identified by the Omungwelume Settlement Office. This initiative seeks to provide structured land allocations that support sustainable livelihoods while preserving the area's agricultural character. To maintain the rural essence and align with prevailing land-use patterns, erven have been strategically designed to exceed 300m2, ensuring adequate space for small-scale cultivation and household sustenance.

The plan incorporates essential nodes, including business and general residential zones, fostering a dynamic and integrated settlement rather than a mono-functional one. By promoting mixed-use development, the township enhances accessibility to services, commercial opportunities, and residential amenities, supporting economic growth and improving the quality of life for residents.

The layout was not conceived in isolation but was intentionally structured with Omungwelume Extension 3 and 4 in mind. This ensures synergy between neighbouring townships, allowing residents to benefit from complementary land-use allocations and shared infrastructure, fostering a cohesive and functional urban environment.

#### 4.3.1 Project Description

The Ohangwena Regional Council is desirous of establishing Omungwelume Extension 2, 3 & 4 by obtaining the necessary approvals for the following statutory steps:

- Subdivision of the Remainder of the Farm Omungwelume Townlands No. 993 into Portions A, B, C and the Remainder; and
- Layout Approval and Township Establishment on Portion A of the Remainder of the Farm Omungwelume Townlands No. 993 to become known as Omungwelume Extension 2;
- Layout Approval and Township Establishment on Portion B of the Remainder of the Farm Omungwelume Townlands No. 993 to become known as Omungwelume Extension 3 and
- Layout Approval and Township Establishment on Portion C of the Remainder of the Farm Omungwelume Townlands No. 993 to become known as Omungwelume Extension 4.

### 4.3.1.1 Subdivision of the Remainder of the Farm Omungwelume Townlands No. 993 into Portions A, B, C and the Remainder;

The Proponent intents to subdivide the Remainder of the Omungwelume Townlands No. 993 into Portions A to C and the Remainder as outlined in **Table 6** and **Figure 9** below.

**Table 6:** Subdivision of the Omungwelume Townlands

| Portion   | Size (Ha) | Zoning       |
|-----------|-----------|--------------|
| Portion A | 27.69     | Undetermined |
| Portion B | 38.14     | Undetermined |
| Portion C | 18.60     | Undetermined |




Figure 9: Subdivision of the Farm Omungwelume Townlands No. 997

## 4.3.1.2 Layout Approval and Township Establishment on Portion A of the Remainder of the Farm Omungwelume Townlands No. 993 to become known as Omungwelume Extension 2

The main informants for the layout plan for Omungwelume Extension 2 are:

- a) The existing household structures, movements as well as household accesses; and
- b) The topography.

Omungwelume Extension 2 will comprise approximately 281 Erven and the Remainder (streets). The layout makes provision for the following land uses, as outlined in **Table 7** and **Figure 10 & 11** below.

Table 7: Omungwelume Extension 2 Summary Table

| Zoning                     | No of Erven           | ± Total Area(ha) | % of Total Area |
|----------------------------|-----------------------|------------------|-----------------|
| Single Residential         | 257                   | 12.39            | 44.75           |
| <b>General Residential</b> | 7                     | 1.83             | 6.60            |
| Business                   | 6                     | 1.19             | 4.30            |
| Institutional              | 1                     | 0.34             | 1.22            |
| Undetermined               | 1                     | 2.52             | 9.12            |
| Public Open Space          | 9                     | 1.76             | 6.37            |
| Street                     | Remainder             | 7.66             | 27.65           |
| Total                      | 281 and the Remainder | 27.69            | 100.00          |

Omungwelume Extension 2 seeks to provide residential erven, and this is why the layout is comprised of 257 residential erven. The residential erven in Omungwelume Extension 2 range from 300m2 – 800m2 on average, however there are some residential erven that are much larger than this which accommodate existing homesteads.

Omungwelume Extension 2 makes provision for seven (7) Residential erven. The proposed general residential properties are strategically situated near business erven, a school, and public open spaces, creating a well-integrated urban environment that benefits residents, educators, and the broader community. Their proximity to commercial zones enhances economic opportunities, promotes accessibility to essential services, and supports local businesses. The nearby school offers convenience for teachers, reducing commuting time, minimizing transportation costs, and fostering work-life balance, allowing them to engage more effectively with students and community initiatives. This strategic location strengthens walkability, connectivity and functionality, making these properties ideal for residential development.

Omungwelume Extension 2 makes provision for six (6) Business erven. The business erven will provide a commercial aspect to the neighbourhood, as they can be developed into shops, convenience stores, and other business-related land uses that can allow the residents of Omungwelume Extension 2 to obtain amenities, without having to travel to the Central Business District of Oshakati.

The layout of Omungwelume Extension 2 also includes an Undetermined-zoned erf designated for a cemetery.

There is one (1) Institutional erf in the layout. The institutional-zoned erf is ideally located near residential houses and a public open space, making it suitable for a kindergarten or a church. A kindergarten would provide convenient access for families and a safe learning environment, while a church would serve as a spiritual and social hub, fostering community cohesion.

The layout for Omungwelume Extension 2 makes provision for nine (9) public open spaces. The Public open spaces serve multiple functions beyond recreation, including flood management, by acting as natural drainage areas to reduce runoff and protect infrastructure.

The residents of Omungwelume Extension 2 can utilize the Public Open Spaces provided in Omungwelume Extension 3 and Omungwelume Extension 4, fostering a shared urban amenity framework. Omungwelume Extension 2 has been structured primarily to address the demand for residential erven among the local population.

Additionally, the layout for Omungwelume Extension 2 has been carefully designed to align with broader settlement planning objectives, ensuring functional connectivity between Extensions 2, 3 and 4.

The street network of Omungwelume Extension 2, follows a simple grid layout, which will allow for the efficient connection of services, as well as the efficient distribution of traffic throughout the neighbourhood. The streets vary in width, from a minimum of 13 metre wide to 20-metre-wide streets.




Figure 10: Proposed Layout Plans of Omungwelume Extension 2




Figure 11: Aerial Image for the proposed layout of Omungwelume Extension 2

# 4.3.2 Layout Approval and Township Establishment on Portion B of the Remainder of the Farm Omungwelume Townlands No. 993 to become known as Omungwelume Extension 3

Omungwelume Extension 3 to be established on Portion B, is proposed to support the growing residential demand within the settlement, building on the momentum of Extension 2. The extension will provide additional residential erven and strengthen spatial connectivity with surrounding extensions through a coordinated street network. It also enhances urban structure by allocating open public spaces and reserving land for future community facilities. Extension 3 plays a key role in maintaining balanced land use, ensuring that new residential development is well-serviced, accessible, and integrated into the broader settlement framework.

# 4.3.3 Layout Approval and Township Establishment on Portion C of the Remainder of the Farm Omungwelume Townlands No. 993 to become known as Omungwelume Extension 4

Omungwelume Extension 4 to be established on Portion C is designed to serve as the recreational and community anchor of the settlement, with a focus on social infrastructure. It includes a strategically located sports complex intended to serve residents from all extensions, addressing the limited open space in Extension 2. The extension also allocates land for residential and business erven, supporting local economic activity and service delivery. Its integration with Extensions 2 and 3 ensures functional continuity and reflects a comprehensive planning approach that promotes sustainable growth, social cohesion, and improved quality of life.




Figure 12: Combined layout of Omungwelume Extension 2 to 4

# 4.1 ENGINEERING SERVICES AND ACCESS PROVISION

# Electricity, water, sewer and storm water

The design of bulk services as well as internal service delivery for Omungwelume Extension 2, 3 & 4 will be coordinated and installed as per the specifications of the Ohangwena Regional Council.

Access to the intended development will be obtained from the internal street network of the adjacent Omungwelume Extension 1.

#### **5.1 PUBLIC PARTICIPATION REQUIREMENTS**

In terms of Section 21 of the EIA Regulations a call for open consultation with all I&APs at defined stages of the EIA process is required. This entails participatory consultation with members of the public by providing an opportunity to comment on the proposed project. Public Participation has thus incorporated the requirements of Namibia's legislation, but also takes account of international guidelines, including Southern African Development Community (SADC) guidelines and the Namibian EIA Regulations. Public participation in this project has been undertaken to meet the specific requirements in accordance with the international best practice. Please see **Table 8** below for the activities undertaken as part of the public participation process. The I&APs were given time to comment from **20 June 2025 to 23 July 2025.** 

**Table 8:**Table of Public Participation Activities

| ACTIVITY   | REMARKS               |
|--|-----------------------|
| Placement of site notice/poster in Omugwelume  | See <b>Annexure A</b> |
| Placing advertisements in local newspapers on namely the New Era Newspaper and the Namibian Newspaper on 20 June 2025 and 27 June 2025). | See Annexure B        |
| Written notice to surrounding property owners and Interested and Affected Parties via Email (20 June 2025)                               | See <b>Annexure C</b> |
| A public meeting held on <b>05 July 2025</b> Meeting to start: <b>12h00</b> Venue of meeting: <b>Omungwelume Community Hall</b>          | See <b>Annexure C</b> |

At the time of drafting this report, no environmental or social concerns related to the development had been received from the general public by the consultant.

# 5.1.1 Environmental Assessment Phase 2

The second phase of the PPP involved the lodging of the Draft Environmental Scoping Report (DESR) to all registered I&APs for comment. Registered and potential I&APs was informed of the availability of the DESR for public comment *via* a letter/email dated **15 August 2025**. An Executive Summary of the DESR was also be included in the letters to the registered I&APs. I&APs had until **01 September 2025** to submit comments or raise any issues or concerns they may have with regard to the proposed project.

# 6 ASSESSMENT METHODOLOGY

The purpose of this chapter is to describe the assessment methodology utilized in determining the significance of the construction and operational impacts of the proposed project, and where applicable the possible alternatives, on the biophysical and socio-economic environment.

Assessment of predicted significance of impacts for a proposed development is by its nature, inherently uncertain — environmental assessment is thus an imprecise science. To deal with such uncertainty in a comparable manner, a standardised and internationally recognised methodology has been developed. Such accepted methodology is applied in this study to assess the significance of the potential environmental impacts of the proposed development, outlined as follows in **Table 9**.

Table 9: Impact Assessment Criteria

| CRITERIA                     | CATEGORY   |
|------------------------------|--|
| Impact                       | Description of the expected impact                                   |
| Nature                       | Positive: The activity will have a social / economical /             |
| Describe type of effect      | environmental benefit.   |
|                              | Neutral: The activity will have no effect                            |
|                              | Negative: The activity will have a social / economical /             |
|                              | environmental harmful effect   |
| Extent                       | Site Specific: Expanding only as far as the activity itself (onsite) |
| Describe the scale of the    | Small: restricted to the site's immediate environment within 1 km    |
| impact                       | of the site (limited)  |
|                              | Medium: Within 5 km of the site (local)                              |
|                              | Large: Beyond 5 km of the site (regional)                            |
| Duration                     | Temporary: < 1 year (not including construction)                     |
| Predicts the lifetime of the | Short-term: 1 – 5 years  |
| impact.                      | Medium term: 5 – 15 years  |
|                              | Long-term: >15 years (Impact will stop after the operational or      |
|                              | running life of the activity, either due to natural course or by     |
|                              | human interference)  |
|                              | Permanent: Impact will be where mitigation or moderation by          |
|                              | natural course or by human interference will not occur in a          |
|                              | particular means or in a particular time period that the impact can  |
|                              | be considered temporary  |
| Intensity                    | Zero: Social and/or natural functions and/ or processes remain       |
| Describe the magnitude       | unaltered  |
| (scale/size) of the Impact   | Very low: Affects the environment in such a way that natural         |
|                              | and/or social functions/processes are not affected                   |
|                              | Low: Natural and/or social functions/processes are slightly          |
|                              | altered  |

| CRITERIA                             | CATEGORY   |
|--------------------------------------|--|
|                                      | Medium: Natural and/or social functions/processes are notably            |
|                                      | altered in a modified way  |
|                                      | High: Natural and/or social functions/processes are severely             |
|                                      | altered and may temporarily or permanently cease                         |
| Probability of occurrence            | Improbable: Not at all likely  |
| Describe the probability of          | Probable: Distinctive possibility  |
| the Impact <u>actually</u> occurring | Highly probable: Most likely to happen                                   |
|                                      | <b>Definite:</b> Impact will occur regardless of any prevention measures |
| Degree of Confidence in              | Unsure/Low: Little confidence regarding information available            |
| predictions                          | (<40%)   |
| State the degree of                  | Probable/Med: Moderate confidence regarding information                  |
| confidence in predictions            | available (40-80%)   |
| based on availability of             | Definite/High: Great confidence regarding information available          |
| information and specialist           | (>80%)   |
| knowledge                            |  |
| Significance Rating                  | <b>Neutral:</b> A potential concern which was found to have no impact    |
| The impact on each                   | when evaluated   |
| component is determined by           | Very low: Impacts will be site specific and temporary with no            |
| a combination of the above           | mitigation necessary.  |
| criteria.                            | Low: The impacts will have a minor influence on the proposed             |
|                                      | development and/or environment. These impacts require some               |
|                                      | thought to adjustment of the project design where achievable, or         |
|                                      | alternative mitigation measures  |
|                                      | Medium: Impacts will be experienced in the local and surrounding         |
|                                      | areas for the life span of the development and may result in long        |
|                                      | term changes. The impact can be lessened or improved by an               |
|                                      | amendment in the project design or implementation of effective           |
|                                      | mitigation measures.   |
|                                      | High: Impacts have a high magnitude and will be experienced              |
|                                      | regionally for at least the life span of the development, or will be     |
|                                      | irreversible. The impacts could have the no-go proposition on            |
|                                      | portions of the development in spite of any mitigation measures          |
|                                      | that could be implemented.   |

<sup>\*</sup>NOTE: Where applicable, the magnitude of the impact has to be related to the relevant standard (threshold value specified and source referenced). The magnitude of impact is based on specialist knowledge of that particular field.

For each impact, the EXTENT (spatial scale), MAGNITUDE (size or degree scale) and DURATION (time scale) are described. These criteria are used to ascertain the SIGNIFICANCE of the impact, firstly in the case of no mitigation and then with the most effective mitigation measure(s) in place. The decision as to which combination of alternatives and mitigation measures to apply lies with the proponent, and their acceptance and approval ultimately with the relevant environmental authority.

The SIGNIFICANCE of an impact is derived by taking into account the temporal and spatial scales and magnitude. Such significance is also informed by the context of the impact, i.e. the character and identity of the receptor of the impact.

# **6.1 MITIGATION MEASURES**

There is a mitigation hierarchy of actions which can be undertaken to respond to any proposed project or activity (See **Figure 11** below). These cover avoidance, minimization, restoration and compensation. It is possible and considered sought after to enhance the environment by ensuring that positive gains are included in the proposed activity or project. If negative impacts occur, then the hierarchy indicates the following steps.



Figure 13: Mitigation Hierarchy

**Impact avoidance:** This step is most effective when applied at an early stage of project planning. It can be achieved by:

- not undertaking certain projects or elements that could result in adverse impacts;
- avoiding areas that are environmentally sensitive; and
- putting in place preventative measures to stop adverse impacts from occurring.

**Impact minimization:** This step is usually taken during impact identification and prediction to limit or reduce the degree, extent, magnitude, or duration of adverse impacts. It can be achieved by:

- scaling down or relocating the proposal;
- redesigning elements of the project; and
- taking supplementary measures to manage the impacts.

**Restoration:** This step is taken to improve degraded or removed ecosystems following exposure to impacts that cannot be completely avoided or minimised. Restoration tries to return an area to the original ecosystem that occurred before impacts. Restoration is frequently needed towards the end of a project's life cycle but may be possible in some areas during operation.

**Impact compensation:** This step is usually applied to remedy unavoidable residual adverse impacts. It can be achieved by:

- rehabilitation of the affected site or environment, for example, by habitat enhancement;
- restoration of the affected site or environment to its previous state or better; and
- replacement of the same resource values at another location (offset), for example, by wetland engineering to provide an equivalent area to that lost to drainage or infill.

# 7 ASSESSMENT OF POTENTIAL IMPACTS AND POSSIBLE MITIGATION MEASURES

#### 7.1 INTRODUCTION

This Chapter describes the potential impacts on the biophysical and socio-economic environments, which may occur due to the proposed activities described in Chapter 4. These include potential impacts, which may arise during the operation of the proposed development (i.e. long-term impacts) as well as the potential construction related impacts (i.e. short to medium term). The assessment of potential impacts will help to inform and confirm the selection of the preferred layouts to be submitted to MET: DEA for consideration. In turn, MET: DEA's decision on the environmental acceptability of the proposed project and the setting of conditions of authorisation (should the project be authorised) will be informed by this chapter, amongst other information, contained in this EA Report.

The baseline and potential impacts that could result from the proposed development are described and assessed with potential mitigation measures recommended. Finally, comment is provided on the potential cumulative impacts which could result should this development, and others like it in the area, be approved.

#### 7.2 PLANNING AND DESIGN PHASE IMPACTS

During the planning and design phase consideration should be given on aspects such as impacts of traffic and existing municipal infrastructure.

# 7.2.1 Traffic Impacts

The intended development may have an impact on traffic in the subject area as the sites are currently undeveloped. Once the proposed sites are developed traffic in the area is expected to increase. The traffic is not expected to increase significantly as the subject areas are in close proximity to an already developed area within the town.

# 7.2.2 Existing Service Infrastructure Impacts

The HNTC as the managing authority has committed itself to support the implementation and operation of the proposed township establishments to ensure the provision of tenure security for the respective residents. The servicing process will be under the technical guidance of the HNTC; and it will be conducted incrementally as the funds become available.

The proposed areas are to be connected to the necessary services of the town. Once the sites become developed the increasing demand on the existing services would have to be determined and additional services would have to be provided for if needed.

#### 7.3 CONSTRUCTION PHASE IMPACTS ON THE BIOPHYSICAL ENVIRONMENT

The construction phase impacts are those impacts on the biophysical and socio-economic environment that would occur during the construction phase. These impacts are inherently temporary in duration but may have longer lasting effects.

# 7.3.1 Flora and Fauna Impacts (Biodiversity)

The proposed site has been disturbed as a result of human activities for residential, commercial, and institutional purposes amongst others. It can however be expected that the surrounding areas which support natural vegetation will also support species of conservation in particular smaller vertebrates (reptiles, amphibians, mammals and birds) because in the Cuvelai Basin relatively few large wild animals live outside the Etosha National Park, movements of wildlife were tempered with firstly as human population in the Cuvelai increased and thereafter abruptly stopped by the erection of game-proof fences around Etosha between 1961 and 1973 (Berry, 1997).

Natural aquatic communities are largely absent from the region as a result of the absence of surface water flow due to the high infiltration rates, however good rains and floods do bring species of fish and frogs.

Large areas of vegetation and trees are still found within the proposed development areas and should be kept as far as possible within the block layouts in order to help with landscaping and softening the sense of place, but also to provide the resources associated with them such as fruits used for consumption and beverages.

The trees located on the subject sites should be accommodated in the proposed use for the area. Trees protected under the Forestry Act 12 of 2001 should be protected within the development and may not be removed without a permit from the local Department of Forestry.

It is anticipated that the proposed development area and associated infrastructure (e.g. water, sewage, access route, etc.) would have localised negative implications on the environment and associated fauna and flora should the proposed mitigation measures as outlined in the EMP be enforced.

# 7.3.2 Surface and Ground Water Impacts

Surface and groundwater impacts may be encountered during the construction and operation phase, especially if development takes place within the rainy season. The risk of contaminating such water

sources can be increased by accidental spillage of oils and fuels and any other equipment used during construction. This risk is minimized by the fact that the construction phase will be a short-term activity.

# 7.3.3 Soil Erosion Impacts

Given the characteristics of the proposed site, soil erosion is likely to be encountered especially if construction will take place during the rainy season.

#### 7.4 CONSTRUCTION PHASE IMPACTS ON THE SOCIO-EONOMIC ENVIRONMENT

# 7.4.1 Heritage impacts

The area is not located in a Heritage Protection Zone. Thus, there will be no impact on the heritage resources of the area. The project management should, however, be made aware of the provisions of the National Heritage Act regarding the prompt reporting of archaeological finds. Section 3.1.2 provides an overview of the archaeological and heritage context of the town and region.

# 7.4.2 Health, Safety and Security Impacts

Due to the demand for construction workers during the bulk infrastructure service construction of the proposed project an influx of migrant workforce who will require temporary accommodation in Omungwelume might be experienced. Experience with other construction projects in a developing-world context has shown that, where migrant construction workers have the opportunity to interact with the local community, a significant risk is created for the development of social conditions and sexual behaviors that contribute to the spread of HIV and AIDS.

In response to the threat the pandemic poses, MET has developed a policy on HIV and AIDS. This policy, which was developed with support from USAID, GTZ and the German Development Fund, provides for a non-discriminatory work environment and for workplace programs managed by a Ministry-wide committee. The MET has also recently initiated a programme aimed at mainstreaming HIV and gender issues into environmental impact assessments.

# 7.4.3 Traffic Impacts

Traffic is expected to increase during the construction phase of the project in areas where construction will take place. A number of trucks and other heavy machinery will be required to deliver, handle and position construction materials (bulk services materials, etc.) as well as to remove spoil material. Not only will the increase in traffic result in associated noise impacts, but it will also impact on the roads in the area. Safety of pedestrians will also need to be considered, especially with regards to pedestrian crossings, more so the children attending school in the development area. An

increase in traffic will also result in more dust impacts considering that most of the roads in the study area are gravel in nature.

# 7.4.4 Noise Impacts

Construction may result in associated noise impacts. These noise impacts will mainly be associated with construction machinery and construction vehicles. The impact is however limited mainly to the construction period only.

# 7.4.5 Dust and Emission Impacts

Excavation and stockpiles during the construction phase could result in dust impacts, if not managed correctly. Dust could impact negatively on the health of the nearby community if mitigation measures are not implemented. Dust impacts are primarily associated with the construction phase.

# 7.4.6 Municipal Services

The construction phase will result in additional people on-site, who will require provision of the following services:

- Potable water for domestic (ablution and drinking) and construction purposes.
- Temporary toilets during the construction phase.
- Solid waste management (domestic and construction waste).

These services if not managed well are likely to create an opportunity for water wastage; litter; solid and human waste pollution.

#### 7.4.7 Storage and Utilisation of Hazardous Substances

Hazardous substances are regarded by the Hazardous Substance Ordinance (No. 14 of 1974) as those substances which may cause injury or ill-health to or death of human beings by reason of their toxic, corrosive, irritant, strongly sensitizing or flammable nature or the generation of pressure thereby in certain circumstances. During the construction period, the use and storage of these types of hazardous substances, such as shutter oil, curing compounds, types of solvents, primers and adhesives and diesel, on-site could have negative impacts on the surrounding environment if these substances spill and enter the environment.

# 7.4.8 Waste Impacts

During construction waste may be generated on site. Waste generated during construction must be disposed of at the nearest approved landfill site.

#### 7.5 OPERATIONAL PHASE IMPACTS

The operational phase impacts are those impacts on the biophysical and socio-economic environment that would occur during the operational phase of the proposed project and are inherently long-term in duration.

## 7.5.1 Visual and Sense of Place Impacts

The extent of this disturbance will depend on how highly the interested and affected parties valued the initial aesthetic quality of the site. The intended activities for the proposed sites may alter the sense of place for the existing community and property owners situated in close proximity to the site. The additional buildings and infrastructure to be erected on site will cause a higher visual impact to the natural area.

#### 7.5.2 Noise Impacts

The operational activities may result in associated noise impacts, depending on the exact type of activities taking place on the properties. However due to the nature of the land uses proposed for the subject erven it is not expected that the noise levels will be significant if managed well.

# 7.5.3 Emission Impacts

The air quality in the area is considered to be fairly good. Additional emissions are not expected due to the land uses that are intended for the site.

# 7.5.4 Waste Impacts

Increased amounts of waste may be generated as a result of the operational activities at the sites. Effective waste management on site should be practiced as per the recommendations in the EMP.

# 7.5.5 Social Impacts

The proposed development is in response to the need for housing in Omungwelume, as identified by the Omungwelume Settlement Office. The establishment of the township of Omungwelume Extension 2 will thus have a positive socio-economic impact on the settlement of Omungwelume, as the new properties being created will give the chance for their new owners to advance in terms of

people who will be able to own new homes. Through this township establishments, the new occupants will obtain security of tenure and will be allocated freehold titles and thus empowering them towards economic wealth generation and economic upliftment. Council will also benefit from the sale of these properties, and further collect income from the rates and taxes to be paid on these properties.

#### 7.6 CUMULATIVE IMPACTS

The cumulative impact of the proposed developments regarding the degradation of the project area is very difficult to rate. If all proposed mitigation measures are however in place to minimise the overall impacts then the cumulative impact can be expected to be rated as *Medium-Low (negative)* for the proposed developments.

#### 7.7 ENVIRONMENTAL MANAGEMENT PLAN

An Environmental Management Plan (EMP) is contained in **Annexure E** of this report. The purpose of the EMP is to outline the type and range of mitigation measures that should be implemented during the construction, operation and decommissioning phases of the project to ensure that negative impacts associated with the development are avoided or mitigated.

#### 7.8 SUMMARY OF POTENTIAL IMPACTS

A summary of all the potential impacts from the proposed project assessed above is included in **Table 10**. The **Tables 11 – 13** provide a summary of the mitigation measures proposed for the impacts. While some difference in magnitude of the potential impacts would result from the proposed alternatives this difference was not considered to be significant for any of the potential impacts. As such, the table below applies to all proposed alternatives.

**Table 10:** Summary of the significance of the potential impacts

| Description of potential impact | Project<br>alternative | No<br>mitigation<br>/<br>mitigation | Extent | Magnitude      | Duration       | Significance | Probability | Confidence | Reversibility | Cumulative<br>impact |
|---------------------------------|------------------------|-------------------------------------|--------|----------------|----------------|--------------|-------------|------------|---------------|----------------------|
|                                 |                        |                                     |        | PLANNING       | AND DESIGN     | PHASE        |             |            |               |                      |
|                                 | Omungwelum             | No<br>mitigation                    | Local  | Medium         | Medium<br>term | Medium       | Probable    | Certain    | Reversible    | Medium (-<br>ve)     |
| 4 Tueffie Immedia               | е                      | Mitigation                          | Local  | Low            | Medium<br>term | Low          | Probable    | Certain    | Reversible    | Low (-ve)            |
| 1. Traffic Impacts              | No go                  | No<br>mitigation                    | Local  | Neutral        | Medium<br>term | Neutral      | Probable    | Certain    | Reversible    | Neutral              |
|                                 |                        | Mitigation                          | Local  | Neutral        | Medium<br>term | Neutral      | Probable    | Certain    | Reversible    | Neutral              |
|                                 | Omungwelum             | No<br>mitigation                    | Local  | Medium         | Medium<br>term | Medium       | Probable    | Certain    | Reversible    | Medium (-<br>ve)     |
| 2. Proposed                     | е                      | Mitigation                          | Local  | Low            | Medium<br>term | Low          | Probable    | Certain    | Reversible    | Low (-ve)            |
| services                        | No go                  | No<br>mitigation                    | Local  | Neutral        | Medium<br>term | Neutral      | Probable    | Certain    | Reversible    | Neutral              |
|                                 |                        | Mitigation                          | Local  | Neutral        | Medium<br>term | Neutral      | Probable    | Certain    | Reversible    | Neutral              |
|                                 |                        |                                     |        | CONST          | RUCTION PH     | ASE          |             |            |               |                      |
| 3. Biodiversity                 | Omungwelum             | No<br>mitigation                    | Local  | Medium-<br>Low | Short term     | Medium       | Probable    | Certain    | Reversible    | Medium (-<br>ve)     |
|                                 | е                      | Mitigation                          | Local  | Low            | Short term     | Low          | Probable    | Certain    | Reversible    | Low (-ve)            |
| (Fauna and Flora)               | No go                  | No<br>mitigation                    | Local  | Neutral        | Short term     | Neutral      | Probable    | Certain    | Reversible    | Neutral              |
|                                 |                        | Mitigation                          | Local  | Neutral        | Short term     | Neutral      | Probable    | Certain    | Reversible    | Neutral              |

| Descrip | otion of potential<br>impact   | Project<br>alternative | No<br>mitigation<br>/<br>mitigation | Extent | Magnitude      | Duration   | Significance    | Probability | Confidence | Reversibility | Cumulative<br>impact  |
|---------|--------------------------------|------------------------|-------------------------------------|--------|----------------|------------|-----------------|-------------|------------|---------------|-----------------------|
|         |                                | Omungwelum             | No<br>mitigation                    | Local  | Medium         | Short term | Medium          | Probable    | Certain    | Reversible    | Medium (-<br>ve)      |
| 4.      | Surface &                      | е                      | Mitigation                          | Local  | Low            | Short term | Medium -<br>low | Probable    | Certain    | Reversible    | Medium -<br>Low (-ve) |
| grour   | nd water                       | No go                  | No<br>mitigation                    | Local  | Neutral        | Short term | Neutral         | Probable    | Certain    | Reversible    | Neutral               |
|         |                                |                        | Mitigation                          | Local  | Neutral        | Short term | Neutral         | Probable    | Certain    | Reversible    | Neutral               |
|         |                                | Omungwelum             | No<br>mitigation                    | Local  | Medium         | Short term | Medium –<br>low | Probable    | Certain    | Reversible    | Medium –<br>low (-ve) |
| 5.      | Soil erosion                   | е                      | Mitigation                          | Local  | Low            | Short term | Low             | Probable    | Certain    | Reversible    | Low (-ve)             |
| 5.      | Soli erosion                   | No go                  | No<br>mitigation                    | Local  | Neutral        | Short term | Neutral         | Probable    | Certain    | Reversible    | Neutral               |
|         |                                |                        | Mitigation                          | Local  | Neutral        | Short term | Neutral         | Probable    | Certain    | Reversible    | Neutral               |
|         |                                | Omungwelum<br>e        | No<br>mitigation                    | Local  | Very low       | Short term | Very low        | Probable    | Certain    | Irreversible  | Very low(-<br>ve)     |
| 6.      | Heritage                       |                        | Mitigation                          | Local  | Negligible     | Short term | Negligible      | Probable    | Certain    | Irreversible  | Negligible (-<br>ve)  |
|         | -                              | No go                  | No<br>mitigation                    | Local  | Neutral        | Short term | Neutral         | Probable    | Certain    | Reversible    | Neutral               |
|         |                                |                        | Mitigation                          | Local  | Neutral        | Short term | Neutral         | Probable    | Certain    | Reversible    | Neutral               |
|         |                                | Omungwelum             | No<br>mitigation                    | Local  | Medium-<br>Low | Short term | Medium-<br>Low  | Probable    | Certain    | Reversible    | Medium-<br>Low (-ve)  |
| 7.      | 7. Health, safety and security | е                      | Mitigation                          | Local  | Low            | Short term | Low             | Probable    | Certain    | Reversible    | Low (-ve)             |
| and s   |                                | No go                  | No<br>mitigation                    | Local  | Neutral        | Short term | Neutral         | Probable    | Certain    | Reversible    | Neutral               |
|         |                                |                        | Mitigation                          | Local  | Neutral        | Short term | Neutral         | Probable    | Certain    | Reversible    | Neutral               |
| 8.      | Traffic impacts                | Omungwelum<br>e        | No<br>mitigation                    | Local  | Low            | Short term | Low             | Probable    | Certain    | Reversible    | Low (-ve)             |

| Description of potential impact | Project<br>alternative | No<br>mitigation<br>/<br>mitigation | Extent | Magnitude | Duration   | Significance    | Probability | Confidence | Reversibility | Cumulative<br>impact  |
|---------------------------------|------------------------|-------------------------------------|--------|-----------|------------|-----------------|-------------|------------|---------------|-----------------------|
|                                 |                        | Mitigation                          | Local  | Very low  | Short term | Very low        | Probable    | Certain    | Reversible    | Very low              |
|                                 | No go                  | No<br>mitigation                    | Local  | Neutral   | Short term | Neutral         | Probable    | Certain    | Reversible    | Neutral               |
|                                 |                        | Mitigation                          | Local  | Neutral   | Short term | Neutral         | Probable    | Certain    | Reversible    | Neutral               |
|                                 | Omunguslum             | No<br>mitigation                    | Local  | Medium    | Short term | Medium -<br>low | Probable    | Certain    | Reversible    | Medium -<br>Low (-ve) |
| 9. Noise impacts                | Omungwelum<br>e        | Mitigation                          | Local  | Low       | Short term | Low             | Probable    | Certain    | Reversible    | Very low (-<br>ve)    |
|                                 | No go                  | No<br>mitigation                    | Local  | Neutral   | Short term | Neutral         | Probable    | Certain    | Reversible    | Neutral               |
|                                 |                        | Mitigation                          | Local  | Neutral   | Short term | Neutral         | Probable    | Certain    | Reversible    | Neutral               |
|                                 | Omungwelum             | No<br>mitigation                    | Local  | Medium    | Short term | Low             | Probable    | Certain    | Reversible    | Low (-ve)             |
| 10. Emissions                   | е                      | Mitigation                          | Local  | Low       | Short term | Very Low        | Probable    | Certain    | Reversible    | Very Low (-<br>ve)    |
| impacts                         | No go                  | No<br>mitigation                    | Local  | Neutral   | Short term | Neutral         | Probable    | Certain    | Reversible    | Neutral               |
|                                 |                        | Mitigation                          | Local  | Neutral   | Short term | Neutral         | Probable    | Certain    | Reversible    | Neutral               |
|                                 | Omungwelum             | No<br>mitigation                    | Local  | Low       | Short term | Low             | Probable    | Certain    | Reversible    | Low (-ve)             |
| 11. Municipal                   | е                      | Mitigation                          | Local  | Very low  | Short term | Very low        | Probable    | Certain    | Reversible    | Very low (-<br>ve)    |
| services                        | No go                  | No<br>mitigation                    | Local  | Neutral   | Short term | Neutral         | Probable    | Certain    | Reversible    | Neutral               |
|                                 |                        | Mitigation                          | Local  | Neutral   | Short term | Neutral         | Probable    | Certain    | Reversible    | Neutral               |
| 12. Waste                       | Omungwelum             | No<br>mitigation                    | Local  | Low       | Short term | Medium          | Probable    | Certain    | Reversible    | Medium (-<br>ve)      |
|                                 | е                      | Mitigation                          | Local  | Very low  | Short term | Low             | Probable    | Certain    | Reversible    | Low (-ve)             |

| Description of potential impact                     | Project<br>alternative | No<br>mitigation<br>/<br>mitigation | Extent | Magnitude      | Duration       | Significance   | Probability | Confidence | Reversibility | Cumulative<br>impact |
|---|------------------------|-------------------------------------|--------|----------------|----------------|----------------|-------------|------------|---------------|----------------------|
|   | No go                  | No<br>mitigation                    | Local  | Neutral        | Short term     | Neutral        | Probable    | Certain    | Reversible    | Neutral              |
|   | Nogo                   | Mitigation                          | Local  | Neutral        | Short term     | Neutral        | Probable    | Certain    | Reversible    | Neutral              |
|   | Omungwelum             | No<br>mitigation                    | Local  | Low            | Short term     | Medium         | Probable    | Certain    | Reversible    | Medium (-<br>ve)     |
| 13. Hazardous                                       | e                      | Mitigation                          | Local  | Very low       | Short term     | Low            | Probable    | Certain    | Reversible    | Very low (-<br>ve)   |
| Substances  | No go                  | No<br>mitigation                    | Local  | Neutral        | Short term     | Neutral        | Probable    | Certain    | Reversible    | Neutral              |
|   |                        | Mitigation                          | Local  | Neutral        | Short term     | Neutral        | Probable    | Certain    | Reversible    | Neutral              |
|   |                        |                                     |        | OPE            | RATIONAL PH    | ASE            |             |            |               |                      |
| <ol> <li>Visual &amp; sense<br/>of place</li> </ol> | Omungwelum             | No<br>mitigation                    | Local  | Medium         | Medium<br>term | Medium         | Probable    | Certain    | Reversible    | Medium (-<br>ve)     |
|   | е                      | Mitigation                          | Local  | Medium-<br>Low | Medium<br>term | Medium-<br>Low | Probable    | Certain    | Reversible    | Medium-<br>Low (-ve) |
|   | No go                  | No<br>mitigation                    | Local  | Neutral        | Medium<br>term | Neutral        | Probable    | Certain    | Reversible    | Neutral              |
|   |                        | Mitigation                          | Local  | Neutral        | Medium<br>term | Neutral        | Probable    | Certain    | Reversible    | Neutral              |
| 2. Noise  | Omungwelum             | No<br>mitigation                    | Local  | Medium-<br>Low | Medium<br>term | Medium-<br>Low | Probable    | Certain    | Reversible    | Medium-<br>Low (-ve) |
|   | e                      | Mitigation                          | Local  | Low            | Medium<br>term | Low            | Probable    | Certain    | Reversible    | Low (-ve)            |
|   | No go                  | No<br>mitigation                    | Local  | Neutral        | Medium<br>term | Neutral        | Probable    | Certain    | Reversible    | Neutral              |
|   |                        | Mitigation                          | Local  | Neutral        | Medium<br>term | Neutral        | Probable    | Certain    | Reversible    | Neutral              |

| Descr | iption of potential<br>impact | Project<br>alternative | No<br>mitigation<br>/<br>mitigation | Extent | Magnitude      | Duration       | Significance | Probability | Confidence | Reversibility | Cumulative<br>impact |
|-------|-------------------------------|------------------------|-------------------------------------|--------|----------------|----------------|--------------|-------------|------------|---------------|----------------------|
| 3.    | Emissions                     | Omungwelum             | No<br>mitigation                    | Local  | Medium-<br>Low | Medium<br>term | Low          | Probable    | Certain    | Reversible    | Low (-ve)            |
|       |                               | e                      | Mitigation                          | Local  | Low            | Medium<br>term | Very Low     | Probable    | Certain    | Reversible    | Very Low (-<br>ve)   |
|       |                               | No go                  | No<br>mitigation                    | Local  | Neutral        | Medium<br>term | Neutral      | Probable    | Certain    | Reversible    | Neutral              |
|       |                               |                        | Mitigation                          | Local  | Neutral        | Medium<br>term | Neutral      | Probable    | Certain    | Reversible    | Neutral              |
|       |                               | Omungwelum<br>e        | No<br>mitigation                    | Local  | Low            | Long term      | Medium       | Probable    | Certain    | Reversible    | Medium (-<br>ve)     |
|       | Mosts                         | E                      | Mitigation                          | Local  | Very low       | Long term      | Low          | Probable    | Certain    | Reversible    | Low (-ve)            |
| 4.    | Waste                         | No go                  | No<br>mitigation                    | Local  | Neutral        | Short term     | Neutral      | Probable    | Certain    | Reversible    | Neutral              |
|       |                               |                        | Mitigation                          | Local  | Neutral        | Short term     | Neutral      | Probable    | Certain    | Reversible    | Neutral              |
| 5.    | Social impact                 | Omungwelum<br>e        | No<br>mitigation                    | Local  | High           | Long term      | High (+)     | Probable    | Probable   | Reversible    | High (+)             |
|       |                               |                        | Mitigation                          | Local  | High           | Long term      | High (+)     | Probable    | Probable   | Reversible    | High (+)             |
|       |                               | No go                  | No<br>mitigation                    | Local  | Neutral        | Long term      | Neutral      | Probable    | Probable   | Reversible    | Neutral              |
|       |                               |                        | Mitigation                          | Local  | Neutral        | Long term      | Neutral      | Probable    | Probable   | Reversible    | Neutral              |

 Table 11: Proposed mitigation measures for the planning and design phase

|                                    | PLANNING AND DESIGN PHASE IMPACTS  |
|------------------------------------|--|
| Impact                             | Mitigation Measures  |
| Traffic                            | <ul> <li>Ensure that road junctions have good sightlines.</li> <li>Provide formal road crossings at relevant areas.</li> <li>Provide for speed reducing interventions such as speed bumps at relevant road sections.</li> </ul>  |
| Existing Service<br>Infrastructure | <ul> <li>It is recommended that alternative and renewable sources of energy be explored and introduced into the proposed development to reduce dependency on the grid.</li> <li>Solar geysers and panels should be considered to provide for general lighting and heating of water and buildings.</li> <li>Water saving mechanisms should be considered for incorporation within the developments in order to further reduce water demands.</li> <li>Re-use of treated wastewater should be considered wherever possible to reduce the consumption of potable water.</li> <li>Engineering solutions are to be imposed on the management of stormwater to help curb the effect of inundations on the settlements. Where necessary, the stormwater should be channelled out of the settlements into the main storm water channels (iishana) to prevent damages to the properties.</li> </ul> |

 Table 12: Proposed mitigation measures for the construction phase

| CONSTRUCTION PHASE IMPACTS |   |  |  |  |  |  |  |
|----------------------------|---|--|--|--|--|--|--|
| Impact                     | Mitigation Measures   |  |  |  |  |  |  |
| Flora and Fauna            | <ul> <li>Adapt the proposed developments to the local environment – e.g. small adjustments to the site layout could avoid potential features such as water bodies and vegetation.</li> <li>Prevent the destruction of protected and endemic plant species.</li> <li>Prevent contractors from collecting wood, veld food, etc. during the construction phase.</li> </ul> |  |  |  |  |  |  |

|                                     | CONSTRUCTION PHASE IMPACTS  |
|-------------------------------------|---|
| Impact                              | Mitigation Measures   |
| Surface and Ground<br>Water Impacts | <ul> <li>Do not clear cut the entire development site, but rather keep the few individual trees/shrubs not directly affecting the developments as part of the landscaping.</li> <li>The plants that are to be kept should be clearly marked with "danger tape" to prevent accidental removal.</li> <li>Regular inspection of the marking tool should be carried out.</li> <li>The very important plants should be "camped off" to prevent the unintended removal or damage to these trees.</li> <li>Recommend the planting of local indigenous species of flora as part of the landscaping as these species would require less maintenance than exotic species.</li> <li>Transplant removed plants where possible, or plant new plants in lieu of those that have been removed.</li> <li>Prevent the introduction of potentially invasive alien ornamental plant species such as; <i>Lantana</i>, <i>Opuntia</i>, <i>Prosopis</i>, <i>Tecoma</i>, etc.; as part of the landscaping as these species could infest the area further over time.</li> <li>It is recommended that construction takes place outside of the rainy season in order to limit flooding on site and surface water pollution.</li> <li>No dumping of waste products of any kind in or in close proximity to surface water bodies.</li> <li>Heavy construction vehicles should be kept out of any surface water bodies and the movement of construction vehicles should be limited where possible to the existing roads and tracks.</li> <li>Ensure that oil/ fuel spillages from construction vehicles and machinery are minimised and that where these occur, that they are appropriately dealt with.</li> <li>Drip trays must be placed underneath construction vehicles when not in use to contain all oil that might be leaking from these vehicles.</li> </ul> |

|              | CONSTRUCTION PHASE IMPACTS  |  |  |  |  |  |  |
|--------------|---|--|--|--|--|--|--|
| Impact       | Mitigation Measures   |  |  |  |  |  |  |
|              | Contaminated runoff from the construction sites should be prevented from entering the surface and ground water bodies.  |  |  |  |  |  |  |
|              | The seasonal flooding that affects the eastern part of the Bonya Informal Settlement can be contained and managed by re-directing the water into the mainstream through a cohesive storm water management plan.  All materials on the construction site should be grant through.  |  |  |  |  |  |  |
|              | All materials on the construction site should be properly stored.      Disposal of waste from the sites should be properly managed and taken to the designated landfill site.   |  |  |  |  |  |  |
|              | <ul> <li>Disposal of waste from the sites should be properly managed and taken to the designated landfill site.</li> <li>Construction workers should be given ablution facilities at the construction sites that are located at least 30 m away from any surface water and regularly serviced.</li> <li>Washing of personnel or any equipment should not be allowed on site. Should it be necessary to wash construction equipment these should be done at an area properly suited and prepared to receive and</li> </ul> |  |  |  |  |  |  |
|              | contain polluted waters.  |  |  |  |  |  |  |
|              | • The block layout plan for Bonya should make provision for urban agriculture on the blocks that are along the main stormwater channels (iishana). This will help ensure food sustainability for the residents and also promote economic sustainability through the sale of the surplus. The agriculture blocks will be under the administration of the HNTC and will be leased out to individuals or group thereof to help generate revenues for the HNTC.   |  |  |  |  |  |  |
| Soil Erosion | <ul> <li>It is recommended that construction takes place outside of the rainy season in order to limit potential flooding and the runoff of loose soil causing further erosion.</li> <li>Appropriate erosion control structures must be put in place where soil may be prone to erosion.</li> <li>Checks must be carried out at regular intervals to identify areas where erosion is occurring.</li> <li>Appropriate remedial actions are to be undertaken wherever erosion is evident.</li> </ul>                        |  |  |  |  |  |  |

| CONSTRUCTION PHASE IMPACTS |  |  |
|----------------------------|--|--|
| Impact                     | Mitigation Measures  |  |
| Heritage                   | <ul> <li>The project management should be made aware of the provisions of the National Heritage Act regarding the prompt reporting of archaeological finds.</li> <li>In the event of such finds, construction must stop, and the project management or contractors should notify the National Heritage Council of Namibia immediately.</li> </ul>  |  |
| Health, Safety and         | Construction personnel should not overnight at the site, except the security personnel.  |  |
| Security                   | <ul> <li>Ensure that all construction personnel are properly trained depending on the nature of their work.</li> <li>Provide for a first aid kit and a properly trained person to apply first aid when necessary.</li> <li>Restrict unauthorised access to the site and implement access control measures.</li> <li>Clearly demarcate the construction site boundaries along with signage of "no unauthorised access".</li> <li>Clearly demarcate dangerous areas and no-go areas on site.</li> <li>Staff and visitors to the site must be fully aware of all health and safety measures and emergency procedures on site.</li> <li>The contractor must comply with all applicable occupational health and safety requirements.</li> <li>The workforce should be provided with all necessary Personal Protective Equipment where appropriate.</li> </ul> |  |
| Traffic                    | <ul> <li>Limit and control the number of access points to the site.</li> <li>Ensure that road junctions have good sightlines.</li> <li>Construction vehicles need to be in a road worthy condition and maintained throughout the construction phase.</li> <li>Transport the materials in the least number of trips as possible.</li> <li>Adhere to the speed limit.</li> <li>Implement traffic control measures where necessary.</li> </ul>  |  |
| Noise                      | <ul> <li>No amplified music should be allowed on site.</li> <li>Inform immediate neighbours of construction activities to commence and provide for continuous communication between the neighbours and contractor.</li> </ul>  |  |

| CONSTRUCTION PHASE IMPACTS |  |  |
|----------------------------|--|--|
| Impact                     | Mitigation Measures  |  |
|                            | <ul> <li>Limit construction times to acceptable daylight hours. Construction should be limited to normal working days and office hours from 08h00 to 17h00 and 7:30 – 13:00 on Saturdays.</li> <li>Install technology such as silencers on construction machinery if noise levels are significantly high.</li> <li>Provide ear plugs and earmuffs to staff undertaking the noisy activity or working within proximity thereof or alternatively, all construction workers should be equipped with ear protection equipment.</li> <li>Do not allow the use of horns as a general communication tool but use it only where necessary as a safety measure.</li> </ul>  |  |
| Dust and Emission          | <ul> <li>It is recommended that dust suppressants such as Duster be applied to all the construction clearing activities to ensure at least 50% control efficiency on all the unpaved roads and reduce water usage.</li> <li>Construction vehicles to only use designated roads.</li> <li>During high wind conditions the contractor must make the decision to cease works until the wind has calmed down.</li> <li>Vehicles travelling to and from the construction site must adhere to the speed limits so as to avoid producing excessive dust. A speed limit of 40 km/hr should be set for all vehicles travelling over exposed areas</li> <li>Cover any stockpiles with plastic to minimise windblown dust.</li> <li>Provide workers with dust masks.</li> </ul> |  |
| Waste                      | <ul> <li>It is recommended that waste from the temporary toilets be disposed of at an approved Wastewater Treatment Works.</li> <li>A sufficient number of waste bins should be placed around the site for the general waste.</li> <li>A sufficient number of skip containers for the heavy waste and rubble should be provided for around the site.</li> <li>Ensure that no excavated soil, refuse or building rubble generated on site are placed or dumped on surrounding properties or land</li> </ul>   |  |

| CONSTRUCTION PHASE IMPACTS |  |  |
|----------------------------|--|--|
| Impact                     | Mitigation Measures  |  |
|                            | <ul> <li>Solid waste will be collected and disposed of at an appropriate local land fill or an alternative approved site, in consultation with the local authority.</li> <li>Strictly, no burning of waste on the site or at the disposal site is allowed as it possess environmental and public health impacts</li> </ul>               |  |
| Hazardous Substances       | <ul> <li>Storage of the hazardous substances in a bunded area, with a volume of 120 % of the largest single storage container or 25 % of the total storage containers whichever is greater.</li> <li>Refuel vehicles in designated areas that have a protective surface covering and utilise drip trays for stationary plant.</li> </ul> |  |

 Table 13: Proposed mitigation measures for the operational phase

| OPERATIONAL PHASE IMPACTS |  |  |
|---------------------------|--|--|
| Impact                    | Mitigation Measures  |  |
| Visual and Sense          | • It is recommended that more 'green' technologies be implemented within the architectural designs and   |  |
| of Place                  | building materials of the development where possible in order to minimise the visual prominence of such a development within the more natural surrounding landscape.   |  |
|                           | <ul> <li>Natural colours and building materials such as wood and stone should be incorporated as well as the use of<br/>indigenous vegetation in order to help beautify the development.</li> </ul>                  |  |
|                           | <ul> <li>Visual pollutants can further be prevented through mitigations (i.e. keep existing trees, introduce tall indigenous trees; keep structures unpainted and minimise large advertising billboards).</li> </ul> |  |
|                           | Ensure proper and regular maintenance of the area.   |  |
|                           | No illegal dumping of waste should be allowed  |  |
| Noise                     | Do not allow commercial activities that generate excessive noise levels.   |  |
|                           | <ul> <li>Continuous monitoring of noise levels should be conducted to make sure the noise levels does not exceed<br/>acceptable limits.</li> </ul>   |  |

| OPERATIONAL PHASE IMPACTS |  |  |
|---------------------------|--|--|
| Impact                    | Mitigation Measures  |  |
|                           | No activity having a potential noise impact should be allowed after 18:00 hours if possible.   |  |
| Emissions                 | Consider tarring of the internal road network.   |  |
|                           | Manage activities that generate emissions.   |  |
| Waste                     | Solid waste will be collected from site regularly.   |  |
|                           | Waste should be disposed of at an appropriate local land fill, in consultation with the local authority.   |  |
|                           | No waste may be buried or burned.  |  |
| Social Impacts            | <ul> <li>No specific mitigation measures are required, only that the local community be consulted in terms of possible job creation opportunities and must be given first priority if unspecialised job vacancies are available.</li> <li>The formalisation of Bonya and Ombili should seek to incorporate the social and cultural practices that are pertinent to the day-to-day operations of the communities to ensure that the social and cultural well-beings of the communities are not disrupted.</li> <li>Provision should be made for informal markets to enable the residents to operate their day-to-day small scale businesses activities to maintain their livelihoods.</li> <li>Further provision should be made for sustainable urban agricultural practices to enable the residents to grow their own food and strive towards achieving food security and ending hunger as required by the Sustainable Development Goal 2 (SDG2).</li> </ul> |  |
|                           | <ul> <li>The formalisation of Bonya and Ombili will comprise of both freehold land, starter title and land hold rights to cater to individuals in various income categories</li> <li>The HNTC to encourage and assist the residents of the affected settlements to form saving groups and raise money for the installation of the necessary engineering services as well as for the administration of the FLTS</li> </ul>  |  |

#### 8 CONCLUSION

The purpose of this Chapter is to briefly summarise and conclude the FESR and describe the way forward.

#### **8.1 CONSTRUCTION PHASE IMPACTS**

With reference to **Table 12**, none of the negative construction phase impacts were deemed to have a high significance impact on the environment. The construction impacts were assessed to a *Medium to Low (negative)* significance, without mitigation measures. With the implementation of the recommended mitigation measures in Chapter 7 as well as in the EMP, the significance of the construction phase impacts is likely to be reduced to a *Low (negative)*.

#### 8.2 OPERATIONAL PHASE

The most significant operational phase impact *medium (positive)* is the social impact. This is as a result of the potential job opportunities during construction as well the increased development within the area. Furthermore, the community is expected to benefit from the township establishments. The provision of basic services is not only important to ensure the health of a community, but also to promote development. It is envisaged that the township establishments and the construction of bulk services will form the keystone of uplifting and expanding the town and create a more sustainable livelihood for the community socially and economically.

# 8.3 LEVEL OF CONFIDENCE IN ASSESSMENT

With reference to the information available at the project planning cycle, the confidence in the environmental assessment undertaken is regarded as being acceptable for the decision-making, specifically in terms of the environmental impacts and risks. The Environmental Assessment Practitioner believes that the information contained within this FESR is adequate to allow MET: DEA to be able to determine the environmental acceptability of the proposed project.

It is acknowledged that the project details will evolve during the detailed design and construction phases. However, these are unlikely to change the overall environmental acceptability of the proposed project and any significant deviation from what was assessed in this FESR should be subject to further assessment. If this was to occur, an amendment to the Environmental Authorisation may be required in which case the prescribed process would be followed.

#### **8.4 MITIGATION MEASURES**

With the implementation of the recommended mitigation measures in Chapter 7 as well as in the EMP, the significance of the construction and operational phase impacts is likely to be reduced to a

Low (negative). It is further extremely important to include an Environmental Control Officer (ECO) on site during the construction phase of the proposed project to ensure that all the mitigation measures discussed in this report and the EMP are enforced.

It is noted that where appropriate, these mitigation measures and any others identified by MET: DEA could be enforced as Conditions of Approval in the Environmental Authorisation, should MET: DEA issue a positive Environmental Authorisation.

#### 8.5 OPINION WITH RESPECT TO THE ENVIRONMENTAL AUTHORISATION

Regulation 15(j) of the EMA requires that the EAP include an opinion as to whether the listed activity must be authorised and if the opinion is that it must be authorised, any condition that must be made in respect of that authorisation.

It is recommended that this project be authorised because should the development not proceed the subject area will remain in its current state. The local community is expected to benefit from the development as a result of the potential job opportunities during construction as well as the increased development within the area. Furthermore, the community of Omungwelume are further expected to benefit from the proposed development. The significance of the social impact was therefore deemed to be *High (positive)*.

The "no go" alternative on the other hand was deemed to have a *High (negative)* impact, as all the social benefits resulting from the development would not be realised.

The significance of negative impacts can be reduced with effective and appropriate mitigation provided in this report and the EMP. If authorised, the implementation of an EMP should be included as a condition of approval.

#### 8.6 WAY FORWARD

The FESR is herewith submitted to MEFT: DEAF for consideration and decision making. If MEFT: DEAF approves, or requests additional information / studies all registered I&APs and stakeholders will be kept informed of progress throughout the assessment process.

# 9 REFERENCES

Mendelsohn, J. & el Obeid, S. 2004. The flow of a lifeline.

Mendelsohn, J., Jarvis, A., Roberts, C. & Roberston, T. 2002. Atlas of Namibia.

Namibia Statistics Agency. 2023. Namibia 2013 Population & Housing Census - Main Report. 214. [Online], Available: http://www.nsa.org.na/files/downloads/Namibia 2023 Population and Housing Census Main Report.pdf.

Stubenrauch Planning Consultants. 2022. HNTC Structure Plan.

Tamayo et al., 2011.Flood Risk Management Planhttp://www.the eis.com/data/literature/Flood%20Risk%20Management%20Plan.pdf