

# **ISSUES AND RESPONSE REPORT (IRR)**

**FOR THE PROPOSED SUBDIVISION AND CREATION OF PRIVATE RIGHT OF  
WAY SERVITUDE ON ERF 738 WALVIS BAY PROPER, ERONGO REGION,  
NAMIBIA**

**PROPONENT: MR MC KHAN  
ENVIRONMENTAL CONSULTANT: ENVIROFFICIENT CONSULTANTS CC  
PROJECT REFERENCE NUMBER: 007243**

**DATE: APRIL 2026**

## Table of Contents

CONSULTATION REPORT .....	3
1. Introduction .....	3
2. Public Participation Summary.....	3
3. Issues Raised by Stakeholders.....	3
4. Response to Issues.....	3
5. Conclusion.....	3
6. Declaration by Environmental Assessment Practitioner.....	3
ANNEXURE A: EMAIL NOTIFICATION OF THE PROJECT & BID DISTRIBUTION REGISTER FOR HARDCOPIES.....	4
ANNEXURE B: NEWSPAPER ADVERTS.....	7
ANNEXURE C: SITE NOTICES .....	11
ANNEXURE D: LIST OF CONTACTED INTERESTED AND AFFECTED PARTIES (I&APS) .....	12

## CONSULTATION REPORT

### 1. Introduction

This Issues and Response Report (IRR) document the outcomes of the public consultation process undertaken as part of the Environmental Assessment (EA) for the proposed subdivision and right of way servitude on Erf 738, Walvis Bay.

### 2. Public Participation Summary

A public participation process was conducted in accordance with the Environmental Management Act, 2007 and EIA Regulations, 2012. The process included:

- Distribution of Background Information Document (**Annexure A**)
- Newspaper advertisements (**Annexure B**)
- Site notices (**Annexure C**)
- No public meeting was held due to the small nature of the project, and due to the absence of interest expressed from the public consultation process.
- Contacted I&AP list (**Annexure D**)

### 3. Issues Raised by Stakeholders

No comments, concerns, objections, or inputs were received from Interested and Affected Parties (I&APs) during the public consultation period, apart from a single request of BID by the Environmental assessment Tracker (Annexure ....

### 4. Response to Issues

No issues or concerns were raised, therefore no responses or mitigation measures specific to stakeholder concerns were required.

### 5. Conclusion

The public participation process was completed in compliance with the applicable legal requirements. Despite adequate notification and opportunity for engagement, no stakeholder inputs were received.

The absence of comments indicates that no objections or concerns were identified by Interested and Affected Parties regarding the proposed development.

### 6. Declaration by Environmental Assessment Practitioner

I hereby declare that this Issues and Response Report is a true and accurate representation of the issues raised and responses provided during the public consultation process.



ENVIROFFICIENT CONSULTANTS CC  
P.O. BOX 460  
OUTAPI  
CELL: 085 3077370 / 0813077370  
REG NO: CC / 2018 / 00231

**Nikolas Ndeikonghola**  
**Environmental Assessment Practitioner**

## ANNEXURE A: EMAIL NOTIFICATION OF THE PROJECT & HARDCOPIES BID DISTRIBUTION REGISTER



Envirofficient Consultants <envirofficient@gmail.com>

### NOTICE: ENVIRONMENTAL IMPACT ASSESSMENT FOR THE PROPOSED SUBDIVISION OF ERF 738, WALVIS BAY PROPER, AND CREATION OF A PRIVATE RIGHT-OF-WAY SERVITUDE

1 message

Envirofficient Consultants <envirofficient@gmail.com>

Mon, Apr 13, 2026 at 10:25 AM

Bcc: wbuadmin@erongorc.gov.na, okakero@walvisbaycc.org.na, Timoteus Mufeti <Timoteus.Mufeti@meft.gov.na>, Support@erongored.com.na, manzur@iafrica.com.na, cleokolokwe05@gmail.com, nkhoa@murd.gov.na, "Callie van Heerden@iway.na" <callievh@iway.na>, "Lumbu, Elina" <lumbue@ra.org.na>

Dear Potentially Interested and/or Affected Party,

Envirofficient Consultants cc hereby gives notice to all Potentially Interested and Affected Parties (I&APs) that an Environmental Screening process is being undertaken for the following proposed activity:

- Subdivision of Erf 738, Walvis Bay, and the creation of a private right-of-way servitude in the Erongo Region, Namibia.


Public participation forms an integral part of the environmental assessment process. This process involves consultation with individuals, communities, and organisations that may have an interest in, or may be affected by, the proposed development and its associated activities. The purpose of this participatory process is to provide I&APs with an opportunity to raise comments, concerns, suggestions, and questions regarding the proposed project.

An Environmental Screening Report is being compiled to identify and assess potential impacts associated with the proposed subdivision and servitude. A Background Information Document (BID), which provides details of the proposed activity and the assessment process, is attached for your information.

Should you wish to be registered as an Interested and Affected Party and receive further information as the process progresses, please complete the registration and comments form provided on the LAST PAGE of the BID attached, and submit it on or before **30 April 2026** to:

Envirofficient Consultants cc  
Unit 8, Stop & Shop Complex  
Vrede Rede Street, Swakopmund  
Email: [envirofficient@gmail.com](mailto:envirofficient@gmail.com)  
Contact: +264 81 307 7370

--  
*Nikolas Ndeikonghola*  
*Managing Member*  
*Envirofficient Consultants cc*  
*+264-81-307 7370*

 **BID FOR SUBDIVISION OF ERF 738 WALVIS BAY.pdf**  
855K

---

**Notice For Environmental Impact Assessment: Subdivision And Creation Of Private Right Of Way Servitude**

4 messages

---

**info@eia-tracker.org.na** <info@eia-tracker.org.na>  
To: Envirofficient Consultants <envirofficient@gmail.com>  
Cc: John Pallett <john.pallett@saiea.com>, Elia Mvula <elia@nnf.org.na>

Mon, Apr 20, 2026 at 11:05 AM

Dear Sir/Madam

I am also hereby requesting to be registered as an I&amp;AP for the EIA:

Notice For Environmental Impact Assessment: Subdivision And Creation Of Private Right Of Way Servitude.

Would you also forward me the **BID** including the **project site coordinates**?

Regards,

Simeon Namweya  
EIA Tracking and Monitoring in Namibia (EIA Tracker)  
Namibian Environment and Wildlife Society  
Cell:+264 81 354 9340  
<https://eia-tracker.org.na>

*The EIA Tracker Project keeps track and maps all EIAs countrywide to enhance public access to EIA information and promote transparency within the EIA sector. The information collected is only used for the public to access and the EIA Tracker has no intention and will not use these for financial or any other benefits.*

---

**Envirofficient Consultants** <envirofficient@gmail.com>  
To: "info@eia-tracker.org.na" <info@eia-tracker.org.na>  
Cc: John Pallett <john.pallett@saiea.com>, Elia Mvula <elia@nnf.org.na>

Mon, Apr 20, 2026 at 11:40 AM

Good day Sir,

kindly find the attached BID as requested.

Kind regards  
[Quoted text hidden]

*Nikolas Ndeikonghola*  
*Managing Member*  
*Envirofficient Consultants cc*  
*+264-81-307 7370*

---

 **BID FOR SUBDIVISION OF ERF 738 WALVIS BAY (1).pdf**  
855K



P O Box 460 Outapi  
 +264 81 307 7370  
 envirofficient@gmail.com  
 Erf 3473  
 King Nehale Road  
 Ext 16, Ondangwa

**BID DISTRIBUTION REGISTER**  
**SUBDIVISION AND CREATION OF RIGHT OF WAY SERVITUDE OF**  
**ERF 738 WALVIS BAY PROPER**

No.	I&AP NAME/ INSTITUTION:	EMAIL ADDRESS	CONTACTS NO.	DATE	SIGNATURE
1	LEE LIGYMA	lee.tv@mwib.com.na	081 124 5247	2024/04/13	
2	STATION KALONG/ABRI	skalongna@br.com.na	811255216	2026/04/15	
3	Andreas Soldan	Seagullseronyamb.	064 20 2775	2026/13/24	
4	Mei Ji	jimeij771121@gmail.com	081 726 1520	2026/13/24	
5	Bennie Duvuloge	bennie@surmix.com.na	081 2025460	14/04/24	
6					
7					
8					
9					
10					
11					
12					

18 SELECT SPORT

# CLASSIFIEDS

(061) 208 0800/44  
classifieds@nepc.com.na  
sales@nepc.com.na



**NOTICE LEGAL NOTICE**



**CALL FOR PUBLIC PARTICIPATION/ COMMENTS ENVIRONMENTAL IMPACT ASSESSMENT AND ENVIRONMENTAL MANAGEMENT PLAN TO OBTAIN AN ENVIRONMENTAL CLEARANCE FOR THE REZONING OF PORTION H OF FAIRM BRAKWATER NO. 46, WINDHOEK, FROM RESIDENTIAL TO INDUSTRIAL, THE SUBDIVISION OF THE PORTION INTO 21 PORTIONS AND THE REMAINDER AND FOR THE DETERMINATION OF ROADS IN THE FORM OF RIGHT OF WAY SECTORS AND ASSOCIATED INFRASTRUCTURE.**

Green Earth Environmental Consultants have been appointed to attend to and complete an Environmental Impact Assessment and Environmental Management Plan (EIMP) to obtain an Environmental Clearance Certificate as per the requirements of the Environmental Management Act No. 7 of 2007 and the Environmental Impact Assessment Regulations (EIA Regs) No. 48 of 2007. The EIMP is for the rezoning of Portion H of Farm Brakwater No. 46, Windhoek, from residential to industrial, the subdivision of the portion into 21 portions and the remainder and for the determination of roads in the form of right of way sectors and associated infrastructure to be used as access roads to the newly owned portion.

Name of proponent: Eckhard Otto Windhoek  
Project location and description: The remainder of Portion H of the Farm Brakwater No. 46 is located east of A1 National Road between Windhoek and Okahandja and adjoins the railway and the national road. The site is currently used for a motoring track, Windhoek Eggs and the storage of vehicles and consumer storage facilities. The remainder of Portion H is 24,9923 ha in extent. City of Windhoek approved the zoning of Portion H from residential to industrial. It is the intention to subdivide the Portion into 21 new portions (including a street portion) and the remainder. The newly created portions will obtain access from the 20m wide right of way sectors which will link up with District Road 1145 which links up with Main Road 1145. Interested and affected parties are hereby invited to register in terms of the assessment process to give their comments, and opinions regarding the proposed project. A Background Information Document is available to the public and will be held if enough public interest is shown. Registered in A.P.A. will be notified of the date and venue of the public meeting.

The last date for comments and/or registration is 29 April 2026.

Contact details for registration and further information:  
Green Earth Environmental Consultants  
Contact Person: Charlene Du Toit/Carole van der Wal  
Tel: 0611 2333 145  
E-mail: [carole@greenearthconsultants.com](mailto:carole@greenearthconsultants.com)

**NOTICE LEGAL NOTICE**

**PUBLIC NOTICE**  
Suburban Planning Consultants cc has been appointed by the Grootfontein Municipality and Regional Planning Board to prepare the following:

- 1) Rezoning of Erf 805, Omuramba Extension 5 from "Single Residential" to "General Residential" and
- 2) Inclusion into the zoning scheme to be prepared for Grootfontein.

Erft 805, Omuramba Extension 5, is centrally located in the Grootfontein Municipality. The erf is situated in a predominantly residential neighbourhood. The area measures 770m<sup>2</sup> in extent and is currently zoned as "Single Residential" with a density of 1:450. The purpose of the subject application is to rezoning the existing Grootfontein Jakhova's Witvlei Church cemetery situated on the erf.

A copy of the application, maps and its accompanying documents are available for inspection during normal office hours at the Grootfontein Municipality and SPC Office, 45 St. Senese Khama Street, Windhoek. Further information that anyone objecting to the proposed changes to the zoning scheme together with the grounds thereof, within the Grootfontein Municipality and the applicant (SPC), in writing or during normal office hours on the 21st day after the last publication of the application in the newspaper. Applicant: Suburban Planning Consultants cc  
P O Box 41604, Windhoek  
Tel: (061) 21 1189  
E-mail: [info@suburban.com.na](mailto:info@suburban.com.na)  
Our Ref: W262012  
The Acting Chief Executive Officer  
Grootfontein Municipality  
P O Box 22, Grootfontein.


**NOTICE LEGAL NOTICE**

**PUBLIC NOTICE**  
REPLANNING OF SEVEN 9176, 9177 AND 9178-9184, RUNDU EXTENSION 21  
Notice is hereby given in terms of the Urban and Regional Planning Act, 2016 (Act No. 5 of 2016) that Suburban Planning Consultants cc has applied to the Rundu Town Council and intends on applying to the Urban and Regional Planning Board (URPB) for the following:

- 1) Rezoning of Erf 9176, Rundu Extension 21 from "General Residential" to "Single Residential" with a density of 1:300;
- 2) Subdivision of Erf 9176, Rundu Extension 21 into 3 Erven and Remainder;
- 3) Inclusion of the rezoning in the zoning scheme to be prepared for Rundu.

Application 2: W262012 - A  
Application 2: W262012 - B  
Application 2: W262012 - C  
Application 2: W262012 - D  
Application 2: W262012 - E  
Application 2: W262012 - F  
Application 2: W262012 - G  
Application 2: W262012 - H  
Application 2: W262012 - I  
Application 2: W262012 - J  
Application 2: W262012 - K  
Application 2: W262012 - L  
Application 2: W262012 - M  
Application 2: W262012 - N  
Application 2: W262012 - O  
Application 2: W262012 - P  
Application 2: W262012 - Q  
Application 2: W262012 - R  
Application 2: W262012 - S  
Application 2: W262012 - T  
Application 2: W262012 - U  
Application 2: W262012 - V  
Application 2: W262012 - W  
Application 2: W262012 - X  
Application 2: W262012 - Y  
Application 2: W262012 - Z  
Application 2: W262012 - AA  
Application 2: W262012 - AB  
Application 2: W262012 - AC  
Application 2: W262012 - AD  
Application 2: W262012 - AE  
Application 2: W262012 - AF  
Application 2: W262012 - AG  
Application 2: W262012 - AH  
Application 2: W262012 - AI  
Application 2: W262012 - AJ  
Application 2: W262012 - AK  
Application 2: W262012 - AL  
Application 2: W262012 - AM  
Application 2: W262012 - AN  
Application 2: W262012 - AO  
Application 2: W262012 - AP  
Application 2: W262012 - AQ  
Application 2: W262012 - AR  
Application 2: W262012 - AS  
Application 2: W262012 - AT  
Application 2: W262012 - AU  
Application 2: W262012 - AV  
Application 2: W262012 - AW  
Application 2: W262012 - AX  
Application 2: W262012 - AY  
Application 2: W262012 - AZ  
Application 2: W262012 - BA  
Application 2: W262012 - BB  
Application 2: W262012 - BC  
Application 2: W262012 - BD  
Application 2: W262012 - BE  
Application 2: W262012 - BF  
Application 2: W262012 - BG  
Application 2: W262012 - BH  
Application 2: W262012 - BI  
Application 2: W262012 - BJ  
Application 2: W262012 - BK  
Application 2: W262012 - BL  
Application 2: W262012 - BM  
Application 2: W262012 - BN  
Application 2: W262012 - BO  
Application 2: W262012 - BP  
Application 2: W262012 - BQ  
Application 2: W262012 - BR  
Application 2: W262012 - BS  
Application 2: W262012 - BT  
Application 2: W262012 - BU  
Application 2: W262012 - BV  
Application 2: W262012 - BW  
Application 2: W262012 - BX  
Application 2: W262012 - BY  
Application 2: W262012 - BZ  
Application 2: W262012 - CA  
Application 2: W262012 - CB  
Application 2: W262012 - CC  
Application 2: W262012 - CD  
Application 2: W262012 - CE  
Application 2: W262012 - CF  
Application 2: W262012 - CG  
Application 2: W262012 - CH  
Application 2: W262012 - CI  
Application 2: W262012 - CJ  
Application 2: W262012 - CK  
Application 2: W262012 - CL  
Application 2: W262012 - CM  
Application 2: W262012 - CN  
Application 2: W262012 - CO  
Application 2: W262012 - CP  
Application 2: W262012 - CQ  
Application 2: W262012 - CR  
Application 2: W262012 - CS  
Application 2: W262012 - CT  
Application 2: W262012 - CU  
Application 2: W262012 - CV  
Application 2: W262012 - CW  
Application 2: W262012 - CX  
Application 2: W262012 - CY  
Application 2: W262012 - CZ  
Application 2: W262012 - DA  
Application 2: W262012 - DB  
Application 2: W262012 - DC  
Application 2: W262012 - DD  
Application 2: W262012 - DE  
Application 2: W262012 - DF  
Application 2: W262012 - DG  
Application 2: W262012 - DH  
Application 2: W262012 - DI  
Application 2: W262012 - DJ  
Application 2: W262012 - DK  
Application 2: W262012 - DL  
Application 2: W262012 - DM  
Application 2: W262012 - DN  
Application 2: W262012 - DO  
Application 2: W262012 - DP  
Application 2: W262012 - DQ  
Application 2: W262012 - DR  
Application 2: W262012 - DS  
Application 2: W262012 - DT  
Application 2: W262012 - DU  
Application 2: W262012 - DV  
Application 2: W262012 - DW  
Application 2: W262012 - DX  
Application 2: W262012 - DY  
Application 2: W262012 - DZ  
Application 2: W262012 - EA  
Application 2: W262012 - EB  
Application 2: W262012 - EC  
Application 2: W262012 - ED  
Application 2: W262012 - EE  
Application 2: W262012 - EF  
Application 2: W262012 - EG  
Application 2: W262012 - EH  
Application 2: W262012 - EI  
Application 2: W262012 - EJ  
Application 2: W262012 - EK  
Application 2: W262012 - EL  
Application 2: W262012 - EM  
Application 2: W262012 - EN  
Application 2: W262012 - EO  
Application 2: W262012 - EP  
Application 2: W262012 - EQ  
Application 2: W262012 - ER  
Application 2: W262012 - ES  
Application 2: W262012 - ET  
Application 2: W262012 - EU  
Application 2: W262012 - EV  
Application 2: W262012 - EW  
Application 2: W262012 - EX  
Application 2: W262012 - EY  
Application 2: W262012 - EZ  
Application 2: W262012 - FA  
Application 2: W262012 - FB  
Application 2: W262012 - FC  
Application 2: W262012 - FD  
Application 2: W262012 - FE  
Application 2: W262012 - FF  
Application 2: W262012 - FG  
Application 2: W262012 - FH  
Application 2: W262012 - FI  
Application 2: W262012 - FJ  
Application 2: W262012 - FK  
Application 2: W262012 - FL  
Application 2: W262012 - FM  
Application 2: W262012 - FN  
Application 2: W262012 - FO  
Application 2: W262012 - FP  
Application 2: W262012 - FQ  
Application 2: W262012 - FR  
Application 2: W262012 - FS  
Application 2: W262012 - FT  
Application 2: W262012 - FU  
Application 2: W262012 - FV  
Application 2: W262012 - FW  
Application 2: W262012 - FX  
Application 2: W262012 - FY  
Application 2: W262012 - FZ  
Application 2: W262012 - GA  
Application 2: W262012 - GB  
Application 2: W262012 - GC  
Application 2: W262012 - GD  
Application 2: W262012 - GE  
Application 2: W262012 - GF  
Application 2: W262012 - GG  
Application 2: W262012 - GH  
Application 2: W262012 - GI  
Application 2: W262012 - GJ  
Application 2: W262012 - GK  
Application 2: W262012 - GL  
Application 2: W262012 - GM  
Application 2: W262012 - GN  
Application 2: W262012 - GO  
Application 2: W262012 - GP  
Application 2: W262012 - GQ  
Application 2: W262012 - GR  
Application 2: W262012 - GS  
Application 2: W262012 - GT  
Application 2: W262012 - GU  
Application 2: W262012 - GV  
Application 2: W262012 - GW  
Application 2: W262012 - GX  
Application 2: W262012 - GY  
Application 2: W262012 - GZ  
Application 2: W262012 - HA  
Application 2: W262012 - HB  
Application 2: W262012 - HC  
Application 2: W262012 - HD  
Application 2: W262012 - HE  
Application 2: W262012 - HF  
Application 2: W262012 - HG  
Application 2: W262012 - HH  
Application 2: W262012 - HI  
Application 2: W262012 - HJ  
Application 2: W262012 - HK  
Application 2: W262012 - HL  
Application 2: W262012 - HM  
Application 2: W262012 - HN  
Application 2: W262012 - HO  
Application 2: W262012 - HP  
Application 2: W262012 - HQ  
Application 2: W262012 - HR  
Application 2: W262012 - HS  
Application 2: W262012 - HT  
Application 2: W262012 - HU  
Application 2: W262012 - HV  
Application 2: W262012 - HW  
Application 2: W262012 - HX  
Application 2: W262012 - HY  
Application 2: W262012 - HZ  
Application 2: W262012 - IA  
Application 2: W262012 - IB  
Application 2: W262012 - IC  
Application 2: W262012 - ID  
Application 2: W262012 - IE  
Application 2: W262012 - IF  
Application 2: W262012 - IG  
Application 2: W262012 - IH  
Application 2: W262012 - II  
Application 2: W262012 - IJ  
Application 2: W262012 - IK  
Application 2: W262012 - IL  
Application 2: W262012 - IM  
Application 2: W262012 - IN  
Application 2: W262012 - IO  
Application 2: W262012 - IP  
Application 2: W262012 - IQ  
Application 2: W262012 - IR  
Application 2: W262012 - IS  
Application 2: W262012 - IT  
Application 2: W262012 - IU  
Application 2: W262012 - IV  
Application 2: W262012 - IW  
Application 2: W262012 - IX  
Application 2: W262012 - IY  
Application 2: W262012 - IZ  
Application 2: W262012 - JA  
Application 2: W262012 - JB  
Application 2: W262012 - JC  
Application 2: W262012 - JD  
Application 2: W262012 - JE  
Application 2: W262012 - JF  
Application 2: W262012 - JG  
Application 2: W262012 - JH  
Application 2: W262012 - JI  
Application 2: W262012 - JJ  
Application 2: W262012 - JK  
Application 2: W262012 - JL  
Application 2: W262012 - JM  
Application 2: W262012 - JN  
Application 2: W262012 - JO  
Application 2: W262012 - JP  
Application 2: W262012 - JQ  
Application 2: W262012 - JR  
Application 2: W262012 - JS  
Application 2: W262012 - JT  
Application 2: W262012 - JU  
Application 2: W262012 - JV  
Application 2: W262012 - JW  
Application 2: W262012 - JX  
Application 2: W262012 - JY  
Application 2: W262012 - JZ  
Application 2: W262012 - KA  
Application 2: W262012 - KB  
Application 2: W262012 - KC  
Application 2: W262012 - KD  
Application 2: W262012 - KE  
Application 2: W262012 - KF  
Application 2: W262012 - KG  
Application 2: W262012 - KH  
Application 2: W262012 - KI  
Application 2: W262012 - KJ  
Application 2: W262012 - KK  
Application 2: W262012 - KL  
Application 2: W262012 - KM  
Application 2: W262012 - KN  
Application 2: W262012 - KO  
Application 2: W262012 - KP  
Application 2: W262012 - KQ  
Application 2: W262012 - KR  
Application 2: W262012 - KS  
Application 2: W262012 - KT  
Application 2: W262012 - KU  
Application 2: W262012 - KV  
Application 2: W262012 - KW  
Application 2: W262012 - KX  
Application 2: W262012 - KY  
Application 2: W262012 - KZ  
Application 2: W262012 - LA  
Application 2: W262012 - LB  
Application 2: W262012 - LC  
Application 2: W262012 - LD  
Application 2: W262012 - LE  
Application 2: W262012 - LF  
Application 2: W262012 - LG  
Application 2: W262012 - LH  
Application 2: W262012 - LI  
Application 2: W262012 - LJ  
Application 2: W262012 - LK  
Application 2: W262012 - LL  
Application 2: W262012 - LM  
Application 2: W262012 - LN  
Application 2: W262012 - LO  
Application 2: W262012 - LP  
Application 2: W262012 - LQ  
Application 2: W262012 - LR  
Application 2: W262012 - LS  
Application 2: W262012 - LT  
Application 2: W262012 - LU  
Application 2: W262012 - LV  
Application 2: W262012 - LW  
Application 2: W262012 - LX  
Application 2: W262012 - LY  
Application 2: W262012 - LZ  
Application 2: W262012 - MA  
Application 2: W262012 - MB  
Application 2: W262012 - MC  
Application 2: W262012 - MD  
Application 2: W262012 - ME  
Application 2: W262012 - MF  
Application 2: W262012 - MG  
Application 2: W262012 - MH  
Application 2: W262012 - MI  
Application 2: W262012 - MJ  
Application 2: W262012 - MK  
Application 2: W262012 - ML  
Application 2: W262012 - MN  
Application 2: W262012 - MO  
Application 2: W262012 - MP  
Application 2: W262012 - MQ  
Application 2: W262012 - MR  
Application 2: W262012 - MS  
Application 2: W262012 - MT  
Application 2: W262012 - MU  
Application 2: W262012 - MV  
Application 2: W262012 - MW  
Application 2: W262012 - MX  
Application 2: W262012 - MY  
Application 2: W262012 - MZ  
Application 2: W262012 - NA  
Application 2: W262012 - NB  
Application 2: W262012 - NC  
Application 2: W262012 - ND  
Application 2: W262012 - NE  
Application 2: W262012 - NF  
Application 2: W262012 - NG  
Application 2: W262012 - NH  
Application 2: W262012 - NI  
Application 2: W262012 - NJ  
Application 2: W262012 - NK  
Application 2: W262012 - NL  
Application 2: W262012 - NM  
Application 2: W262012 - NN  
Application 2: W262012 - NO  
Application 2: W262012 - NP  
Application 2: W262012 - NQ  
Application 2: W262012 - NR  
Application 2: W262012 - NS  
Application 2: W262012 - NT  
Application 2: W262012 - NU  
Application 2: W262012 - NV  
Application 2: W262012 - NW  
Application 2: W262012 - NX  
Application 2: W262012 - NY  
Application 2: W262012 - NZ  
Application 2: W262012 - OA  
Application 2: W262012 - OB  
Application 2: W262012 - OC  
Application 2: W262012 - OD  
Application 2: W262012 - OE  
Application 2: W262012 - OF  
Application 2: W262012 - OG  
Application 2: W262012 - OH  
Application 2: W262012 - OI  
Application 2: W262012 - OJ  
Application 2: W262012 - OK  
Application 2: W262012 - OL  
Application 2: W262012 - OM  
Application 2: W262012 - ON  
Application 2: W262012 - OO  
Application 2: W262012 - OP  
Application 2: W262012 - OQ  
Application 2: W262012 - OR  
Application 2: W262012 - OS  
Application 2: W262012 - OT  
Application 2: W262012 - OU  
Application 2: W262012 - OV  
Application 2: W262012 - OW  
Application 2: W262012 - OX  
Application 2: W262012 - OY  
Application 2: W262012 - OZ  
Application 2: W262012 - PA  
Application 2: W262012 - PB  
Application 2: W262012 - PC  
Application 2: W262012 - PD  
Application 2: W262012 - PE  
Application 2: W262012 - PF  
Application 2: W262012 - PG  
Application 2: W262012 - PH  
Application 2: W262012 - PI  
Application 2: W262012 - PJ  
Application 2: W262012 - PK  
Application 2: W262012 - PL  
Application 2: W262012 - PM  
Application 2: W262012 - PN  
Application 2: W262012 - PO  
Application 2: W262012 - PP  
Application 2: W262012 - PQ  
Application 2: W262012 - PR  
Application 2: W262012 - PS  
Application 2: W262012 - PT  
Application 2: W262012 - PU  
Application 2: W262012 - PV  
Application 2: W262012 - PW  
Application 2: W262012 - PX  
Application 2: W262012 - PY  
Application 2: W262012 - PZ  
Application 2: W262012 - QA  
Application 2: W262012 - QB  
Application 2: W262012 - QC  
Application 2: W262012 - QD  
Application 2: W262012 - QE  
Application 2: W262012 - QF  
Application 2: W262012 - QG  
Application 2: W262012 - QH  
Application 2: W262012 - QI  
Application 2: W262012 - QJ  
Application 2: W262012 - QK  
Application 2: W262012 - QL  
Application 2: W262012 - QM  
Application 2: W262012 - QN  
Application 2: W262012 - QO  
Application 2: W262012 - QP  
Application 2: W262012 - QQ  
Application 2: W262012 - QR  
Application 2: W262012 - QS  
Application 2: W262012 - QT  
Application 2: W262012 - QU  
Application 2: W262012 - QV  
Application 2: W262012 - QW  
Application 2: W262012 - QX  
Application 2: W262012 - QY  
Application 2: W262012 - QZ  
Application 2: W262012 - RA  
Application 2: W262012 - RB  
Application 2: W262012 - RC  
Application 2: W262012 - RD  
Application 2: W262012 - RE  
Application 2: W262012 - RF  
Application 2: W262012 - RG  
Application 2: W262012 - RH  
Application 2: W262012 - RI  
Application 2: W262012 - RJ  
Application 2: W262012 - RK  
Application 2: W262012 - RL  
Application 2: W262012 - RM  
Application 2: W262012 - RN  
Application 2: W262012 - RO  
Application 2: W262012 - RP  
Application 2: W262012 - RQ  
Application 2: W262012 - RR  
Application 2: W262012 - RS  
Application 2: W262012 - RT  
Application 2: W262012 - RU  
Application 2: W262012 - RV  
Application 2: W262012 - RW  
Application 2: W262012 - RX  
Application 2: W262012 - RY  
Application 2: W262012 - RZ  
Application 2: W262012 - SA  
Application 2: W262012 - SB  
Application 2: W262012 - SC  
Application 2: W262012 - SD  
Application 2: W262012 - SE  
Application 2: W262012 - SF  
Application 2: W262012 - SG  
Application 2: W262012 - SH  
Application 2: W262012 - SI  
Application 2: W262012 - SJ  
Application 2: W262012 - SK  
Application 2: W262012 - SL  
Application 2: W262012 - SM  
Application 2: W262012 - SN  
Application 2: W262012 - SO  
Application 2: W262012 - SP  
Application 2: W262012 - SQ  
Application 2: W262012 - SR  
Application 2: W262012 - SS  
Application 2: W262012 - ST  
Application 2: W262012 - SU  
Application 2: W262012 - SV  
Application 2: W262012 - SW  
Application 2: W262012 - SX  
Application 2: W262012 - SY  
Application 2: W262012 - SZ  
Application 2: W262012 - TA  
Application 2: W262012 - TB  
Application 2: W262012 - TC  
Application 2: W262012 - TD  
Application 2: W262012 - TE  
Application 2: W262012 - TF  
Application 2: W262012 - TG  
Application 2: W262012 - TH  
Application 2: W262012 - TI  
Application 2: W262012 - TJ  
Application 2: W262012 - TK  
Application 2: W262012 - TL  
Application 2: W262012 - TM  
Application 2: W262012 - TN  
Application 2: W262012 - TO  
Application 2: W262012 - TP  
Application 2: W262012 - TQ  
Application 2: W262012 - TR  
Application 2: W262012 - TS  
Application 2: W262012 - TT  
Application 2: W262012 - TU  
Application 2: W262012 - TV  
Application 2: W262012 - TW  
Application 2: W262012 - TX  
Application 2: W262012 - TY  
Application 2: W262012 - TZ  
Application 2: W262012 - UA  
Application 2: W262012 - UB  
Application 2: W262012 - UC  
Application 2: W262012 - UD  
Application 2: W262012 - UE  
Application 2: W262012 - UF  
Application 2: W262012 - UG  
Application 2: W262012 - UH  
Application 2: W262012 - UI  
Application 2: W262012 - UJ  
Application 2: W262012 - UK  
Application 2: W262012 - UL  
Application 2: W262012 - UM  
Application 2: W262012 - UN  
Application 2: W262012 - UO  
Application 2: W262012 - UP  
Application 2: W262012 - UQ  
Application 2: W262012 - UR  
Application 2: W262012 - US  
Application 2: W262012 - UT  
Application 2: W262012 - UY  
Application 2: W262012 - UZ  
Application 2: W262012 - VA  
Application 2: W262012 - VB  
Application 2: W262012 - VC  
Application 2: W262012 - VD  
Application 2: W262012 - VE  
Application 2: W262012 - VF  
Application 2: W262012 - VG  
Application 2: W262012 - VH  
Application 2: W262012 - VI  
Application 2: W262012 - VJ  
Application 2: W262012 - VK  
Application 2: W262012 - VL  
Application 2: W262012 - VM  
Application 2: W262012 - VN  
Application 2: W262012 - VO  
Application 2: W262012 - VP  
Application 2: W262012 - VQ  
Application 2: W262012 - VR  
Application 2: W262012 - VS  
Application 2: W262012 - VT  
Application 2: W262012 - VU  
Application 2: W262012 - VV  
Application 2: W262012 - VW  
Application 2: W262012 - VX  
Application 2: W262012 - VY  
Application 2: W262012 - VZ  
Application 2: W262012 - WA  
Application 2: W262012 - WB  
Application 2: W262012 - WC  
Application 2: W262012 - WD  
Application 2: W262012 - WE  
Application 2: W262012 - WF  
Application 2: W262012 - WG  
Application 2: W262012 - WH  
Application 2: W262012 - WI  
Application 2: W262012 - WJ  
Application 2: W262012 - WK  
Application 2: W262012 - WL  
Application 2: W262012 - WM  
Application 2: W262012 - WN  
Application 2: W262012 - WO  
Application 2: W262012 - WP  
Application 2: W262012 - WQ  
Application 2: W262012 - WR  
Application 2: W262012 - WS  
Application 2: W262012 - WT  
Application 2: W262012 - WY  
Application 2: W262012 - WZ  
Application 2: W262012 - XA  
Application 2: W262012 - XB  
Application 2: W262012 - XC  
Application 2: W262012 - XD  
Application 2: W262012 - XE  
Application 2: W262012 - XF  
Application 2: W262012 - XG  
Application 2: W262012 - XH  
Application 2: W262012 - XI  
Application 2: W262012 - XJ  
Application 2: W262012 - XK  
Application 2: W262012 - XL  
Application 2: W262012 - XM  
Application 2: W262012 - XN  
Application 2: W262012 - XO  
Application 2: W262012 - XP  
Application 2: W262012 - XQ  
Application 2: W262012 - XR  
Application 2: W262012 - XS  
Application 2: W262012 - XT  
Application 2: W262012 - XU  
Application 2: W262012 - XV  
Application 2: W262012 - XW  
Application 2: W262012 - XX  
Application 2: W262012 - XY  
Application 2: W262012 - XZ  
Application 2: W262012 - YA  
Application 2: W262012 - YB  
Application 2: W262012 - YC  
Application 2: W262012 - YD  
Application 2: W262012 - YE  
Application 2: W262012 - YF  
Application 2: W262012 - YG  
Application 2: W262012 - YH  
Application 2: W262012 - YI  
Application 2: W262012 - YJ  
Application 2: W262012 - YK  
Application 2: W262012 - YL  
Application 2: W262012 - YM  
Application 2: W262012 - YN  
Application 2: W262012 - YO  
Application 2: W262012 - YP  
Application 2: W262012 - YQ  
Application 2: W262012 - YR  
Application 2: W262012 - YS  
Application 2: W262012 - YT  
Application 2: W262012 - YU  
Application 2: W262012 - YV  
Application 2: W262012 - YW  
Application 2: W262012 - YX  
Application 2: W262012 - YY  
Application 2: W262012 - YZ  
Application 2: W262012 - ZA  
Application 2: W262012 - ZB  
Application 2: W262012 - ZC  
Application 2: W262012 - ZD  
Application 2: W262012 - ZE  
Application 2: W262012 - ZF  
Application 2: W262012 - ZG  
Application 2: W262012 - ZH  
Application 2: W262012 - ZI  
Application 2: W262012 - ZJ  
Application 2: W262012 - ZK  
Application 2: W262012 - ZL  
Application 2: W262012 - ZM  
Application 2: W262012 - ZN  
Application 2: W262012 - ZO  
Application 2: W262012 - ZP  
Application 2: W262012 - ZQ  
Application 2: W262012 - ZR  
Application 2: W262012 - ZS  
Application 2: W262012 - ZT  
Application 2: W262012 - ZU  
Application 2: W262012 - ZV  
Application 2: W262012 - ZW  
Application 2: W262012 - ZX  
Application 2: W262012 -





**NOTICE FOR ENVIRONMENTAL IMPACT ASSESSMENT**

Envirofficient Consultants cc hereby gives notice to Interested and Affected Parties (I&APs) that an application has been made to the Environmental Commissioner in terms of the **Environmental Management Act (No. 7 of 2007)** for the following project:

**PROJECT DESCRIPTION:** Subdivision and creation of private right of way servitude on Remainder of Erf 738, in favor of Portion X Walvis Bay Proper, Erongo Region

**PROJECT LOCATION:** Erf 738, Walvis Bay Proper (Latitude -22.949468, Longitude; 14.510214)

**PROponent:** Mr. Manzur Charles Khan

**ENVIRONMENTAL PRACTITIONER:** Envirofficient Consultants cc

**PURPOSE OF THE PROJECT:** To provide an overview of the proposed subdivision of Erf 738, Walvis Bay Proper, and the creation of a private right-of-way servitude, in support of the subdivision application to the Urban and Regional Planning Board.

**REGISTRATION OF I&APs AND SUBMISSION OF COMMENTS:** Members of the public are invited to submit comments, concerns, or questions regarding the proposed project, request for the Background Information Document (BID), and register as Interested and Affected Parties (I&APs) to remain informed throughout the process.

All written submissions must be received by **30 April 2026**, delivered to: Unit 8, Stop & Shop Complex, Vrede Rede Str, Mondesa, Swakopmund, Email: [envirofficient@gmail.com](mailto:envirofficient@gmail.com); Contact: +264 81 307 7370

**PUBLIC MEETING:** Based on the interest expressed, it will be determined if a public meeting is to be held, and the registered I&APs will be informed accordingly.

**PUBLIC NOTICE**

**Urban Vision Consultant** has been appointed by the owner of **Erf 754, Oshakati Extension No. 2**, to apply to the Oshakati Town Council and the Urban and Regional Planning Board for the:

- **REZONING OF ERF 754, OSHAKATI EXTENSION NO. 2 FROM "SINGLE RESIDENTIAL" WITH A DENSITY OF 1:900m<sup>2</sup> TO "SINGLE RESIDENTIAL" WITH A DENSITY OF 1:700m<sup>2</sup>**
- **SUBSEQUENT SUBDIVISION OF ERF 754 OSHAKATI EXTENSION NO.2, INTO PORTION A AND THE REMAINDER**

Erf 754 is located east of Oshakati, within Extension No.2. The respective Erf which measures 1488m<sup>2</sup> in extent, is currently zoned as "Single Residential" as per the Oshakati Zoning Scheme and it lies on a flat terrain with an existing building on it.


In order to maximize the development potential of the property, the owner of the Erf intends to rezone Erf 754, Oshakati Extension No. 2 from "single residential" with a density of 1:900m<sup>2</sup> to "Single Residential" with a density of 1:700m<sup>2</sup> which will support densification in accordance with encouraging the effective use of urban land within the Oshakati North Extension No. 11 that is already serviced by also subsequently subdividing Erf 754 Oshakati, Extension No.2 into Portion A and the Remainder...


**Please further take note that -**

(a) For more enquiries regarding the rezoning application, visit the Oshakati Town Council's Town Planning Department, or the applicant at the address listed below.

(b) any person having objections to the rezoning or who wants to comment, may in writing lodge such objections and comments, together with the grounds, the Chief Executive Officer of the Oshakati Town Council and with the applicant within 14 days of the last publication of this notice, i.e., no later than **17 April 2026**

**FOR MORE INFORMATION AND QUERIES, KINDLY CONTACT:**

<p>Applicant</p> <p><b>Urban Vision Consultants cc</b> Unit 9, Aurora Court Pavlov Street, Windhoek</p>	<p>Local Authority</p>  <p><b>Oshakati TOWN COUNCIL</b> The Chief Executive Office Oshakati Town Council P/Bag 5530 906, Sam Nujoma Road Oshakati AlinaMwama@oshtc.na</p>
---	--

<b>PUBLIC NOTICE</b> ENVIRONMENTAL IMPACT ASSESSMENT & PUBLIC CONSULTATION PROCESS	
<p>Notice is hereby given that an Environmental Impact Assessment (EIA) and Public Consultation Process (PCP) are being conducted in terms of the Environmental Management Act (EMA) and EIA Regulations with respect to a listed activity as more or less described in this notice.</p> <p>On completion of the aforesaid studies, an application for an <b>Environmental Clearance Certificate (ECC)</b> will be made to the Office of Environmental Commissioner (OEC) in the Ministry of Environment, Forestry and Tourism (MEFT) for consideration in terms of the applicable provisions of EMA by the Environmental Commissioner.</p>	
<b>Listed Activity</b>	<ul style="list-style-type: none"> <li>• Aggregate production from a new site situated within the Windhoek Municipality Townland Reserve as represented by the GPS Coordinates below.                             <ol style="list-style-type: none"> <li>1. -22.579458 S 17.017665 E</li> <li>2. -22.5824695 S 17.017837 E</li> <li>3. -22.58237 S 17.020148 E</li> <li>4. -22.579533 S 17.020115 E</li> </ol> </li> </ul>
<b>Promoter :</b>	<b>Shifengula Trading CC</b>
<b>EIA Consultant:</b>	 <p>Box 25021, Windhoek Cell: 081 418 3125 Email: <a href="mailto:ekwo@ekwo.na">ekwo@ekwo.na</a></p>
<b>Public Consultation Period:</b>	<p>Interested and Affected Parties (IAPs) are hereby invited to register for the EIA as well as to receive information on the project, but also to be able to submit any comments and/or concerns with respect to the envisaged listed activity to the EIA Consultants (Ekwo Consulting). The public consultation period is between 25 March 2025 and 25 April 2026.</p> <p>A Background Information Document (BID) is available upon inquiry</p>

**CALL FOR PUBLIC PARTICIPATION/COMMENTS FOR THE ENVIRONMENTAL IMPACT ASSESSMENT FOR THE PROPOSED MINING ACTIVITY OF COPPER ON A MINING LICENCE APPLIED OVER EPLs NO. 7028 & 7029 LOCATED NEAR WETVLEI IN THE OMAHEKE REGION**

The public is hereby notified that an application for an Environmental Clearance Certificate (ECC) will be submitted to the Environmental Commissioner as required under the Environmental Management Act No. 7 of 2007 and its 2012 EIA Regulations. The proposed project is a listed activity in the EIA Regulations that cannot be undertaken without an ECC, which is issued upon approval of an EIA Study.

**Name of proponent:** Aloe Investments Two Hundred and Thirty-Seven

**Name of the Environmental consultant:** Savannah Environmental Consultants Services CC

**Project location and description:** The proposed Mining Licence will overlie within EPL No. 7028 and within EPL No.7029. The environmental Assessment will identify the project impacts, that are likely to occur during the mining activities of Base and Rare Metal (Copper) on the Mining License.

All interested and affected parties are hereby invited to register in terms of the assessment process to give input, comments, and invited for the public consultation meeting at a later stage. Registration requests and comments should be forwarded to Savannah Environmental Consultants Services CC on or before the 2 May 2026; Email: [info@savannah.com.na](mailto:info@savannah.com.na)





**NOTICE FOR ENVIRONMENTAL IMPACT ASSESSMENT**

Envirofficient Consultants cc hereby gives notice to Interested and Affected Parties (I&APs) that an application has been made to the Environmental Commissioner in terms of the **Environmental Management Act (No. 7 of 2007)** for the following project:

**PROJECT DESCRIPTION:** Subdivision and creation of private right of way servitude on Remainder of Erf 738, in favor of Portion X Walvis Bay Proper, Erongo Region

**PROJECT LOCATION:** Erf 738, Walvis Bay Proper (Latitude -22.949468, Longitude; 14.510214)

**PROPONENT:** Mr. Manzur Charles Khan

**ENVIRONMENTAL PRACTITIONER:** Envirofficient Consultants cc

**PURPOSE OF THE PROJECT:** To provide an overview of the proposed subdivision of Erf 738, Walvis Bay Proper, and the creation of a private right-of-way servitude, in support of the subdivision application to the Urban and Regional Planning Board.

**REGISTRATION OF I&APs AND SUBMISSION OF COMMENTS:** Members of the public are invited to submit comments, concerns, or questions regarding the proposed project, request for the Background Information Document (BID), and register as Interested and Affected Parties (I&APs) to remain informed throughout the process.

All written submissions must be received by **30 April 2026**, delivered to: Unit 8, Stop & Shop Complex, Vrede Rede Str, Mondesa, Swakopmund, Email: [envirofficient@gmail.com](mailto:envirofficient@gmail.com); Contact: +264 81 307 7370

**PUBLIC MEETING:** Based on the interest expressed, it will be determined if a public meeting is to be held, and the registered I&APs will be informed accordingly.

**PUBLIC NOTICE**

Urban Vision Consultant has been appointed by the owner of Erf 754, Oshakati Extension No. 2, to apply to the Oshakati Town Council and the Urban and Regional Planning Board for the:

- **REZONING OF ERF 754, OSHAKATI EXTENSION NO. 2 FROM "SINGLE RESIDENTIAL" WITH A DENSITY OF 1:900m<sup>2</sup> TO "SINGLE RESIDENTIAL" WITH A DENSITY OF 1:700m<sup>2</sup>**
- **SUBSEQUENT SUBDIVISION OF ERF 754 OSHAKATI EXTENSION NO.2, INTO PORTION A AND THE REMAINDER**

Erf 754 is located east of Oshakati, within Extension No.2. The respective Erf which measures 1488m<sup>2</sup> in extent, is currently zoned as "Single Residential" as per the Oshakati Zoning Scheme and it lies on a flat terrain with an existing building on it.

In order to maximize the development potential of the property, the owner of the Erf intends to rezone Erf 754, Oshakati Extension No. 2 from "single residential" with a density of 1:900m<sup>2</sup> to "Single Residential" with a density of 1:700m<sup>2</sup> which will support densification in accordance by encouraging the effective use of urban land within the Oshakati North Extension No. 11 that is already serviced by also subsequently subdividing Erf 754 Oshakati, Extension No.2 into Portion A and the Remainder..

**Please further take note that -**

- For more enquiries regarding the rezoning application, visit the Oshakati Town Council's Town Planning Department, or the applicant at the address listed below.
- any person having objections to the rezoning or who wants to comment, may in writing lodge such objections and comments, together with the grounds, the Chief Executive Officer of the Oshakati Town Council and with the applicant within 14 days of the last publication of this notice, i.e., no later than **17 April 2026**

**FOR MORE INFORMATION AND QUERIES, KINDLY CONTACT:**

<p>Applicant</p> <p><b>Urban Vision Consultants cc</b> Unit 9, Aurora Court Pavlov Street, Windhoek</p>	<p>Local Authority</p>  <p><b>Oshakati TOWN COUNCIL</b></p> <p>The Chief Executive Office Oshakati Town Council P/Bag 5530 906, Sam Nujoma Road Oshakati AlinaAnwaama@oshtc.na</p>
---	---

	
<p><b>VACANCY</b></p> <p><b>Administrative Assistant</b></p>	
<p><b>Responsibilities</b></p>	<p><b>Requirements</b></p>
<ul style="list-style-type: none"> <li>- Liaising with team members, clients, and stakeholders.</li> <li>- Conducting community meetings when required.</li> <li>- Answering calls and replying to emails.</li> <li>- Issuing quotations, invoices, and receipts.</li> <li>- Completing bid requests and tender documents.</li> <li>- Carrying out any administration work.</li> </ul>	<ul style="list-style-type: none"> <li>- Valid driver's licence.</li> <li>- Excellent communication skills.</li> <li>- Experience in office administration would be advantageous.</li> <li>- Proficiency in computer usage and Microsoft office applications.</li> </ul>
<p>All applications to be submitted via our online form:</p> <p><a href="https://forms.gle/jpsdaTpdXJDpaCEX9">https://forms.gle/jpsdaTpdXJDpaCEX9</a> Closing date: <b>21/04/2026</b></p>	

**CALL FOR PUBLIC PARTICIPATION/COMMENTS FOR THE ENVIRONMENTAL IMPACT ASSESSMENT FOR THE PROPOSED MINING ACTIVITY OF COPPER ON A MINING LICENCE APPLIED OVER EPL NO. 7028 & 7029 LOCATED NEAR WETVLEI IN THE OMAHEKE REGION**

The public is hereby notified that an application for an Environmental Clearance Certificate (ECC) will be submitted to the Environmental Commissioner as required under the Environmental Management Act No. 7 of 2007 and its 2012 EIA Regulations. The proposed project is a listed activity in the EIA Regulations that cannot be undertaken without an ECC, which is issued upon approval of an EIA Study.

**Name of proponent:** Aloe Investments Two Hundred and Thirty-Seven

**Name of the Environmental consultant:** Savannah Environmental Consultants Services CC

**Project location and description:** The proposed Mining Licence will overlie within EPL No. 7028 and within EPL No.7029. The environmental Assessment will identify the project impacts, that are likely to occur during the mining activities of Base and Rare Metal (Copper) on the Mining License.

All interested and affected parties are hereby invited to register in terms of the assessment process to give input, comments, and invited for the public consultation meeting at a later stage. Registration requests and comments should be forwarded to Savannah Environmental Consultants Services CC on or before the 2 May 2026; Email: [info@savannah.com.na](mailto:info@savannah.com.na)



**ANNEXURE C: SITE NOTICES**



**ANNEXURE D: LIST OF CONTACTED INTERESTED AND AFFECTED PARTIES (I&APS)**

No.	Institution / Organization	Name	Contact	Email / Address
1	Walvis Bay Urban Constituency	–	064 200763	wbuadmin@erongorc.gov.na
2	Walvis Bay Municipality	Otniel Kakero	064 2013111	okakero@walvisbaycc.org.na
3	ErongoRed	–	064 2019000	support@erongored.com.na
4	Proponent	Manzur Charles Khan	–	manzur@iafrica.com.na
5	MEFT	Cleopatra Kolokwe	–	cleokolokwe05@gmail.com
6	MURD	–	061 2975305	nkhoa@murd.gov.na
7	Pro Vision Planning	Callie van Heerden	–	callievh@iway.na
8	Road Authority	Elina Hamatwi Lumbu	–	lumbue@ra.org.na
9	Neighbour	Lee Li Guma	0811245242	lee.tv@mweb.com.na
10	Neighbour	Simeon Kahono	08112511216	skahono@dbn.com.na
11	Neighbour	Andreas Soldan	064 202775	seagullsrongo@gmail.com
12	Neighbour	Mei Ji	0817261520	jimei771121@gmail.com
13	Neighbour	Bennie Dumalaze	0812025460	bennie@surremix.com.na
14	EIA Tracking and Monitoring in Namibia	–	–	info@eia-tracker.org.na
15	EIA Tracking and Monitoring in Namibia	John Pallett	–	john.pallett@saiea.com
16	EIA Tracking and Monitoring in Namibia	Elia Mvula	–	elia@nnf.org.na