

Updated Environmental Management Plan (EMP):

For

The Proposed Prospecting & Exploration Activities On Exclusive Prospecting License (Epls) No. 8531 And 8115 Located Near Arandis In The Erongo Region, Namibia

ECC Application Reference: APP- 003148

Document Version: DRAFT

Author(s): Ms Aili lipinge	
Company: Excel Dynamic Solutions (Pty)	
Ltd	Prepared for : PennyWort Investments (Pty) Ltd
Telephone: +264 (0) 61 259 530	
Fax2email: +264 (0) 886 560 836	
Email: info@edsnamibia.com	

April 2024

TABLE OF CONTENTS

LIS	t of fig	URES AND TABLES ii
1	INTROD	UCTION
	1.1	Project Background1
	1.2	Appointed Environmental Consultant and ECC Application
	1.3	The Aim of the Draft Environmental Management Plan (EMP)5
2	LEGAL	OBLIGATIONS GOVERNING THE PROPOSED ACTIVITIES
3	DRAFT	EMP IMPLEMENTATION, ROLES & RESPONSIBILITIES10
	3.1	Competent Environmental Monitoring Authorities (DEAF and Others)10
	3.2	The Exploration Manager (or the Proponent)10
	3.3	Safety, Health and Environmental (SHE) or Environmental Control Officer (ECO) 11
	3.4	Public Relation Officer (PRO)11
	3.5	Archaeology: Chance Finds Procedure (CFP) Implementation Roles11
4	ENVIRC	NMENTAL MANAGEMENT & MITIGATION ACTION PLANS
	4.1	Key potential Negative/ (Adverse) Impacts12
	4.2	The Management and Mitigation of Potential Key Negative Impacts
	4.3	Rehabilitation and Decommissioning measures
	4.4	Environmental and Social Monitoring42

LIST OF FIGURES AND TABLES

1 INTRODUCTION

1.1 Project Background

PennyWort Investments Pty Ltd (*The Proponent*), has been granted the Exclusive Prospecting License (EPLs) No. 8531 and 8115 on 10 October 2022 by the Ministry of Mine and Energy . The size of EPL 8531 is 29640.5596 ha, and the size of EPL 8115 is 6138.3063 ha in size. A portion of EPL 8531 falls in Dorob National Park and portion of EPL 8115 falls in Namib Naukluft National Park and Dorob National Park. The EPLs are located within the Arandis District in the Erongo Region (Figure 1). Both EPLs are prospective to Base and Rare Metals, Dimension Stone, Industrial Minerals, Nuclear Fuel Minerals, and Precious Metals.

A Portion of EPL 8531 (Coordinates: 22026'27" S 14055'12" E) falls in Dorob National Park and EPL 8115 (Coordinates: 22037'05" S 14057'06" E) falls in Namib Naukluft National Park ,Dorob National Park and in the =/=Gaingu Conservancy. Thus, the regulations, as stipulated in the National Policy on Prospecting and Mining in Protected Areas (2018) in relation to the area (EPLs No. 8531 and 8115), will be a high priority.

Prospecting and exploration works are among listed activities that may not be undertaken without an Environmental Clearance Certificate (ECC) under the Environmental Management Act (EMA) (2007) and its 2012 Environmental Impact Assessment (EIA) Regulations. The relevant listed activities as per EIA regulations are (under):

Mining and Quarrying Activities

- 3.1 The construction of facilities for any process pr activities which requires a license, right or other form of authorization, and the renewal of a license, right or other form of authorization, in terms of the Minerals (Prospecting and Mining Act), 1992.
- 3.2 Other forms of mining or extraction of any natural resources whether regulated by law or not.
- 3.3 Resources extraction, manipulation, conservation, and related activities.

The Proponent has appointed Excel Dynamic Solutions (Pty) Ltd (EDS Namibia), an independent team of Environmental Consultants to apply for the project ECC (through the Competent Authority, Ministry of Mines and Energy (MME)), conduct the required Environmental Scoping Assessment process, and compile the Scoping Assessment Report and Updated Draft Environmental Management Plan (EMP). These documents are submitted for evaluation and

EMP: EPL 8531 &8115

consideration of an ECC to the Environmental Commissioner at the Department of Environmental Affairs and Forestry (DEAF) of the Ministry of Environment, Forestry and Tourism (MEFT).

EMP: EPL 8531 &8115




Figure 1: Locality map of the EPL No.8115 and 8531 located near Arandis in Erongo region




Figure 2: Land uses covered by EPL 8531 and 8115

1.2 Appointed Environmental Consultant and ECC Application

To ensure that the proposed activity is compliant with the national environmental legislation, the project Proponent has appoint an independent environmental consultant, Excel Dynamic Solutions (Pty) Ltd to undertake the required Environmental Assessment (EA) process, update the Environmental Management Plan.

1.3 The Aim of the Draft Environmental Management Plan (EMP)

Regulation 8(j) of the EIA Regulations (2012) requires that a draft Environmental Management Plan (EMP) shall be included as part of the Environmental Assessment (EA) scoping report. A 'Management Plan' is defined as:

"...a plan that describes how activities that may have significant environments effects on the environment are to be mitigated, controlled and monitored."

An EMP is one of the most important outputs of the EA process, as it synthesizes all the proposed mitigation and monitoring actions, set to a timeline and with specific assigned responsibilities. It provides a link between the impacts identified in the EA process and the required mitigation measures to be implemented during operation. It is important to note that an EMP is a statutory document and a person who contravenes the provisions of this EMP may face imprisonment and/or a fine. This EMP is a living document and can be amended to adapt to address project changes and/or environmental conditions and feedback from compliance monitoring.

The purpose of the Draft EMP is to ensure that the proposed project activities are undertaken in an environmentally friendly and sustainably manner. This would be done through the effective implementation of recommended environmental management and mitigation measures contained in the EMP, for which the aim is to avoid and or minimize the adverse identified impacts while maximizing the positive impacts.

2 LEGAL OBLIGATIONS GOVERNING THE PROPOSED ACTIVITIES

The content of the EMP must meet the requirements of Section 8 (j) of the EIA Regulations, and the EMP must address the potential environmental impacts of the prospecting and exploration activities on the environment throughout the project life cycle. It must also include a system for

EMP: EPL 8531 &8115

assessment of the effectiveness of monitoring and management arrangements after project implementation.

The Proponent, therefore, has the responsibility to ensure that the exploration activities as well as the EA process conform to the principles of the EMA, and must ensure that employees act in accordance with such principles. Table 1 below lists the requirements of an EMP as stipulated by Section 8(e) of the EIA Regulations, primarily on specific approvals and permits that may be required for the activities required of the EPL.

EMP: EPL 8531 &8115

Legislation/Policy/Guideline	Relevant Provision	Implication for the Project and Contact Institution/Person
Environmental Management Act	The Act requires that projects with significant environmental	The EMA and its regulations should inform and guide this
(EMA) No. 7 of 2007	impacts are subject to an environmental assessment process	ESA process.
	(Section 27).	The ECC must be renewed every 3 years, counting from the
	The Act details principles which are to guide all EAs.	date of issue.
Environmental Impact	Details requirements for public consultation within a given	Contact details at the Department of Environmental Affairs
Assessment (EIA) Regulations	environmental assessment process (Government Notice 30	and Forestry (DEAF), Ministry of Environment, Forestry and
Government Notice 28-30	Section 21).	Tourism (MEFT)
(Government Gazette 4878))	Details the requirements for what should be included in a	Office of the Environmental Commissioner (Attention:
	Scoping Report (Government Notice 30 Section 8) and an	Mr. Timoteus Mufeti)
	Assessment Report (Government Notice 30 Section 15).	Tel: +264 (0) 61 284 2701
Minerals (Prospecting and Mining) Act (No. 33 of 1992)	Section 48 (3): To enable the Minister to consider any application referred to in section 47 the Minister may (b) require the person concerned by notice in writing to (i) carry out or cause to be carried out such environmental impact studies as may be specified in the notice. Section 54(2): details provisions pertaining to the decommissioning or abandonment of a mine. Under this Act (Section 51 (1a)), holder of a mineral license cannot exercise any rights on a private land until the holder has entered into an agreement with the owner regarding payment of compensation.	The Proponent should ensure that all necessary permits/authorization for these EPL are obtained from the Ministry of Mines and Energy (MME). Contact person and details at the MME (Mining Commissioner) Mr. Erasmus Shivolo Tel: +264 61 284 8167 The Proponent should timely enter into and sign access and land use agreement (consent) with respective affected (private) farm owners or representatives of the occupiers of land .

Table 1: Applicable and required permits/authorizations/licenses for the proposed prospecting and exploration activities

Legislation/Policy/Guideline	Relevant Provision	Implication for the Project and Contact Institution/Person
Petroleum Products and Energy Act (No. 13 of 1990) Regulations (2001)	Regulation 3(2)(b) states that "No person shall possess or store any fuel except under authority of a licence or a certificate, excluding a person who possesses or stores such fuel in a quantity of 600 liter's or less in any container kept at a place outside a local authority area"	The Proponent should obtain the necessary authorisation form the MME for the storage of fuel on-site. Mr. Carlo Mcleod (Ministry of Mines and Energy: Acting Director – Petroleum Affairs) Tel: +264 61 284 8291
Forestry Act 12 of 2001, Amended Act 13 of 2005	Prohibits the removal of any vegetation within 100 m from a watercourse (Forestry Act S22 (1)). The Act prohibits the removal of and transport of various protected plant species.	Should there be protected plant species, which are known to occur within the actual project site footprint, and require to be removed; a Permit should be obtained from the nearest Forestry Office (MEFT) prior to removing them. Contact Details at MEFT (Forestry Division Head Office), Director of Forestry: Mr. Johnson Ndokosho Tel: +264 (0) 61 208 7666 Email :johnson.ndokosho@gmail.com
National Heritage Act (Act No. 27 of 2004)	The Act makes provision for the protection and conservation of places and objects of heritage significance and the registration of such places and objects. Part V Section 46 of the Act prohibits removal, damage, alteration, or excavation of heritage sites or remains, while Section 48 sets out the procedure for application and granting of permits such as might be required in the event of damage to a protected site occurring as an inevitable result of development. Part VI	The Proponent is advised to make an application to the National Heritage Council for a Consent to allow Detailed Archaeological and Heritage Assessment Study of the EPL area. Contact: The Director of the National Heritage Council of Namibia (NHC): Mrs. Erica Ndalikokule

Legislation/Policy/Guideline	Relevant Provision	Implication for the Project and Contact Institution/Person
	Section 55 Paragraphs 3 and 4 require that any person who	OR Regional Heritage Officers at the NHC
	discovers an archaeological site should notify the National	Mr. Manfred Gaeb and Ms. Agnes Shiningayamwe
	Heritage Council. Section 51 (3) sets out the requirements for	
	impact assessment.	Tel: +264 (0) 61 301 903
	Should any objects of heritage significance be identified	
	during the site clearing and excavations, the work must cease	
	immediately in the affected sites and the necessary steps	
	taken to seek authorisation from the Council.	
The National Monuments Act No.	The Act enables the proclamation of national monuments and	
28 of 1969	protects archaeological sites.	
The Road Traffic and Transport	Provides for the control of traffic on public road and the	Mr Eugene de Paauw (Roads Authority- specialist Road
Act No. 52 of 1999 and its 2001	regulations pertaining to road transport, including the	legislation), Tel: +264 (0) 61 284 7072
Regulations	licensing of vehicles and drivers.	

3 DRAFT EMP IMPLEMENTATION, ROLES & RESPONSIBILITIES

As the project Proponent, **PennyWort Investments** is ultimately responsible for the implementation of the EMP. However, they may delegate this responsibility at any time, as they deem necessary during the project phases (usually an environmental control officer or safety, health, and environmental person). The roles and responsibilities of all the parties involved in the effective implementation of this EMP are as follows:

3.1 Competent Environmental Monitoring Authorities (DEAF and Others)

The Department of Environmental Affairs and Forestry (DEAF) of the Ministry of Environment, Forestry and Tourism (MEFT) as the environmental custodian is responsible for enforcing compliance with the EMA, its regulations and full implementation of this EMP. The authority is also responsible for the reviewing of bi-annual reports submitted by the Proponent and grant ECC renewal after every 3 years following an environmental audit.

Further Monitoring institutions include but not limited to:

- The National Heritage Council of Namibia: for archaeological and heritage resources (sites and objects).
- **Ministry of Mines and Energy:** for compliance to the relevant prospecting and exploration requirements, including petroleum products' storage and handling on site.

3.2 The Exploration Manager (or the Proponent)

This Manager, who may also be the Proponent, is responsible for the following:

- Development and management of schedules for daily activities in compliance with the EMP.
- Managing/overseeing the implementation of this EMP and updating and maintaining it when necessary.
- Ensure that relevant commitments contained in the EMP Action Plans are adhered to.
- Ensure the relevant staff is trained in procedures entailed in their duties.
- Through consultations and cooperation with the ECO/SHE officer, issuing fines to individuals who may be in breach of the EMP provision and if necessary, removing such individuals from the site.
- Setting up and managing the schedule for the day-to-day activities.
- Ensuring all incidents are recorded and documented.

• Undertaking an annual review of the EMP and amending the document when necessary.

3.3 Safety, Health and Environmental (SHE) or Environmental Control Officer (ECO)

The SHE or ECO (as appropriate) is responsible for ensuring that project activities are completed on time, efficiently and sustainably. The ECO/SHE Officer's duties and responsibilities will include:

- The SHE Officer will be responsible for the following activities:
- Planning and carrying out site inductions to the workers on-site and visitors to the worksite(s).
- Ensuring compliance with relevant environmental and related authorisations and license conditions.
- Ensure that the requirements of the EMP are carried out during applicable activities throughout the project life span.
- Monitor the overall implementation of the EMP.
- Identifying and appointing of appropriately qualified specialists (were necessary) to undertake the programmes in a timeous manner and to acceptable standards.

3.4 Public Relation Officer (PRO)

The Public Relation Officer is responsible for the following tasks:

- Liaison between the affected landowner and, other stakeholders, and **PennyWort Investments**.
- Ensure effective communication with stakeholders (affected farmers or landowners or occupiers of land), media (if necessary) and the public.
- Managing public relations issues.
- Preparing and submitting public relations reports, if required.
- Collaborating with personnel and maintaining project-related open communication among personnel.
- Cooperate with all relevant interested and affected parties/stakeholders.

3.5 Archaeology: Chance Finds Procedure (CFP) Implementation Roles

The following personnel have been assigned responsibilities as per the Chance Finds Procedure **(Appendix 1)** as per the provided Archaeological and Heritage Assessment Studies conducted for the proposed activities:

A. Operator

To exercise due caution if archaeological remains are found

B. Foreman

To secure site and advise management timeously

C. Superintendent

To determine safe working boundary and request inspection

D. Archaeologist

To inspect, identify, advise management, and recover remains.

The Proponent should assess these commitments in detail and should acknowledge their obligation to the specific management actions detailed in the Tables of the following sections.

4 ENVIRONMENTAL MANAGEMENT & MITIGATION ACTION PLANS

The environmental management and mitigations measures (management plan actions) provided to the potential adverse impacts associated with the proposed project and its activities are presented under this chapter. The aim of these plan actions is to avoid these potential impacts where possible, and where avoidance is impossible, measures are provided to reduce the impacts' significance (as presented under the impacts' assessment chapter of the Scoping Report).

4.1 Key potential Negative/ (Adverse) Impacts

The summaries of keys identified potential adverse impacts for which the measures have been developed are as follows:

- Land degradation and Biodiversity Loss
- Generation of dust
- Water Resources Use
- Soil & Water Resources Pollution
- Waste Generation
- Occupational Health & Safety risks
- Vehicular Traffic Use & Safety

- Noise & Vibrations
- Disturbance to Archaeological & Heritage Resources
- Impacts on local Roads
- Social Nuisance: local property intrusion & disturbance
- Social Nuisance: Job seeking & differing Norms, Culture & values
- Impacts associate with closure and decommissioning of exploration works.

4.2 The Management and Mitigation of Potential Key Negative Impacts

The management and mitigation measures (action plans) for the potential adverse impacts are presented in **Table 2** for the planning, and prospecting and exploration (operational and maintenance) phases.

The required management and mitigation plan actions have been presented under **Table 2** in terms of:

- (a) Environmental aspects and issues for which management actions are required,
- (b) Proposed impact mitigation measures,
- (c) Key performance indicator (KPI) for monitoring success levels of management actions,
- (d) Responsible person(s) for implementing the proposed management actions,
- (e) Resources required for implementing management actions and monitoring and
- (f) Implementation timeframes for the proposed management actions.

EMP: EPL 8531 &8115

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline			
	PLANNING PHASE								
EMP implementation and training	Lack of EMP awareness and implications thereof	 -A Comprehensive Health and Safety Plan for the project activities should be compiled. This will include all the necessary health, safety, and environmental considerations applicable to respective works on sites. -An EMP non-compliance penalty system should be implemented on site. -The Proponent should appoint an SHE Officer to be responsible for managing the EMP implementation and monitoring. 	-All required Plans and systems are compiled and in place Safety, Health and Environmental (SHE) Officer is appointed	-Proponent	-Records of EMP implementation Plans and Systems	Pre-exploration (project activities)			
Authorizations	Lack of Agreements, Permits/ Licenses	-All the required agreements and licenses or permits should be applied for and signed, respectively before commencement of work on the EPLs, or as required. -The permits, agreements referred to herein include land access & use (by land or property owners or representatives of the occupiers of land) for exploration by the landowners/custodian,=/=Gaingu	 Applicable permits and licenses to obtained from relevant authorities and kept on site for records keeping and future inspections Agreements signed and obtained from landowners or occupiers of land on time, minimum of 2 	-Proponent	-Permits and Licenses	Prior to exploration			

Table 2: Management and Mitigation Measures for the Planning, Prospecting & Exploration Phases

EMP: EPL 8531 &8115

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
		Conservancy, Dorob National Park and Namib Naukluft National Park permit, Arandis Town Council, as well as petroleum storage permits from Ministry of Mines and Energy (MME).	monthspriortoplannedcommencementcommencementdate of onsite works-Onsitepetroleumstoragepermitsobtained		Signed Land Access and Use Agreements	
Communication between the Proponent and landowners or occupiers of land	Lack of communication (proper liaison) between the respective land owners, and Proponent with regards to land use	 The Proponent should appoint a Public Relation Officer (PRO) to liaise with the /landowners. The PRO should be introduced to the landowners and his or her contact details provided to them prior to undertaking activities for easy communication during the exploration activities. A clear communication procedure/plan which should include a grievance mechanism should be compiled 	-A PRO is appointed -Ongoing Stakeholders' and Public Engagement & Consultation throughout the project cycles, when and as required	-Proponent	-Complaint's logbook -PRO contact details to be provided to the affected farmers/landowners -Records of Stakeholders' and Public Consultations	PRO appointment (Prior to project activities) and their responsibilities throughout the rest of the project phases
Employment	Creation of employment opportunities to the locals	-Preference of local people for employment for jobs should be implemented, i.e., permanent residents from the local area (in and around Arandis) should be employed for the unskilled labour preferentially to non-residents,	-Number of locals employed for exploration activities -Consultation with the constituency councillor's office and local development committee	-Proponent in collaboration with the Exploration Manager (if necessary)	-Record of employees -Constituency Council office to assist in identifying unemployed people	Pre-project activities and when necessary, throughout the prospecting & exploration phase

15

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
		where possible. Employment of non-residents must be justifiable. -Equal opportunity should be provided for both men and women, when and where possible.	-Notification via the Constituency Office			
Specialised procurement of services	Exploration contractors and other services providers	-All services related to exploration activities such as drilling that the Proponent may need, preference should be given to local providers of such services. If not available locally, the services search should be extended to a regional level (Erongo Region) and lastly, nationally, or international, if all efforts truly yield no success. -Opportunities such as small tenders for instance should be awarded through the established committee.	-Number of hired contractors	-Proponent	 -Record of hired or contracted companies or services providers -Local Development Committee -Office of the Constituency Councillor 	Pre-project activities and when necessary, throughout

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
Corporate Social Responsibility (CSR)	Social commitment failures	 -Infrastructure/any relevant items should be donated to the community through the Regional Council post-exploration for distribution/allocation to nearby the communities in need. -The project owner (Proponent) should fulfil their promises of CSR, upon proper consultation with the local development committees to establish the needs of the community. 	-Visible commitment to ensure that the local community is benefitting from the project	-Proponent	-Office of the Constituency Councillor -Local Development Committee to monitor implementation of the CSR	Throughout the prospecting & exploration phase
		PROSPECTING	AND EXPLORATION PHAS	SE	<u> </u>	
EMP implementation and training	Lack of EMP awareness and implications thereof	 -EMP training should be provided to all new workers on site and to old workers (as a refresher) every 6 months. -All site personnel should be aware of necessary health, safety, and environmental considerations applicable to their respective work -The implementation of this EMP should be monitored. -The site should be inspected, and a compliance audit done throughout the project activities, 	-Compliance monitoring conducted monthly for the exploration phase and should be recorded -EMP Refresher training for employees/workers every 6 months -Timely renewal of the Environmental	-SHE Officer	-Monitoring reports by the SHE Officer or ECO -ECC renewed on time -Records of EMP training conducted	Throughout the exploration phase

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
		and compliance monitoring reports submitted to the DEAF bi-annually. -An EMP non-compliance	Clearance Certificate (ECC) every 3 years			
		penalty system should be implemented on site.				
Land use (physical soils)	Land degradation	-Overburden should be handled efficiently during exploration works to avoid erosion when land is subjected erosional processes.	-No proliferation of informal vehicle tracks.	-Exploration Manager	-Complaint's logbook	Throughout the exploration phase
		-Prevent creation of huge piles of waste rocks by performing sequential backfilling, especially for drilling activity.	-No new erosion gullies.	-SHE Officer		
		-Stockpiled topsoil and overburden waste rocks should be used to backfill the explored and disturbed site areas/spots.				
		-Soils that are not within the intended and targeted footprints of the site areas should be left undisturbed and soil conservation implemented as far as possible.				
		-Project vehicles/machinery should stick to access roads provide and/or meant for the project operations to reduce soil compaction.				

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
Water resources	Over- abstraction (Water demand and availability)	 -When necessary, make provision for water carting to site to augment onsite water supplies for exploration. -Water should be efficiently used by implementing water saving measures such as recycling and re-using, where necessary and possible. -Water conservation awareness and saving measures training should be included in the Safety, Health and Environment training for all project workers to understand the importance of water conservation. 	-Proof/ recording/ quantification of water saving efforts -No complaints of water level drops and short in supply from local water users	-Exploration Manager -SHE Officer	-Permit issuance (or water purchasing agreements for carting to site)	Water supply agreements to be obtained prior to exploration phase Throughout the phases
Soil and water resources	Soil and water resources pollution	-Spill control preventive measures should be in place on site to management soil contamination, in order to prevent and/or minimize the contamination from reaching water resources bodies. Some of the soil control preventive	-No complaints of pollutants on the soils and eventually in the water due to exploration activities -No visible oil spills on the ground or contaminated/polluted spots.	-SHE Officer	-Complaint's logbook -Waste containers -Non-permeable material to cover the ground surface	Throughout exploration phase

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
		 measures that can be implemented include: (a) Identification of oil/fuel storage sites and allocate drip trays and polluted soil removal tools suitable for that specific surface (soil or hard rock cover) on the sites. (b) Maintain equipment and fuel storage tanks to ensure that they are in good condition to prevent 			at areas where hydrocarbons and potential pollutants are utilized.	
		 leaks and spills. (a) The oil/fuel storage and use sites should be visually inspected for container or tank condition and spills. (b) Maintain a fully provisioned, easily accessed spill kit. Spill kits 				
		should be located throughout the active project sites contain the floor dry absorbent material and absorbent booms, pads, mats. These would be suitable for ground surface areas that are covered mainly by hard rocks.				
		-All project employees should be sensitized about the impacts of soil pollution and advised to follow appropriate fuel delivery and handling procedures.				

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
		 The Proponent should develop and prepare countermeasures to contain, clean up, and mitigate the effects of an oil spill. This includes keeping spill response procedures and a well-stocked cache of supplies easily accessible. Ensure employees receive basic Spill Prevention, Control, and Countermeasure (SPCC) Plan training and mentor new workers 				
		as they get hired. -At exploration sites where hydrocarbons will be utilized, the surface should be covered with an impermeable plastic liner (e.g., an HDPE liner), carefully placed to minimize risk of puncturing, to prevent any spillages from getting into direct contact with the soils and prevent eventual infiltration into the ground.				
		 Project machines and equipment should be equipped with drip trays to contain possible oil spills when operated on site. In cases of accidental fuel or oil spills on the soils from site vehicles, machinery and 				

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
		equipment, the polluted soil				
		should be removed immediately				
		and put in a designate waste type				
		container for disposal. The				
		removed polluted soil should				
		either be completely disposed of				
		or cleaned and returned to where				
		it was taken from on site or				
		replaced with a new cleaner soil.				
		-Although fuel (diesel) required				
		for exploration equipment will be				
		stored in a tank mounted on a				
		mobile trailer, drip trays must be				
		readily available on this trailer				
		and monitored to ensure that				
		accidental fuel spills along the				
		tank trailer path/route around the				
		exploration sites are cleaned on				
		time (soon after the spill has				
		happened).				
		-Polluted soil must be collected				
		and transported away from the				
		site to an approved and				
		appropriately classified				
		hazardous waste treatment				
		facility/site.				
		-				
		-Washing of equipment				
		contaminated hydrocarbons, as				
		well as the washing and servicing				
		of vehicles should take place at a				
		dedicated area, where				
		contaminants are prevented from				

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
		contaminating soil or water resources. -Toilet water should be treated by discharging into chemical toilets and periodically emptied out before reaching capacity and transported to a wastewater treatment facility. The ablution facilities provided must be utilised and managed well according to manufacturers instructions.				
Biodiversity	Loss of Fauna and Flora	Flora: -No onsite vegetation should be cut or used for firewood related to the project's operations. -shrubs or trees found along exploration sites should not be unnecessarily removed. Therefore, care should be taken when exploring without destroying the site vegetation. -New access routes must be designed appropriately in a way that disturbs minimal land areas and vegetation as possible. -Make use of the existing road network as much as possible and avoid off-road driving.	 -Incident reports of illegal hunting of wildlife by the project crew/workers. -No complaints of wildlife theft, snaring or killing of wildlife by the project personnel -No disturbance to unmarked areas. No complaints from locals regarding unauthorised 	-SHE Officer	-Complaint's logbook	During site set up, and throughout the exploration phase

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
		 -Vegetation clearing to be kept to a minimum. The vegetation of the sites is largely low and open and therefore beyond-site vegetation clearing should only be applied where necessary and within the development footprint. -Formulate and implement suitable and appropriate operational management guidelines for the cleared areas. Incorporated in the guidelines are 	-			
		 the progressive rehabilitation measures. These should consider: (a) Any land damages or scarring from previous exploration or mining works on the EPL, must 				
		be recorded before exploration by the Proponent commences, in order for the Proponent to ensure they rehabilitate all damages they cause to the land and environment through their activities				
		(b) Post closure land-use measures and/or establishment of self-sustaining indigenous vegetation				

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
		(b) Implementation of erosion management measures				
		-Vegetate the top surface of the cleared areas as soon as it is practicably possible.				
		-Cleared areas should be revegetated with seed or plants of locally occurring species.				
		-Regular monitoring for alien plants within the project's footprint during operations/exploration.			-Anti-poaching unit of the Namibian Police Force	
		-No muddy and dirty equipment should be brought onto site as this is likely to carry seed of alien species.			-MEFT's Wildlife Protection Unit	
		Fauna:				
		-Workers should refrain from disturbing, killing or stealing domestic and wild animals and killing small soil and rock outcrops' species found on site.				
		-Poaching (illegal hunting) of wildlife from the area is strictly prohibited.				
		-Environmental awareness on the importance of biodiversity				

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
		preservation should be provided to the workers. -National Parks and conservancy rules and regulations should be				
Air Quality	Air quality (dust)	strictly adhered to. -Exploration vehicles should not drive at a speed more than 40	-Dust suppression measures	-Exploration Manager	-Grievance logbook	Throughout the phases
		km/h to avoid dust generation around and within the site area.The Proponent should ensure	-Visible efforts to curb	-SHE Officer	-Dust suppression water tanks	
		that the exploration schedule is limited to the given number of days of the week, as per agreement with land owners. This will keep the vehicle-related dust level minimal in the area.	dust			
		-Dust control measures such as reasonable amount of water spray should be used on gravel roads and near exploration sites to suppress the dust that may be				
		emanating from certain exploration areas on the EPL such as drilling, trenching sites. -Dust masks, eye protective				
		glasses and other respiratory personal protective equipment (PPE) such as face masks should be provided to the workers on				

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
Waste	Environmental	drilling sites, where they are exposed to dust. -The impact mitigation measures should be covered in the relevant access agreements as required by law on national parks and conservancies. This should also apply to resettled/communal farms, if any. -Drilling and excavating equipment should be regularly maintained (serviced) to ensure drilling and excavation efficiency and so to reduce dust generation and harmful gaseous emissions.	-A register of all waste	-Proponent	-Funds to acquire	Throughout the
management	pollution	 -Workers should be sensitized to dispose of waste in a responsible manner and not litter. -All domestic and general operational waste produced daily should be contained until such that time it will be transported to designated waste sites. -No waste may be buried or burned on site or anywhere else and no wastes left on the sites. -The exploration site should be equipped with separate waste 	 generated on site is kept on site. -All waste disposal permits from relevant authorities are available on site. -No littering on and around the project site 	-Exploration Manager -SHE Officer	waste storage bins/ drums; and transport all waste from the site. -Waste storage containers	phases.

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
		bins for hazardous and				
		general/domestic waste.				
		-Hazardous waste, including				
		emptied chemical containers				
		should be safely stored on site				
		where they cannot be accessed				
		and used by locals for personal				
		use. These containers can then				
		be transported to the nearby				
		approved hazardous waste sites				
		for safe disposal. No waste				
		should be improperly disposed of				
		on site or in the surroundings,				
		i.e., on unapproved waste sites.				
		-Oil spills should be taken care of				
		by removing and treating soils				
		affected by the spill.				
		-A penalty system for				
		irresponsible disposal of waste				
		on site and anywhere in the area				
		should be implemented.				
		-Careful storage and handling of				
		hydrocarbons on site is essential.				
		-Potential contaminants such as				
		hydrocarbons and wastewater				
		should be contained on site and				
		disposed of in accordance with				
		municipal wastewater discharge				
		standards so that they do not				

EMP: EPL 8531 &8115

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
		contaminate surrounding soils and eventually groundwater. -An emergency plan should be available for major/minor spills at the site during operation activities (with consideration of air, groundwater, soil and surface water) and during the transportation of the products(s) to the sites.				
	Wastewater generated by exploration workers living on-site.	-Washing of hydrocarbon contaminated equipment, as well as the washing and servicing of vehicles should take place at a dedicated area, where contaminants are prevented from contaminating soil or water resources.	-Adequate toilet facilities on site.	-Exploration Manager -SHE Officer	-Chemical toilets, waste treatment agents/chemicals -Wastewater discharge permits	At site setup and throughout exploration phase
		-Sewage waste should be stored as per the portable chemical toilets supplied on site and regularly disposed of at the nearest wastewater treatment facility.				
		-Emptying of chemical toilets according to the manufacturer's specifications.				
		-All wastewater and other potential pollutants associated with the project activities should				

29

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
		be contained in designated containers on site and later disposed of at nearby approved waste sites in accordance with MAWLR's Water Environment Division standards on wastewater discharge into the environment. This is to ensure that these hazardous substances do not infiltrate into the ground and affect the local groundwater quality.				
Noise	Noise	 -Noise from project vehicles and equipment on the working sites of the EPL should be at acceptable levels. -Exploration hours should be restricted to between 08h00 and 17h00 to avoid noise and vibrations generated by exploration equipment and the movement of vehicles before or after hours, thus disturbing the tranquillity in the area during the night or early morning hours. -When operating the drilling machinery onsite, workers should be equipped with personal protective equipment (PPE) such as earplugs to reduce exposure to excessive noise. 	-Noise generating activities such as drilling limited to weekdays only. -PPE provided to workers operating noisy equipment and in noisy site areas.	-Exploration manager -SHE Officer	-Clearly written placards with operational hours in a day placed at one of the visible access roads to sites	Throughout the project phases

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
		 The transportation of exploration materials, equipment and machinery should be limited to once or twice a week only, and not every day. Target exploration sites that may be found to be within less than 1 km from the residences (farmhouses) should be avoided at all costs. This is done to preserve tranquillity of the residents. 				
Health and Safety	Occupational & Community Health and Safety	 The Proponent should commit to and make provision for bi-annual full medical check-up for all the workers at site to monitor the impact of project related activities on them (workers). -As part of their induction, the project workers should be provided with an awareness training of the risks of mishandling equipment and materials on site as well as health and safety risk associated with their respective jobs. -When working on site, employees should be properly equipped with adequate personal protective equipment (PPE) such as coveralls, gloves, safety 	-Compilation of Comprehensive Health and Safety Plan -Regular health screening of workers -Bi-annual health and safety audits done. -All onsite workers and visitors equipped with PPE.	-Exploration Manager -Proponent -SHE Officer	-Health and Safety Policies -Funds to acquire health and safety related equipment. and to pay for employee medical services -First Aid training for at least 1 personnel at each work site	

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
		boots, earplugs, dust masks, safety glasses, etc.				
		-Heavy vehicle, equipment and fuel storage site should be properly secured, and appropriate warning signage placed where visible. -Drilled exploration boreholes that will no longer be in use or to				
		be used later after being drilled should be properly marked for visibility and capped/closed off.				
		-Ensure that after completion of exploration holes, drill cuttings are put back into the hole and the holes filled and levelled.				
		-An emergency preparedness plan should be compiled, and all personnel appropriately trained.				
		-Workers should not be allowed to drink alcohol prior to and during working hours nor allowed on site when under the influence				
		of alcohol as this may lead to mishandling of equipment which results into injuries and other health and safety risks.				
		-The site to be equipped with "danger" or "cautionary" signs for				

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
		any potential danger or risk area identified on site.				
Fires	Accidental fire outbreak	 Portable fire extinguishers should be provided on site. No open fires to be created by project personnel. Potential flammable areas and structures should be marked as such with clearly visible signage. 	-No Fires recorded (due to presence of workers)	-Exploration Manager -SHE Officer	-Fire extinguishers (1 per vehicle) and 1 per working site	Throughout the phases
Archaeology and heritage	Accidental disturbance and destruction of archaeological or heritage objects and sites	-The management and mitigations or recommendation to minimize impact on archaeological and heritage resources are not available, pending a detailed/Comprehensive Specialist' Study . The only provisional recommendation to the proposed Detailed Study hereto is that: The Proponent is advised to make an application to the National Heritage Council for a Consent to allow a Detailed Assessment of the area in relation to the proposed activity believed to be an archaeological or heritage site.	-Preservation of all artefacts that are discovered around project area -Cessation of work upon discovery/unearthing of unknown objects	-Exploration Manager -SHE Officer -Archaeologist	-Technical Consultant (Archaeologist to help identify and advise on heritage object discovery) -Salvage equipment -Flag tapes -GPS (site marking)	-Archaeologist to be present on-site during excavations

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
Social conflicts	Job seeking, and differing norms and cultures	 The Proponent should prioritize the employment of more local residents, and only if necessary and due to lack of skills in the area, non-residents may be employed The locals to be employed during the project phases should be provided with the necessary training of skills required for the project. This way, skills development and transfer is ensured in the nearby communities. non-resident employees on site should be sensitized on the importance of respecting the local values and norms, so that they can co-live-in harmony with local communities during the duration of their employment on site. 	-No complaints of property theft or damage related to project workers -More local workers who are familiar with the values, and way of living in the area	-Exploration Manager -SHE Officer	-Grievance logbook -Employment Code of Conduct	Throughout the phases
	Property intrusion and disturbance	 The Proponent should inform their workers to avoid intrusion or vandalism of private property or snaring and killing wildlife. Any workers or site employees found guilty of the intrusion of private property should be disciplined and/or dealt with as 	-Project workers are educated on what is expected of them while on site in relation to the private and public properties -No complaints of damage to private or public properties by	-Exploration Manager -PRO -SHE Officer	-Anti-property intrusion or damage pamphlets or placards placed at every exploration site -Fines for any intentional damage	Throughout the phases

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
		per their employer' (Proponent)'s code of employment conduct -No worker should be allowed to wander or trespass on private property without permission. -Site workers are not allowed to kill or in any way disturb local wildlife -No worker should be allowed to, without permission cut down or damage trees belonging either the farm owner, the neighbouring farm/s or in the already scarce community vegetation.	project workers or activities		or disturbance of private or public property	
Vehicular Traffic	Traffic safety	 Transportation of exploration materials, equipment and machinery should be limited to once or twice a week only, to reduce the pressure on local roads. Heavy truck loads should comply with the maximum 	-Site access road permits obtained, and requirements fulfilled -No complaints from members of the public regarding vehicular traffic issues related to the project	-Exploration Manager -SHE Officer	-Vehicular traffic compliance to be included in the annual environmental audit reporting	Throughout the phases.

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
		allowed speed limit for respective vehicles while transporting materials and equipment/machinery on the public and access roads (40km/h). -The potential carting of water to the site (from other source of water supply) should be done once or twice a week in container that can supply and store water for most of the week, in order to reduce the number of heavy trucks on the road daily. -Drivers of all project vehicles should be in possession of valid and appropriate driving licenses and adhere to the road safety rules. -Drivers should drive slowly (40km/hour or less) and be on the lookout for wildlife as well as travellers. -The Proponent should ensure that the site access roads are well equipped with temporary road signs conditions to cater for vehicles travelling to and from site throughout the project's life cycle.	vehicles and machinery are appropriately licensed and possession of valid driving licenses. -The vehicles are driven at the recommended speed. -Demarcated areas			

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
		-Project vehicles should be in a road worthy condition and serviced regularly to avoid accidents owing to mechanical				
		faults. -Vehicle drivers should only				
		make use of designated site access roads provided and as agreed.				
		-Vehicle's drivers should not be allowed to operate vehicles while under the influence of alcohol or any other intoxicants.				
		-Sufficient parking area for all project vehicles should be provided for and clearly demarcated on sites.				
		-The Proponent should make provision for safe materials and equipment offloading and loading areas on sites.				
		-No heavy trucks or project related vehicles should be parked outside the project site boundary or demarcated areas.				
		-To control traffic movement on site, deliveries from and to site should be carefully scheduled. This should optimally be during				

Aspect Imp	pact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
		weekdays and between the hours of 8am and 5pm. -The site access road(s) should be upgraded to an unacceptable standard to be able to accommodate project related vehicles and access permits obtained from the Roads Authority.				
and services exis infrastructure and	isting roads	-The Proponent should consider re-using and recycling water on site to reduce the abstraction of fresh water from the local sources. -Heavy trucks transporting materials and services to site should be scheduled to travel at least twice or thrice a week to avoid daily travelling to site, with the exception of emergency cases. -The Proponent should consider frequent maintenance of local roads around their operations to ensure that the roads are in a good condition for other roads users from and outside the area	The local roads are frequently maintained by the Proponent and movement of heavy trucks is limited -Water saving measures are implement	-Proponent -Exploration Manager	-Road maintenance excavator/bulldozer -onsite water storage tanks	Throughout the phases

EMP: EPL 8531 &8115

4.3 Rehabilitation and Decommissioning measures

Successful rehabilitation requires careful consideration of the local ecological context in combination with rehabilitation goals. The most important steps in undertaking a successful rehabilitation are planning and environmental awareness (environmental education) on the importance of progressive rehabilitation (or post-activity rehabilitation) and its importance to the environment. Furthermore, to successfully implement the planned rehabilitation, practically, this will depend on factors such as the rehabilitation program, characteristics of the site, nature of disturbance, rehabilitation methods, as well as resources availability.

Rehabilitation of the EPL site may include the re-vegetation of areas with species consistent with surrounding vegetation; refilling of trenches in such a way that subsoil is replaced first and topsoil replaces last. The management and mitigation measures (action plans) for the rehabilitation and decommissioning of explored sites and site works, respectively are presented in **Table 3**.

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
Rehabilitation	Explored and damaging of site land and soils	 -Any land damages or scarring from previous exploration or mining works on the EPL, must be recorded and mapped before exploration by the Proponent commences, in order for the Proponent to ensure they rehabilitate all damages they cause to the land and environment through their activities. -All drilled exploration boreholes related to the project activities (especially within the sensitive area) and no longer 	 -Capped boreholes and backfilled pits -No stockpiled topsoil (topsoil is levelled after completion of each work) -Visible signs of stockpiled topsoil -Annual update of finances reserved for 	-Proponent	 -Record of boreholes drilled, and pits excavated (if any) -Waste containers on sites -Photo records of backfilled sites 	Pre-site abandonment

Table 3: Management and Mitigation Measures to rehabilitate the explored sites and decommissioning of the site works

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
		needed should be backfilled and capped. -Utilize stockpiled subsoil and topsoil to fill the excavated pits/trenches progressively back, i.e., stockpiled topsoil should be levelled during exploration activities. -Provision of both financial and technical resources for progressive rehabilitation and post-exploration activities should be made. Levelling of stockpiled topsoil, to ensure that the disturbed land sites are left as close to their original state as much as possible. Closing off and capping of all exploration drilling boreholes to ensure that they do not pose a risk to people and animals in the area. The boreholes should not only be filled with sand alone, as wind will scour the sand and re-establish the holes. -Removal of exploration equipment and vehicles from	Indicator (KPI) decommissioning and rehabilitation	Person	-Records of campsite and other structures onsite Records of finances set aside for decommissioning activities	
		the site. Transporting all machinery and equipment as				

EMP: EPL 8531 &8115

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
		well as vehicles to designated offsite storage facilities. -Clean up of site working areas and transporting the recently generated waste to the nearby approved waste management facility (as per agreement with the facility operator/owner).				
Decommissioning	Structures and infrastructure	 -All accumulated waste (hazardous, solid, and general) up until the cessation of exploration activities will be removed from site and transported to designated off site waste management facilities. -Removal of project vehicles and equipment from the site and taken to designated parking facility off site. -All project support structures such as ablution facilities (toilet and washroom system), campsites, temporary field offices and storage containers/tanks shall be demolished, and the waste taken to designated sites. The site areas on which these structures were set up will be 	-No sign of waste or littering seen on site and around site areas -project structures and infrastructure Campsite dismantled, and materials taken away from site	-Proponent		

41

Aspect	Impact	Management & Mitigation Measure(s)	Key Performance Indicator (KPI)	Responsible Person	Resources	Timeline
		rehabilitated to pre-operational state.				

4.4 Environmental and Social Monitoring

To support and ensure that the proposed management and mitigation measures are achieving the desired results throughout the project phases, a monitoring plan must be implemented alongside the mitigation plan. **Table 4** presents the required environmental and social monitoring in terms of each potential impact, parameters to be monitored and monitoring objective. Included in the same Table is the reporting structures for monitoring, frequency, methods to be used, reporting structure, any thresholds that apply and relevant recommended actions.

The same Table also presents the monitoring implementation for the exploration phase, given the similarity in activities, hence the "reporting structure" column presented as "Exploration manager". Therefore, the monitoring exercise will be done according to the relevant project stage or phase. In other words, for monitoring of mitigation implementation in the prospecting and exploration phase, the reporting structure ends with the Exploration Manager.

Table 4:	Monitoring requirements to manage and mitigate the potential adverse impacts (updated after Resilient Environmental
Solutions, 20	19)

Impact	Parameter to be Monitored	Monitoring Objective	Key Performance Indicator (KPI)	Methods of Monitoring	Frequenc y	Responsible Party	Reporting structure	Threshold	Action if threshold is exceeded		
	Water and soil pollution										
Soil pollution by hydrocarbon (fuel and	Complaints from farmer/s or occupiers of land within	To prevent contaminati on of site soils	No complaints from farmers about visible oil spills	Inspection of complaints logbooks	Weekly	SHE officer	SHE Officer> Exploration Manager	A logged complaint	Further consultations with the farm/landowne rs or custodian		

Impact	Parameter to be Monitored	Monitoring Objective	Key Performance Indicator (KPI)	Methods of Monitoring	Frequenc y	Responsible Party	Reporting structure	Threshold	Action if threshold is exceeded
lubricant spills)	the project sites								
Wastewater generated by exploration workers living on-site.	Open defecation and urination.	To prevent environme ntal pollution	Adequate toilet facilities on site. Complaints from the public about open defecation and urination.	Visual observation. Inspection of complaints logbook.	Weekly	SHE Officer	SHE Officer> Exploration Manager	A logged complaint	Clean-up of affected areas.
					Soils				
Loss of topsoil	Increased loss of soil	To prevent loss of topsoil	No proliferation of informal vehicle tracks. No new erosion gullies	Visual observation	Weekly	SHE Officer	SHE Officer> Exploration Manager	Proliferation of new vehicle tracks Formation of new gullies in work areas	Rehabilitation of affected explored areas
					Air quality				
Increase in dust generation, which might negatively affect occupational and residential respiratory health.	Complaints from public about increased in dust generation.	To reduce public complaints and prevent negative changes in air quality due to exploration activities	No complaints from the public about increased dust generation.	Inspection of complaints logbook.	Weekly	SHE Officer	SHE Officer> Exploration Manager	A logged complaint	Dust suppression around working areas to reduce fugitive dust
Hydrocarbon emissions from vehicles	Complaints from the public about increased	Same as above.	No complaints from the public about increased	Inspection of	Weekly	SHE Officer	SHE Officer> Exploration Manager	A logged complaint	Servicing of vehicles and machinery by a certified

Impact	Parameter to be Monitored	Monitoring Objective	Key Performance Indicator (KPI)	Methods of Monitoring	Frequenc y	Responsible Party	Reporting structure	Threshold	Action if threshold is exceeded
	vehicles fumes		vehicle emissions	complaints logbook.					service provider
	<u>.</u>			Poach	ning (Illegal h	unting)			
lllegal hunting of wildlife	Reported poaching incidents by projects team	To prevent illegal hunting of wildlife	Incidents reports of illegal hunting of wildlife by exploration workers.	Consultatio n with the local Police Service for reported incidents of poaching.	Weekly	SHE Officer	SHE Officer> Exploration Manager> local Police Service (Anti-poaching Unit)	An incidents report logged with the local Police Service	Appropriate action will be decided by the local Police Service
				Habita	at loss (Biodiv	versity)			
Localised loss of habitat and vegetation	Loss of habitat	To prevent loss of habitat outside areas of interest	No disturbance to unmarked areas within the project area	Visual observation	Weekly	SHE Officer	SHE Officer> Exploration Manager	Vegetation clearance outside of marked areas.	Rehabilitation of affected areas to the satisfaction of the SHE Officer
			Oc	cupational and	d Community	Health and Safet	y		
No health and safety plan for exploration activities.	Compiled health and safety plan for exploration activities.	To prevent health and safety impacts	No significant health and safety incidents (i.e., serious injuries or loss of life)	Visual observation Inspection of complaints logbooks	Daily/ weekly	SHE Officer and Exploration Manager	SHE Officer> Exploration Manager	Health and safety incident	Remedy the consequences
Potential increase in outbreak of wildfires due to project activities	Occurrence of wildfires	To prevent environme nt damage caused by wildfires	No wildfires recorded (due to presence of exploration workers)	Visual observation	Daily	SHE Officer	SHE Officer> Exploration Manager > local police service	Outbreak of wildfires due to the exploration workers	Rehabilitation of affected areas
	Archaeology an	d cultural her	itage (to be updated	d upon comple	tion of the re	quired Detailed A	rchaeological and Heritage Ass	sessment Stud	y)

Impact	Parameter to be Monitored	Monitoring Objective	Key Performance Indicator (KPI)	Methods of Monitoring	Frequenc y	Responsible Party	Reporting structure	Threshold	Action if threshold is exceeded
Potential disturbance of archaeologic al and cultural heritage resources	Presence or unearthing of archaeologic al or cultural heritage resources	To prevent destruction of artefacts and sites	Preservation of all artefacts and sites that are discovered within the site boundary or around the project site area	Inspection of records of findings	Daily	SHE Officer Operator	Operator>Foreman> Superintended>SHE Officer>Project Archaeologist>National Heritage Council (NHC)	Unearthing of archaeologi cal or cultural heritage resources	Cease all activities on site and wait for NHC to inspect site and give further instructions / actions
	Employment creation and Corporate Social Responsibility (CSR)								
Creation of employment	Creation of employment opportunities	To ensure that locals benefit from the project	Number of locals employed during exploration activities	Inspection of employment records	Monthly	Exploration Manager	Exploration Manager or Proponent	Number of those employed	None
					Noise				
Potential increase in noise	Above ambient noise levels.	To ensure that generated noise does not disturb residents.	Complaints from residents about noise generated.	Inspectio V n of complaint s logbook	Veekly	SHE Officer	SHE Officer> Exploration Manager	A logged complaint about above normal noise levels	Revision of site activities
				v	/ehicular Traf	fic			
Increase in traffic density on declared Roads Authority (RA) roads or damage to these.	Complaints from the public about increase in traffic on the roads. Complaints about damage to RA roads	To ensure continued ease of access to RA roads by residents	No complaints from the public about increase off traffic due to exploration activities	Inspection of logbooks	Weekly	SHE Officer	SHE Officer> Exploration Manager > Roads Authority	A logged complaint about traffic increase or damage to RA roads	Find alternative access roads for the workforce. Rehabilitation of affected roads

Impact	Parameter to be Monitored	Monitoring Objective	Key Performance Indicator (KPI)	Methods of Monitoring	Frequenc y	Responsible Party	Reporting structure	Threshold	Action if threshold is exceeded
	caused by movement of project vehicles and machinery.								
	Social nuisance: Property invasion or disturbance and damage								
Potential intrusion or damage/dest ruction of private or public properties	Unauthorized intrusion and or damage to properties	To prevent crashes and tensions between the Proponent and the land/proper ty owners	No complaints of property damage or intruding by project personnel	Liaison with property owners or occupiers of land	Monthly	PRO	Exploration Manager (or Proponent)>PRO>Landowner s/Occupiers of land or custodian	Arising new complaints	PRO to warn the personnel on respecting people's properties. If persists then Code of Conduct to be implemented
	Environmental Pollution (Littering)								
Environment al pollution from solid waste during exploration activities.	Scattered litter	To prevent littering of the general project area	No visible litter around the project area	Visual observation	Daily	SHE Officer	SHE Officer> Exploration Manager	Visible littering around project site	Clean-up of the affected areas and ensuring exploration workers utilise waste containers provided.
Site Rehabilitation									
Soil and land disturbance because of exploration activities.	Abandoned and stockpiled topsoil as well as very disturbed land surface	To prevent major soil and land damage by project activities	No major soil and land disturbance	Visual observation	Daily	SHE Officer	SHE Officer> Exploration Manager	Visible soil and land disturbance	Effective progressive backfilling of topsoil and rocks

APPENDIX 1: CHANCE FINDS PROCEDURE (AFTER KINAHAN, 2020)

Areas of proposed development activity are subject to heritage survey and assessment at the planning stage. These surveys are based on surface indications alone, and it is therefore possible that sites or items of heritage significance will be found during development work. The procedure set out here covers the reporting and management of such finds.

Scope: The "*chance finds*" procedure covers the actions to be taken from the discovery of a heritage site or item to its investigation and assessment by a trained archaeologist or other appropriately qualified person.

Compliance: The "chance finds" procedure is intended to ensure compliance with relevant provisions of the National Heritage Act (27 of 2004), especially Section 55 (4): "*a person who discovers any archaeological … object ……must as soon as practicable report the discovery to the Council*". The procedure of reporting set out below must be observed so that heritage remains reported to the NHC are correctly identified in the field.

Responsibility:

Operator: To exercise due caution if are	chaeological remains are found.
---	---------------------------------

Foreman: To secure site and advise management timeously.

Superintendent: To determine safe working boundary and request inspection.

Archaeologist: To inspect, identify, advise management, and recover remains.

Procedure:

Action by person identifying archaeological or heritage material

- a) If operating machinery or equipment stop work
- b) Identify the site with flag tape
- c) Determine GPS position if possible
- d) Report findings to foreman

EMP: EPL 8531 &8115

Action by foreman

- a) Report findings, site location and actions taken to superintendent
- b) Cease any works in immediate vicinity

Action by superintendent

- a) Visit site and determine whether work can proceed without damage to findings
- b) Determine and mark exclusion boundary
- c) Site location and details to be added to project GIS for field confirmation by an archaeologist

Action by Archaeologist

- a) Inspect site and confirm addition to project GIS
- b) Advise NHC and request written permission to remove findings from work area
- c) Recovery, packaging and labelling of findings for transfer to National Museum
- In the event of discovering human remains
- a) Actions as above
- b) Field inspection by archaeologist to confirm that remains are human
- c) Advise and liaise with NHC and Police

d) Recovery of remains and removal to National Museum or National Forensic Laboratory, as directed.

The competent authorities' contact details to report archaeological sites or objects (Exploration Manager and contractor) are as follows:

- National Heritage Council (NHC) of Namibia (061 244 375) or direct contact with the Regional Heritage Officers at the NHC 061 301 903
- National Museum (+264 61 276800),

EMP: EPL 8531 &8115

• National Forensic Laboratory (+264 61 240461).